1.13

Geriatric Length of Stay by Diagnosis and Operation, United States, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Instituttions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1983

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

  a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

  b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in ***List A*** or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  gangrenous (*see also* Cholecystitis, acute) 575.0
  paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  suppurative (*see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia (*see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis (*see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine (*see also* Cholera) 001.9
Cholestasis (*see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 385.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) (*see also* Cholesteatoma) 385.30
  diffuse 385.35

124

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	8968	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	**34900**	**12.1**	**68**	**3**	**5**	**10**	**15**	**21**	**27**	**44**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574 0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7) If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41431	6.4	42	1	1	5	8	13	17	33
70-74	36426	6.6	44	1	2	5	8	13	18	34
75-79	28829	6.8	44	1	2	5	8	14	18	35
80-84	20098	7.0	45	1	2	5	9	14	18	35
85+	17602	7.2	47	1	2	5	9	14	19	36
B. *Operated*										
65-69 YRS	81260	5.8	33	1	1	4	8	13	16	27
70-74	69345	6.0	38	1	2	4	8	13	17	29
75-79	53584	6.2	44	1	2	3	8	14	19	31
80-84	32690	6.5	52	1	2	3	9	16	20	34
85+	21800	7.5	67	1	2	4	11	18	23	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	290713	8.2	55	2	2	6	10	16	21	39
70-74	307604	8.7	60	2	2	7	11	17	22	41
75-79	285303	9.2	66	2	3	7	11	18	24	44
80-84	223141	9.7	72	2	3	7	12	19	25	47
85+	207591	10.2	81	2	3	8	13	20	26	53
B. *Operated*										
65-69 YRS	230573	10.9	118	2	2	8	14	23	31	61
70-74	216064	11.6	130	2	2	9	15	24	34	64
75-79	175710	12.4	142	2	2	9	16	26	36	67
80-84	113818	13.5	160	2	2	10	18	29	39	74
85+	84679	14.7	172	2	2	12	19	31	42	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144286	6.7	44	1	2	5	8	13	18	34
B. *Operated*	258679	6.2	42	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	1314352	9.1	66	2	3	7	11	18	23	44
B. *Operated*	820844	12.2	139	2	2	9	16	26	35	67
1. SINGLE DX	402965	6.4	43	1	2	4	8	14	18	32
2. MULTIPLE DX	2135196	10.3	96	2	2	8	13	21	29	55
A. NOT OPERATED	1458638	8.8	64	2	2	7	11	17	23	43
B. OPERATED	1079523	10.7	122	2	2	8	14	23	32	61
TOTAL 65-69 YRS	643977	8.7	77	1	2	6	11	18	24	47
70-74	629439	9.3	84	2	2	7	12	19	26	50
75-79	543426	9.8	91	2	2	7	12	20	28	52
80-84	389747	10.4	100	2	2	8	13	21	29	56
85+	331572	11.0	107	2	2	8	14	22	30	61
GRAND TOTAL	**2538161**	**9.6**	**90**	**2**	**2**	**7**	**12**	**20**	**27**	**52**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	220	3.9	7	1	1	3	5	7	8	13
70-74	205	4.4	10	1	2	4	5	9	10	18
75-79	150	4.6	9	1	2	4	6	10	11	13
80-84	92	4.7	13	1	2	3	5	10	13	17
85+	95	4.4	13	1	1	4	5	8	11	22
B. *Operated*										
65-69 YRS	8	5.3	9	2	2	5	7	9	10	10
70-74	8	7.8	35	3	3	7	9	18	21	21
75-79	5	6.4	7	3	3	8	8	9	9	9
80-84	6	8.0	36	1	1	7	11	17	18	18
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1116	5.6	23	2	2	4	7	10	13	20
70-74	1250	5.9	22	2	2	5	7	11	14	24
75-79	1129	6.4	33	2	2	5	8	12	16	29
80-84	857	6.8	32	2	2	5	8	13	17	29
85+	738	7.3	42	2	2	6	9	14	18	33
B. *Operated*										
65-69 YRS	122	11.1	128	3	3	8	12	22	32	64
70-74	106	12.6	133	2	4	9	17	24	29	66
75-79	90	13.9	161	3	4	9	16	25	41	66
80-84	84	14.7	199	2	4	11	17	29	39	84
85+	45	12.2	71	2	4	9	18	27	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	4 3	10	1	2	4	5	8	10	16
B. *Operated*	28	6.8	20	2	2	6	8	11	18	21
2. MULTIPLE DX										
A. *Not Operated*	5090	6.3	30	2	2	5	8	12	15	27
B. *Operated*	447	12.8	144	3	4	9	16	25	33	73
1. SINGLE DX	790	4.4	11	1	2	4	5	8	11	17
2. MULTIPLE DX	5537	6.8	42	2	2	5	8	13	17	33
A. NOT OPERATED	5852	6.0	27	2	2	5	7	11	15	26
B. OPERATED	475	12.4	139	2	3	9	16	24	33	72
TOTAL 65-69 YRS	1466	5.8	32	1	2	4	7	11	14	27
70-74	1569	6.1	31	2	2	5	7	11	16	27
75-79	1374	6.7	42	2	2	5	8	12	17	35
80-84	1039	7.2	49	2	2	5	9	14	18	35
85+	879	7.2	42	2	2	5	9	14	18	33
GRAND TOTAL	**6327**	**6.5**	**39**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	10.5	39	2	4	10	14	18	21	31
70-74	27	13.0	126	3	3	13	16	19	33	59
75-79	21	11.6	81	3	4	9	16	21	31	42
80-84	19	9.3	27	1	2	9	12	17	20	21
85+	17	13.3	109	<1	2	10	22	29	34	36
B. *Operated*										
65-69 YRS	31	14.6	241	1	3	11	17	24	35	87
70-74	24	12.5	60	3	4	11	19	22	27	32
75-79	24	13.4	51	2	4	14	18	20	24	32
80-84	7	23.7	563	1	2	14	41	62	65	65
85+	4	6.0	22	3	3	4	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	101	15.3	142	3	5	11	21	28	39	61
70-74	129	15.0	180	2	4	11	20	31	53	75
75-79	94	15.8	176	3	4	13	20	35	53	99+
80-84	85	16.4	167	3	3	14	21	29	40	69
85+	83	17.5	152	4	6	15	21	33	43	68
B. *Operated*										
65-69 YRS	117	18.4	201	3	5	14	25	38	54	83
70-74	109	20.4	255	3	6	15	28	41	54	90
75-79	92	16.9	144	3	4	14	34	33	39	53
80-84	58	20.4	324	6	8	14	24	41	74	84
85+	43	24.0	235	6	8	21	33	46	55	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	11.5	75	2	3	10	15	21	28	48
B. *Operated*	90	14.0	160	2	3	12	17	23	32	78
2. MULTIPLE DX										
A. *Not Operated*	492	15.9	164	3	4	13	21	31	46	75
B. *Operated*	419	19.5	225	3	6	15	26	40	52	79
1. SINGLE DX	206	12.6	113	2	3	11	16	21	30	62
2. MULTIPLE DX	911	17.5	195	3	5	14	23	36	51	76
A. NOT OPERATED	608	15.0	150	3	4	12	19	29	43	71
B. OPERATED	509	18.5	218	3	5	14	24	39	51	80
TOTAL 65-69 YRS	281	16.0	171	3	4	13	20	31	45	71
70-74	289	16.7	201	3	4	13	21	38	51	81
75-79	231	15.6	143	3	4	13	20	32	42	87
80-84	169	17.3	229	3	4	14	20	31	49	75
85+	147	18.6	182	3	5	15	25	36	46	65
GRAND TOTAL	**1117**	**16.6**	**183**	**3**	**4**	**13**	**21**	**33**	**48**	**75**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	12.0	59	5	5	8	16	24	26	26
70-74	5	9.8	58	2	2	6	18	18	18	18
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	7	11.9	59	2	2	12	17	22	23	23
75-79	6	19.7	301	2	2	18	29	46	48	48
80-84	3	19.0	201	8	8	14	30	35	35	35
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	13.0	93	3	4	9	21	22	29	43
70-74	28	11.7	79	4	4	9	13	22	35	42
75-79	16	12.5	105	2	3	8	17	24	35	40
80-84	16	12.9	86	4	4	13	16	37	79	99+
85+	6	26.0	399	4	4	25	42	50	51	51
B. *Operated*										
65-69 YRS	32	22.2	393	3	3	18	30	52	87	99+
70-74	23	23.9	506	2	4	19	33	67	98	99+
75-79	23	23.7	382	2	2	22	27	62	84	99+
80-84	10	24.7	327	3	5	22	43	51	57	57
85+	7	24.9	589	4	4	18	34	64	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	11.6	50	3	4	9	18	19	24	26
B. *Operated*	17	15.5	163	2	2	14	21	34	43	48
2. MULTIPLE DX										
A. *Not Operated*	91	13.4	114	3	4	10	18	27	42	79
B. *Operated*	95	23.5	407	2	4	19	33	59	85	99+
1. SINGLE DX	31	13.7	112	2	3	12	18	27	35	48
2. MULTIPLE DX	186	18.5	288	3	4	14	24	45	64	99+
A. NOT OPERATED	105	13.1	105	3	4	10	18	24	41	73
B. OPERATED	112	22.2	377	2	3	18	29	54	76	99+
TOTAL 65-69 YRS	65	17.3	256	3	4	13	22	42	52	98
70-74	63	16.0	260	3	4	11	19	36	56	99+
75-79	46	19.2	282	2	2	15	24	52	63	99+
80-84	29	17.6	196	4	4	14	23	44	57	99+
85+	14	24.4	440	4	4	15	38	53	68	72
GRAND TOTAL	**217**	**17.8**	**265**	**3**	**4**	**14**	**23**	**43**	**58**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.4	3	2	2	3	4	6	6	6
70-74	5	3.4	1	2	2	3	4	5	5	5
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	3	2.3		2	2	2	3	3	3	3
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	5.1	6	2	3	5	6	9	10	11
70-74	25	5.6	13	2	2	4	7	9	15	17
75-79	14	6.3	21	2	2	5	8	14	16	17
80-84	12	7.5	18	3	3	6	11	13	16	16
85+	9	11.2	143	3	3	5	15	32	36	36
B. *Operated*										
65-69 YRS										
70-74	1	12.0		12	12	12	12	12	12	12
75-79	2	27.5	265	16	16	27	39	39	39	39
80-84										
85+	2	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.2	2	2	2	3	4	5	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	96	6.3	26	2	3	5	7	11	15	32
B. *Operated*	5	18.2	138	12	12	12	22	39	39	39
1. SINGLE DX	16	3.2	2	2	2	3	4	5	6	6
2. MULTIPLE DX	101	6.9	37	2	3	5	8	12	16	37
A. NOT OPERATED	112	5.8	23	2	2	5	7	11	14	30
B. OPERATED	5	18.2	138	12	12	12	22	39	39	39
TOTAL 65-69 YRS	41	4.9	6	2	2	5	6	9	10	11
70-74	31	5.5	13	2	2	4	7	10	14	17
75-79	19	8.1	78	2	2	5	9	17	29	39
80-84	15	6.5	19	2	2	6	10	12	15	16
85+	11	11.4	115	3	3	7	12	31	36	36
GRAND TOTAL	**117**	**6.4**	**33**	**2**	**2**	**5**	**7**	**12**	**16**	**37**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	51	9.9	51	3	1	8	11	19	35	99
70-74	57	10.1	41	2	3	9	13	16	25	31
75-79	40	9.9	69	4	4	8	11	12	22	53
80-84	45	9.4	31	3	4	8	13	19	21	26
85+	51	11.0	81	3	4	10	13	17	22	62
B. Operated										
65-69 YRS	2	13.0	39	8	8	11	18	20	20	20
70-74	5	23.0	352	7	7	16	36	52	52	52
75-79	5	13.0	12	11	11	12	14	19	19	19
80-84	2	38.5	181	29	29	38	48	48	48	48
85+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1066	12.6	76	4	5	10	15	23	31	53
70-74	1284	13.3	90	4	5	11	16	23	31	55
75-79	1377	14.0	118	4	5	11	17	25	33	61
80-84	1349	13.8	86	4	6	12	17	23	32	56
85+	1546	13.9	94	4	6	12	17	23	32	64
B. Operated										
65-69 YRS	366	23.4	278	7	9	18	29	47	67	88
70-74	372	22.3	262	6	8	18	28	47	62	99+
75-79	388	23.4	262	7	9	18	29	44	63	80
80-84	312	23.3	241	8	10	19	29	48	66	99+
85+	251	24.4	284	7	9	20	31	48	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	10.1	54	3	4	9	12	17	22	53
B. Operated	17	18.3	194	6	7	12	22	45	51	52
2. MULTIPLE DX										
A. Not Operated	6622	13.6	94	4	5	11	16	23	32	58
B. Operated	1689	23.3	265	7	9	18	29	47	65	99+
1. SINGLE DX	261	10.6	66	3	4	9	12	18	28	53
2. MULTIPLE DX	8311	15.6	144	4	6	12	18	29	40	76
A. NOT OPERATED	6866	13.5	93	4	5	11	16	23	31	58
B. OPERATED	1706	23.2	264	7	9	18	29	47	65	99+
TOTAL 65-69 YRS	1486	15.2	147	4	5	12	18	30	41	78
70-74	1718	15.2	140	4	6	12	18	29	39	70
75-79	1810	15.9	163	4	6	12	19	30	42	76
80-84	1708	15.4	128	5	6	13	18	28	39	77
85+	1850	15.3	132	4	6	12	18	28	38	75
GRAND TOTAL	**8572**	**15.4**	**142**	**4**	**6**	**12**	**18**	**29**	**40**	**76**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	5.3	9	2	3	4	7	10	11	12
70-74	13	5.4	6	2	3	5	7	8	10	11
75-79	21	6.4	13	1	2	6	9	12	12	13
80-84	13	8.5	23	4	4	7	9	16	20	21
85+	15	8.5	46	3	3	6	10	16	26	29
B. Operated										
65-69 YRS	7	14.3	116	3	3	15	25	27	27	27
70-74	7	13.6	69	6	6	12	17	28	30	30
75-79	4	11.8	33	5	5	11	15	19	19	19
80-84										
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	159	9.5	78	2	3	7	11	18	21	57
70-74	180	11.6	145	3	4	8	13	21	34	77
75-79	158	12.1	127	3	4	9	15	23	32	68
80-84	121	11.5	66	4	5	9	14	19	32	41
85+	124	10.6	107	3	3	9	12	18	24	99+
B. Operated										
65-69 YRS	51	21.4	282	3	4	15	28	45	59	72
70-74	64	19.7	323	4	5	14	22	44	64	82
75-79	45	20.8	200	5	6	18	28	44	49	63
80-84	35	21.7	281	4	8	16	27	44	62	68
85+	30	21.2	213	5	8	19	26	44	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	6.6	19	2	3	5	9	11	13	26
B. Operated	19	13.7	69	3	4	12	19	[illegible]	29	30
2. MULTIPLE DX										
A. Not Operated	742	11.1	108	3	4	8	13	20	31	70
B. Operated	225	20.8	264	4	5	16	26	44	60	82
1. SINGLE DX	105	7.9	35	2	3	6	10	15	20	29
2. MULTIPLE DX	967	13.3	161	3	4	9	16	27	40	74
A. NOT OPERATED	828	10.6	101	3	3	8	13	19	30	69
B. OPERATED	244	20.3	252	4	5	15	26	44	58	82
TOTAL 65-69 YRS	241	11.7	142	2	3	8	13	26	35	65
70-74	264	13.3	193	3	4	9	16	25	41	82
75-79	228	13.3	145	3	4	9	16	29	35	64
80-84	169	13.4	125	4	5	10	15	28	34	62
85+	170	12.3	136	3	4	10	15	22	37	99+
GRAND TOTAL	**1072**	**12.8**	**151**	**3**	**4**	**9**	**15**	**26**	**36**	**72**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	7.0	10	2	3	7	8	11	13	13
70-74	6	4.0	11	1	1	3	5	9	10	10
75-79	5	5.4	8	3	3	5	7	10	10	10
80-84	1	8.0		8	8	8	8	8	8	8
85+	3	6.7	14	4	4	5	9	11	11	11
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	11.5	149	3	4	8	12	20	40	61
70-74	22	11.9	61	3	4	10	12	24	30	34
75-79	13	10.8	59	2	3	8	16	24	26	26
80-84	5	9.0	22	2	2	10	13	13	13	13
85+	7	12.4	157	2	2	11	28	81	99+	99+
B. *Operated*										
65-69 YRS	5	11.8	110	3	3	9	14	30	30	30
70-74	5	16.6	122	5	5	15	23	34	34	34
75-79	5	13.6	55	8	8	10	18	26	26	26
80-84	3	21.0	109	14	14	16	29	33	33	33
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	5.9	10	1	2	5	8	10	12	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	69	11.4	91	2	3	9	13	24	34	92
B. *Operated*	18	15.2	91	4	6	12	19	32	34	34
1. SINGLE DX	24	5.9	10	1	2	5	8	10	12	13
2. MULTIPLE DX	87	12.2	92	2	3	10	15	26	34	[illegible]
A. NOT OPERATED	93	10.0	76	2	3	8	12	21	28	[illegible]
B. OPERATED	18	15.2	91	4	6	12	19	32	34	34
TOTAL 65-69 YRS	36	10.4	108	2	4	8	10	18	29	61
70-74	33	11.2	72	1	3	10	13	[illegible]	33	34
75-79	23	10.2	52	2	3	8	14	24	26	26
80-84	9	12.9	75	2	4	13	14	26	33	33
85+	10	10.7	116	2	2	10	19	62	97	99+
GRAND TOTAL	**111**	**10.8**	**81**	**2**	**3**	**9**	**13**	**24**	**33**	**76**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	155	6.3	20	2	2	5	8	11	14	27
70-74	147	6.5	20	1	2	6	8	12	13	24
75-79	145	6.4	17	2	2	6	8	11	15	22
80-84	78	8.4	31	2	2	7	11	16	20	27
85+	54	6.7	17	2	3	6	8	12	16	19
B. *Operated*										
65-69 YRS	16	6.9	26	1	2	5	9	14	19	21
70-74	10	6.5	21	2	2	5	7	14	17	17
75-79	9	6.9	19	2	2	6	11	12	13	13
80-84	5	5.4	15	2	2	5	7	12	12	12
85+	3	10.3	26	6	6	9	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	657	8.6	43	2	3	7	10	16	21	31
70-74	771	8.9	50	2	3	7	11	17	23	35
75-79	774	9.9	73	2	3	8	12	18	26	43
80-84	643	10.1	64	2	3	8	12	20	27	40
85+	535	11.3	87	2	3	9	14	22	27	60
B. *Operated*										
65-69 YRS	80	15.7	344	2	3	9	17	34	63	91
70-74	80	15.2	156	4	5	11	19	33	41	66
75-79	84	15.3	101	4	5	13	21	33	38	81
80-84	66	21.3	314	3	4	17	25	46	61	88
85+	53	15.3	174	2	4	12	17	35	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	6.7	21	2	2	6	8	12	15	24
B. *Operated*	43	6.9	22	2	2	5	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	3380	9.7	63	2	3	8	12	19	25	41
B. *Operated*	363	16.4	219	3	4	12	20	36	45	86
1. SINGLE DX	622	6.7	21	2	2	6	8	12	15	24
2. MULTIPLE DX	3743	10.3	82	2	3	8	12	20	27	46
A. NOT OPERATED	3959	9.3	58	2	3	7	11	18	24	38
B. OPERATED	406	15.4	207	3	3	11	19	34	43	81
TOTAL 65-69 YRS	908	8.8	70	2	3	7	10	16	23	43
70-74	1008	9.1	58	2	3	7	11	18	23	39
75-79	1012	9.8	71	2	3	8	12	19	26	42
80-84	792	10.8	91	2	3	8	13	21	29	47
85+	645	11.3	91	2	3	9	14	22	27	59
GRAND TOTAL	**4365**	**9.8**	**75**	**2**	**3**	**8**	**12**	**19**	**26**	**44**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	8.1	46	2	3	7	9	12	15	40
70-74	24	7.7	12	2	3	8	10	12	13	13
75-79	17	6.2	6	2	4	6	8	9	10	10
80-84	8	6.6	5	3	3	7	8	9	10	10
85+	6	9.0	62	2	2	5	18	20	20	20
B. *Operated*										
65-69 YRS	7	11.6	60	<1	<1	15	16	21	22	22
70-74	6	8.8	70	4	4	5	11	24	25	25
75-79	3	7.3	102	1	1	2	15	19	19	19
80-84										
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	130	9.4	55	2	3	8	12	16	23	39
70-74	114	10.9	50	3	4	10	14	20	25	37
75-79	64	10.4	30	3	4	9	13	18	21	27
80-84	33	13.5	139	4	4	10	13	28	40	58
85+	45	10.4	31	4	4	9	13	19	21	27
B. *Operated*										
65-69 YRS	42	15.1	165	3	4	12	19	29	46	59
70-74	25	13.3	137	1	2	10	18	28	37	54
75-79	21	18.1	372	4	5	13	19	34	61	92
80-84	6	15.8	207	3	3	12	24	38	40	40
85+	5	16.6	5	14	14	16	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	7.5	25	2	3	7	9	12	14	33
B. *Operated*	17	9.9	60	<1	1	10	15	21	24	25
2. MULTIPLE DX										
A. *Not Operated*	386	10.5	54	3	4	9	13	18	24	39
B. *Operated*	99	15.4	192	2	4	13	19	31	39	76
1. SINGLE DX	102	7.9	31	2	3	7	10	14	18	32
2. MULTIPLE DX	485	11.5	86	3	4	9	14	21	28	56
A. NOT OPERATED	471	10.0	50	3	4	8	13	18	23	39
B. OPERATED	116	14.6	176	2	3	12	18	28	38	70
TOTAL 65-69 YRS	209	10.5	80	2	3	8	13	19	26	57
70-74	169	10.7	60	3	3	9	13	20	25	39
75-79	105	11.2	107	2	4	9	13	19	25	61
80-84	47	12.6	128	4	4	10	13	25	40	58
85+	57	10.8	34	4	4	9	15	19	20	27
GRAND TOTAL	**587**	**10.9**	**78**	**3**	**4**	**9**	**14**	**19**	**25**	**49**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79	2	5.5	5	4	4	5	7	7	7	7
80-84	1	15.0		15	15	15	15	15	15	15
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	6.7	14	2	2	8	10	11	11	11
70-74	1	42.0		42	42	42	42	42	42	42
75-79	6	7.5	7	4	4	7	8	12	12	12
80-84	3	4.0	3	2	2	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	2	8.5	5	7	7	8	10	10	10	10
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.3	22	4	4	7	11	15	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	8.6	84	2	2	7	9	12	31	42
B. *Operated*	4	12.0	66	7	7	9	17	24	24	24
1. SINGLE DX	4	8.3	22	4	4	7	11	15	15	15
2. MULTIPLE DX	21	9.2	79	2	2	7	10	17	32	42
A. NOT OPERATED	21	8.5	70	2	2	7	9	13	27	42
B. OPERATED	4	12.0	66	7	7	9	17	24	24	24
TOTAL 65-69 YRS	10	7.1	10	2	2	8	10	11	11	11
70-74	2	24.5	613	7	7	24	42	42	42	42
75-79	8	7.0	7	4	4	7	8	11	12	12
80-84	4	6.8	32	2	2	5	10	15	15	15
85+	1	24.0		24	24	24	24	24	24	24
GRAND TOTAL	**25**	**9.1**	**68**	**2**	**2**	**7**	**10**	**15**	**28**	**42**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	13	2.8	4	<1	1	2	4	6	6	6
70-74	8	2.0	1	<1	<1	2	3	4	4	4
75-79	10	3.2	4	<1	<1	3	5	6	7	7
80-84	4	3.5	2	2	2	3	4	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	2.5	5	1	1	2	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	33	4.8	18	1	2	4	5	8	15	22
70-74	13	5.9	16	<1	1	5	9	11	12	12
75-79	16	4.6	8	2	2	4	6	9	11	12
80-84	7	6.0	19	1	1	4	10	12	12	12
85+	3	8.0	21	4	4	7	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	36	2.8	3	<1	1	2	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*	72	5.2	15	1	2	4	7	11	12	21
1. SINGLE DX	38	2.7	3	<1	<1	2	4	6	6	7
2. MULTIPLE DX	77	5.0	15	1	1	4	6	11	12	20
A. NOT OPERATED	7	1.7	1	<1	<1	1	2	4	4	4
B. OPERATED	108	4.4	12	1	1	3	6	9	12	19
TOTAL 65-69 YRS	49	4.0	14	1	1	3	5	7	9	22
70-74	22	4.3	13	<1	1	3	7	10	11	12
75-79	27	3.9	7	1	1	3	6	7	9	12
80-84	13	4.7	13	1	1	4	5	12	12	12
85+	4	6.8	20	3	3	5	10	13	13	13
GRAND TOTAL	**115**	**4.2**	**12**	**1**	**1**	**3**	**5**	**9**	**12**	**18**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	4.0	10	1	1	3	5	7	9	18
70-74	63	5.1	29	1	2	3	7	9	11	37
75-79	72	5.4	21	2	2	4	6	10	15	25
80-84	62	5.0	9	1	[illegible]	4	6	9	12	14
85+	41	4.0	4	2	2	3	5	8	8	9
B. *Operated*										
65-69 YRS	6	9.0	74	2	2	6	11	24	25	25
70-74	5	10.0	102	2	2	4	17	26	26	26
75-79	3	7.7	32	3	3	6	12	14	14	14
80-84	4	8.5	30	2	2	8	12	15	15	15
85+	1	17.0	-	17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	5.8	24	2	2	5	7	11	14	24
70-74	755	5.9	16	2	2	5	7	11	14	20
75-79	713	6.2	27	2	2	5	7	12	15	29
80-84	540	6.1	17	2	2	5	8	11	14	22
85+	496	7.3	48	2	2	5	8	14	19	38
B. *Operated*										
65-69 YRS	62	12.4	150	2	3	8	15	33	43	95
70-74	47	13.7	222	3	4	10	15	21	40	84
75-79	57	15.9	258	3	3	9	21	39	58	67
80-84	28	20.0	271	3	4	17	24	44	53	76
85+	19	8.7	24	1	2	8	12	15	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	4.7	15	1	2	4	6	8	10	24
B. *Operated*	19	9.4	56	2	2	7	14	22	26	26
2. MULTIPLE DX										
A. *Not Operated*	3202	6.2	26	2	2	5	7	11	15	25
B. *Operated*	213	14.3	205	2	3	9	18	33	46	79
1. SINGLE DX	359	4.9	18	1	2	4	6	9	12	25
2. MULTIPLE DX	3415	6.7	41	2	2	5	8	13	17	35
A. NOT OPERATED	3542	6.0	25	2	2	5	7	11	15	25
B. OPERATED	232	13.9	194	2	3	9	17	31	45	77
TOTAL 65-69 YRS	868	6.1	35	1	2	5	7	11	15	34
70-74	870	6.3	32	2	2	5	8	12	15	24
75-79	845	6.8	47	2	2	5	8	13	18	39
80-84	634	6.6	36	2	2	5	8	12	17	26
85+	557	7.1	44	2	2	5	8	14	18	36
GRAND TOTAL	**3774**	**6.5**	**39**	**2**	**2**	**5**	**8**	**12**	**16**	**34**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	7.0	14	3	3	7	10	12	12	12
70-74	6	7.0	10	4	4	6	8	12	13	13
75-79	3	5.3	8	2	2	7	7	7	7	7
80-84	2	11.0	18	8	8	11	14	14	14	14
85+	3	5.3	17	2	2	4	8	10	10	10
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	7.3	42	1	2	5	7	16	24	26
70-74	19	9.4	15	4	5	9	10	16	18	18
75-79	7	10.9	50	5	5	8	12	23	26	26
80-84	7	8.0	17	1	2	9	11	13	13	13
85+	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*										
65-69 YRS	2	18.0	72	12	12	18	24	24	24	24
70-74	2	29.0	882	8	8	29	50	50	50	50
75-79	3	6.7	6	4	4	7	8	9	9	9
80-84	2	18.0	32	14	14	18	22	22	22	22
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.9	13	2	2	7	9	12	13	14
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	49	8.8	28	3	3	8	11	15	18	26
B. *Operated*	9	16.7	201	4	5	12	22	40	50	50
1. SINGLE DX	21	6.7	13	2	2	6	9	12	13	14
2. MULTIPLE DX	58	10.0	60	3	4	8	12	18	25	48
A. NOT OPERATED	69	8.2	24	2	3	7	10	14	17	26
B. OPERATED	10	15.2	200	2	3	10	22	37	50	50
TOTAL 65-69 YRS	22	8.2	43	2	3	6	12	18	25	26
70-74	28	10.0	76	4	4	8	10	16	21	50
75-79	13	8.6	34	2	4	7	9	16	24	26
80-84	11	10.4	31	1	3	10	14	17	22	22
85+	5	6.6	27	2	2	4	11	14	14	14
GRAND TOTAL	**79**	**9.1**	**50**	**2**	**3**	**8**	**11**	**15**	**23**	**43**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.2	10	1	1	3	7	8	8	8
70-74	14	5.7	32	1	1	3	11	16	17	17
75-79	4	4.3	3	2	2	4	5	6	6	6
80-84	4	6.8	38	1	1	6	12	13	13	13
85+	3	6.3	1	5	5	7	7	7	7	7
B. *Operated*										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	2	5.5	25	2	2	5	9	9	9	9
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	2	3.0	2	2	2	3	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	10.3	45	1	2	9	15	21	22	25
70-74	42	9.7	172	1	2	7	12	17	47	99+
75-79	33	10.5	97	3	3	7	13	20	27	53
80-84	27	10.7	59	1	2	9	14	18	30	34
85+	10	7.9	33	<1	1	7	11	16	20	20
B. *Operated*										
65-69 YRS	15	9.6	80	1	2	6	12	25	29	31
70-74	11	15.8	222	3	4	10	20	40	51	52
75-79	13	18.9	284	2	2	16	39	61	91	99+
80-84	5	16.4	327	2	2	6	34	39	39	39
85+	1	30.0		30	30	30	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.5	21	1	1	4	7	12	16	17
B. *Operated*	9	3.0	7	<1	<1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	151	10.1	92	1	2	8	13	19	25	84
B. *Operated*	45	15.0	203	2	2	10	23	39	53	99+
1. SINGLE DX	39	4.9	18	1	1	4	7	11	15	17
2. MULTIPLE DX	196	11.2	121	1	2	9	14	24	34	93
A. NOT OPERATED	181	9.3	83	1	2	7	13	18	24	75
B. OPERATED	54	13.0	190	1	2	9	18	39	49	98
TOTAL 65-69 YRS	62	9.2	53	1	1	8	12	21	24	30
70-74	69	9.8	153	1	2	7	12	18	32	97
75-79	52	11.9	149	2	3	7	15	29	51	99
80-84	38	10.6	90	1	2	9	13	26	34	39
85+	14	9.1	59	1	2	7	11	21	28	30
GRAND TOTAL	**235**	**10.2**	**109**	**1**	**2**	**7**	**13**	**21**	**32**	**87**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	13.3	507	<1	<1	6	8	53	64	64
70-74	14	5.2	16	1	1	4	9	10	12	12
75-79	4	9.5	51	2	2	9	15	17	17	17
80-84	2	10.0	32	6	6	10	14	14	14	14
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	28	9.7	243	1	1	7	11	16	25	85
70-74	13	7.4	60	1	1	7	9	14	28	31
75-79	7	7.7	31	2	2	7	9	17	19	19
80-84	3	8.0	127	1	1	2	16	21	21	21
85+	2	7.5	85	<1	<1	7	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	9.7	100	<1	1	8	12	18	25	61
70-74	96	10.5	103	1	3	8	13	19	27	64
75-79	70	10.4	136	2	3	9	13	19	27	98
80-84	50	10.1	32	3	4	9	15	18	19	25
85+	61	13.1	146	3	4	9	15	27	34	65
B. *Operated*										
65-69 YRS	93	14.8	218	1	2	10	17	38	49	67
70-74	62	18.8	317	3	4	14	26	44	81	99+
75-79	40	20.0	327	2	3	14	29	53	68	99+
80-84	29	21.2	501	4	5	12	29	65	99	99+
85+	20	17.8	288	2	2	13	24	40	56	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	8.4	139	1	1	6	10	14	22	64
B. *Operated*	53	8.7	151	1	1	7	10	16	21	83
2. MULTIPLE DX										
A. *Not Operated*	361	10.7	106	2	3	8	13	19	26	73
B. *Operated*	244	17.7	301	2	3	12	23	43	65	99+
1. SINGLE DX	81	8.6	145	1	1	7	10	15	20	78
2. MULTIPLE DX	605	13.5	196	2	3	10	16	30	44	94
A. NOT OPERATED	389	10.5	109	1	3	8	13	19	25	71
B. OPERATED	297	16.1	285	1	2	11	19	41	60	99+
TOTAL 65-69 YRS	212	12.1	186	<1	2	8	14	25	41	72
70-74	185	12.7	184	1	3	9	15	30	43	96
75-79	121	13.4	209	2	3	10	15	31	53	99+
80-84	84	13.9	220	3	4	10	17	25	45	99+
85+	84	14.0	178	2	3	10	16	32	40	69
GRAND TOTAL	**686**	**12.9**	**192**	**1**	**2**	**9**	**15**	**29**	**42**	**90**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	2	3.0		3	3	3	3	3	3	3
75-79										
80-84	3	8.3	37	3	3	7	13	15	15	15
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	12.3	217	1	1	7	23	29	29	29
70-74	5	13.2	101	4	4	9	18	30	30	30
75-79	5	8.0	22	5	5	6	10	16	16	16
80-84	1	5.0		5	5	5	5	5	5	5
85+	4	6.8	30	4	4	4	10	15	15	15
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	6.7	2	5	5	7	8	8	8	8
75-79	6	18.5	160	8	8	13	29	38	39	39
80-84	1	6.0		6	6	6	6	6	6	6
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.4	20	3	3	3	6	13	15	15
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	18	9.7	69	2	4	6	14	25	30	30
B. *Operated*	11	12.7	125	3	4	8	14	33	38	39
1. SINGLE DX	9	4.6	18	1	1	3	5	12	15	15
2. MULTIPLE DX	29	10.9	89	3	4	8	14	29	30	39
A. NOT OPERATED	25	8.5	58	2	3	5	10	16	29	30
B. OPERATED	13	11.0	122	1	2	8	12	31	37	39
TOTAL 65-69 YRS	7	7.0	98	1	1	3	6	25	29	29
70-74	10	9.2	65	3	3	7	9	22	30	30
75-79	12	12.7	121	1	4	9	15	32	38	39
80-84	5	7.2	21	3	3	6	9	15	15	15
85+	4	6.8	30	4	4	4	10	15	15	15
GRAND TOTAL	**38**	**9.4**	**78**	**2**	**3**	**6**	**11**	**25**	**30**	**39**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	7.4	15	3	3	6	9	14	15	15
70-74	4	8.0	103	1	1	4	14	23	23	23
75-79	4	4.3	7	2	2	3	6	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
65-69 YRS	16	6.8	12	2	3	6	8	12	14	15
70-74	7	4.6	13	<1	<1	4	6	10	11	11
75-79	2	7.5	61	2	2	7	13	13	13	13
80-84	3	15.0	121	4	4	15	23	26	26	26
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	10.1	51	3	4	8	12	20	23	38
70-74	48	7.6	27	3	3	6	10	14	21	22
75-79	42	11.0	100	3	3	8	12	21	36	48
80-84	22	10.0	79	2	3	8	10	23	35	35
85+	36	11.3	61	3	4	10	16	21	25	37
B. *Operated*										
65-69 YRS	54	13.1	115	2	3	10	20	26	40	98
70-74	44	16.6	250	2	3	11	21	44	53	65
75-79	22	15.9	118	2	5	13	23	31	38	44
80-84	13	13.4	28	5	6	14	16	21	23	24
85+	2	9.5	41	5	5	9	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.6	28	1	2	5	8	13	20	23
B. *Operated*	28	7.1	30	1	2	6	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	211	9.9	61	3	3	8	12	21	23	41
B. *Operated*	135	14.7	150	2	3	12	20	31	44	70
1. SINGLE DX	46	6.9	28	1	2	5	9	14	17	26
2. MULTIPLE DX	346	11.8	101	3	3	9	14	23	35	51
A. NOT OPERATED	229	9.7	59	3	3	8	11	21	23	40
B. OPERATED	163	13.4	137	2	3	10	17	28	41	64
TOTAL 65-69 YRS	140	10.7	74	2	3	8	13	22	28	55
70-74	103	11.3	144	2	3	7	14	24	39	62
75-79	70	12.1	106	2	3	9	14	27	34	47
80-84	39	11.4	64	2	3	9	15	22	31	35
85+	40	11.0	58	3	4	10	14	21	24	37
GRAND TOTAL	**392**	**11.2**	**95**	**2**	**3**	**8**	**14**	**23**	**31**	**51**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	3	10.3	72	2	2	10	17	19	19	19
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	6.6	22	1	2	6	9	14	15	15
70-74	4	11.3	174	4	4	5	18	31	31	31
75-79	7	8.1	11	3	3	9	11	12	12	12
80-84	5	5.6	2	4	4	5	6	8	8	8
85+	3	10.0	43	3	3	11	15	16	16	16
B. *Operated*										
65-69 YRS	6	27.7	272	7	7	28	43	47	48	48
70-74	6	15.0	435	<1	<1	3	30	49	51	51
75-79	3	6.3	10	4	4	5	9	10	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	3	10.3	72	2	2	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	28	7.8	36	2	3	6	10	14	17	31
B. *Operated*	16	17.3	322	<1	2	8	30	47	50	51
1. SINGLE DX	4	9.0	55	2	2	7	14	19	19	19
2. MULTIPLE DX	44	11.3	156	1	2	6	12	30	44	51
A. NOT OPERATED	29	7.7	35	3	3	6	10	14	17	31
B. OPERATED	19	16.2	283	1	2	10	29	46	50	51
TOTAL 65-69 YRS	16	14.4	216	2	3	7	21	42	46	48
70-74	13	12.8	242	<1	1	5	22	35	48	51
75-79	10	7.6	10	3	3	8	10	11	12	12
80-84	6	5.0	4	2	2	5	6	8	8	8
85+	3	10.0	43	3	3	11	15	16	16	16
GRAND TOTAL	**48**	**11.1**	**147**	**2**	**2**	**6**	**12**	**30**	**43**	**51**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	5.5	25	1	1	4	7	12	17	25
70-74	31	4.8	31	1	1	2	6	10	15	28
75-79	22	7.5	63	1	2	5	11	15	26	37
80-84	17	5.8	27	1	1	5	6	16	19	19
85+	9	8.6	35	2	2	7	12	18	19	19
B. *Operated*										
65-69 YRS	340	6.8	75	1	1	4	8	15	20	42
70-74	261	6.0	45	1	1	3	7	16	19	31
75-79	175	5.0	27	1	2	4	5	10	13	31
80-84	123	6.1	39	1	1	4	8	15	20	31
85+	61	7.3	89	1	1	5	8	15	22	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	258	8.7	83	1	2	6	11	18	28	54
70-74	207	9.2	104	1	2	6	11	23	31	66
75-79	120	11.5	146	1	2	7	14	29	40	56
80-84	79	10.2	80	1	2	7	14	24	31	40
85+	74	11.5	96	2	3	9	14	23	33	53
B. *Operated*										
65-69 YRS	763	13.4	228	2	2	9	17	32	54	99+
70-74	580	13.1	204	2	2	9	17	30	45	81
75-79	411	13.4	239	1	2	8	18	35	55	99+
80-84	243	11.2	130	2	2	7	15	26	34	57
85+	167	11.3	133	2	2	7	14	26	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	5.9	34	1	1	4	7	13	18	30
B. *Operated*	960	6.2	54	1	1	4	7	14	19	41
2. MULTIPLE DX										
A. *Not Operated*	738	9.7	101	1	2	7	12	22	31	55
B. *Operated*	2164	12.9	206	2	2	8	17	30	48	94
1. SINGLE DX	1093	6.2	52	1	1	4	7	14	19	38
2. MULTIPLE DX	2902	12.1	181	1	2	8	15	28	42	83
A. NOT OPERATED	871	9.1	92	1	2	6	11	20	30	54
B. OPERATED	3124	10.9	169	1	2	6	14	25	39	81
TOTAL 65-69 YRS	1415	10.7	166	1	2	6	13	25	39	92
70-74	1079	10.4	151	1	2	6	13	24	34	75
75-79	728	10.9	179	1	2	6	13	27	44	80
80-84	462	9.5	99	1	2	6	13	21	29	54
85+	311	10.5	114	1	2	7	14	23	34	56
GRAND TOTAL	**3995**	**10.5**	**153**	**1**	**2**	**6**	**13**	**24**	**37**	**77**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	5.1	20	1	1	3	7	13	14	18
70-74	23	9.2	92	2	3	5	11	14	27	49
75-79	29	6.0	22	2	2	5	7	12	16	22
80-84	11	7.4	21	1	2	8	10	14	17	17
85+	8	15.0	275	3	3	7	25	42	44	44
B. *Operated*										
65-69 YRS	78	12.1	136	1	1	8	20	30	39	46
70-74	62	9.9	71	1	1	6	16	20	26	40
75-79	52	10.3	63	2	3	8	14	22	28	36
80-84	26	11.9	138	1	1	8	20	28	38	44
85+	19	14.2	374	2	3	7	16	34	65	83
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	8.5	72	1	2	6	9	20	29	43
70-74	144	9.2	66	1	2	7	12	18	22	44
75-79	108	12.4	186	2	3	8	14	26	42	77
80-84	72	8.9	52	1	2	7	12	18	25	34
85+	42	10.4	112	2	3	7	14	20	26	62
B. *Operated*										
65-69 YRS	381	20.8	352	2	4	15	28	47	63	98
70-74	291	18.7	306	2	3	14	26	47	62	95
75-79	178	18.9	332	2	3	14	25	51	73	99+
80-84	114	19.8	303	2	3	14	28	45	66	84
85+	77	18.8	197	3	3	15	27	42	49	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	7.1	58	1	2	5	9	14	17	46
B. *Operated*	237	11.3	121	1	2	7	16	25	33	45
2. MULTIPLE DX										
A. *Not Operated*	532	9.7	95	1	2	7	12	20	29	48
B. *Operated*	1041	19.7	319	2	3	14	26	47	63	99+
1. SINGLE DX	347	10.0	105	1	2	6	13	23	31	45
2. MULTIPLE DX	1573	16.3	265	2	3	11	22	39	53	89
A. NOT OPERATED	642	9.2	90	1	2	6	11	19	28	47
B. OPERATED	1278	18.1	293	2	3	13	24	42	58	95
TOTAL 65-69 YRS	664	15.8	273	2	2	10	21	38	50	88
70-74	520	14.6	223	2	2	10	19	34	49	85
75-79	367	14.7	244	2	3	10	19	37	55	99+
80-84	223	14.8	215	1	2	10	20	35	46	75
85+	146	15.6	208	3	3	10	21	38	45	63
GRAND TOTAL	**1920**	**15.1**	**242**	**2**	**2**	**10**	**20**	**36**	**49**	**87**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	7.6	112	1	2	4	7	14	35	49
70-74	28	8.4	150	1	1	5	8	15	27	65
75-79	25	6.4	40	1	1	5	8	15	23	24
80-84	20	7.3	33	1	2	6	9	15	21	25
85+	17	9.5	64	1	2	7	11	24	26	27
B. *Operated*										
65-69 YRS	101	14.1	79	1	3	13	19	25	30	40
70-74	113	15.5	152	1	4	13	21	28	32	81
75-79	81	15.7	81	4	6	14	19	28	34	47
80-84	51	13.0	93	2	3	12	20	26	31	46
85+	31	19.0	145	2	6	18	23	32	35	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	236	8.5	83	1	2	6	10	19	22	47
70-74	229	9.2	54	2	3	7	12	20	24	34
75-79	206	9.8	70	2	3	7	12	20	28	42
80-84	162	10.2	87	2	3	7	12	22	33	44
85+	170	11.0	125	2	3	8	13	20	28	69
B. *Operated*										
65-69 YRS	656	19.8	184	4	7	17	25	37	47	70
70-74	604	21.1	215	4	7	18	26	40	50	86
75-79	613	21.0	172	5	8	18	27	39	48	73
80-84	408	21.2	189	5	8	19	26	41	53	99+
85+	263	20.4	171	4	6	18	27	38	49	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	7.7	83	1	1	5	9	16	25	55
B. *Operated*	377	15.1	110	2	3	13	20	27	32	50
2. MULTIPLE DX										
A. *Not Operated*	1003	9.6	82	2	2	7	12	20	26	44
B. *Operated*	2544	20.7	188	4	7	18	26	39	49	76
1. SINGLE DX	492	13.4	113	1	2	11	19	25	31	50
2. MULTIPLE DX	3547	17.6	183	3	4	15	23	35	45	73
A. NOT OPERATED	1118	9.4	82	1	2	7	11	20	26	45
B. OPERATED	2921	20.0	181	4	7	17	25	37	48	74
TOTAL 65-69 YRS	1018	16.3	173	2	3	14	22	33	43	65
70-74	974	17.3	195	3	4	15	22	32	43	79
75-79	925	17.6	162	3	4	15	24	34	43	61
80-84	641	17.3	177	3	4	15	23	36	46	81
85+	481	16.6	170	3	4	13	22	33	41	67
GRAND TOTAL	**4039**	**17.1**	**176**	**2**	**4**	**14**	**23**	**34**	**44**	**71**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	5	7.6	22	5	5	6	9	16	16	16
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	4	17.5	118	8	8	14	24	33	33	33
70-74	3	12.3	60	6	6	10	18	21	21	21
75-79	10	14.3	36	8	8	13	18	24	25	25
80-84	3	20.7	26	15	15	22	24	25	25	25
85+	4	20.3	340	1	1	21	36	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	5.1	4	2	3	5	6	8	9	11
70-74	23	8.0	53	1	2	5	11	21	25	26
75-79	7	16.3	350	3	3	11	16	49	57	57
80-84	11	12.4	126	1	2	8	23	30	30	30
85+	4	15.5	415	4	4	6	26	46	46	46
B. *Operated*										
65-69 YRS	84	20.8	179	7	8	18	26	41	61	99+
70-74	75	22.1	273	7	9	16	25	46	59	88
75-79	85	18.8	99	7	8	16	23	31	39	52
80-84	48	22.9	231	8	10	19	26	51	60	99+
85+	30	22.8	176	10	11	20	27	40	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	21	3	3	5	6	15	16	16
B. *Operated*	24	16.4	90	4	7	14	22	33	36	37
2. MULTIPLE DX										
A. *Not Operated*	77	8.6	93	1	2	5	9	20	29	54
B. *Operated*	322	21.1	187	7	9	17	26	41	55	95
1. SINGLE DX	30	14.5	90	3	5	13	21	29	35	37
2. MULTIPLE DX	399	18.7	193	3	5	15	24	37	51	84
A. NOT OPERATED	83	8.4	88	2	3	5	9	18	27	53
B. OPERATED	346	20.8	182	7	8	17	25	40	53	94
TOTAL 65-69 YRS	120	16.5	177	3	4	13	22	33	50	99+
70-74	106	18.1	245	3	4	15	21	36	53	82
75-79	102	18.2	109	6	8	15	23	31	39	56
80-84	62	21.0	216	4	7	17	25	46	57	97
85+	39	21.3	208	2	4	19	28	41	45	68
GRAND TOTAL	**429**	**18.4**	**187**	**3**	**5**	**15**	**23**	**36**	**49**	**78**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	5.2	20	1	1	4	6	10	16	22
70-74	53	4.9	17	1	1	4	6	10	14	19
75-79	61	7.0	39	1	2	5	8	14	19	34
80-84	39	6.5	66	1	1	4	6	13	24	44
85+	23	5.7	19	1	2	4	8	12	16	19
B. *Operated*										
65-69 YRS	595	12.8	41	3	7	12	15	20	23	35
70-74	603	13.3	46	3	8	12	16	21	25	41
75-79	500	13.9	58	4	8	12	16	21	27	43
80-84	297	15.4	60	7	9	14	18	24	27	50
85+	180	16.2	118	3	8	15	20	28	32	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	657	9.2	95	2	2	6	11	20	28	48
70-74	689	9.3	84	2	2	6	11	19	25	54
75-79	580	9.7	80	1	2	7	13	22	28	44
80-84	438	9.8	78	2	2	7	13	21	27	47
85+	403	11.2	100	2	3	8	14	22	32	51
B. *Operated*										
65-69 YRS	3113	16.9	106	6	8	14	20	29	35	61
70-74	3540	17.7	107	7	9	15	21	30	38	63
75-79	3359	19.0	134	8	9	16	23	32	42	72
80-84	2408	20.6	149	8	10	18	25	36	44	74
85+	1764	22.3	168	8	10	19	28	39	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	5.9	32	1	1	4	7	11	17	29
B. *Operated*	2175	13.8	57	3	8	12	16	22	26	44
2. MULTIPLE DX										
A. *Not Operated*	2767	9.7	87	2	2	7	12	21	28	49
B. *Operated*	14184	18.9	131	7	9	16	23	33	42	70
1. SINGLE DX	2415	13.0	60	2	4	12	16	21	25	43
2. MULTIPLE DX	16951	17.4	135	4	6	15	22	31	40	67
A. NOT OPERATED	3007	9.4	84	2	2	7	12	20	27	48
B. OPERATED	16359	18.2	124	7	9	16	22	31	40	67
TOTAL 65-69 YRS	4429	15.0	104	3	5	13	18	26	33	57
70-74	4885	15.8	106	3	5	14	20	27	35	59
75-79	4500	17.1	129	3	6	15	21	30	38	65
80-84	3182	18.5	146	4	6	16	23	33	41	68
85+	2370	19.8	171	4	6	17	25	36	47	90
GRAND TOTAL	**19366**	**16.9**	**128**	**3**	**6**	**14**	**21**	**30**	**38**	**64**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	6.5	38	1	2	4	7	15	24	27
70-74	45	5.1	17	<1	1	4	6	11	14	20
75-79	47	6.1	40	1	2	5	6	11	23	32
80-84	37	7.1	102	1	2	4	8	13	19	61
85+	31	6.4	17	2	2	5	9	13	15	16
B. *Operated*										
65-69 YRS	436	12.7	64	2	3	12	17	21	25	33
70-74	411	12.7	56	2	3	12	17	22	25	36
75-79	357	14.4	111	2	3	13	18	24	32	53
80-84	223	14.7	114	2	3	13	19	27	36	54
85+	140	13.4	129	2	3	12	17	26	35	64
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	355	10.1	122	1	2	6	12	22	30	49
70-74	381	9.5	75	2	2	7	12	20	27	48
75-79	344	10.0	88	2	3	7	12	21	29	45
80-84	270	10.5	126	2	3	7	12	26	35	64
85+	237	10.4	110	2	2	7	12	21	32	59
B. *Operated*										
65-69 YRS	1679	17.7	123	4	7	16	22	30	37	61
70-74	1719	18.6	137	4	6	16	24	33	41	66
75-79	1456	20.3	175	5	7	18	25	37	48	82
80-84	979	20.3	180	4	6	18	25	36	45	85
85+	683	20.0	141	4	6	18	27	36	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	6.2	42	1	2	4	7	13	17	29
B. *Operated*	1567	13.4	86	2	3	13	17	23	28	48
2. MULTIPLE DX										
A. *Not Operated*	1587	10.0	102	2	2	7	12	21	30	52
B. *Operated*	6516	19.2	150	4	7	17	24	34	43	72
1. SINGLE DX	1781	12.6	86	2	3	12	17	22	28	48
2. MULTIPLE DX	8103	17.4	154	3	4	15	23	33	41	70
A. NOT OPERATED	1801	9.6	96	2	2	6	12	20	29	50
B. OPERATED	8083	18.0	143	3	5	16	23	32	41	59
TOTAL 65-69 YRS	2524	15.5	121	3	4	14	20	28	34	57
70-74	2556	16.1	127	2	4	14	21	30	38	61
75-79	2204	17.4	166	3	4	15	22	33	44	74
80-84	1509	17.4	176	3	4	15	23	34	43	75
85+	1091	16.7	149	2	4	15	23	33	41	68
GRAND TOTAL	**9884**	**16.5**	**145**	**3**	**4**	**14**	**21**	**31**	**39**	**66**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	6.7	59	<1	1	5	7	12	22	43
70-74	27	6.9	24	1	1	6	10	13	18	20
75-79	24	6.4	33	1	1	4	8	16	20	23
80-84	10	11.5	144	1	1	8	17	29	41	41
85+	11	6.1	13	1	2	5	8	11	14	14
B. *Operated*										
65-69 YRS	61	13.7	114	2	3	11	18	25	37	53
70-74	78	11.1	73	1	2	11	16	23	25	45
75-79	40	12.0	53	1	2	12	15	19	28	33
80-84	32	14.3	79	2	4	13	20	24	34	39
85+	16	15.1	64	3	4	15	21	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	168	8.4	54	1	2	6	11	20	24	34
70-74	208	11.1	103	2	2	8	15	23	32	57
75-79	185	11.0	94	1	2	8	14	23	31	43
80-84	108	11.9	95	3	3	9	15	22	29	52
85+	99	12.2	80	2	3	11	16	21	31	48
B. *Operated*										
65-69 YRS	424	19.6	168	5	7	16	25	37	47	71
70-74	398	20.7	197	5	7	17	25	40	52	78
75-79	364	20.8	168	6	8	18	26	37	48	66
80-84	244	21.4	176	5	8	19	28	40	50	76
85+	153	20.5	185	5	8	17	25	35	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	7.0	48	1	1	5	8	14	19	42
B. *Operated*	227	12.7	81	2	2	11	17	24	27	49
2. MULTIPLE DX										
A. *Not Operated*	768	10.7	87	2	2	8	14	22	29	49
B. *Operated*	1583	20.5	178	5	8	18	26	38	49	74
1. SINGLE DX	340	10.8	77	1	2	9	15	22	26	45
2. MULTIPLE DX	2351	17.3	169	3	4	15	22	34	44	67
A. NOT OPERATED	881	10.3	84	1	2	8	14	21	29	48
B. OPERATED	1810	19.5	173	4	7	17	25	36	47	72
TOTAL 65-69 YRS	694	15.6	156	2	3	13	21	32	42	61
70-74	711	16.3	174	2	3	14	21	33	46	70
75-79	613	16.7	158	2	4	15	22	32	41	62
80-84	394	18.0	164	3	5	15	24	35	46	72
85+	279	16.7	153	3	4	14	21	31	39	56
GRAND TOTAL	**2691**	**16.5**	**162**	**2**	**4**	**14**	**22**	**33**	**42**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	9.1	66	2	2	7	10	18	29	39
70-74	44	5.7	16	1	2	4	7	11	14	18
75-79	43	9.0	71	1	2	6	11	23	30	35
80-84	16	9.6	63	1	2	6	16	21	23	24
85+	24	7.8	33	2	2	6	12	16	20	21
B. *Operated*										
65-69 YRS	73	16.9	169	2	2	15	22	35	41	59
70-74	65	15.8	87	3	5	15	21	28	34	50
75-79	44	18.8	224	2	4	17	23	26	49	91
80-84	25	17.9	443	1	2	13	20	39	66	98
85+	19	19.3	195	3	5	17	25	43	52	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	353	9.4	67	1	2	7	13	20	27	36
70-74	389	10.3	82	1	2	8	13	22	29	40
75-79	312	10.9	78	2	3	9	14	20	27	49
80-84	181	10.2	61	2	3	9	13	21	25	42
85+	151	11.0	75	3	3	9	14	20	23	53
B. *Operated*										
65-69 YRS	674	21.2	171	5	8	19	27	39	47	67
70-74	671	21.3	168	6	9	18	26	38	47	68
75-79	585	21.0	170	5	8	18	25	38	46	64
80-84	353	22.2	179	5	9	19	28	41	51	68
85+	232	22.6	155	7	10	20	29	38	48	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	8.0	50	1	2	6	10	17	23	35
B. *Operated*	226	17.3	186	2	3	15	22	32	42	70
2. MULTIPLE DX										
A. *Not Operated*	1386	10.3	74	2	2	8	14	20	27	44
B. *Operated*	2515	21.5	169	5	8	19	27	39	47	68
1. SINGLE DX	387	13.4	150	2	2	10	18	27	34	55
2. MULTIPLE DX	3901	17.5	164	3	4	15	23	34	43	63
A. NOT OPERATED	1547	10.0	72	2	2	8	13	20	27	43
B. OPERATED	2741	21.1	172	5	8	18	26	38	47	68
TOTAL 65-69 YRS	1134	16.9	166	2	3	14	23	34	42	62
70-74	1169	16.8	159	2	4	15	22	32	41	64
75-79	984	17.2	163	3	4	15	22	34	41	58
80-84	575	17.9	181	3	4	15	23	36	45	65
85+	426	17.5	155	3	5	15	23	34	43	68
GRAND TOTAL	**4288**	**17.1**	**164**	**2**	**4**	**15**	**23**	**34**	**42**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	407	5.7	39	1	1	4	7	13	19	34
70-74	332	6.1	48	1	1	4	7	15	21	37
75-79	190	7.8	60	1	1	6	10	17	25	35
80-84	94	7.0	52	1	1	4	9	14	22	36
85+	37	10.4	82	1	2	8	15	23	31	36
B. *Operated*										
65-69 YRS	1070	10.8	65	2	2	9	14	21	25	39
70-74	820	10.3	59	1	2	9	14	20	24	35
75-79	456	10.1	69	1	2	8	14	21	27	41
80-84	209	9.8	69	2	2	8	13	19	25	42
85+	61	10.8	69	2	3	9	13	20	26	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3418	8.9	76	1	2	6	11	19	26	47
70-74	2686	9.5	76	1	2	7	12	21	26	41
75-79	1760	10.0	85	2	2	7	13	20	28	46
80-84	942	10.9	102	2	2	8	14	22	30	51
85+	448	11.2	104	2	3	8	15	25	33	63
B. *Operated*										
65-69 YRS	4953	15.0	124	2	4	12	19	29	37	59
70-74	4333	15.4	150	2	4	12	20	30	39	62
75-79	2509	15.3	136	3	4	13	20	30	38	60
80-84	1134	15.1	135	2	4	13	20	29	39	58
85+	391	15.3	142	3	4	12	20	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1060	6.5	49	1	1	4	8	15	21	36
B. *Operated*	2616	10.4	64	2	2	9	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	9254	9.6	82	1	2	7	12	20	27	48
B. *Operated*	13320	15.2	136	2	4	12	20	29	38	61
1. SINGLE DX	3676	9.3	63	1	2	7	13	19	24	37
2. MULTIPLE DX	22574	12.9	122	2	3	10	17	26	34	57
A. NOT OPERATED	10314	9.3	80	1	2	7	12	20	27	46
B. OPERATED	15936	14.4	128	2	3	12	19	28	36	58
TOTAL 65-69 YRS	9848	12.0	107	2	2	9	16	25	32	53
70-74	8171	12.6	122	2	2	10	17	25	33	57
75-79	4915	12.6	116	2	3	10	17	26	34	55
80-84	2379	12.7	119	2	3	10	16	26	34	53
85+	937	12.9	121	2	3	10	16	28	34	58
GRAND TOTAL	**26250**	**12.4**	**115**	**2**	**2**	**10**	**16**	**25**	**33**	**55**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	6.5	53	<1	1	4	8	18	23	33
70-74	31	6.5	28	1	2	5	9	15	19	19
75-79	16	5.4	21	1	2	4	6	15	16	16
80-84	8	8.4	103	2	2	5	7	25	33	33
85+	10	4.1	30	1	1	2	2	13	19	19
B. *Operated*										
65-69 YRS	355	6.7	54	1	1	2	11	18	22	31
70-74	268	7.5	109	1	1	2	10	20	31	59
75-79	148	7.0	87	1	1	3	10	19	22	51
80-84	69	7.8	87	1	2	3	12	19	23	52
85+	29	5.9	22	1	2	3	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	141	7.1	42	1	1	5	10	15	20	32
70-74	98	8.6	135	1	2	6	10	15	23	70
75-79	64	10.9	121	2	2	7	12	27	39	48
80-84	30	6.6	12	3	3	6	8	10	11	20
85+	31	7.0	27	1	2	5	9	14	18	24
B. *Operated*										
65-69 YRS	532	14.2	174	1	2	11	20	31	39	62
70-74	439	15.2	200	2	2	12	21	36	44	74
75-79	279	14.4	207	1	2	10	21	35	44	72
80-84	148	15.1	195	1	2	13	21	36	44	59
85+	65	13.1	186	2	2	11	19	30	56	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	6.2	41	1	1	4	8	16	19	33
B. *Operated*	869	7.0	78	1	1	3	11	18	24	47
2. MULTIPLE DX										
A. *Not Operated*	364	8.1	79	1	2	6	10	16	23	45
B. *Operated*	1463	14.6	191	1	2	11	21	35	43	67
1. SINGLE DX	969	7.0	74	1	1	3	10	18	23	45
2. MULTIPLE DX	1827	13.3	175	1	2	10	19	31	41	64
A. NOT OPERATED	464	7.7	71	1	2	5	10	16	22	42
B. OPERATED	2332	11.8	162	1	2	8	17	29	38	62
TOTAL 65-69 YRS	1063	10.5	126	1	1	7	15	25	33	51
70-74	836	11.7	171	1	2	7	16	30	40	63
75-79	507	11.5	166	1	2	7	16	29	40	64
80-84	255	11.9	154	1	2	8	17	27	40	58
85+	135	9.5	114	2	2	6	13	23	29	67
GRAND TOTAL	**2796**	**11.1**	**149**	**1**	**2**	**7**	**16**	**27**	**37**	**61**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.8	56	<1	<1	4	11	12	19	37
70-74	17	6.2	23	1	1	5	10	14	15	15
75-79	11	7.2	39	<1	1	6	9	18	21	21
80-84	10	7.4	32	2	2	5	11	16	19	19
85+	6	7.0	38	1	1	5	10	17	18	18
B. *Operated*										
65-69 YRS	85	7.8	65	1	2	5	8	18	28	36
70-74	104	10.1	118	2	2	8	12	20	34	62
75-79	70	10.4	95	1	2	8	13	23	34	45
80-84	55	8.6	85	1	2	5	14	16	23	51
85+	45	6.0	24	1	1	4	9	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	7.8	66	1	1	5	10	17	25	83
70-74	93	8.8	97	1	1	6	10	17	27	57
75-79	76	8.7	79	1	2	5	12	18	26	47
80-84	40	15.1	422	1	2	8	19	32	69	90
85+	24	12.8	170	1	2	8	19	35	45	46
B. *Operated*										
65-69 YRS	179	14.7	219	2	2	11	17	35	47	92
70-74	170	14.9	114	2	3	13	20	30	34	52
75-79	132	15.9	207	2	3	11	21	37	49	78
80-84	117	16.4	295	2	3	11	22	42	53	86
85+	90	13.9	173	2	3	10	16	33	46	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	6.8	38	<1	1	5	11	14	18	34
B. *Operated*	359	8.9	86	1	2	6	12	19	29	46
2. MULTIPLE DX										
A. *Not Operated*	317	9.6	135	1	2	6	12	21	33	72
B. *Operated*	688	15.2	197	2	3	11	19	34	46	74
1. SINGLE DX	429	8.5	78	1	2	6	11	18	25	40
2. MULTIPLE DX	1005	13.4	184	2	2	9	17	31	44	73
A. NOT OPERATED	387	9.1	118	1	1	6	11	19	31	59
B. OPERATED	1047	13.0	168	2	2	9	17	30	40	66
TOTAL 65-69 YRS	374	11.0	150	1	2	8	14	24	37	83
70-74	384	11.8	115	1	2	9	16	25	33	52
75-79	289	12.3	150	1	2	9	17	28	39	67
80-84	222	13.8	264	2	2	8	17	33	48	90
85+	165	11.3	138	1	2	8	14	26	39	58
GRAND TOTAL	**1434**	**12.0**	**157**	**1**	**2**	**8**	**15**	**27**	**37**	**63**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.7	14	2	2	4	5	10	14	14
70-74	12	5.5	26	1	2	4	6	12	19	20
75-79	3	4.0		4	4	4	4	4	4	4
80-84	3	5.3	4	3	3	6	7	7	7	7
85+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	171	6.2	30	1	2	5	8	11	15	33
70-74	129	5.7	24	1	1	4	8	12	15	27
75-79	88	6.3	35	1	2	4	8	12	17	33
80-84	63	6.4	53	1	2	4	8	14	16	48
85+	38	5.3	15	1	2	4	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	6.1	28	1	2	5	7	12	16	32
70-74	63	7.5	24	2	3	6	10	15	17	24
75-79	36	13.0	260	1	1	6	17	33	55	69
80-84	25	6.5	16	2	3	6	7	12	16	19
85+	17	13.9	142	3	4	8	16	30	43	49
B. *Operated*										
65-69 YRS	188	9.3	57	2	2	7	12	20	25	37
70-74	204	9.1	46	2	2	8	12	17	22	34
75-79	156	9.4	69	2	2	7	12	20	27	33
80-84	95	10.8	103	2	2	9	14	21	27	61
85+	51	9.4	64	2	2	7	11	21	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.3	17	2	2	4	6	12	15	20
B. *Operated*	489	6.0	31	1	2	4	8	12	15	31
2. MULTIPLE DX										
A. *Not Operated*	202	8.5	83	1	2	6	9	17	24	54
B. *Operateo*	694	9.5	63	2	2	7	12	19	25	37
1. SINGLE DX	517	6.0	30	1	2	4	8	12	15	30
2. MULTIPLE DX	896	9.3	68	2	2	7	12	19	25	40
A. NOT OPERATED	230	8.1	76	1	2	5	9	16	24	51
B. OPERATED	1183	3.1	53	1	2	6	11	17	22	35
TOTAL 65-69 YRS	429	7.5	43	1	2	5	10	16	21	35
70-74	408	7.7	37	1	2	6	10	16	19	30
75-79	283	8.8	86	1	2	6	11	19	27	54
80-84	186	8.7	77	2	2	6	11	18	21	53
85+	107	8.7	66	2	2	6	10	18	24	43
GRAND TOTAL	**1413**	**8.1**	**56**	**1**	**2**	**6**	**10**	**16**	**22**	**36**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.9	47	<1	<1	2	7	12	23	28
70-74	11	2.8	9	<1	<1	2	3	7	11	11
75-79	10	5.7	26	<1	<1	4	9	13	16	16
80-84	10	5.4	40	2	2	2	6	15	22	22
85+	14	7.4	146	<1	<1	1	9	21	39	44
B. *Operated*										
65-69 YRS	453	2.9	11	<1	<1	2	3	5	8	17
70-74	480	3.1	11	<1	<1	2	3	7	9	18
75-79	436	3.2	10	<1	<1	2	4	7	9	16
80-84	308	3.5	13	<1	<1	2	4	7	9	19
85+	298	3.9	17	<1	1	2	4	10	12	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	5.9	12	1	1	6	8	10	13	15
70-74	47	7.2	73	<1	1	5	9	14	24	48
75-79	42	6.5	45	1	2	5	8	15	26	99+
80-84	53	9.6	105	1	1	7	14	24	36	42
85+	56	9.9	76	1	1	6	14	22	31	37
B. *Operated*										
65-69 YRS	617	5.1	35	1	1	3	6	11	16	32
70-74	690	5.5	45	1	1	3	7	13	18	35
75-79	705	6.5	62	1	1	3	8	15	20	46
80-84	614	7.1	95	1	1	4	8	16	24	59
85+	652	7.6	80	1	2	4	9	17	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	5.3	57	<1	<1	2	7	14	20	42
B. *Operated*	1975	3.2	12	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	236	8.1	68	1	1	5	10	19	28	43
B. *Operated*	3278	6.3	64	1	1	3	8	14	21	43
1. SINGLE DX	2037	3.3	14	<1	<1	2	4	7	10	19
2. MULTIPLE DX	3514	6.5	64	1	1	3	8	15	21	42
A. NOT OPERATED	298	7.5	67	<1	1	5	9	17	25	43
B. OPERATED	5253	5.2	47	<1	1	3	6	12	17	36
TOTAL 65-69 YRS	1125	4.2	26	<1	1	2	5	9	13	29
70-74	1228	4.6	34	<1	1	2	5	10	15	31
75-79	1193	5.3	45	<1	1	3	6	12	18	39
80-84	985	6.1	72	<1	1	3	7	13	21	44
85+	1020	6.6	66	1	1	4	8	16	21	38
GRAND TOTAL	**5551**	**5.3**	**48**	**<1**	**1**	**3**	**6**	**12**	**18**	**37**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	7.2	43	1	2	5	8	15	21	36
70-74	53	5.9	40	1	1	4	7	13	18	32
75-79	36	7.6	60	1	1	5	9	21	24	36
80-84	17	5.5	12	1	2	4	6	10	13	15
85+	19	8.4	144	1	1	4	8	30	41	42
B. *Operated*										
65-69 YRS	1535	6.9	14	2	2	7	9	11	12	16
70-74	1279	7.3	14	2	3	7	9	11	14	20
75-79	891	7.6	17	2	3	7	9	12	14	23
80-84	606	7.4	16	2	3	7	9	12	14	19
85+	365	7.0	18	2	2	7	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	648	9.7	92	1	2	7	13	21	28	55
70-74	615	10.6	115	1	2	7	14	22	35	66
75-79	423	11.8	130	2	3	8	15	25	36	73
80-84	277	12.0	102	2	3	9	16	25	33	46
85+	265	11.9	110	2	3	9	16	25	32	99+
B. *Operated*										
65-69 YRS	3002	10.7	68	3	4	8	12	18	25	49
70-74	2706	10.6	67	3	4	9	12	17	24	47
75-79	2199	10.9	70	3	4	9	13	19	26	51
80-84	1438	11.1	80	3	4	9	13	19	26	53
85+	961	10.9	77	3	4	9	13	19	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	6.9	53	1	1	5	8	15	22	39
B. *Operated*	4676	7.2	15	2	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	2228	10.9	110	1	2	8	14	23	33	67
B. *Operated*	10306	10.7	71	3	4	9	12	18	25	51
1. SINGLE DX	4852	7.2	16	2	3	7	9	11	14	20
2. MULTIPLE DX	12534	10.7	78	2	4	9	13	19	26	53
A. NOT OPERATED	2404	10.6	107	1	2	7	14	23	32	62
B. OPERATED	14982	9.6	56	2	4	8	11	16	21	42
TOTAL 65-69 YRS	5236	9.2	57	2	3	8	11	16	21	44
70-74	4653	9.6	60	2	3	8	11	16	23	43
75-79	3549	10.1	66	2	4	8	12	18	24	48
80-84	2338	10.3	69	2	4	8	12	18	24	45
85+	1610	10.2	72	2	3	8	12	19	27	57
GRAND TOTAL	**17386**	**9.7**	**63**	**2**	**3**	**8**	**11**	**17**	**23**	**46**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	66	4.6	9	2	3	4	5	6	10	19
70-74	76	4.1	9	1	2	4	4	6	12	17
75-79	45	4.5	9	1	2	4	5	8	12	16
80-84	32	4.1	5	2	2	4	4	7	10	11
85+	13	6.0	20	3	3	4	6	10	18	20
B. *Operated*										
65-69 YRS	150	5.3	13	2	2	4	7	10	12	17
70-74	83	5.1	24	1	2	4	6	9	15	31
75-79	61	5.6	109	2	2	3	5	8	10	76
80-84	29	4.3	7	2	2	3	6	8	9	11
85+	19	8.9	57	2	3	6	15	20	24	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	7.4	45	2	2	5	9	16	20	37
70-74	111	8.6	70	2	2	6	11	17	25	46
75-79	89	7.5	54	2	2	5	9	15	24	41
80-84	59	10.5	113	2	3	8	13	21	33	60
85+	55	10.5	74	3	4	7	14	22	32	41
B. *Operated*										
65-69 YRS	260	10.2	121	2	2	7	12	23	33	69
70-74	203	9.9	107	2	2	7	12	20	28	56
75-79	143	12.3	154	2	2	9	16	27	33	65
80-84	93	12.9	151	2	3	9	16	29	39	63
85+	62	11.3	146	2	3	8	13	22	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	4.4	9	2	2	4	5	7	11	18
B. *Operated*	342	5.4	35	2	2	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	427	8.6	67	2	3	6	11	17	24	39
B. *Operated*	761	10.9	130	2	2	7	13	24	33	66
1. SINGLE DX	574	5.0	25	2	2	4	5	9	12	20
2. MULTIPLE DX	1188	10.1	108	2	2	7	12	22	30	54
A. NOT OPERATED	659	7.1	51	2	2	4	8	15	20	38
B. OPERATED	1103	9.2	107	2	2	6	11	20	28	54
TOTAL 65-69 YRS	589	7.8	71	2	2	5	9	16	23	45
70-74	473	7.8	73	2	2	5	10	17	23	44
75-79	338	8.8	110	2	2	5	10	20	27	57
80-84	213	9.8	111	2	2	6	12	22	31	54
85+	149	10.2	98	2	3	7	12	21	27	52
GRAND TOTAL	**1762**	**8.4**	**87**	**2**	**2**	**5**	**10**	**18**	**26**	**47**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	3.6	19	1	1	3	4	5	6	29
70-74	84	4.1	13	1	1	3	4	6	12	22
75-79	51	4.3	9	1	2	4	4	9	13	14
80-84	36	4.7	19	1	2	4	5	8	11	26
85+	16	4.8	10	1	3	4	5	7	13	15
B. *Operated*										
65-69 YRS	525	6.2	12	1	2	7	8	10	12	16
70-74	367	6.6	17	1	2	7	8	11	14	22
75-79	232	6.7	20	1	2	7	9	11	14	23
80-84	123	6.4	27	1	1	6	9	12	15	28
85+	64	7.4	78	2	2	6	9	13	17	61
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	197	6.9	91	1	2	4	8	13	20	49
70-74	169	7.5	124	1	2	4	8	17	26	73
75-79	131	8.6	101	1	1	5	9	23	28	50
80-84	86	9.5	87	2	2	7	11	18	32	47
85+	88	9.4	67	2	2	7	12	18	29	41
B. *Operated*										
65-69 YRS	1375	9.0	46	2	2	8	11	16	21	35
70-74	1085	9.5	58	1	2	8	11	17	23	43
75-79	750	11.4	97	2	2	9	14	22	31	53
80-84	391	12.5	140	2	3	9	15	24	30	65
85+	230	12.4	115	2	3	10	16	23	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.0	15	1	1	3	4	6	10	23
B. *Operated*	1311	6.5	20	1	2	7	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	671	8.0	98	1	2	4	10	17	27	49
B. *Operated*	3831	10.2	75	2	2	8	12	19	25	48
1. SINGLE DX	1611	6.0	20	1	2	6	8	11	13	21
2. MULTIPLE DX	4502	9.9	79	2	2	8	12	19	25	48
A. NOT OPERATED	971	6.8	76	1	2	4	7	14	23	45
B. OPERATED	5142	9.2	63	1	2	8	11	17	23	43
TOTAL 65-69 YRS	2210	7.9	43	1	2	7	10	14	19	33
70-74	1705	8.4	56	1	2	7	10	16	21	41
75-79	1164	9.8	83	1	2	8	12	19	26	48
80-84	636	10.5	112	1	2	8	13	21	28	58
85+	398	10.6	99	2	2	8	13	21	30	57
GRAND TOTAL	**6113**	**8.9**	**66**	**1**	**2**	**7**	**11**	**17**	**23**	**44**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	157	2.7	8	1	1	2	3	4	8	20
70-74	127	3.0	8	1	1	2	3	5	8	16
75-79	72	3.5	35	1	1	2	3	9	12	39
80-84	20	6.2	36	1	1	4	8	14	20	25
85+	9	8.3	69	1	1	5	13	22	22	22
B. *Operated*										
65-69 YRS	102	11.2	40	2	5	10	14	19	25	32
70-74	65	11.2	65	3	4	10	13	18	24	54
75-79	39	14.8	128	7	8	11	18	23	26	76
80-84	12	14.7	55	6	7	12	22	26	27	27
85+	7	13.1	26	10	10	11	14	22	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	548	5.1	50	1	1	3	6	11	17	34
70-74	457	5.4	50	1	1	3	6	14	19	33
75-79	250	6.9	94	1	1	3	8	16	25	44
80-84	121	8.9	114	1	2	5	12	20	26	52
85+	68	11.4	123	2	2	9	13	25	32	65
B. *Operated*										
65-69 YRS	647	16.6	132	5	6	13	21	30	37	62
70-74	493	18.2	190	4	7	15	22	33	50	71
75-79	318	19.3	158	6	8	15	24	37	47	61
80-84	201	20.2	157	8	10	17	24	37	43	69
85+	83	21.4	186	7	9	18	25	39	47	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	3.3	17	1	1	2	3	6	10	22
B. *Operated*	225	12.1	64	3	6	10	14	22	25	40
2. MULTIPLE DX										
A. *Not Operated*	1444	6.1	69	1	1	3	7	14	21	38
B. *Operated*	1742	18.2	160	5	7	15	22	33	43	68
1. SINGLE DX	610	6.5	52	1	1	3	9	15	21	28
2. MULTIPLE DX	3186	12.7	155	1	2	10	17	27	36	64
A. NOT OPERATED	1829	5.5	59	1	1	3	6	13	20	35
B. OPERATED	1967	17.5	153	5	7	14	22	31	42	68
TOTAL 65-69 YRS	1454	10.4	115	1	1	8	14	23	31	56
70-74	1142	11.0	149	1	1	8	15	24	33	66
75-79	679	12.8	161	1	2	10	17	28	39	59
80-84	354	15.3	164	2	2	13	20	29	38	68
85+	167	16.3	173	2	3	13	21	33	40	74
GRAND TOTAL	**3796**	**11.7**	**144**	**1**	**2**	**9**	**16**	**26**	**34**	**59**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	3.2	5	<1	1	2	4	6	7	9
70-74	14	6.1	50	1	2	4	6	14	25	28
75-79	14	5.2	25	1	1	4	6	9	18	21
80-84	10	3.7	3	<1	1	4	5	6	7	7
85+	8	10.6	165	3	3	6	11	33	41	41
B. *Operated*										
65-69 YRS	35	11.0	236	1	2	6	11	29	41	80
70-74	45	8.1	68	1	2	4	11	23	26	29
75-79	43	8.9	107	1	2	4	12	24	29	50
80-84	38	8.3	80	2	2	5	10	19	31	39
85+	32	7.2	35	1	2	5	10	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	5.4	27	1	1	3	7	14	15	24
70-74	47	7.4	40	1	2	5	9	19	22	26
75-79	37	9.7	103	2	2	5	12	25	37	41
80-84	32	15.2	208	2	3	8	26	36	43	57
85+	37	8.3	51	1	2	6	11	15	28	30
B. *Operated*										
65-69 YRS	111	15.2	147	2	3	11	21	29	42	59
70-74	134	15.8	184	2	3	12	21	31	45	62
75-79	118	14.3	130	2	3	11	21	32	39	73
80-84	108	16.2	172	3	5	12	20	35	43	67
85+	72	13.3	166	2	3	9	17	27	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	5.0	37	1	1	3	6	8	14	38
B. *Operated*	193	8.7	103	1	2	5	11	22	28	47
2. MULTIPLE DX										
A. *Not Operated*	196	8.8	87	1	2	5	11	23	30	43
B. *Operated*	543	15.1	160	2	3	11	21	32	41	62
1. SINGLE DX	265	7.7	88	1	2	4	9	20	26	44
2. MULTIPLE DX	739	13.4	148	2	2	10	19	30	38	60
A. NOT OPERATED	268	7.8	76	1	2	4	9	19	28	41
B. OPERATED	736	13.4	153	2	2	10	19	30	38	61
TOTAL 65-69 YRS	215	11.1	142	1	2	7	15	25	31	58
70-74	240	12.1	143	2	2	8	18	26	33	59
75-79	212	11.8	121	2	2	8	18	27	34	54
80-84	188	13.8	165	2	2	9	19	34	39	59
85+	149	10.6	115	2	2	7	13	24	31	49
GRAND TOTAL	**1004**	**11.9**	**138**	**2**	**2**	**8**	**16**	**27**	**35**	**58**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	4.9	19	1	2	3	5	12	14	21
70-74	97	5.3	16	1	1	4	7	11	15	19
75-79	84	6.6	29	1	2	5	9	14	17	28
80-84	75	6.2	31	<1	1	5	8	12	17	29
85+	31	7.1	10	2	3	7	8	12	13	15
B. *Operated*										
65-69 YRS	1422	6.5	24	1	2	5	9	12	16	23
70-74	1526	6.4	23	1	2	5	8	12	15	23
75-79	1160	6.7	22	2	2	6	9	12	14	25
80-84	680	7.4	31	2	2	6	9	13	16	26
85+	343	8.2	35	2	3	7	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	726	9.1	84	2	2	6	11	18	26	47
70-74	1064	9.5	80	2	2	7	12	20	29	45
75-79	1108	9.2	78	1	2	6	11	21	27	45
80-84	900	9.9	86	2	3	7	12	20	28	51
85+	659	10.4	99	2	3	8	13	21	29	58
B. *Operated*										
65-69 YRS	3440	9.7	61	2	3	8	12	19	24	40
70-74	4342	9.9	68	2	3	8	12	19	25	45
75-79	4201	10.3	71	2	3	8	13	20	25	43
80-84	2831	11.5	88	3	4	9	14	22	28	55
85+	1831	12.9	105	3	4	10	16	25	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	5.9	23	1	2	4	8	12	16	24
B. *Operated*	5131	6.8	25	1	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	4457	9.6	85	2	2	7	12	20	28	48
B. *Operated*	16645	10.6	76	2	3	8	13	20	26	46
1. SINGLE DX	5488	6.7	25	1	2	6	9	12	16	24
2. MULTIPLE DX	21102	10.4	78	2	3	8	13	20	27	47
A. NOT OPERATED	4814	9.3	81	2	2	7	12	19	27	47
B. OPERATED	21776	9.7	66	2	3	8	12	19	24	43
TOTAL 65-69 YRS	5658	8.8	56	2	2	7	11	17	22	38
70-74	7029	9.0	61	2	2	7	11	17	23	42
75-79	6553	9.4	65	2	3	7	11	18	24	41
80-84	4486	10.5	80	2	3	8	13	20	27	50
85+	2864	11.7	97	2	3	9	15	23	30	58
GRAND TOTAL	**26590**	**9.6**	**69**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	12.0	50	7	7	12	17	17	17	17
85+	2	12.0	50	7	7	12	17	17	17	17
B. *Operated*										
65-69 YRS	28	6.4	22	1	2	5	8	13	17	19
70-74	15	6.9	26	2	3	5	9	17	18	19
75-79	17	4.8	11	1	1	4	6	9	12	14
80-84	14	8.9	79	2	2	5	13	18	31	35
85+	4	4.5	6	3	3	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	8.2	56	<1	1	5	14	19	24	24
70-74	7	6.7	179	<1	<1	2	2	30	37	37
75-79	8	6.4	17	2	2	7	10	66	99+	99+
80-84	3	8.3	26	4	4	7	12	14	14	14
85+	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
65-69 YRS	34	6.9	17	2	3	6	9	12	16	20
70-74	42	8.1	27	2	3	7	11	16	18	24
75-79	44	13.0	125	3	3	10	16	23	39	62
80-84	23	9.8	65	2	2	9	13	16	27	39
85+	13	13.6	190	3	4	10	16	28	50	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.0	42	2	2	7	14	17	17	17
B. *Operated*	78	6.5	30	2	2	5	8	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	32	7.0	60	<1	1	5	9	17	35	99+
B. *Operated*	156	10.0	76	2	3	8	13	18	22	54
1. SINGLE DX	85	6.6	31	2	2	5	8	15	17	29
2. MULTIPLE DX	188	9.5	74	2	2	7	13	18	24	59
A. NOT OPERATED	39	7.2	56	<1	1	5	10	17	30	99+
B. OPERATED	234	8.8	63	2	3	7	11	17	20	42
TOTAL 65-69 YRS	74	6.9	24	2	2	6	9	14	17	23
70-74	65	7.6	41	1	2	6	10	17	19	35
75-79	70	10.1	97	2	2	8	14	19	37	92
80-84	42	9.5	63	2	2	8	14	16	26	39
85+	22	10.4	133	2	3	7	13	21	35	55
GRAND TOTAL	**273**	**8.6**	**62**	**2**	**2**	**7**	**11**	**17**	**21**	**51**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.4	10	<1	1	2	4	9	11	15
70-74	43	5.0	12	1	1	4	7	10	11	16
75-79	32	4.5	13	1	1	4	6	8	13	17
80-84	23	7.4	22	1	2	7	9	13	17	22
85+	23	7.8	45	1	2	5	12	16	21	27
B. *Operated*										
65-69 YRS	1471	4.8	26	1	1	3	5	10	15	25
70-74	1484	4.9	21	1	2	3	6	10	14	24
75-79	1235	5.2	27	1	2	4	6	11	16	24
80-84	847	5.3	25	1	2	4	6	10	15	23
85+	580	5.7	24	1	2	4	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	228	7.4	77	1	1	5	10	15	22	50
70-74	234	9.7	151	1	1	5	11	25	34	57
75-79	236	9.4	112	1	2	6	11	22	29	49
80-84	203	9.2	86	1	2	6	12	18	24	53
85+	197	8.9	50	1	2	7	11	19	22	36
B. *Operated*										
65-69 YRS	2413	9.0	108	1	2	5	11	20	28	61
70-74	2709	8.8	101	1	2	5	11	20	27	55
75-79	2738	9.0	91	2	2	6	11	19	28	49
80-84	1883	9.1	79	2	2	6	11	19	27	46
85+	1521	10.3	105	2	3	7	12	22	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	5.3	20	1	1	4	7	11	15	22
B. *Operated*	5617	5.1	25	1	2	4	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*	1098	8.9	97	1	1	6	11	20	27	50
B. *Operated*	11264	9.1	97	2	2	6	11	20	28	52
1. SINGLE DX	5774	5.1	24	1	2	4	6	10	15	24
2. MULTIPLE DX	12362	9.1	97	2	2	6	11	20	28	52
A. NOT OPERATED	1255	8.5	89	1	1	6	11	18	26	49
B. OPERATED	16881	7.8	77	1	2	5	9	17	24	45
TOTAL 65-69 YRS	4148	7.4	80	1	2	4	9	17	23	46
70-74	4470	7.5	80	1	2	5	9	17	24	44
75-79	4241	7.9	76	1	2	5	9	17	24	47
80-84	2956	8.0	67	2	2	5	10	17	23	43
85+	2321	9.0	84	2	2	6	11	19	25	48
GRAND TOTAL	**18136**	**7.8**	**77**	**1**	**2**	**5**	**9**	**17**	**24**	**46**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.6	24	1	1	3	6	9	17	21
70-74	16	5.3	23	1	1	3	8	11	16	18
75-79	8	4.6	6	2	2	4	7	8	8	8
80-84	9	12.2	134	3	3	7	17	32	37	37
85+	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*										
65-69 YRS	189	10.4	38	1	2	10	13	17	23	29
70-74	146	11.0	38	2	3	10	15	17	21	34
75-79	117	11.7	61	2	2	10	16	23	25	36
80-84	51	12.8	79	1	2	11	17	22	32	44
85+	31	10.7	40	3	3	9	14	18	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	195	9.5	77	2	2	7	12	19	28	43
70-74	189	10.3	84	1	2	8	14	24	27	47
75-79	138	10.7	102	1	2	8	14	23	34	50
80-84	118	10.8	123	2	3	7	12	25	36	59
85+	80	10.5	94	2	3	7	14	18	28	52
B. *Operated*										
65-69 YRS	719	15.6	134	2	5	13	19	29	36	56
70-74	666	16.2	112	3	6	13	21	29	37	59
75-79	502	16.3	119	3	5	14	21	29	35	67
80-84	264	18.2	138	4	7	16	23	33	40	66
85+	141	18.7	145	5	6	16	24	36	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	6.2	45	1	1	4	7	12	21	37
B. *Operated*	534	11.1	47	2	2	10	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	720	10.3	93	1	2	7	13	23	29	50
B. *Operated*	2292	16.4	126	3	6	14	21	30	38	64
1. SINGLE DX	586	10.7	49	1	2	10	14	19	24	36
2. MULTIPLE DX	3012	15.0	125	2	3	12	19	29	36	59
A. NOT OPERATED	772	10.0	91	1	2	7	13	22	28	50
B. OPERATED	2826	15.4	115	2	5	13	19	28	36	60
TOTAL 65-69 YRS	1120	13.5	114	2	3	11	17	26	33	50
70-74	1017	14.2	103	2	3	12	18	27	34	53
75-79	765	14.5	113	2	3	13	19	28	33	58
80-84	442	15.5	138	2	4	12	20	30	38	63
85+	254	15.0	132	3	4	13	19	30	42	98
GRAND TOTAL	**3598**	**14.3**	**115**	**2**	**3**	**12**	**18**	**27**	**35**	**56**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79	2	2.0		2	2	2	2	2	2	2
80-84										
85+	2	14.0	242	3	3	14	25	25	25	25
B. *Operated*										
65-69 YRS	17	2.8	4	<1	1	2	4	6	8	8
70-74	25	3.8	5	2	2	3	5	7	8	10
75-79	15	4.0	6	2	2	3	6	7	9	10
80-84	8	4.8	10	2	2	4	5	10	12	12
85+	13	4.5	5	2	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	12	1	1	6	8	10	10	10
70-74	3	22.7	646	7	7	9	41	52	52	52
75-79	7	15.3	209	2	2	14	18	40	45	45
80-84	2	6.5	13	4	4	6	9	9	9	9
85+	6	7.8	101	1	1	4	7	26	28	28
B. *Operated*										
65-69 YRS	31	5.8	31	1	2	4	7	14	15	27
70-74	25	6.2	45	2	3	4	6	14	20	34
75-79	24	10.8	124	1	2	6	14	27	38	42
80-84	6	6.3	16	2	2	5	9	13	13	13
85+	9	8.9	103	2	2	5	9	25	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.2	85	2	2	3	3	23	25	25
B. *Operated*	78	3.8	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	24	11.2	172	1	2	7	12	30	47	52
B. *Operated*	95	7.5	66	2	2	4	8	16	27	39
1. SINGLE DX	84	4.0	11	1	2	3	5	7	9	21
2. MULTIPLE DX	119	8.2	88	2	2	5	9	18	31	47
A. NOT OPERATED	30	10.2	155	1	2	6	10	26	45	52
B. OPERATED	173	5.8	42	1	2	4	7	11	18	36
TOTAL 65-69 YRS	56	4.7	21	1	1	3	6	10	14	26
70-74	53	6.0	66	2	2	4	5	9	16	51
75-79	43	8.9	107	2	2	5	10	23	37	45
80-84	16	5.6	11	2	2	4	7	12	13	13
85+	30	7.1	64	2	2	4	7	18	28	35
GRAND TOTAL	**203**	**6.5**	**60**	**1**	**2**	**4**	**7**	**14**	**24**	**43**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	9.0	72	1	1	5	14	19	26	39
70-74	59	12.1	134	2	3	8	15	26	37	56
75-79	31	10.4	90	2	2	8	13	28	32	33
80-84	16	8.3	48	1	1	7	11	18	25	27
85+	2	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	113	16.7	141	4	6	14	20	31	39	66
70-74	75	16.3	188	2	4	13	20	30	45	72
75-79	37	20.3	253	6	7	16	26	39	53	82
80-84	12	18.0	336	1	4	13	22	42	65	69
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	169	12.9	118	2	3	9	16	29	40	91
70-74	166	15.5	195	2	3	11	21	39	46	75
75-79	105	14.0	186	3	3	9	16	34	50	80
80-84	67	15.9	226	2	4	11	22	33	39	83
85+	32	13.0	133	2	3	10	16	26	43	52
B. *Operated*										
65-69 YRS	196	27.9	438	6	8	22	37	64	72	98
70-74	150	26.6	359	7	9	21	35	56	75	91
75-79	88	30.5	427	6	7	25	41	66	71	78
80-84	46	23.6	372	5	7	19	30	46	63	94
85+	11	33.9	393	10	10	32	52	62	67	67
SUBTOTALS:										
1. SINGLE DX										
A, *Not Operated*	154	10.4	97	1	2	8	14	26	31	51
B. *Operated*	237	17.2	182	4	6	14	21	32	42	70
2. MULTIPLE DX										
A. *Not Operated*	539	14.3	170	2	3	10	18	34	45	79
B. *Operated*	491	27.7	405	6	8	22	35	50	72	94
1. SINGLE DX	391	14.6	159	2	3	11	18	29	38	66
2. MULTIPLE DX	1030	20.7	327	3	4	15	28	46	64	92
A. NOT OPERATED	693	13.4	156	2	3	9	17	32	43	66
B. OPERATED	728	24.3	357	5	7	18	31	55	68	91
TOTAL 65-69 YRS	524	19.0	290	3	4	14	24	41	60	94
70-74	450	18.9	270	3	4	14	25	42	55	83
75-79	261	20.0	326	3	4	13	27	48	64	78
80-84	141	17.7	281	2	4	12	23	33	51	89
85+	45	18.1	265	3	4	12	23	44	57	67
GRAND TOTAL	**1421**	**19.0**	**288**	**3**	**4**	**14**	**25**	**42**	**58**	**88**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	38.0		38	38	38	38	38	38	38
75-79										
80-84	1	21.0		21	21	21	21	21	21	21
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	6	25.2	244	4	6	23	29	50	52	52
70-74	4	9.5	67	2	2	9	16	18	18	18
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	10.0	13	6	6	11	12	13	13	13
70-74	6	21.7	338	5	5	17	32	50	52	52
75-79	6	9.8	34	3	3	9	16	17	17	17
80-84	3	16.7	145	4	4	18	25	28	28	28
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	17	31.2	698	3	4	23	57	82	93	99+
70-74	18	24.6	242	4	8	21	42	54	80	99+
75-79	11	35.1	658	7	7	33	51	71	89	91
80-84	7	31.9	792	7	8	17	44	78	86	86
85+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	21.0	289	4	4	21	38	38	38	38
B. *Operated*	11	17.4	227	2	2	18	23	38	51	52
2. MULTIPLE DX										
A. *Not Operated*	19	14.5	153	3	4	11	18	30	43	52
B. *Operated*	54	29.7	520	4	7	22	45	78	89	99+
1. SINGLE DX	16	18.5	231	2	2	19	26	38	48	52
2. MULTIPLE DX	73	25.8	466	4	5	20	41	58	85	99+
A. NOT OPERATED	24	15.9	177	3	4	11	23	38	42	52
B. OPERATED	65	27.6	488	3	4	21	44	68	87	99+
TOTAL 65-69 YRS	27	26.5	544	4	4	21	39	77	85	99+
70-74	30	22.9	250	2	4	20	37	51	56	99+
75-79	18	24.8	575	2	4	16	36	56	78	91
80-84	11	26.7	556	4	6	18	39	61	84	86
85+	3	11.0	93	4	4	7	18	22	22	22
GRAND TOTAL	**89**	**24.5**	**428**	**3**	**4**	**20**	**36**	**56**	**83**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	4.0	15	1	1	3	5	9	14	17
70-74	10	4.2	10	1	1	4	5	9	12	12
75-79	5	3.8	1	2	2	4	4	5	5	5
80-84	6	9.5	176	1	1	4	9	33	36	36
85+										
B. *Operated*										
65-69 YRS	48	5.0	6	2	3	4	6	10	11	12
70-74	25	6.7	15	3	3	6	8	13	14	18
75-79	22	9.3	81	2	3	6	10	23	32	37
80-84	13	8.2	73	3	3	5	8	20	31	34
85+	5	7.8	11	4	4	9	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	10.8	131	1	2	6	15	23	33	57
70-74	42	9.5	111	1	2	5	11	24	32	50
75-79	35	8.6	86	1	2	5	12	19	42	99+
80-84	34	10.7	129	1	2	7	14	19	31	60
85+	17	10.9	126	1	1	7	16	22	38	46
B. *Operated*										
65-69 YRS	96	11.4	135	2	3	8	13	24	40	58
70-74	117	12.0	126	2	3	8	15	27	36	60
75-79	70	12.5	172	3	4	9	14	22	37	84
80-84	41	17.4	352	4	5	11	19	52	76	99+
85+	26	16.8	375	4	5	9	16	45	56	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.9	36	1	1	3	5	9	14	36
B. *Operated*	113	6.7	32	2	3	5	7	12	16	35
2. MULTIPLE DX										
A. *Not Operated*	166	10.0	113	1	2	6	14	22	33	59
B. *Operated*	350	12.9	184	3	4	8	15	27	43	78
1. SINGLE DX	153	6.2	33	2	2	5	7	11	16	36
2. MULTIPLE DX	516	12.0	163	2	3	8	15	26	42	75
A. NOT OPERATED	206	9.0	102	1	2	5	12	21	30	58
B. OPERATED	463	11.4	154	3	3	7	13	23	38	74
TOTAL 65-69 YRS	201	9.0	101	2	2	5	10	21	28	57
70-74	194	10.4	107	2	3	7	14	21	31	55
75-79	132	10.6	131	2	3	7	13	21	36	94
80-84	94	13.2	230	2	3	8	16	32	56	90
85+	48	13.8	255	2	4	8	15	35	46	90
GRAND TOTAL	**669**	**10.7**	**139**	**2**	**3**	**7**	**13**	**22**	**36**	**70**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	209	7.1	51	1	1	5	9	17	22	37
70-74	141	7.5	49	1	2	5	11	17	22	35
75-79	117	7.8	108	1	2	5	8	15	21	63
80-84	75	9.2	55	1	3	6	12	18	24	36
85+	42	8.6	72	1	2	6	12	17	29	39
B. *Operated*										
65-69 YRS	287	8.3	78	1	1	5	11	18	22	52
70-74	281	8.5	75	1	1	5	12	20	26	51
75-79	174	9.4	114	<1	1	6	13	22	29	52
80-84	141	7.9	73	1	1	5	10	19	25	41
85+	92	9.0	64	1	1	7	13	19	24	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4415	9.6	82	1	2	7	12	21	28	45
70-74	4183	10.2	89	2	2	7	13	21	28	47
75-79	3251	10.9	106	2	3	8	14	23	31	55
80-84	2062	11.4	96	2	3	9	15	23	31	50
85+	1335	11.5	120	2	3	9	14	23	31	63
B. *Operated*										
65-59 YRS	4300	14.5	159	2	3	11	19	30	40	66
70-74	3838	14.4	161	2	3	11	19	30	40	70
75-79	2766	15.2	170	2	3	12	20	32	43	64
80-84	1502	15.1	167	2	3	12	20	31	41	70
85+	900	14.3	153	2	3	11	18	29	37	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	584	7.7	64	1	2	5	10	17	22	40
B. *Operated*	975	8.5	82	1	1	5	12	19	26	50
2. MULTIPLE DX										
A. *Not Operated*	15246	10.5	95	2	2	8	13	22	29	50
B. *Operated*	13306	14.7	163	2	3	11	19	31	41	68
1. SINGLE DX	1559	8.2	75	1	2	5	11	18	24	45
2. MULTIPLE DX	28552	12.4	131	2	3	9	16	26	35	60
A. NOT OPERATED	15830	10.4	94	2	2	7	13	22	29	50
B. OPERATED	14281	14.3	159	2	3	11	19	30	40	66
TOTAL 65-69 YRS	9211	11.8	124	2	2	9	15	25	34	59
70-74	8443	12.0	126	2	2	9	16	25	34	60
75-79	6308	12.7	139	2	3	9	17	27	36	61
80-84	3780	12.7	127	2	3	10	17	26	35	60
85+	2369	12.4	132	2	3	9	16	25	34	64
GRAND TOTAL	**30111**	**12.2**	**129**	**2**	**2**	**9**	**16**	**26**	**35**	**60**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	6.1	38	1	1	3	10	17	18	18
70-74	17	5.7	34	1	1	3	9	15	19	21
75-79	4	8.5	154	1	1	3	15	27	27	27
80-84	2	1.0		1	1	1	1	1	1	1
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	43	10.0	62	1	1	9	16	23	25	26
70-74	27	12.9	129	2	2	9	17	31	40	42
75-79	17	15.8	180	1	2	12	21	35	43	47
80-84	12	6.9	27	2	2	5	9	16	17	17
85+	6	13.0	142	2	2	10	19	32	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	9.9	122	1	1	6	14	24	30	51
70-74	59	9.5	73	1	2	7	14	21	28	37
75-79	43	10.1	93	1	1	8	14	22	27	50
80-84	31	11.0	135	1	2	7	13	30	39	46
85+	9	15.0	367	3	3	7	18	48	62	62
B. *Operated*										
65-69 YRS	81	13.8	115	1	2	11	19	28	37	45
70-74	79	17.7	193	3	5	14	23	32	44	80
75-79	67	19.0	210	2	3	14	27	45	47	56
80-84	26	15.9	170	2	3	12	23	34	45	46
85+	17	24.1	222	3	4	21	35	42	52	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.8	43	1	1	3	8	16	20	27
B. *Operated*	105	11.5	102	1	2	9	16	25	33	44
2. MULTIPLE DX										
A. *Not Operated*	198	10.2	112	1	1	7	13	23	31	51
B. *Operated*	270	17.1	178	2	3	14	23	35	45	57
1. SINGLE DX	140	10.1	93	1	1	8	15	24	32	42
2. MULTIPLE DX	468	14.2	161	1	2	11	19	32	42	56
A. NOT OPERATED	233	9.6	104	1	1	6	13	22	30	50
B. OPERATED	375	15.5	163	2	3	12	21	34	43	56
TOTAL 65-69 YRS	191	11.3	105	1	1	9	17	24	33	48
70-74	182	13.2	147	1	2	10	18	28	35	61
75-79	131	15.3	179	1	2	11	22	35	46	54
80-84	71	11.8	137	1	2	7	16	30	39	46
85+	33	19.0	257	3	3	16	29	40	55	62
GRAND TOTAL	**608**	**13.2**	**148**	**1**	**2**	**10**	**18**	**30**	**38**	**52**

(Geriatric) 1,476 Hospitals, United States, January-December 1983

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	6.7	53	<1	1	4	10	15	20	34
70-74	30	4.5	22	<1	<1	3	6	9	9	25
75-79	20	7.1	56	<1	<1	4	11	20	24	26
80-84	22	5.8	25	1	2	4	8	11	17	22
85+	12	7.1	36	1	2	5	8	17	21	22
B. *Operated*										
65-69 YRS	32	8.4	98	1	2	5	9	17	33	49
70-74	34	9.7	167	2	3	7	10	15	23	77
75-79	19	12.4	102	2	3	8	22	28	31	33
80-84	18	6.7	27	2	2	6	10	11	18	23
85+	7	6.4	15	2	2	8	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	240	8.2	43	1	2	6	11	17	23	29
70-74	257	8.9	80	1	1	6	12	20	29	45
75-79	221	8.9	92	1	1	6	11	18	25	47
80-84	238	8.5	82	1	2	6	11	18	24	53
85+	153	10.1	77	2	2	8	13	22	31	40
B. *Operated*										
65-69 YRS	202	14.9	182	3	4	12	17	32	55	89
70-74	203	13.3	143	3	4	10	16	26	37	65
75-79	152	14.6	186	3	4	10	19	33	39	73
80-84	119	11.7	102	3	3	9	14	23	34	52
85+	74	16.2	213	2	4	13	20	39	62	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	6.0	38	<1	1	4	8	14	21	29
B. *Operated*	110	9.1	104	2	2	7	10	19	28	60
2. MULTIPLE DX										
A. *Not Operated*	1109	8.8	75	1	2	6	12	18	25	40
B. *Operated*	750	14.1	164	3	4	10	17	28	41	73
1. SINGLE DX	222	7.6	72	1	1	5	9	15	25	38
2. MULTIPLE DX	1859	10.9	117	1	2	8	14	24	32	63
A. NOT OPERATED	1221	8.6	72	1	2	6	11	18	25	39
B. OPERATED	860	13.4	159	2	3	10	16	28	40	72
TOTAL 65-69 YRS	502	10.8	114	1	2	8	14	22	31	67
70-74	524	10.4	113	1	2	7	13	23	30	48
75-79	412	11.1	133	1	2	7	14	25	33	67
80-84	397	9.3	85	1	2	7	11	19	25	50
85+	246	11.7	123	2	2	8	15	26	36	66
GRAND TOTAL	**2081**	**10.6**	**113**	**1**	**2**	**8**	**13**	**23**	**31**	**60**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	73	3.8	22	<1	1	2	5	8	10	29
70-74	75	7.0	69	1	1	4	7	20	28	38
75-79	49	4.9	56	<1	1	2	5	13	21	37
80-84	62	4.9	27	<1	1	3	6	11	19	24
85+	40	5.2	21	<1	1	4	7	10	13	25
B. *Operated*										
65-69 YRS	36	11.3	106	2	2	8	15	30	33	38
70-74	56	11.9	175	1	2	7	12	31	40	68
75-79	29	11.3	118	1	2	8	16	23	27	53
80-84	18	7.9	65	2	3	6	8	12	28	38
85+	16	10.1	81	2	3	7	12	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	276	7.9	83	1	1	5	10	18	26	51
70-74	323	7.5	70	1	1	4	10	16	26	37
75-79	301	8.6	115	1	1	5	11	21	29	46
80-84	218	6.7	91	1	1	4	8	13	21	49
85+	160	8.4	65	1	1	6	11	21	26	35
B. *Operated*										
65-69 YRS	231	21.3	317	3	4	16	31	50	59	83
70-74	244	17.8	275	2	3	11	28	41	57	77
75-79	206	18.4	292	3	4	12	26	45	51	77
80-84	130	15.9	302	3	4	9	20	39	58	92
85+	100	15.7	167	3	4	13	20	32	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	5.1	41	<1	1	3	6	11	20	33
B. *Operated*	155	11.0	125	1	2	7	13	29	35	53
2. MULTIPLE DX										
A. *Not Operated*	1278	7.6	86	1	1	5	10	18	26	43
B. *Operated*	911	18.3	284	2	4	12	27	41	56	80—6
1. SINGLE DX	454	7.1	77	1	1	4	8	18	28	40
2. MULTIPLE DX	2189	12.2	196	1	1	7	15	31	41	68
A. NOT OPERATED	1577	7.3	79	[illegible]	1	4	9	17	25	41
B. OPERATED	1066	17.3	267	[illegible]	3	11	[illegible]	40	53	78
TOTAL 65-69 YRS	616	12.6	212	1	1	[illegible]	[illegible]	33	46	65
70-74	698	11.4	173	1	1	7	[illegible]	30	40	66
75-79	585	11.9	196	1	1	[illegible]	18	31	41	70
80-84	428	9.3	164	1	1	5	10	21	29	82
85+	316	10.4	106	1	2	7	14	24	31	53
GRAND TOTAL	**2643**	**11.3**	**179**	**1**	**1**	**7**	**14**	**29**	**40**	**66**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	273	6.4	81	1	1	4	6	14	27	46
70-74	232	6.8	40	1	1	5	9	15	18	33
75-79	140	8.1	106	<1	1	5	10	18	27	56
80-84	74	6.7	36	1	1	5	9	15	19	26
85+	40	10.0	63	1	2	8	12	19	27	39
B. *Operated*										
65-69 YRS	409	8.5	57	1	2	6	12	19	23	38
70-74	409	9.9	92	1	2	8	13	20	27	54
75-79	262	10.1	104	2	2	7	13	21	29	47
80-84	144	10.0	89	2	2	7	12	21	31	50
85+	77	8.4	39	1	2	8	12	17	19	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1023	8.6	86	1	1	6	11	19	25	46
70-74	1083	9.8	101	1	2	7	12	21	29	53
75-79	954	9.9	94	1	2	7	13	22	30	46
80-84	592	10.2	107	1	1	7	14	24	31	51
85+	369	11.6	132	1	2	8	15	28	35	58
B. *Operated*										
65-69 YRS	1065	16.0	221	2	3	12	20	36	48	85
70-74	1176	16.0	182	2	4	12	22	34	44	69
75-79	913	16.6	174	3	4	13	22	34	48	74
80-84	578	16.8	219	2	4	12	22	37	46	82
85+	348	18.3	200	4	5	15	24	38	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	7.0	68	1	1	4	9	16	23	44
B. *Operated*	1301	9.4	80	1	2	7	12	20	26	46
2. MULTIPLE DX										
A. *Not Operated*	4021	9.7	100	1	2	7	12	22	29	49
B. *Operated*	4080	16.5	197	3	4	12	22	35	47	78
1. SINGLE DX	2060	8.5	77	1	1	6	11	18	25	45
2. MULTIPLE DX	8101	13.1	160	1	2	9	17	29	39	67
A. NOT OPERATED	4780	9.3	96	1	1	6	12	21	28	49
B. OPERATED	5381	14.8	178	2	3	11	19	32	43	71
TOTAL 65-69 YRS	2770	11.2	148	1	2	7	15	25	35	67
70-74	2900	12.1	139	1	2	9	15	26	36	60
75-79	2269	12.5	139	1	2	9	17	27	38	59
80-84	1388	12.8	160	1	2	9	17	29	39	64
85+	834	14.0	162	2	2	10	19	30	40	64
GRAND TOTAL	**10161**	**12.2**	**147**	**1**	**2**	**9**	**16**	**27**	**37**	**63**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	226	3.6	4	1	1	3	5	6	7	11
70-74	165	4.0	5	1	2	4	5	6	9	13
75-79	104	3.6	3	1	2	3	5	6	7	8
80-84	53	3.8	4	2	2	3	5	6	8	9
85+	22	4.2	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	3	7.3	25	2	2	8	11	12	12	12
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	187	4.9	12	2	2	4	6	9	12	17
70-74	133	4.8	13	1	2	4	6	8	10	21
75-79	107	6.0	43	1	2	5	7	10	15	37
80-84	56	6.0	29	2	2	4	7	14	18	25
85+	27	7.9	22	2	2	8	13	14	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8		1	1	2	2	2	2	2
B. *Operated*	570	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	11	5.1	9	2	2	4	7	10	12	12
B. *Operated*	510	5.4	22	1	2	4	6	10	14	21
1. SINGLE DX	574	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	521	5.4	22	1	2	4	6	10	14	21
A. NOT OPERATED	15	4.2	9	1	2	3	6	8	11	12
B. OPERATED	1080	4.5	13	1	2	4	5	8	10	18
TOTAL 65-69 YRS	416	4.1	8	1	2	4	5	7	9	15
70-74	301	4.4	9	1	2	4	5	8	10	18
75-79	214	4.8	24	1	2	4	5	8	10	17
80-84	113	4.9	17	2	2	4	6	8	14	24
85+	51	6.1	17	2	2	5	8	13	14	18
GRAND TOTAL	**1095**	**4.5**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	2.3	3	<1	<1	2	3	4	5	9
70-74	71	2.6	5	<1	1	2	3	6	7	11
75-79	52	3.0	7	1	1	2	4	6	9	15
80-84	23	3.9	23	<1	1	2	3	9	18	20
85+	25	3.4	8	<1	1	2	4	9	10	11
B. *Operated*										
65-69 YRS	654	3.8	19	<1	1	2	4	10	12	22
70-74	549	3.8	18	<1	1	2	4	10	13	21
75-79	376	4.1	19	<1	1	2	5	10	14	21
80-84	183	4.3	25	1	1	2	4	11	17	23
85+	79	5.3	25	1	1	3	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	4.7	19	1	1	3	6	9	12	25
70-74	248	4.6	25	1	1	3	6	9	12	19
75-79	218	5.1	25	1	1	4	7	11	13	22
80-84	155	5.4	27	1	2	4	7	10	13	28
85+	113	7.7	46	1	2	6	10	16	19	37
B. *Operated*										
65-69 YRS	1661	6.8	63	1	1	4	9	15	20	37
70-74	1631	7.2	51	1	1	5	10	16	21	34
75-79	1410	7.7	56	1	1	5	11	17	22	32
80-84	786	8.8	86	1	2	6	12	18	24	49
85+	446	11.0	117	1	2	8	14	24	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	2.8	7	<1	1	2	3	6	8	15
B. *Operated*	1841	4.0	19	<1	1	2	4	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	968	5.3	27	1	1	4	7	11	14	24
B. *Operated*	5934	7.7	67	1	1	5	11	17	22	37
1. SINGLE DX	2083	3.8	18	<1	1	2	4	10	13	21
2. MULTIPLE DX	6902	7.3	62	1	1	5	10	16	22	36
A. NOT OPERATED	1210	4.8	24	1	1	3	6	10	13	22
B. OPERATED	7775	6.8	58	1	1	4	9	15	21	35
TOTAL 65-69 YRS	2620	5.8	49	1	1	3	8	13	17	33
70-74	2499	6.1	42	1	1	3	9	14	18	31
75-79	2056	6.6	47	1	1	4	9	15	20	31
80-84	1147	7.5	70	1	1	4	10	17	22	41
85+	663	9.5	95	1	2	7	13	20	29	45
GRAND TOTAL	**8985**	**6.5**	**54**	**1**	**1**	**4**	**9**	**15**	**20**	**34**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	6.5	41	2	2	6	11	11	11	11
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	2	8.0	98	1	1	8	15	15	15	15
85+										
B. *Operated*										
65-69 YRS	76	4.5	26	<1	<1	2	6	11	18	24
70-74	49	3.8	15	1	1	2	4	9	13	16
75-79	27	4.0	16	1	1	2	5	7	12	20
80-84	14	2.8	5	<1	1	2	3	5	9	10
85+	5	7.0	71	1	1	2	13	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.6	17	<1	<1	4	6	12	13	13
70-74	14	8.0	29	1	3	6	11	15	20	22
75-79	9	9.9	36	2	2	11	14	18	20	20
80-84	6	4.2	2	2	2	4	5	6	6	6
85+	2	12.0	18	9	9	12	15	15	15	15
B. *Operated*										
65-69 YRS	111	9.7	99	1	2	6	13	23	28	52
70-74	91	10.5	158	2	2	7	14	23	40	65
75-79	43	7.5	51	1	2	5	10	18	27	28
80-84	16	8.6	87	<1	2	5	13	22	30	34
85+	12	7.4	46	2	2	4	12	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.0	27	1	1	4	10	14	15	15
B. *Operated*	171	4.2	21	<1	1	2	5	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	38	7.4	27	1	2	6	11	14	18	22
B. *Operated*	273	9.4	108	1	2	6	13	22	28	56
1. SINGLE DX	178	4.2	21	<1	1	2	5	10	15	21
2. MULTIPLE DX	311	9.2	99	1	2	6	13	21	27	53
A. NOT OPERATED	45	7.2	27	1	2	6	11	14	16	22
B. OPERATED	444	7.4	81	1	1	4	9	18	24	48
TOTAL 65-69 YRS	195	7.5	74	<1	1	5	9	18	24	45
70-74	156	8.1	108	1	2	4	9	19	26	58
75-79	81	6.5	40	1	2	4	8	15	21	28
80-84	38	5.7	48	<1	1	3	6	16	20	34
85+	19	7.8	47	1	1	5	14	19	21	21
GRAND TOTAL	**489**	**7.4**	**76**	**1**	**1**	**4**	**9**	**17**	**23**	**46**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.5	2	<1	<1	2	3	5	5	5
70-74	5	4.4	23	1	1	1	9	11	11	11
75-79	3	8.0	147	1	1	1	17	22	22	22
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	550	3.1	8	<1	1	2	3	6	9	17
70-74	319	3.1	7	<1	1	2	4	6	8	14
75-79	163	3.7	17	<1	1	2	4	7	11	23
80-84	75	3.8	11	<1	1	3	4	8	10	19
85+	44	3.3	8	<1	<1	2	5	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	3.2	5	<1	<1	3	5	7	7	8
70-74	27	5.4	10	1	1	5	7	11	11	12
75-79	24	7.8	39	1	2	7	9	12	19	33
80-84	21	7.6	28	1	2	7	10	15	19	23
85+	10	6.5	16	1	2	5	7	13	14	14
B. *Operated*										
65-69 YRS	549	5.5	36	1	1	3	7	12	16	32
70-74	447	6.4	52	1	2	4	8	14	23	34
75-79	281	6.5	47	1	2	4	8	13	20	41
80-84	114	7.3	56	1	2	5	9	15	22	40
85+	64	6.0	33	1	2	4	7	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.5	21	<1	1	2	4	8	14	22
B. *Operated*	1151	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	112	5.8	22	<1	1	5	7	11	13	27
B. *Operated*	1455	6.1	44	1	2	4	8	13	19	36
1. SINGLE DX	1176	3.3	10	<1	1	2	4	6	9	17
2. MULTIPLE DX	1567	6.1	43	1	1	4	8	13	18	35
A. NOT OPERATED	137	5.4	22	<1	1	5	7	11	13	24
B. OPERATED	2606	4.9	31	1	1	3	5	10	15	31
TOTAL 65-69 YRS	1142	4.3	23	<1	1	3	5	9	13	25
70-74	798	5.0	35	1	1	3	6	11	16	32
75-79	471	5.6	38	1	1	3	7	11	17	38
80-84	212	6.0	39	1	1	4	8	12	18	32
85+	120	5.0	23	1	1	3	6	12	14	27
GRAND TOTAL	**2743**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	5.0	48	<1	<1	1	10	13	13	13
70-74	4	2.0	1	1	1	2	3	3	3	3
75-79	5	7.2	75	<1	<1	5	11	22	22	22
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	12.0		12	12	56	99+	99+	99+	99+
B. *Operated*										
65-69 YRS	154	3.5	14	<1	<1	2	4	7	11	23
70-74	102	3.6	11	<1	1	2	5	9	12	15
75-79	61	3.8	43	<1	<1	2	4	6	10	47
80-84	35	3.0	10	<1	1	2	3	8	12	14
85+	21	[illegible]	3	<1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.5	18	<1	1	3	9	11	14	15
70-74	14	8.3	29	<1	2	8	14	15	16	16
75-79	28	8.8	32	1	2	8	12	15	20	26
80-84	40	6.2	54	1	1	3	8	19	23	31
85+	11	8.5	99	<1	1	5	11	23	35	36
B. *Operated*										
65-69 YRS	207	6.4	114	<1	1	3	6	14	21	67
70-74	171	7.6	117	<1	1	3	8	19	28	56
75-79	130	9.2	82	1	1	5	15	22	29	38
80-84	68	8.4	61	1	1	6	12	19	25	35
85+	47	7.8	56	1	2	6	9	20	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.9	41	<1	<1	3	12	22	80	99+
B. *Operated*	373	3.5	17	<1	<1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	108	7.3	45	1	1	6	10	15	20	33
B. *Operated*	623	7.7	99	<1	1	4	10	19	26	52
1. SINGLE DX	387	3.6	18	<1	<1	2	4	8	12	23
2. MULTIPLE DX	731	7.6	90	<1	1	4	10	18	25	48
A. NOT OPERATED	122	7.1	44	<1	1	5	10	15	21	53
B. OPERATED	996	6.1	72	<1	1	3	7	15	21	43
TOTAL 65-69 YRS	379	5.2	71	<1	<1	3	5	11	17	37
70-74	291	6.1	78	<1	1	3	7	14	21	49
75-79	224	7.7	70	<1	1	4	10	19	25	38
80-84	144	6.5	50	1	1	3	9	16	21	33
85+	80	6.7	51	1	2	4	8	17	28	80
GRAND TOTAL	**1118**	**6.2**	**69**	**<1**	**1**	**3**	**7**	**15**	**21**	**43**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	139	2.2	1	1	1	2	3	3	4	5
70-74	107	2.3	1	<1	1	2	3	4	4	6
75-79	69	2.5	2	<1	1	2	3	4	5	10
80-84	16	2.7	1	<1	2	2	3	4	5	6
85+	12	2.1	1	<1	1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	6.5	5	5	5	6	8	8	8	8
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	2	5.5	25	2	2	5	9	9	9	9
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	197	3.9	40	1	2	3	4	6	9	39
70-74	156	4.4	59	1	2	3	5	9	12	16
75-79	95	4.7	25	1	2	3	5	9	14	29
80-84	55	4.6	10	<1	2	3	6	9	12	15
85+	27	5.9	26	1	2	4	7	16	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	343	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	9	4.7	6	2	2	5	6	9	9	9
B. *Operated*	530	4.4	39	1	2	3	5	8	11	25
1. SINGLE DX	346	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	539	4.4	39	1	2	3	5	8	11	24
A. NOT OPERATED	12	3.9	6	1	1	3	5	8	9	9
B. OPERATED	873	3.6	25	1	1	2	4	6	9	17
TOTAL 65-69 YRS	339	3.2	24	1	1	2	3	5	7	17
70-74	264	3.6	36	1	1	2	3	6	9	16
75-79	167	3.7	16	1	1	2	4	8	9	23
80-84	74	4.2	9	<1	2	3	6	8	11	14
85+	41	4.7	20	1	1	3	5	12	16	19
GRAND TOTAL	**885**	**3.6**	**25**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	43	6.0	11	1	2	6	8	9	11	17
70-74	29	6.7	26	<1	2	7	8	12	15	26
75-79	11	9.5	25	3	5	8	13	18	20	20
80-84	4	8.5	122	2	2	3	14	25	25	25
85+	8	6.6	21	2	2	5	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	5.1	9	3	3	4	6	8	13	14
70-74	15	7.1	22	2	3	6	9	10	18	21
75-79	14	8.0	33	2	2	6	10	14	23	25
80-84	24	5.5	10	1	2	5	8	9	11	14
85+	16	6.9	37	1	2	5	11	23	74	99+
B. *Operated*										
65-69 YRS	415	9.2	43	2	3	8	11	14	19	36
70-74	232	9.4	30	2	4	8	11	16	19	29
75-79	157	11.8	78	3	4	10	14	21	24	50
80-84	60	14.1	115	2	4	12	20	26	45	95
85+	36	9.3	55	2	3	7	10	18	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*	95	6.8	22	1	2	7	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	82	6.4	21	2	2	5	8	13	17	75
B. *Operated*	900	10.0	53	2	4	8	12	17	22	40
1. SINGLE DX	102	6.5	22	1	2	6	8	12	16	25
2. MULTIPLE DX	982	9.7	51	2	3	8	11	17	22	41
A. NOT OPERATED	89	6.1	21	1	2	5	8	12	14	70
B. OPERATED	995	9.7	51	2	3	8	11	17	22	38
TOTAL 65-69 YRS	473	8.7	40	2	3	8	10	14	17	33
70-74	277	8.9	30	2	3	8	10	16	19	28
75-79	183	11.4	72	3	4	10	14	20	24	46
80-84	90	11.3	99	2	2	9	14	23	31	82
85+	61	8.1	46	1	2	6	10	17	26	92
GRAND TOTAL	**1084**	**9.4**	**49**	**2**	**3**	**8**	**11**	**16**	**22**	**38**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	3.3	4	<1	<1	3	5	6	6	6
70-74	4	7.5	43	2	2	7	13	15	15	15
75-79	4	1.8		1	1	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	16.3	533	3	3	3	33	43	43	43
70-74										
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	21	8.2	78	1	2	8	11	14	28	42
70-74	15	7.7	20	1	2	8	13	14	74	99+
75-79	9	5.4	22	1	1	3	8	13	15	15
80-84	14	5.6	29	2	2	4	8	12	19	21
85+	3	4.0	1	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	3.9	19	<1	1	2	4	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	4	13.0	400	3	3	3	23	43	43	43
B. *Operated*	62	6.9	41	1	2	6	9	14	18	92
1. SINGLE DX	13	3.9	19	<1	1	2	4	12	14	15
2. MULTIPLE DX	66	7.3	59	1	2	6	9	14	24	90
A. NOT OPERATED	4	13.0	400	3	3	3	23	43	43	43
B. OPERATED	75	6.4	38	1	2	5	9	14	16	85
TOTAL 65-69 YRS	28	8.4	108	<1	2	5	10	15	42	43
70-74	19	7.6	23	1	2	8	13	15	57	99+
75-79	13	4.3	18	1	1	2	7	10	14	15
80-84	15	5.3	28	1	2	2	7	11	18	21
85+	4	3.8	1	3	3	4	4	5	5	5
GRAND TOTAL	**79**	**6.7**	**54**	**1**	**2**	**5**	**9**	**14**	**18**	**83**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	74	7.9	9	4	5	7	9	12	14	18
70-74	44	8.6	13	4	4	8	11	13	15	21
75-79	33	9.4	15	6	6	8	11	15	17	21
80-84	20	10.3	10	7	7	9	12	15	17	18
85+	4	12.5	54	5	5	11	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	10.0		10	10	10	10	10	10	10
80-84	2	8.0		8	8	8	8	8	8	8
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	317	10.8	39	5	6	9	12	18	22	34
70-74	213	11.6	46	6	6	10	13	19	26	40
75-79	126	12.3	55	6	7	10	14	18	24	46
80-84	93	14.6	58	6	8	12	18	24	28	46
85+	40	17.1	74	7	8	15	21	30	33	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	175	8.7	13	4	5	8	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	7	6.4	10	2	2	8	9	10	10	10
B. *Operated*	789	12.0	50	6	6	10	14	21	26	43
1. SINGLE DX	176	8.7	13	4	5	8	10	14	16	21
2. MULTIPLE DX	796	12.0	50	6	6	10	14	21	26	43
A. NOT OPERATED	8	6.0	10	2	2	6	9	10	10	10
B. OPERATED	964	11.4	45	5	6	9	13	19	24	41
TOTAL 65-69 YRS	392	10.2	35	5	6	9	11	17	21	31
70-74	259	11.1	42	5	6	9	12	17	24	38
75-79	160	11.7	48	6	6	10	14	18	22	44
80-84	115	13.7	52	6	8	11	17	23	26	45
85+	46	16.2	74	6	8	14	21	30	31	41
GRAND TOTAL	**972**	**11.4**	**45**	**5**	**6**	**9**	**13**	**19**	**24**	**40**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	2.6	4	1	1	2	3	6	7	7
70-74	7	2.6	1	2	2	2	3	5	5	5
75-79	5	3.2	9	1	1	2	5	8	8	8
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	12	4.8	24	<1	<1	3	6	13	16	17
70-74	10	5.7	25	2	2	4	7	14	17	17
75-79	7	6.6	16	3	3	5	10	12	12	12
80-84	3	6.3	12	3	3	6	9	10	10	10
85+	5	4.0	10	1	1	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	20	3.0	5	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	7	<1	<1	2	5	6	6	6
B. *Operated*	37	5.4	19	<1	1	3	8	12	15	17
1. SINGLE DX	20	3.0	5	1	1	2	4	7	8	8
2. MULTIPLE DX	40	5.2	18	<1	1	3	7	11	14	17
A. NOT OPERATED	3	3.0	7	<1	<1	2	5	6	6	6
B. OPERATED	57	4.5	15	1	1	3	6	11	12	17
TOTAL 65-69 YRS	20	4.1	16	<1	<1	3	5	9	14	17
70-74	17	4.4	17	2	2	3	5	11	15	17
75-79	14	4.6	14	<1	1	3	8	11	12	12
80-84	4	6.5	8	3	3	6	8	10	10	10
85+	5	4.0	10	1	1	3	6	9	9	9
GRAND TOTAL	**60**	**4.5**	**15**	**<1**	**1**	**3**	**6**	**10**	**12**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	11	2.8	3	2	2	2	3	5	8	8
70-74	9	2.3	1	1	1	2	3	4	4	4
75-79	3	1.3		<1	<1	1	2	2	2	2
80-84	5	1.6	1	<1	<1	1	2	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	20	4.5	18	1	1	4	5	7	14	21
70-74	23	7.3	46	2	2	4	8	20	23	26
75-79	14	6.3	16	2	2	6	7	13	14	14
80-84	9	6.3	20	1	1	6	9	13	15	15
85+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	28	2.3	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	67	6.1	27	2	2	4	7	14	19	25
1. SINGLE DX	29	2.4	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	67	6.1	27	2	2	4	7	14	19	25
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	95	5.0	23	1	1	3	6	11	15	24
TOTAL 65-69 YRS	31	3.9	13	1	2	3	5	7	8	21
70-74	32	5.9	38	1	2	3	6	16	22	26
75-79	18	5.4	16	<1	1	4	7	12	14	14
80-84	14	4.6	18	<1	<1	3	8	10	14	15
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**96**	**5.0**	**23**	**1**	**1**	**3**	**6**	**11**	**15**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	49	3.4	10	1	1	2	3	7	11	15
70-74	38	2.5	4	<1	1	2	3	5	8	10
75-79	18	4.2	23	1	1	2	4	10	16	20
80-84	17	4.7	84	<1	1	2	4	4	28	40
85+	8	4.0	14	2	2	3	4	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	3.7	9	1	1	3	6	7	7	7
70-74										
75-79										
80-84	3	5.3	24	2	2	3	9	11	11	11
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	80	6.3	64	1	1	3	7	17	23	42
70-74	95	5.3	23	1	1	4	7	13	16	23
75-79	63	6.0	28	2	2	4	8	12	17	26
80-84	52	6.3	34	1	2	4	9	12	20	29
85+	13	5.1	22	1	1	3	7	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	130	3.5	19	1	1	2	3	7	11	24
2. MULTIPLE DX										
A. *Not Operated*	8	3.9	12	1	1	3	5	10	11	11
B. *Operated*	303	5.8	37	1	1	4	7	13	18	28
1. SINGLE DX	132	3.5	19	1	1	2	4	7	11	24
2. MULTIPLE DX	311	5.8	36	1	1	4	7	13	18	27
A. NOT OPERATED	10	3.8	10	1	1	3	5	9	11	11
B. OPERATED	433	5.1	33	1	1	3	6	12	16	27
TOTAL 65-69 YRS	133	5.1	44	1	1	3	5	13	18	36
70-74	133	4.5	19	1	1	3	6	10	14	21
75-79	81	5.6	27	1	2	4	7	12	17	26
80-84	73	5.8	44	1	1	4	7	12	20	37
85+	23	4.4	17	1	1	3	5	12	14	16
GRAND TOTAL	**443**	**5.1**	**32**	**1**	**1**	**3**	**6**	**12**	**16**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	1.7		<1	<1	2	2	2	2	2
70-74	2	1.0		1	1	1	1	1	1	1
75-79										
80-84	5	3.2	15	1	1	2	4	10	10	10
85+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
65-69 YRS	5	2.6	2	1	1	2	4	4	4	4
70-74	4	2.5	1	1	1	3	3	3	3	3
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	2	9.0	98	2	2	9	16	16	16	16
85+	3	7.0	39	2	2	5	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	2.4	6	<1	<1	2	2	5	9	10
2. MULTIPLE DX										
A. *Not Operated*	4	6.3	10	2	2	7	8	9	9	9
B. *Operated*	17	4.2	18	1	1	3	4	12	15	16
1. SINGLE DX	13	2.4	6	<1	<1	2	2	5	9	10
2. MULTIPLE DX	21	4.6	16	1	1	3	5	11	15	16
A. NOT OPERATED	4	6.3	10	2	2	7	8	9	9	9
B. OPERATED	30	3.4	13	1	1	2	3	8	14	16
TOTAL 65-69 YRS	8	2.3	1	<1	<1	2	3	4	4	4
70-74	7	2.0	1	1	1	2	3	3	3	3
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	8	5.4	31	1	1	2	9	14	16	16
85+	8	5.4	17	2	2	4	7	12	14	14
GRAND TOTAL	**34**	**3.8**	**13**	**1**	**1**	**2**	**4**	**9**	**13**	**16**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	6.5	73	1	1	3	8	15	29	34
70-74	11	6.7	25	2	2	5	10	14	18	18
75-79	7	3.4	3	1	1	3	5	6	6	6
80-84	6	8.0	31	3	3	5	14	16	16	16
85+	5	4.6	4	2	2	4	6	7	7	7
B. *Operated*										
65-69 YRS	99	13.4	140	2	3	11	17	23	31	96
70-74	81	17.3	171	2	4	15	21	32	42	75
75-79	46	18.2	279	4	6	13	23	33	42	96
80-84	16	15.1	109	5	7	12	18	29	41	46
85+	5	20.0	96	12	12	20	24	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	9.9	126	1	2	6	13	20	33	98
70-74	63	8.1	31	2	2	7	10	18	20	22
75-79	73	11.7	127	2	3	8	13	25	40	58
80-84	60	12.5	159	2	4	9	14	26	34	74
85+	36	11.7	167	2	3	9	15	19	25	79
B. *Operated*										
65-69 YRS	222	22.5	304	4	7	18	30	54	77	99+
70-74	210	25.0	364	5	7	19	31	57	69	90
75-79	144	28.4	443	3	6	23	41	64	74	99+
80-84	57	26.4	301	3	10	23	34	51	65	79
85+	21	29.4	371	3	8	28	46	55	62	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	6.0	36	1	1	4	7	14	17	34
B. *Operated*	247	15.8	175	2	4	12	20	31	36	93
2. MULTIPLE DX										
A. *Not Operated*	287	10.7	118	2	3	8	13	20	30	75
B. *Operated*	654	25.2	359	3	7	20	34	56	70	99+
1. SINGLE DX	291	14.4	166	2	3	11	19	29	35	89
2. MULTIPLE DX	941	20.8	330	3	4	16	28	51	64	99+
A. NOT OPERATED	331	10.1	110	2	2	7	12	20	29	74
B. OPERATED	901	22.6	326	3	6	17	29	51	68	99+
TOTAL 65-69 YRS	391	17.8	259	2	3	14	23	45	59	99+
70-74	365	19.9	298	3	4	15	24	45	60	88
75-79	270	21.5	378	3	4	15	31	52	68	99
80-84	139	18.3	251	3	4	14	24	40	52	76
85+	67	17.3	283	3	3	12	20	46	55	77
GRAND TOTAL	**1232**	**19.2**	**298**	**2**	**3**	**14**	**24**	**46**	**61**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	126	4.4	5	2	3	4	5	6	7	15
70-74	85	4.3	4	2	2	4	5	7	8	11
75-79	50	4.5	5	2	2	4	5	7	9	12
80-84	22	4.7	4	1	2	5	5	7	9	10
85+	5	6.8	40	3	3	4	8	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	8	3	3	4	6	9	9	9
70-74	6	7.0	16	2	2	7	10	12	12	12
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	10.0	2	9	9	10	11	11	11	11
85+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
65-69 YRS	161	5.5	11	2	3	5	6	9	13	20
70-74	130	7.5	57	3	3	5	8	13	22	47
75-79	77	8.4	83	3	3	5	9	18	26	55
80-84	36	8.5	39	3	4	7	11	15	18	36
85+	15	11.5	103	4	5	8	13	20	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.3	13	1	1	4	5	10	11	11
B. *Operated*	288	4.5	5	2	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	16	6.8	14	2	3	6	10	12	13	14
B. *Operated*	419	7.1	46	3	3	5	8	13	19	39
1. SINGLE DX	294	4.4	5	2	3	4	5	6	8	13
2. MULTIPLE DX	435	7.1	44	3	3	5	8	12	19	37
A. NOT OPERATED	22	6.1	15	1	2	5	9	11	13	14
B. OPERATED	707	6.0	31	2	3	5	6	10	14	35
TOTAL 65-69 YRS	293	5.0	9	2	3	4	5	8	10	20
70-74	223	6.2	37	2	3	5	6	10	14	39
75-79	130	6.8	54	3	3	5	7	11	19	41
80-84	60	7.1	28	2	3	5	9	12	15	34
85+	23	10.3	78	3	4	7	13	18	28	44
GRAND TOTAL	**729**	**6.0**	**30**	**2**	**3**	**5**	**6**	**10**	**14**	**35**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.4	41	1	1	2	9	16	16	16
70-74	4	7.0	37	<1	<1	6	11	15	15	15
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS	51	10.3	126	3	4	7	11	20	26	75
70-74	26	7.7	26	2	2	6	10	16	19	21
75-79	22	7.9	34	2	3	6	10	17	21	26
80-84	3	6.0	12	4	4	4	9	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	7.1	26	1	2	6	10	16	16	16
70-74	18	12.1	205	2	3	7	13	23	47	63
75-79	6	6.0	6	2	2	6	7	9	9	9
80-84	7	13.0	137	4	4	8	18	33	36	36
85+	4	10.3	20	8	8	8	13	17	17	17
B. *Operated*										
65-69 YRS	164	13.1	153	4	4	9	15	28	35	75
70-74	116	13.1	138	3	4	10	17	27	34	64
75-79	65	14.4	93	3	4	12	21	25	32	46
80-84	24	16.9	163	5	5	11	20	35	44	53
85+	8	20.5	167	10	11	16	26	43	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.5	33	<1	<1	5	10	15	16	16
B. *Operated*	102	9.0	78	2	3	6	10	18	21	52
2. MULTIPLE DX										
A. *Not Operated*	58	9.5	95	1	2	7	10	18	23	61
B. *Operated*	377	13.7	140	3	4	10	18	29	35	62
1. SINGLE DX	112	8.8	74	2	3	6	10	18	21	47
2. MULTIPLE DX	435	13.2	135	3	4	9	17	27	34	63
A. NOT OPERATED	68	9.0	86	1	2	7	10	17	22	58
B. OPERATED	479	12.7	130	3	4	9	17	26	34	62
TOTAL 65-69 YRS	243	11.8	137	3	4	8	14	25	32	76
70-74	164	12.0	127	3	4	9	15	24	32	61
75-79	93	12.3	83	3	3	9	18	25	32	42
80-84	35	15.0	146	4	4	10	19	34	39	53
85+	12	17.1	137	8	8	14	17	38	45	46
GRAND TOTAL	**547**	**12.3**	**126**	**3**	**4**	**9**	**16**	**25**	**33**	**63**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	64	4.8	9	1	2	5	7	8	9	14
70-74	39	4.6	7	1	1	4	7	9	9	9
75-79	21	3.5	6	<1	1	3	5	8	9	9
80-84	11	3.0	4	<1	1	2	4	6	8	8
85+	6	4.2	5	2	2	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	10	2	2	3	7	8	8	8
70-74										
75-79	2	12.5	85	6	6	12	19	19	19	19
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	7.5	5	6	6	7	9	9	9	9
B. *Operated*										
65-69 YRS	148	6.5	19	2	2	6	8	12	14	22
70-74	58	8.3	53	2	3	7	11	14	15	51
75-79	45	7.1	29	1	2	6	9	11	20	28
80-84	21	7.2	19	2	2	7	9	13	17	20
85+	16	8.3	39	1	2	8	9	15	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*	141	4.4	7	1	1	4	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	30	2	2	6	8	16	19	19
B. *Operated*	288	7.1	29	2	2	6	9	13	15	25
1. SINGLE DX	143	4.4	7	1	1	4	7	8	9	11
2. MULTIPLE DX	296	7.1	29	2	2	6	9	13	15	24
A. NOT OPERATED	10	6.6	25	2	2	6	8	14	19	19
B. OPERATED	429	6.2	24	1	2	6	8	11	14	22
TOTAL 65-69 YRS	216	6.0	16	1	2	6	8	11	14	22
70-74	98	6.8	38	1	2	6	9	13	14	36
75-79	68	6.1	26	1	2	5	9	11	19	27
80-84	33	5.7	18	1	2	5	8	10	14	20
85+	24	7.2	30	2	2	7	9	15	18	26
GRAND TOTAL	**439**	**6.2**	**23**	**1**	**2**	**6**	**8**	**11**	**14**	**22**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	4	1	1	3	4	5	5	5
70-74										
75-79	3	3.0	3	2	2	2	4	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	167	5.5	31	1	1	4	7	12	18	28
70-74	150	4.7	20	<1	1	3	6	12	15	22
75-79	100	4.5	13	1	1	3	6	9	12	17
80-84	64	4.1	9	1	1	3	5	8	9	15
85+	35	5.0	27	1	2	3	6	11	20	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.7	38	<1	1	4	8	16	20	22
70-74	15	14.1	253	2	3	7	15	49	50	50
75-79	9	5.9	31	<1	<1	4	9	15	18	18
80-84	13	5.8	12	<1	1	6	8	10	12	12
85+	8	11.9	51	4	4	11	17	22	24	24
B. *Operated*										
65-69 YRS	347	9.5	104	2	2	7	12	18	28	50
70-74	344	8.0	56	1	2	5	11	18	21	33
75-79	279	10.0	117	1	2	6	13	21	37	54
80-84	172	10.8	80	2	2	8	14	23	30	40
85+	112	10.6	114	1	2	7	16	24	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	3	1	1	2	4	5	5	5
B. *Operated*	516	4.9	21	1	1	3	6	11	15	22
2. MULTIPLE DX										
A. *Not Operated*	60	8.7	96	<1	1	6	10	18	26	50
B. *Operated*	1254	9.5	92	2	2	7	12	20	27	47
1. SINGLE DX	523	4.8	21	1	1	3	6	11	15	22
2. MULTIPLE DX	1314	9.4	92	1	2	6	12	20	27	48
A. NOT OPERATED	67	8.0	89	1	1	5	9	17	25	50
B. OPERATED	1770	8.1	76	1	2	5	11	18	24	42
TOTAL 65-69 YRS	532	8.1	83	1	2	5	10	16	22	48
70-74	509	7.2	54	1	2	5	10	16	20	33
75-79	391	8.5	93	1	2	5	11	18	25	48
80-84	249	8.8	67	1	2	6	12	21	26	38
85+	156	9.4	96	1	2	6	14	22	27	35
GRAND TOTAL	**1837**	**8.1**	**76**	**1**	**2**	**5**	**11**	**18**	**24**	**45**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	5.3	38	1	1	3	6	14	17	34
70-74	89	5.5	56	1	1	3	7	12	16	44
75-79	67	5.7	39	1	1	3	6	14	17	34
80-84	41	5.1	25	1	1	3	7	13	17	20
85+	37	7.8	44	1	2	5	10	19	21	28
B. *Operated*										
65-69 YRS	441	5.5	30	1	1	3	8	12	17	28
70-74	371	5.0	26	1	1	3	7	11	14	26
75-79	321	4.7	25	1	1	3	6	11	15	28
80-84	156	5.0	20	1	2	3	6	10	15	23
85+	91	6.1	39	1	1	3	9	15	16	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	437	7.2	89	1	1	4	8	15	21	48
70-74	449	7.0	41	1	1	5	9	15	20	31
75-79	460	7.5	51	1	2	5	10	16	23	37
80-84	332	9.2	109	1	2	6	11	19	29	65
85+	351	8.9	75	1	2	6	11	21	26	54
B. *Operated*										
65-69 YRS	917	9.2	81	1	2	7	12	19	27	44
70-74	910	9.8	98	1	2	7	13	21	28	58
75-79	786	10.6	116	2	2	8	14	22	28	62
80-84	491	10.9	101	2	2	8	15	24	32	51
85+	336	12.5	129	2	2	9	17	26	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	5.7	42	1	1	3	7	14	17	35
B. *Operated*	1380	5.2	27	1	1	3	7	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	2029	7.8	71	1	2	5	10	17	24	42
B. *Operated*	3440	10.3	102	2	2	8	13	22	29	53
1. SINGLE DX	1705	5.3	30	1	1	3	7	12	16	28
2. MULTIPLE DX	5469	9.4	92	1	2	7	12	20	27	52
A. NOT OPERATED	2354	7.5	68	1	1	5	9	16	23	41
B. OPERATED	4820	8.8	86	1	2	6	12	19	26	49
TOTAL 65-69 YRS	1886	7.7	71	1	1	5	10	17	23	41
70-74	1819	7.9	71	1	1	5	10	17	24	42
75-79	1634	8.4	82	1	2	6	11	18	25	44
80-84	1020	9.2	93	1	2	6	12	20	28	50
85+	815	10.0	97	2	2	7	13	22	29	55
GRAND TOTAL	**7174**	**8.4**	**80**	**1**	**2**	**6**	**11**	**18**	**25**	**47**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.4	12	1	1	4	6	10	10	10
70-74	7	5.1	10	1	1	5	7	9	10	10
75-79	7	4.7	4	3	3	4	6	8	8	8
80-84	5	5.0	14	<1	<1	5	7	11	11	11
85+	5	6.4	11	3	3	7	9	10	10	10
B. *Operated*										
65-69 YRS	212	4.7	5	2	3	4	5	7	8	15
70-74	139	4.7	4	2	3	4	5	7	9	13
75-79	55	5.5	6	3	3	5	6	9	11	14
80-84	26	5.7	8	2	3	5	7	10	11	14
85+	5	5.6	8	3	3	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	7.2	89	<1	1	6	9	11	16	67
70-74	51	6.6	66	1	1	4	7	16	24	41
75-79	48	7.1	16	2	3	6	9	13	14	21
80-84	34	8.4	41	2	3	6	11	16	24	29
85+	29	9.0	48	2	3	7	12	20	25	29
B. *Operated*										
65-69 YRS	235	6.9	24	3	3	5	8	12	16	26
70-74	200	7.7	49	3	3	5	9	15	18	41
75-79	109	8.0	43	3	3	6	9	17	24	33
80-84	46	11.3	148	3	4	7	12	24	47	54
85+	28	14.9	149	2	3	12	18	30	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.1	9	1	1	5	7	10	10	11
B. *Operated*	437	4.9	5	3	3	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	224	7.5	55	1	2	5	9	14	20	36
B. *Operated*	618	8.1	53	3	3	6	9	15	20	45
1. SINGLE DX	466	4.9	5	2	3	4	6	7	9	14
2. MULTIPLE DX	842	7.9	54	2	3	6	9	15	20	41
A. NOT OPERATED	253	7.2	50	1	2	5	9	13	19	34
B. OPERATED	1055	6.7	36	3	3	5	7	12	17	30
TOTAL 65-69 YRS	514	6.0	25	2	3	5	7	10	13	23
70-74	397	6.5	37	2	3	5	7	12	17	30
75-79	219	7.1	28	3	3	6	8	14	18	29
80-84	111	8.8	81	2	3	6	10	17	26	53
85+	67	11.0	94	2	3	8	14	24	29	53
GRAND TOTAL	**1308**	**6.8**	**39**	**2**	**3**	**5**	**8**	**12**	**17**	**31**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	6.7	24	1	3	6	8	12	14	28
70-74	39	6.0	19	1	2	4	8	12	17	18
75-79	33	6.7	24	2	3	6	8	11	13	28
80-84	17	7.9	31	2	2	7	9	16	21	23
85+	14	7.3	19	1	2	7	10	13	15	15
B. *Operated*										
65-69 YRS	63	5.2	22	2	3	4	5	7	8	31
70-74	29	5.4	15	2	3	5	6	8	16	20
75-79	22	4.9	5	1	2	5	6	9	9	9
80-84	9	5.2	15	2	2	4	7	12	14	14
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	423	8.9	66	2	3	7	10	17	23	38
70-74	454	9.9	61	3	3	8	12	20	25	39
75-79	391	9.8	55	3	3	8	12	17	24	43
80-84	268	11.3	62	2	4	9	14	21	28	39
85+	191	12.1	76	3	4	10	16	23	28	48
B. *Operated*										
65-69 YRS	156	11.3	129	3	4	7	14	25	33	89
70-74	118	12.6	201	3	4	9	15	24	38	96
75-79	116	15.7	223	3	4	10	20	36	52	67
80-84	51	15.5	144	4	5	13	21	32	41	99
85+	34	18.0	265	2	3	14	22	43	61	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	6.7	23	2	2	6	9	12	15	27
B. *Operated*	125	5.2	16	2	2	4	6	7	9	29
2. MULTIPLE DX										
A. *Not Operated*	1727	10.1	64	3	3	8	13	19	26	40
B. *Operated*	475	13.6	184	3	4	9	18	30	41	90
1. SINGLE DX	293	6.0	20	2	2	5	7	11	14	28
2. MULTIPLE DX	2202	10.8	92	3	3	8	13	21	28	52
A. NOT OPERATED	1895	9.8	61	3	3	8	12	18	25	39
B. OPERATED	600	11.9	161	2	3	7	14	26	37	78
TOTAL 65-69 YRS	707	8.9	75	2	3	6	10	17	26	40
70-74	640	9.9	85	3	3	7	12	20	26	49
75-79	562	10.7	94	3	3	8	13	20	31	60
80-84	345	11.6	75	2	4	9	15	23	29	44
85+	241	12.6	104	2	3	10	16	24	29	57
GRAND TOTAL	**2495**	**10.3**	**86**	**3**	**3**	**8**	**13**	**20**	**28**	**48**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	306	6.8	13	2	3	6	8	11	14	19
70-74	231	6.6	18	1	2	6	9	11	14	22
75-79	152	7.7	30	3	3	6	9	16	19	26
80-84	97	7.5	37	2	3	6	9	13	19	37
85+	51	7.5	15	3	3	7	9	13	16	21
B. Operated										
65-69 YRS	15	6.2	37	1	1	4	10	13	20	23
70-74	6	10.5	35	2	3	10	13	19	20	20
75-79	5	6.2	11	3	3	5	9	11	11	11
80-84	7	9.9	102	1	2	7	9	27	32	32
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2377	8.3	36	3	3	7	10	14	18	33
70-74	2237	8.4	40	3	3	7	10	15	19	31
75-79	1732	8.7	34	3	3	7	11	16	19	33
80-84	1110	9.1	46	2	3	7	11	17	22	37
85+	749	9.9	67	2	3	8	12	18	25	48
B. Operated										
65-69 YRS	354	13.4	116	3	4	10	16	25	31	59
70-74	331	14.5	171	3	4	11	16	32	39	76
75-79	241	13.8	105	3	4	11	17	28	36	47
80-84	118	14.4	102	3	5	12	20	28	32	51
85+	73	18.8	198	4	6	15	23	48	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	837	7.0	20	2	3	6	9	12	15	23
B. Operated	34	7.6	46	1	1	6	10	14	22	32
2. MULTIPLE DX										
A. Not Operated	8205	8.7	41	3	3	7	10	15	20	34
B. Operated	1117	14.2	135	3	4	11	17	28	38	65
1. SINGLE DX	871	7.0	21	2	3	6	9	12	16	24
2. MULTIPLE DX	9322	9.3	56	3	3	7	11	17	22	41
A. NOT OPERATED	9042	8.5	39	2	3	7	10	15	19	34
B. OPERATED	1151	14.0	133	3	4	11	17	28	38	65
TOTAL 65-69 YRS	3052	8.7	46	3	3	7	10	15	20	36
70-74	2805	9.0	58	2	3	7	11	16	21	39
75-79	2130	9.2	44	3	3	8	11	17	22	38
80-84	1332	9.4	53	2	3	7	11	18	24	38
85+	874	10.5	81	3	3	8	13	20	28	55
GRAND TOTAL	**10193**	**9.1**	**53**	**3**	**3**	**7**	**11**	**16**	**22**	**40**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	100	7.2	21	2	3	6	9	12	16	25
70-74	77	7.9	22	3	3	7	10	16	17	23
75-79	54	6.9	16	1	2	6	10	13	14	16
80-84	42	9.1	44	2	3	7	10	16	24	36
85+	20	6.7	13	2	2	6	9	12	13	13
B. Operated										
65-69 YRS	3	5.7	17	1	1	7	8	9	9	9
70-74	3	5.7	30	2	2	3	10	12	12	12
75-79	3	9.7	9	7	7	9	12	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	655	10.4	58	3	4	9	13	19	24	38
70-74	624	11.8	110	3	4	9	14	21	30	65
75-79	521	11.4	72	3	4	10	14	19	26	45
80-84	366	11.7	68	3	4	10	14	21	25	40
85+	295	12.6	83	3	5	11	15	22	30	45
B. Operated										
65-69 YRS	120	22.9	257	7	9	18	26	46	57	80
70-74	73	20.9	231	6	7	17	27	42	50	99+
75-79	74	27.4	326	7	10	23	36	57	63	97
80-84	58	26.1	297	8	10	21	34	51	55	91
85+	27	20.1	176	7	8	16	24	30	42	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	7.6	23	2	3	7	9	13	16	25
B. Operated	9	7.0	18	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	2461	11.4	79	3	4	9	14	20	26	45
B. Operated	352	23.8	270	7	9	19	29	49	58	95
1. SINGLE DX	302	7.5	23	2	3	7	9	13	16	25
2. MULTIPLE DX	2813	13.0	120	3	4	10	16	24	33	61
A. NOT OPERATED	2754	11.0	75	3	4	9	13	20	25	44
B. OPERATED	361	23.3	271	6	8	19	29	49	58	95
TOTAL 65-69 YRS	878	11.7	102	3	4	9	14	22	29	58
70-74	777	12.3	121	3	4	9	15	23	33	71
75-79	652	12.8	124	3	4	10	15	24	32	63
80-84	466	13.3	118	3	5	10	16	25	34	54
85+	342	12.9	92	3	5	11	15	23	30	46
GRAND TOTAL	**3115**	**12.4**	**113**	**3**	**4**	**10**	**15**	**23**	**32**	**61**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	825	6.9	16	2	3	6	9	12	13	20
70-74	659	7.1	21	2	3	6	9	12	16	23
75-79	450	7.9	35	3	3	6	10	13	17	28
80-84	228	7.4	23	3	3	6	9	13	15	30
85+	140	9.0	61	3	3	7	11	16	18	46
B. *Operated*										
65-69 YRS	143	5.2	30	1	2	3	6	12	14	31
70-74	125	6.1	76	1	1	3	7	17	28	65
75-79	92	4.8	42	1	2	3	5	10	17	39
80-84	43	6.0	49	2	2	3	7	12	26	32
85+	10	6.3	108	2	2	2	8	61	97	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7097	8.8	36	3	4	8	11	15	19	30
70-74	6688	9.1	42	3	4	8	11	16	21	36
75-79	5029	9.9	59	3	4	8	12	18	23	43
80-84	3010	10.4	67	3	4	8	13	19	25	47
85+	1832	10.9	77	3	4	9	13	20	25	52
B. *Operated*										
65-69 YRS	2430	18.6	261	2	4	14	24	42	56	99+
70-74	2347	20.3	285	3	5	16	27	45	63	99+
75-79	1690	19.8	261	3	4	16	26	43	58	99+
80-84	943	21.6	313	3	4	16	30	50	64	99+
85+	505	20.8	269	3	6	16	27	43	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2302	7.3	25	2	3	6	9	12	15	24
B. *Operated*	413	5.5	50	1	2	3	6	12	21	45
2. MULTIPLE DX										
A. *Not Operated*	23656	9.5	50	3	4	8	12	17	22	39
B. *Operated*	7915	19.9	276	3	4	15	26	44	60	99+
1. SINGLE DX	2715	7.1	29	2	2	6	9	12	15	29
2. MULTIPLE DX	31571	12.1	127	3	4	9	14	24	35	71
A. NOT OPERATED	25958	9.3	48	3	4	8	11	17	21	38
B. OPERATED	8328	19.1	274	2	3	15	26	43	59	99+
TOTAL 65-69 YRS	10495	10.9	105	3	3	8	13	21	30	62
70-74	9819	11.6	123	3	3	8	14	23	34	71
75-79	7261	12.0	123	3	4	9	14	24	35	72
80-84	4224	12.7	143	3	4	9	15	26	38	73
85+	2487	12.8	131	3	4	10	15	25	37	75
GRAND TOTAL	**34286**	**11.7**	**121**	**3**	**4**	**8**	**14**	**23**	**34**	**70**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74	2	6.5	25	3	3	6	10	10	10	10
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	4	5.8	15	2	2	5	9	10	10	10
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	6	5.0	10	2	2	4	8	10	10	10
A. NOT OPERATED	2	3.5	1	3	3	3	4	4	4	4
B. OPERATED	6	4.3	14	1	1	3	8	10	10	10
TOTAL 65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	4	4.3	16	1	1	3	7	10	10	10
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	6.0	8	4	4	6	8	8	8	8
GRAND TOTAL	**8**	**4.1**	**10**	**1**	**1**	**3**	**6**	**9**	**10**	**10**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	4.9	21	1	1	3	6	11	14	24
70-74	92	4.7	16	1	1	4	6	9	14	21
75-79	88	5.0	12	1	2	4	6	10	13	17
80-84	38	4.2	12	1	1	3	4	10	12	15
85+	30	3.9	6	1	1	3	5	7	10	10
B. *Operated*										
65-69 YRS	18	6.7	13	2	3	5	9	12	14	15
70-74	27	8.9	59	2	3	6	11	15	24	39
75-79	13	6.1	10	1	2	6	8	10	12	12
80-84	3	9.0	37	5	5	6	13	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1220	7.2	34	1	2	6	9	14	18	31
70-74	1339	7.7	44	2	2	6	10	15	19	32
75-79	1271	7.6	46	2	2	6	9	15	19	33
80-84	920	8.3	58	2	2	6	10	17	23	35
85+	726	8.3	56	2	2	6	10	16	22	41
B. *Operated*										
65-69 YRS	209	13.2	194	3	4	9	16	29	41	95
70-74	204	14.2	166	3	4	10	18	26	36	71
75-79	158	17.0	226	4	5	13	22	37	49	99
80-84	83	20.1	407	4	5	13	21	51	73	98
85+	61	20.4	230	4	5	18	27	40	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.7	15	1	1	4	6	10	13	19
B. *Operated*	61	7.6	34	2	3	6	9	14	16	37
2. MULTIPLE DX										
A. *Not Operated*	5476	7.8	46	2	2	6	10	15	20	34
B. *Operated*	715	15.7	226	3	4	11	20	33	47	96
1. SINGLE DX	383	5.2	19	1	1	4	6	10	14	21
2. MULTIPLE DX	6191	8.7	74	2	2	6	10	17	24	44
A. NOT OPERATED	5798	7.6	45	2	2	6	9	15	20	33
B. OPERATED	776	15.1	216	3	4	10	19	32	44	95
TOTAL 65-69 YRS	1521	7.9	60	1	2	6	10	16	20	40
70-74	1662	8.3	63	2	2	6	10	17	22	38
75-79	1530	8.4	71	2	2	6	10	17	24	46
80-84	1044	9.1	94	2	2	6	11	19	26	53
85+	817	9.1	78	2	2	7	11	19	27	45
GRAND TOTAL	**6574**	**8.5**	**71**	**2**	**2**	**6**	**10**	**17**	**23**	**44**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.0	4	3	3	5	6	8	8	8
70-74	6	11.0	98	4	4	7	13	28	30	30
75-79	13	9.6	44	2	4	8	13	20	25	26
80-84	8	5.0	10	2	2	4	7	10	11	11
85+	13	8.1	41	2	3	7	10	14	25	27
B. *Operated*										
65-69 YRS	3	4.7	22	1	1	3	8	10	10	10
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	3	5.7	12	2	2	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	237	11.0	68	3	4	9	13	22	29	39
70-74	307	11.4	83	3	4	9	14	20	28	51
75-79	342	11.2	73	3	4	9	14	22	29	99+
80-84	372	10.7	74	3	4	8	13	20	24	43
85+	455	12.4	119	3	4	9	15	24	34	93
B. *Operated*										
65-69 YRS	77	18.6	209	4	6	14	26	37	47	68
70-74	103	19.4	197	6	7	14	26	38	51	67
75-79	102	24.0	454	4	6	17	30	59	83	98
80-84	100	18.9	189	5	6	15	29	39	51	80
85+	90	17.4	176	4	5	13	26	37	45	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	8.0	40	2	3	6	10	14	26	30
B. *Operated*	8	5.6	12	1	1	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1713	11.4	87	3	4	9	14	22	29	58
B. *Operated*	472	19.8	252	4	6	15	27	40	57	90
1. SINGLE DX	54	7.6	37	2	2	6	9	13	24	30
2. MULTIPLE DX	2185	13.2	134	3	4	10	16	27	37	76
A. NOT OPERATED	1759	11.3	86	3	4	9	14	22	29	58
B. OPERATED	480	19.6	251	4	6	14	27	40	57	89
TOTAL 65-69 YRS	323	12.6	112	3	4	9	15	27	34	59
70-74	417	13.3	123	3	4	10	16	27	37	62
75-79	458	14.0	185	3	4	10	17	29	44	99
80-84	480	12.3	108	3	4	9	15	24	35	58
85+	561	13.1	130	3	4	10	16	27	35	93
GRAND TOTAL	**2239**	**13.1**	**133**	**3**	**4**	**10**	**16**	**27**	**36**	**75**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	[illegible]	4	4	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	9.1	51	2	3	6	11	18	27	29
70-74	29	9.3	41	3	3	8	12	19	23	30
75-79	8	12.0	265	4	4	6	9	39	52	52
80-84	7	6.1	6	3	3	6	8	10	10	10
85+	2	18.5	145	10	10	18	27	27	27	27
B. *Operated*										
65-69 YRS	21	15.8	364	3	5	9	17	35	67	84
70-74	4	13.5	92	5	5	11	20	27	27	27
75-79										
80-84	2	10.0		10	10	10	10	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0		4	4	4	4	4	4	4
B. *Operated*	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	87	9.4	64	2	3	7	11	19	27	44
B. *Operated*	27	15.0	293	3	5	9	16	26	58	84
1. SINGLE DX	4	6.0	16	4	4	4	8	12	12	12
2. MULTIPLE DX	114	10.7	122	3	3	8	12	22	28	64
A. NOT OPERATED	89	9.3	63	3	3	7	11	19	27	43
B. OPERATED	29	14.5	276	3	4	9	16	25	55	84
TOTAL 65-69 YRS	63	11.3	160	2	3	7	13	21	28	80
70-74	34	9.7	46	3	3	8	13	22	26	30
75-79	10	10.4	217	4	4	5	9	31	52	52
80-84	9	7.0	8	3	3	7	10	10	10	10
85+	2	18.5	145	10	10	18	27	27	27	27
GRAND TOTAL	**118**	**10.6**	**119**	**3**	**3**	**7**	**12**	**22**	**28**	**63**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	5.2	20	1	1	4	6	13	14	22
70-74	32	4.3	14	1	1	3	6	11	13	13
75-79	19	7.4	59	<1	1	5	9	18	27	31
80-84	24	7.0	33	<1	<1	6	10	16	18	20
85+	11	5.0	12	1	1	3	7	10	12	12
B. *Operated*										
65-69 YRS	41	6.3	32	1	1	4	10	15	19	24
70-74	15	12.1	330	<1	1	7	10	33	61	71
75-79	17	6.8	102	1	1	2	6	21	34	40
80-84	11	7.5	45	1	1	7	11	18	22	22
85+	3	6.3	26	2	2	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	342	8.5	63	2	2	6	10	18	26	42
70-74	327	8.4	56	2	3	6	10	16	21	40
75-79	227	8.6	54	2	3	7	11	16	22	41
80-84	178	8.7	51	2	3	7	11	17	21	43
85+	184	10.5	68	2	3	8	14	19	23	49
B. *Operated*										
65-69 YRS	200	12.7	146	2	3	9	16	26	44	69
70-74	184	13.0	183	1	2	9	17	27	39	86
75-79	153	13.7	143	2	3	11	17	28	38	54
80-84	60	14.4	134	2	3	11	20	35	37	95
85+	46	13.1	92	2	2	12	16	26	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	5.6	26	1	1	4	8	13	15	24
B. *Operated*	87	7.6	98	1	1	4	10	16	23	59
2. MULTIPLE DX										
A. *Not Operated*	1258	8.8	59	2	3	7	11	17	22	42
B. *Operated*	643	13.2	150	2	3	10	17	27	39	73
1. SINGLE DX	219	6.4	55	1	1	4	8	13	19	35
2. MULTIPLE DX	1901	10.3	94	2	3	7	13	21	28	53
A. NOT OPERATED	1390	8.5	57	2	2	6	11	17	22	41
B. OPERATED	730	12.5	147	2	2	9	16	27	38	72
TOTAL 65-69 YRS	629	9.4	90	2	2	7	11	20	28	51
70-74	558	9.8	108	2	2	7	12	20	27	70
75-79	416	10.3	95	2	2	8	13	22	29	46
80-84	273	9.7	73	1	2	7	12	20	26	54
85+	244	10.7	72	2	2	9	14	19	26	53
GRAND TOTAL	**2120**	**9.9**	**91**	**2**	**2**	**7**	**12**	**20**	**27**	**52**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	4.5	7	2	2	4	6	9	10	11
70-74	60	4.6	6	2	2	4	6	8	10	13
75-79	35	5.1	8	1	2	5	7	9	10	13
80-84	41	4.6	5	1	2	4	6	7	8	13
85+	23	4.6	9	1	2	4	6	8	10	14
B. *Operated*										
65-69 YRS	18	5.4	35	1	1	3	6	11	20	26
70-74	16	3.9	14	<1	<1	2	5	11	12	12
75-79	9	6.6	43	<1	<1	2	12	16	18	18
80-84	8	3.9	12	<1	<1	3	5	9	11	11
85+	5	7.8	33	4	4	4	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	365	7.4	32	2	3	6	9	14	18	30
70-74	387	7.1	25	2	3	6	9	13	18	27
75-79	332	7.8	47	2	3	5	9	14	20	34
80-84	220	7.6	61	2	2	6	9	14	18	32
85+	189	8.3	41	2	3	7	10	15	20	37
B. *Operated*										
65-69 YRS	72	10.8	100	2	3	8	13	22	35	52
70-74	71	11.5	83	2	3	9	16	24	32	40
75-79	60	13.4	219	2	3	9	16	27	48	75
80-84	32	12.1	167	1	2	8	16	28	47	53
85+	28	14.4	249	3	4	9	15	39	48	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	4.7	7	2	2	4	6	8	10	13
B. *Operated*	56	5.2	26	<1	1	3	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	1493	7.5	39	2	3	6	9	14	18	28
B. *Operated*	263	12.1	145	2	3	9	15	25	38	66
1. SINGLE DX	279	4.8	11	1	2	4	6	9	11	16
2. MULTIPLE DX	1756	8.2	58	2	3	6	10	16	21	40
A. NOT OPERATED	1716	7.2	36	2	2	6	9	14	18	28
B. OPERATED	319	10.9	131	1	2	8	14	22	35	64
TOTAL 65-69 YRS	519	7.5	41	2	2	6	9	14	19	35
70-74	534	7.3	34	2	2	6	9	15	19	29
75-79	436	8.3	71	2	3	6	10	15	22	60
80-84	301	7.6	67	2	2	6	9	14	18	44
85+	245	8.6	66	2	3	6	10	15	24	45
GRAND TOTAL	**2035**	**7.7**	**53**	**2**	**2**	**6**	**9**	**15**	**20**	**36**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	4.4	8	1	2	4	6	8	11	13
70-74	99	5.5	27	1	1	4	6	9	16	30
75-79	120	6.3	23	1	2	5	8	12	14	26
80-84	115	6.6	34	1	2	5	8	14	16	33
85+	144	6.5	24	1	2	5	8	13	16	26
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	3	25.0	388	3	3	31	38	41	41	41
75-79	5	6.2	12	2	2	8	9	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	7.8	5	5	5	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2742	7.4	36	2	2	6	9	14	18	31
70-74	3602	8.2	46	2	3	6	10	15	21	35
75-79	4206	8.8	56	2	3	7	11	16	21	40
80-84	4159	9.5	61	2	3	7	12	18	23	46
85+	5466	10.0	69	3	3	8	12	19	25	47
B. *Operated*										
65-69 YRS	313	16.3	183	3	4	13	21	35	48	67
70-74	351	16.1	165	4	5	13	21	30	41	72
75-79	419	18.1	207	4	5	15	23	35	48	94
80-84	368	18.8	189	4	5	16	24	39	54	99+
85+	445	19.4	212	4	6	16	26	39	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	6.0	24	1	2	5	7	11	15	26
B. *Operated*	15	9.6	127	2	2	7	9	31	38	41
2. MULTIPLE DX										
A. *Not Operated*	20175	9.0	57	2	3	7	11	17	22	41
B. *Operated*	1896	17.9	194	4	5	14	23	36	49	92
1. SINGLE DX	579	6.1	27	1	2	5	7	12	15	27
2. MULTIPLE DX	22071	9.7	75	2	3	7	12	19	25	49
A. NOT OPERATED	20739	8.9	56	2	3	7	11	17	22	40
B. OPERATED	1911	17.8	194	4	5	14	23	36	49	91
TOTAL 65-69 YRS	3143	8.2	57	2	2	6	10	16	21	42
70-74	4055	8.8	62	2	3	7	11	17	23	42
75-79	4750	9.6	76	2	3	7	12	18	25	47
80-84	4643	10.1	77	2	3	8	12	20	26	54
85+	6059	10.6	85	3	3	8	13	21	28	53
GRAND TOTAL	**22650**	**9.6**	**74**	**2**	**3**	**7**	**12**	**19**	**25**	**49**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	5.2	14	1	2	4	6	9	15	19
70-74	72	5.5	34	<1	1	4	7	10	13	39
75-79	67	4.6	12	1	2	4	6	9	10	18
80-84	75	4.8	18	1	1	4	6	8	12	26
85+	69	4.7	21	1	1	4	6	9	10	30
B. *Operated*										
65-69 YRS	21	6.6	17	2	3	6	7	13	17	18
70-74	28	6.9	15	3	3	6	9	12	15	20
75-79	19	6.5	15	1	2	5	10	13	14	14
80-84	25	8.4	27	3	3	8	10	14	20	25
85+	17	6.8	20	2	3	6	9	13	17	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	785	6.9	28	2	2	6	9	12	16	25
70-74	1007	7.5	46	1	2	6	9	14	17	37
75-79	1278	7.3	34	2	2	6	9	14	17	27
80-84	1131	7.7	42	1	2	6	9	14	19	35
85+	1403	7.6	47	1	2	6	10	14	19	34
B. *Operated*										
65-69 YRS	383	11.5	61	3	4	10	14	22	27	44
70-74	471	10.9	54	4	4	9	13	20	25	34
75-79	502	11.2	57	3	4	9	14	20	26	40
80-84	423	11.9	76	3	4	10	15	22	28	57
85+	341	12.5	128	3	5	10	14	21	29	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	5.0	20	1	1	4	6	9	11	27
B. *Operated*	110	7.1	19	2	3	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	5604	7.4	40	1	2	6	9	14	18	33
B. *Operated*	2120	11.5	73	3	4	10	14	21	27	45
1. SINGLE DX	456	5.5	20	1	2	4	7	10	13	25
2. MULTIPLE DX	7724	8.5	52	2	2	7	11	16	21	37
A. NOT OPERATED	5950	7.3	39	1	2	6	9	14	18	33
B. OPERATED	2230	11.3	71	3	4	9	14	20	27	44
TOTAL 65-69 YRS	1252	8.2	42	2	2	7	10	15	20	32
70-74	1578	8.4	50	2	3	7	10	15	21	35
75-79	1866	8.2	43	2	2	7	10	16	20	34
80-84	1654	8.6	54	2	2	7	11	17	22	44
85+	1830	8.4	65	1	2	7	10	16	21	40
GRAND TOTAL	**8180**	**8.4**	**51**	**2**	**2**	**7**	**10**	**16**	**21**	**36**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.0	8	4	4	6	8	8	8	8
70-74	2	8.5	13	6	6	8	11	11	11	11
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	7.6	21	2	2	7	11	15	16	16
70-74	6	7.3	13	2	2	8	8	13	13	13
75-79	3	9.3	22	4	4	11	12	13	13	13
80-84	2	9.0	8	7	7	9	11	11	11	11
85+	5	5.2	7	2	2	5	7	9	9	9
B. *Operated*										
65-69 YRS	3	11.7	1	11	11	11	13	13	13	13
70-74	1	26.0		26	26	26	26	26	26	26
75-79	1	55.0		55	55	55	55	55	55	55
80-84										
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.3	14	1	1	5	8	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	32	7.4	16	2	2	7	11	13	15	16
B. *Operated*	6	21.8	295	11	11	14	26	52	55	55
1. SINGLE DX	6	5.3	14	1	1	5	8	11	11	11
2. MULTIPLE DX	38	9.7	82	2	2	8	11	15	22	55
A. NOT OPERATED	38	7.1	16	2	2	7	11	13	14	16
B. OPERATED	6	21.8	295	11	11	14	26	52	55	55
TOTAL 65-69 YRS	21	8.0	19	2	3	8	11	14	15	16
70-74	9	9.7	48	2	3	8	11	21	26	26
75-79	5	16.8	480	1	1	11	23	55	55	55
80-84	2	9.0	8	7	7	9	11	11	11	11
85+	7	6.1	21	2	2	5	8	14	15	15
GRAND TOTAL	**44**	**9.1**	**74**	**2**	**2**	**8**	**11**	**15**	**19**	**55**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	192	4.2	27	<1	1	2	5	10	14	27
70-74	263	3.7	20	1	1	2	4	9	13	22
75-79	297	3.6	14	<1	1	2	5	8	11	17
80-84	301	3.5	17	<1	<1	2	5	8	10	25
85+	318	3.5	19	1	1	2	4	7	10	18
B. *Operated*										
65-69 YRS	67	7.4	42	1	1	5	10	14	22	35
70-74	66	8.8	54	1	3	7	12	16	18	44
75-79	74	7.6	30	1	2	7	9	14	19	28
80-84	49	8.0	33	1	2	7	11	14	19	31
85+	58	8.2	25	2	3	7	10	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1517	6.0	37	1	1	4	8	13	17	32
70-74	1929	6.3	40	1	1	5	8	13	17	31
75-79	2149	6.6	47	1	1	5	9	14	18	32
80-84	2187	6.7	52	1	1	5	8	14	18	37
85+	2408	7.4	52	1	2	5	10	15	21	37
B. *Operated*										
65-69 YRS	629	13.0	137	3	4	10	16	25	34	70
70-74	801	12.1	88	3	4	10	15	23	29	53
75-79	913	13.5	148	3	4	10	16	25	39	71
80-84	721	12.6	100	3	4	10	15	25	33	66
85+	659	14.4	186	3	4	11	18	28	38	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1371	3.7	19	<1	1	2	5	8	11	21
B. *Operated*	314	8.0	37	1	2	7	10	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	10190	6.7	47	1	1	5	9	14	19	33
B. *Operated*	3723	13.1	131	3	4	10	16	25	34	69
1. SINGLE DX	1685	4.5	25	<1	1	3	6	10	14	24
2. MULTIPLE DX	13913	8.4	77	1	1	6	11	17	24	48
A. NOT OPERATED	11561	6.3	44	1	1	4	8	13	18	32
B. OPERATED	4037	12.7	126	3	4	10	15	24	33	67
TOTAL 65-69 YRS	2405	7.7	73	1	1	5	10	16	22	42
70-74	3059	7.7	59	1	1	6	10	16	23	36
75-79	3433	8.2	82	1	1	6	10	17	23	49
80-84	3258	7.7	67	1	1	5	10	16	22	43
85+	3443	8.4	84	1	2	6	11	18	24	54
GRAND TOTAL	**15598**	**8.0**	**73**	**1**	**1**	**6**	**10**	**17**	**23**	**45**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	23.0		23	23	23	23	23	23	23
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	1	34.0		34	34	34	34	34	34	34
70-74										
75-79										
80-84										
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	8.5	38	3	3	6	11	18	21	21
70-74										
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.3	121	3	3	5	18	23	23	23
B. *Operated*	2	26.0	128	18	18	26	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	12	8.3	31	3	3	7	11	17	20	21
B. *Operated*										
1. SINGLE DX	5	16.6	166	3	3	18	26	34	34	34
2. MULTIPLE DX	12	8.3	31	3	3	7	11	17	20	21
A. NOT OPERATED	15	8.7	43	3	3	7	11	21	22	23
B. OPERATED	2	26.0	128	18	18	26	34	34	34	34
TOTAL 65-69 YRS	12	11.8	97	3	3	9	18	26	33	34
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	12.5	61	7	7	12	18	18	18	18
GRAND TOTAL	**17**	**10.8**	**78**	**3**	**3**	**7**	**16**	**23**	**30**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	4.3	13	<1	1	3	6	9	11	19
70-74	79	4.5	35	1	1	3	5	8	14	37
75-79	74	3.6	10	1	1	3	5	7	11	14
80-84	36	4.7	47	1	1	2	5	12	16	38
85+	25	3.7	8	1	1	2	5	9	9	10
B. *Operated*										
65-69 YRS	46	7.9	89	1	2	6	9	13	17	64
70-74	43	10.3	217	1	2	6	10	18	35	90
75-79	41	8.2	21	1	2	8	11	13	18	21
80-84	27	10.3	28	2	4	9	14	18	19	19
85+	20	11.2	81	2	4	8	13	28	31	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	705	6.7	31	1	2	5	9	13	16	26
70-74	719	7.5	41	1	2	6	9	15	21	33
75-79	611	7.5	59	1	1	5	9	16	22	39
80-84	401	8.2	95	1	1	5	10	17	24	53
85+	306	8.2	55	1	2	6	10	18	21	39
B. *Operated*										
65-69 YRS	436	13.0	119	3	4	10	16	25	34	62
70-74	417	12.8	118	2	3	10	16	25	34	61
75-79	412	14.5	179	3	4	10	18	28	42	70
80-84	250	15.0	134	3	5	12	20	32	40	62
85+	196	15.0	177	3	4	11	18	30	52	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	4.2	22	1	1	3	5	8	12	26
B. *Operated*	177	9.3	94	1	2	7	11	18	20	58
2. MULTIPLE DX										
A. *Not Operated*	2742	7.5	52	1	1	6	9	15	20	37
B. *Operated*	1711	13.8	143	3	4	10	17	27	37	63
1. SINGLE DX	456	6.2	56	1	1	4	8	12	18	38
2. MULTIPLE DX	4453	9.9	96	1	2	7	12	20	28	55
A. NOT OPERATED	3021	7.2	50	1	1	5	9	15	20	36
B. OPERATED	1888	13.4	140	3	4	10	16	26	37	63
TOTAL 65-69 YRS	1252	8.8	72	1	2	7	11	17	22	44
70-74	1258	9.2	79	1	2	7	11	19	26	49
75-79	1138	9.8	111	1	2	7	12	21	29	57
80-84	714	10.5	115	1	2	7	14	22	33	57
85+	547	10.5	110	1	2	8	13	22	31	57
GRAND TOTAL	**4909**	**9.6**	**94**	**1**	**2**	**7**	**12**	**20**	**27**	**54**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	1.6	1	1	1	1	2	3	3	3
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	5.7	38	1	1	2	11	15	16	16
70-74	4	6.3	4	4	4	6	8	8	8	8
75-79	6	5.2	18	2	2	3	9	12	12	12
80-84	3	8.7	2	7	7	9	10	10	10	10
85+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	4	12.8	73	5	5	12	20	22	22	22
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.1	2	1	1	2	3	4	4	4
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	23	5.8	17	1	2	4	9	12	14	16
B. *Operated*	6	11.3	49	5	5	8	18	22	22	22
1. SINGLE DX	10	2.3	2	1	1	2	4	4	4	4
2. MULTIPLE DX	29	6.9	28	2	2	6	9	15	18	22
A. NOT OPERATED	32	4.8	16	1	1	3	7	11	13	16
B. OPERATED	7	10.3	49	4	4	7	16	21	22	22
TOTAL 65-69 YRS	15	4.1	23	1	1	2	4	13	15	16
70-74	9	8.9	43	4	4	6	11	20	22	22
75-79	7	5.0	15	2	2	3	8	11	12	12
80-84	5	7.4	5	4	4	7	9	10	10	10
85+	3	3.7	4	2	2	3	5	6	6	6
GRAND TOTAL	**39**	**5.7**	**25**	**1**	**1**	**4**	**8**	**13**	**17**	**22**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	2	14.5	221	4	4	14	25	25	25	25
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	23	3.7	7	<1	<1	3	5	8	9	10
70-74	9	3.1	5	1	1	3	4	6	8	8
75-79	7	3.0	1	2	2	3	3	5	5	5
80-84	8	2.4	3	<1	<1	2	4	5	5	5
85+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	5.1	9	2	2	5	6	10	11	11
70-74	7	9.6	117	2	2	7	10	28	33	33
75-79	5	5.6	28	1	1	6	8	14	14	14
80-84	10	8.6	28	3	3	8	11	17	20	20
85+	8	9.0	43	1	2	8	12	20	22	22
B. *Operated*										
65-69 YRS	44	7.8	52	1	2	5	10	22	25	27
70-74	38	6.6	25	1	2	6	8	15	19	21
75-79	25	7.2	49	1	1	5	9	15	25	27
80-84	12	7.3	49	<1	1	5	8	18	25	26
85+	8	8.1	40	1	2	7	11	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.0	62	1	1	3	5	19	25	25
B. *Operated*	49	3.2	5	<1	<1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	37	7.8	43	1	2	6	10	14	21	33
B. *Operated*	127	7.3	41	1	2	5	9	17	23	27
1. SINGLE DX	57	3.6	13	<1	<1	3	4	7	8	24
2. MULTIPLE DX	164	7.4	41	1	2	6	9	16	22	27
A. NOT OPERATED	45	7.5	45	1	2	6	9	14	23	33
B. OPERATED	176	6.2	34	1	1	4	8	14	21	27
TOTAL 65-69 YRS	76	6.2	36	<1	2	4	8	14	23	27
70-74	56	6.7	40	1	2	5	8	16	21	33
75-79	38	6.0	38	1	1	4	8	14	21	27
80-84	31	6.4	32	<1	1	5	8	14	20	26
85+	20	7.4	37	1	1	6	9	17	21	22
GRAND TOTAL	**221**	**6.4**	**37**	**1**	**1**	**4**	**8**	**14**	**21**	**27**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	12.4	85	2	3	9	17	28	31	31
70-74	29	11.3	88	1	2	9	16	26	32	33
75-79	18	9.3	109	<1	1	7	11	15	35	47
80-84	16	7.5	55	<1	1	5	9	16	26	30
85+	12	8.3	36	1	1	7	14	16	17	17
B. *Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	146	13.2	146	2	3	9	17	30	38	58
70-74	145	12.0	141	2	2	8	15	25	37	79
75-79	159	9.6	58	2	3	7	12	19	25	41
80-84	148	11.3	130	1	2	8	14	23	30	61
85+	121	10.5	160	2	2	7	12	18	32	77
B. *Operated*										
65-69 YRS	20	19.1	158	1	4	18	28	37	43	47
70-74	16	21.4	613	2	3	13	30	69	81	84
75-79	11	19.7	516	1	1	10	35	55	71	72
80-84	9	9.0	60	2	2	8	11	22	26	26
85+	8	11.3	32	4	4	12	14	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	10.1	79	1	2	8	14	22	31	41
B. *Operated*	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	719	11.3	126	2	2	8	14	24	32	62
B. *Operated*	64	17.4	309	2	2	13	22	39	54	82
1. SINGLE DX	95	10.0	78	1	2	8	14	22	31	41
2. MULTIPLE DX	783	11.8	143	2	2	8	15	26	35	72
A. NOT OPERATED	812	11.2	120	2	2	8	14	24	31	59
B. OPERATED	66	17.1	302	2	2	12	21	39	52	82
TOTAL 65-69 YRS	184	13.8	144	2	3	10	19	31	38	56
70-74	191	12.6	176	2	2	9	15	27	37	81
75-79	189	10.2	92	2	2	7	12	19	26	50
80-84	173	10.8	120	1	2	8	14	23	30	57
85+	141	10.4	142	2	2	7	13	17	30	73
GRAND TOTAL	**878**	**11.6**	**136**	**2**	**2**	**8**	**15**	**25**	**33**	**69**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	225	10.4	112	1	2	7	14	24	30	47
70-74	342	11.5	154	2	3	8	13	24	36	79
75-79	469	11.9	135	2	3	8	16	26	36	73
80-84	422	10.1	92	2	2	8	13	21	28	63
85+	365	10.8	138	2	2	7	13	22	36	63
B. *Operated*										
65-69 YRS	10	9.4	39	2	2	8	11	20	20	20
70-74	18	9.3	91	2	2	6	10	24	32	37
75-79	9	10.6	45	2	3	10	13	21	24	24
80-84	10	10.2	57	3	3	6	18	20	21	21
85+	4	21.8	669	5	5	11	37	60	60	60
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1147	12.3	125	2	3	9	16	25	34	70
70-74	1999	12.5	133	2	3	9	16	27	39	99+
75-79	3069	12.3	148	2	3	9	15	26	36	82
80-84	2934	12.3	134	2	3	9	15	27	38	99+
85+	2985	12.1	151	2	3	9	15	25	37	99+
B. *Operated*										
65-69 YRS	138	18.5	189	4	4	14	25	42	48	86
70-74	219	19.6	287	3	5	15	26	47	83	99+
75-79	302	19.0	256	4	5	15	25	46	75	99+
80-84	268	20.9	317	4	6	16	28	52	91	99+
85+	224	21.3	375	3	5	16	28	59	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1823	11.0	127	2	2	8	14	23	33	63
B. *Operated*	51	10.7	107	2	3	7	15	21	25	60
2. MULTIPLE DX										
A. *Not Operated*	12134	12.3	141	2	3	9	15	26	37	99+
B. *Operated*	1151	19.9	291	3	5	15	27	49	80	99+
1. SINGLE DX	1874	11.0	126	2	2	8	14	23	33	63
2. MULTIPLE DX	13285	12.9	158	2	3	9	16	28	41	99+
A. NOT OPERATED	13957	12.1	139	2	3	9	15	26	37	96
B. OPERATED	1202	19.5	287	3	5	15	26	48	77	99+
TOTAL 65-69 YRS	1520	12.5	132	2	3	9	16	27	35	68
70-74	2578	13.0	152	2	3	9	16	28	42	99+
75-79	3849	12.8	158	2	3	9	16	27	40	92
80-84	3634	12.7	148	2	3	9	16	28	41	99+
85+	3578	12.5	169	2	3	9	15	27	41	99+
GRAND TOTAL	**15159**	**12.7**	**155**	**2**	**3**	**9**	**16**	**27**	**40**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	10.0	18	1	4	10	12	15	17	17
70-74	17	13.6	104	2	3	13	16	24	38	45
75-79	25	11.0	89	1	2	8	16	27	30	34
80-84	20	16.3	156	1	2	12	23	33	43	50
85+	13	19.8	747	3	3	8	24	55	89	97
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	11.0	2	10	10	11	12	12	12	12
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	13.9	164	3	3	10	18	35	52	91
70-74	114	13.9	190	2	4	9	19	29	37	85
75-79	157	12.3	161	3	3	9	14	22	41	87
80-84	180	12.4	119	3	4	9	15	26	40	92
85+	181	12.3	175	2	3	9	14	30	56	99+
B. *Operated*										
65-69 YRS	8	24.6	479	5	5	13	42	58	63	63
70-74	19	31.8	628	4	6	27	49	72	85	90
75-79	20	30.5	559	4	6	19	57	69	86	99+
80-84	16	20.4	533	6	7	13	19	46	83	98
85+	6	30.2	1119	10	11	23	98	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	14.1	202	2	2	10	17	29	44	81
B. *Operated*	4	9.3	25	2	2	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	701	12.7	158	2	3	9	16	27	42	99+
B. *Operated*	69	27.8	593	5	7	18	49	76	98	99+
1. SINGLE DX	88	13.6	195	2	2	10	17	28	43	79
2. MULTIPLE DX	770	14.1	215	2	3	10	17	34	55	99+
A. NOT OPERATED	785	12.9	163	2	3	9	16	27	43	99+
B. OPERATED	73	26.8	579	4	6	17	48	74	98	99+
TOTAL 65-69 YRS	87	14.3	184	3	3	10	18	37	52	86
70-74	152	16.1	264	2	4	10	21	35	51	90
75-79	203	13.9	218	2	3	10	16	29	57	94
80-84	216	13.3	155	2	4	10	17	27	41	99
85+	200	13.4	244	2	3	9	15	40	78	99+
GRAND TOTAL	**858**	**14.1**	**213**	**2**	**3**	**10**	**17**	**34**	**53**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	5.9	15	1	2	5	8	12	13	18
70-74	39	7.6	66	2	2	6	8	13	19	50
75-79	9	6.7	27	1	1	6	12	58	99+	99+
80-84	7	5.4	13	3	3	4	6	12	13	13
85+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	17.0		17	17	17	17	17	17	17
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	547	10.4	108	2	3	7	13	22	27	65
70-74	262	11.2	99	2	3	8	15	23	33	58
75-79	140	10.3	122	2	3	7	12	20	29	56
80-84	41	10.2	47	2	4	9	13	20	26	30
85+	23	7.8	40	1	2	6	9	17	21	28
B. *Operated*										
65-69 YRS	52	18.1	273	3	3	12	24	46	59	99
70-74	23	20.5	212	5	7	17	26	56	71	99+
75-79	15	24.7	604	6	8	15	25	77	86	89
80-84	6	17.3	91	7	8	17	31	87	99+	99+
85+	1	54.0		54	54	54	54	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	6.5	32	2	2	5	8	13	16	65
B. *Operated*	2	11.0	72	5	5	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1013	10.5	104	2	3	7	13	21	29	58
B. *Operated*	97	20.0	304	3	5	15	26	55	74	99+
1. SINGLE DX	121	6.6	33	2	2	5	8	13	17	64
2. MULTIPLE DX	1110	11.3	128	2	3	8	14	24	33	74
A. NOT OPERATED	1132	10.1	98	2	3	7	12	21	28	58
B. OPERATED	99	19.9	301	3	5	15	26	55	74	99+
TOTAL 65-69 YRS	662	10.6	118	2	3	7	13	22	32	67
70-74	325	11.4	110	2	3	8	15	25	33	59
75-79	164	11.4	176	2	3	7	14	21	33	93
80-84	54	10.4	54	3	3	9	14	21	29	97
85+	26	9.4	118	2	2	6	9	18	33	54
GRAND TOTAL	**1231**	**10.9**	**121**	**2**	**3**	**7**	**13**	**23**	**33**	**73**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	8.5	208	1	2	5	6	18	49	56
70-74	7	4.9	17	1	1	3	6	12	13	13
75-79	4	7.3	9	4	4	7	9	11	11	11
80-84	6	5.5	6	2	2	6	7	8	8	8
85+	5	8.8	37	2	2	8	15	15	15	15
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	123	9.7	119	2	3	7	11	16	28	63
70-74	151	9.2	76	2	3	6	11	18	25	47
75-79	108	8.3	41	1	2	6	11	18	21	29
80-84	93	9.8	100	2	3	7	12	17	26	60
85+	70	7.7	46	2	3	6	10	13	18	42
B. *Operated*										
65-69 YRS	10	11.6	188	2	2	6	14	33	47	47
70-74	8	26.8	527	3	4	24	42	62	64	64
75-79	10	16.2	164	3	3	14	21	36	46	46
80-84	8	17.0	286	2	2	11	24	46	52	52
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.1	85	1	2	5	8	13	15	56
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	545	9.0	79	2	3	7	11	17	25	47
B. *Operated*	36	17.4	283	2	3	12	24	47	56	64
1. SINGLE DX	35	7.1	85	1	2	5	8	13	15	56
2. MULTIPLE DX	581	9.5	96	2	3	7	11	18	26	53
A. NOT OPERATED	580	8.9	80	2	3	7	11	16	24	48
B. OPERATED	36	17.4	283	2	3	12	24	47	56	64
TOTAL 65-69 YRS	146	9.7	130	2	3	7	10	17	36	57
70-74	166	9.8	108	2	3	6	11	22	32	57
75-79	122	8.9	54	1	2	7	12	19	23	35
80-84	107	10.1	111	2	3	7	12	18	28	59
85+	75	7.7	44	2	3	6	10	14	17	41
GRAND TOTAL	**616**	**9.4**	**95**	**2**	**3**	**7**	**11**	**18**	**26**	**54**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	118	16.6	110	2	5	15	21	32	38	46
70-74	52	18.1	139	4	5	16	25	36	39	50
75-79	30	13.4	103	2	3	10	18	25	36	47
80-84	11	16.5	516	1	2	9	15	54	75	77
85+	7	14.1	87	1	2	14	22	26	27	27
B. *Operated*										
65-69 YRS	2	15.5	61	10	10	15	21	21	21	21
70-74	2	17.5	61	12	12	17	23	23	23	23
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	20.8	288	3	4	16	28	43	60	99
70-74	115	21.3	253	4	6	17	27	50	57	90
75-79	55	17.7	213	4	6	14	20	31	41	77
80-84	18	16.2	278	3	3	9	23	45	57	60
85+	12	23.9	632	3	5	14	29	65	86	90
B. *Operated*										
65-69 YRS	14	28.6	411	9	10	22	36	58	76	81
70-74	7	35.3	310	19	19	27	49	59	62	62
75-79	4	15.8	108	7	7	13	24	29	29	29
80-84										
85+	3	16.0	19	11	11	18	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	16.4	134	2	4	14	22	32	39	49
B. *Operated*	5	16.0	33	10	10	14	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	379	20.3	276	3	5	16	27	43	59	95
B. *Operated*	28	27.1	332	8	9	20	35	54	64	81
1. SINGLE DX	223	16.4	132	3	4	14	22	32	39	49
2. MULTIPLE DX	407	20.8	282	3	5	16	28	44	59	93
A. NOT OPERATED	597	18.9	228	3	4	15	25	39	53	88
B. OPERATED	33	25.4	300	8	10	20	32	51	61	81
TOTAL 65-69 YRS	313	19.5	231	3	5	16	25	40	49	93
70-74	176	20.8	227	4	5	17	27	46	55	79
75-79	90	16.1	171	3	5	13	20	30	36	76
80-84	29	16.3	353	2	3	9	18	47	61	77
85+	22	19.7	380	2	5	15	24	37	68	90
GRAND TOTAL	**630**	**19.3**	**233**	**3**	**5**	**15**	**25**	**39**	**53**	**86**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	9.8	36	4	4	9	15	18	18	18
70-74	4	7.0	50	2	2	5	12	17	17	17
75-79	1	22.0		22	22	22	22	22	22	22
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	21.3	469	2	4	14	35	53	71	73
70-74	4	17.5	572	<1	<1	8	31	53	53	53
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	9.3	52	2	2	6	16	19	22	22
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	19.4	443	1	2	8	32	52	67	73
B. *Operated*										
1. SINGLE DX	12	9.3	52	2	2	6	16	19	22	22
2. MULTIPLE DX	16	19.4	443	1	2	8	32	52	67	73
A. NOT OPERATED	28	15.0	293	1	2	7	18	39	55	73
B. OPERATED										
TOTAL 65-69 YRS	17	17.2	336	3	4	12	20	39	61	73
70-74	8	12.3	298	<1	1	7	13	42	53	53
75-79	2	14.0	128	6	6	14	22	22	22	22
80-84	1	2.0		2	2	2	2	2	2	2
85+										
GRAND TOTAL	**28**	**15.0**	**293**	**1**	**2**	**7**	**18**	**39**	**55**	**73**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	17.0	170	3	4	14	22	32	40	81
70-74	105	17.2	204	2	4	14	23	37	43	73
75-79	54	18.4	242	1	2	15	26	41	53	63
80-84	20	11.3	119	<1	1	8	16	29	38	38
85+	9	7.7	41	1	2	6	10	19	21	21
B. *Operated*										
65-69 YRS	5	15.4	190	3	3	11	29	32	32	32
70-74	1	25.0		25	25	25	25	25	25	25
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	364	18.6	206	4	5	15	24	39	50	76
70-74	250	18.4	209	4	5	14	26	39	50	72
75-79	130	17.9	195	3	4	15	23	41	49	73
80-84	48	14.3	80	4	4	14	18	28	32	40
85+	25	13.2	95	3	3	11	19	30	33	34
B. *Operated*										
65-69 YRS	43	28.2	324	10	11	23	42	59	75	99+
70-74	18	24.1	183	6	8	21	32	45	49	51
75-79	9	24.2	476	5	5	15	42	59	61	61
80-84	3	22.0	103	11	11	24	29	31	31	31
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	16.7	186	2	3	14	22	34	42	80
B. *Operated*	7	16.7	140	3	3	15	27	31	32	32
2. MULTIPLE DX										
A. *Not Operated*	817	18.0	195	3	5	14	24	37	48	70
B. *Operated*	73	26.5	292	6	10	21	37	51	67	95
1. SINGLE DX	383	16.7	185	2	3	14	22	33	42	80
2. MULTIPLE DX	890	18.7	208	4	5	15	25	40	50	75
A. NOT OPERATED	1193	17.6	193	3	4	14	23	36	47	74
B. OPERATED	80	25.6	285	6	8	21	33	50	64	93
TOTAL 65-69 YRS	600	18.8	209	3	5	15	24	39	50	80
70-74	374	18.4	207	3	5	14	26	38	46	70
75-79	194	18.3	218	2	4	15	25	41	53	67
80-84	71	13.8	94	2	3	13	18	30	34	40
85+	34	11.8	85	2	3	8	15	30	32	34
GRAND TOTAL	**1273**	**18.1**	**202**	**3**	**4**	**14**	**24**	**38**	**48**	**76**

97: Childhood psychosis (299)

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	782	20.7	244	2	4	17	28	41	50	77
70-74	604	21.1	220	2	4	19	29	41	51	71
75-79	397	20.9	218	2	4	18	29	41	49	71
80-84	163	21.4	232	3	5	18	28	47	55	66
85+	80	17.1	273	2	2	11	23	45	51	68
B. *Operated*										
65-69 YRS	11	22.6	128	4	8	25	27	40	42	42
70-74	4	27.5	310	11	11	23	39	52	52	52
75-79	7	30.3	1053	5	5	17	38	87	98	98
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1771	21.9	268	3	5	18	30	44	57	86
70-74	1586	21.9	244	4	6	19	30	44	55	80
75-79	1169	21.4	250	4	5	18	29	43	53	79
80-84	547	21.5	267	4	6	17	29	43	55	86
85+	223	19.1	260	3	4	15	25	40	53	77
B. *Operated*										
65-69 YRS	177	28.7	325	7	9	26	38	57	77	99+
70-74	124	31.5	376	7	10	29	47	71	99+	99+
75-79	121	29.9	299	8	11	28	39	57	74	99+
80-84	76	32.9	449	6	8	29	45	76	99	99+
85+	18	34.9	550	6	10	29	49	72	75	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2026	20.8	232	2	4	18	28	41	50	73
B. *Operated*	24	25.0	402	4	5	22	28	43	66	98
2. MULTIPLE DX										
A. *Not Operated*	5296	21.6	257	4	5	18	29	44	55	83
B. *Operated*	516	30.5	357	7	10	28	42	62	85	99+
1. SINGLE DX	2050	20.8	234	2	4	18	28	41	51	74
2. MULTIPLE DX	5812	22.4	272	4	6	19	30	45	58	92
A. NOT OPERATED	7322	21.4	250	3	5	18	29	43	54	79
B. OPERATED	540	30.3	360	7	9	27	41	62	84	99+
TOTAL 65-69 YRS	2741	22.0	267	3	5	18	30	44	56	85
70-74	2318	22.2	250	3	6	19	30	45	56	87
75-79	1694	21.9	254	4	5	19	30	43	54	84
80-84	787	22.6	288	4	6	19	30	46	59	96
85+	322	19.5	291	2	4	14	27	43	54	74
GRAND TOTAL	**7862**	**22.0**	**262**	**3**	**5**	**18**	**30**	**44**	**56**	**87**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	290	18.0	191	3	4	14	23	37	45	68
70-74	197	18.6	211	1	4	15	25	38	44	73
75-79	89	19.3	188	5	6	15	25	40	54	87
80-84	34	15.8	187	2	4	13	18	31	46	70
85+	8	17.9	160	2	3	16	28	36	38	38
B. *Operated*										
65-69 YRS	4	52.3	910	25	25	44	72	95	95	95
70-74	2	15.0	2	14	14	15	16	16	16	16
75-79	1	44.0		44	44	44	44	44	44	44
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	597	19.8	215	4	6	17	25	38	51	75
70-74	458	22.0	234	4	6	19	29	42	52	75
75-79	229	23.4	304	4	6	18	33	49	59	85
80-84	94	21.8	257	4	5	19	26	42	61	92
85+	23	16.6	119	6	7	15	18	31	46	47
B. *Operated*										
65-69 YRS	67	32.0	356	11	14	26	44	63	89	99+
70-74	36	34.5	459	8	12	38	53	85	99+	99+
75-79	25	38.4	466	9	14	34	44	73	82	85
80-84	8	40.9	371	9	13	42	55	65	68	68
85+	6	63.3	496	28	33	64	90	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	18.3	196	3	5	15	24	37	46	69
B. *Operated*	7	40.4	766	14	14	40	48	86	95	95
2. MULTIPLE DX										
A. *Not Operated*	1401	21.2	239	4	6	18	28	42	53	79
B. *Operated*	142	35.6	438	9	13	32	50	75	91	99+
1. SINGLE DX	625	18.5	206	3	5	15	24	38	47	71
2. MULTIPLE DX	1543	22.5	274	4	6	19	30	46	60	89
A. NOT OPERATED	2019	20.3	227	3	5	17	26	41	52	77
B. OPERATED	149	35.8	449	9	14	33	50	76	94	99+
TOTAL 65-69 YRS	958	20.3	235	4	5	17	26	40	55	84
70-74	693	21.7	249	3	6	18	29	42	54	85
75-79	344	23.5	305	4	6	19	33	48	60	85
80-84	136	21.4	273	3	5	17	26	45	61	85
85+	37	24.5	473	5	6	16	30	64	87	99+
GRAND TOTAL	**2168**	**21.4**	**258**	**4**	**6**	**17**	**28**	**43**	**57**	**86**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	142	12.7	134	1	2	10	17	28	34	57
70-74	157	10.9	104	1	2	8	14	23	31	53
75-79	123	10.5	117	1	2	7	13	22	30	62
80-84	74	12.8	169	1	2	9	17	27	42	65
85+	55	7.5	35	1	2	6	10	13	21	28
B. *Operated*										
65-69 YRS	9	12.2	92	3	3	9	18	28	31	31
70-74	1	13.0		13	13	13	13	13	13	13
75-79	4	17.0	441	2	2	9	29	48	48	48
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	627	12.6	116	2	3	10	17	27	34	53
70-74	679	11.5	95	2	3	9	15	25	31	49
75-79	717	11.9	129	2	3	8	15	25	36	59
80-84	539	12.1	132	2	3	9	15	25	37	80
85+	464	10.0	74	2	3	7	13	20	29	45
B. *Operated*										
65-69 YRS	80	17.8	191	3	4	14	24	38	48	63
70-74	86	16.7	220	3	4	12	21	35	44	98
75-79	78	18.7	216	3	4	15	24	42	51	93
80-84	64	17.7	178	3	4	16	23	36	52	95
85+	35	19.3	241	3	5	16	29	40	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	11.2	118	1	2	8	15	24	32	60
B. *Operated*	15	13.0	158	2	3	9	16	31	44	48
2. MULTIPLE DX										
A. *Not Operated*	3026	11.7	111	2	3	9	15	25	34	58
B. *Operated*	343	17.9	205	3	4	14	23	39	49	99+
1. SINGLE DX	566	11.2	119	1	2	8	15	24	32	59
2. MULTIPLE DX	3369	12.3	124	2	3	9	16	26	36	64
A. NOT OPERATED	3577	11.6	112	2	3	8	15	25	33	58
B. OPERATED	358	17.6	204	3	4	14	23	39	48	99
TOTAL 65-69 YRS	858	13.1	128	2	3	10	17	28	36	53
70-74	923	11.9	110	2	3	9	15	26	32	55
75-79	922	12.3	139	2	3	9	15	26	38	62
80-84	678	12.7	142	2	3	9	16	27	38	79
85+	554	10.3	86	2	3	7	13	21	30	51
GRAND TOTAL	**3935**	**12.2**	**124**	**2**	**3**	**9**	**16**	**26**	**35**	**61**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	5.9	36	1	1	4	7	12	13	35
70-74	72	6.0	39	1	1	4	7	14	23	30
75-79	66	5.7	39	1	1	4	7	12	18	34
80-84	29	4.2	7	1	1	4	5	8	9	13
85+	18	5.1	13	<1	1	4	7	11	13	14
B. *Operated*										
65-69 YRS	2	18.5	313	6	6	18	31	31	31	31
70-74	3	5.0	7	3	3	4	7	8	8	8
75-79	3	4.7	12	1	1	5	7	8	8	8
80-84	3	11.0	217	2	2	3	22	28	28	28
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	593	7.2	54	1	2	5	8	15	23	37
70-74	477	7.2	63	1	2	5	9	14	20	34
75-79	366	6.0	33	1	2	4	7	12	16	28
80-84	266	6.8	39	1	2	5	8	15	19	35
85+	126	5.4	27	1	1	4	6	10	14	31
B. *Operated*										
65-69 YRS	29	9.2	66	2	3	6	10	20	23	39
70-74	24	10.5	247	2	3	7	9	18	40	80
75-79	22	9.0	29	3	4	7	12	18	20	22
80-84	16	10.2	64	2	3	9	12	15	30	37
85+	5	6.0	12	2	2	6	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	5.7	33	1	1	4	7	12	16	31
B. *Operated*	12	8.6	100	1	2	5	8	29	31	31
2. MULTIPLE DX										
A. *Not Operated*	1828	6.8	48	1	2	5	8	14	19	35
B. *Operated*	96	9.5	97	2	3	7	11	18	22	61
1. SINGLE DX	288	5.8	36	1	1	4	7	12	17	32
2. MULTIPLE DX	1924	6.9	51	1	2	5	8	14	20	36
A. NOT OPERATED	2104	6.6	46	1	2	5	8	14	19	35
B. OPERATED	108	9.4	97	2	3	7	11	19	23	56
TOTAL 65-69 YRS	715	7.2	53	1	2	5	8	15	23	38
70-74	576	7.2	67	1	2	5	9	14	20	35
75-79	457	6.1	34	1	2	4	7	12	17	28
80-84	314	6.7	40	1	2	5	8	14	18	36
85+	150	5.4	24	1	1	4	7	11	14	30
GRAND TOTAL	**2212**	**6.8**	**49**	**1**	**2**	**5**	**8**	**14**	**20**	**35**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	241	12.7	92	2	3	10	17	26	34	40
70-74	197	13.4	127	1	2	10	18	28	36	50
75-79	134	10.6	96	2	2	8	14	21	28	56
80-84	56	14.5	235	2	2	9	21	41	70	99+
85+	21	7.6	34	1	2	5	10	16	20	24
B. *Operated*										
65-69 YRS	2	26.5	85	20	20	26	33	33	33	33
70-74	3	13.3	165	4	4	8	23	28	28	28
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	4.5	13	2	2	4	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	858	11.8	103	2	3	8	16	26	33	44
70-74	769	12.2	114	2	3	8	16	26	36	47
75-79	561	11.2	98	2	3	8	14	24	29	52
80-84	313	10.5	71	3	3	8	13	21	28	43
85+	144	10.3	77	3	4	7	11	23	30	58
B. *Operated*										
65-69 YRS	80	21.1	280	3	4	15	31	45	55	73
70-74	60	19.3	216	4	5	16	24	40	50	67
75-79	53	18.2	204	4	5	13	27	38	48	99
80-84	21	18.7	270	4	6	15	21	44	58	69
85+	7	21.9	225	3	5	19	30	46	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	649	12.5	115	2	3	9	17	27	36	51
B. *Operated*	9	12.3	135	2	3	7	22	31	33	33
2. MULTIPLE DX										
A. *Not Operated*	2645	11.5	100	2	3	8	15	24	32	47
B. *Operated*	221	19.7	239	4	5	15	28	41	50	75
1. SINGLE DX	658	12.5	116	2	3	9	17	27	36	51
2. MULTIPLE DX	2866	12.2	116	2	3	8	16	26	35	53
A. NOT OPERATED	3294	11.7	103	2	3	8	16	25	34	49
B. OPERATED	230	19.4	236	3	5	15	28	41	49	75
TOTAL 65-69 YRS	1181	12.6	118	2	3	9	17	27	35	47
70-74	1029	12.8	125	2	3	9	17	28	36	55
75-79	750	11.6	108	2	3	8	15	24	33	56
80-84	392	11.5	109	3	3	8	15	23	35	63
85+	172	10.4	83	2	3	7	12	23	31	54
GRAND TOTAL	**3524**	**12.2**	**116**	**2**	**3**	**9**	**16**	**26**	**35**	**53**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	7.4	56	1	1	4	9	18	23	40
70-74	38	12.4	284	1	2	7	14	23	40	98
75-79	34	10.8	83	1	2	7	15	22	30	42
80-84	16	7.6	82	2	2	4	7	21	31	35
85+	9	5.4	9	2	2	6	6	10	12	12
B. *Operated*										
65-69 YRS	29	5.3	6	2	3	5	7	9	9	11
70-74	11	6.6	21	2	2	6	7	14	18	18
75-79	6	3.8	2	2	2	4	5	6	6	6
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	267	10.5	102	1	2	7	14	25	34	71
70-74	247	11.1	131	1	2	7	14	27	38	59
75-79	159	10.3	103	2	2	7	14	22	31	56
80-84	112	10.1	88	1	2	7	12	22	29	50
85+	88	9.8	93	1	2	7	13	22	32	84
B. *Operated*										
65-69 YRS	52	12.5	177	2	3	9	14	28	34	80
70-74	32	9.5	54	3	3	6	12	19	28	31
75-79	20	11.2	71	2	3	9	17	28	64	99+
80-84	9	18.4	414	3	3	8	31	53	58	58
85+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	9.2	117	1	2	6	12	19	25	46
B. *Operated*	47	5.4	9	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	873	10.5	107	1	2	7	14	24	33	59
B. *Operated*	114	12.0	142	2	3	8	16	28	34	88
1. SINGLE DX	211	8.3	95	1	2	6	10	17	24	44
2. MULTIPLE DX	987	10.7	111	1	2	7	14	24	33	60
A. NOT OPERATED	1037	10.3	109	1	2	7	14	23	32	58
B. OPERATED	161	10.1	112	2	3	6	11	24	31	78
TOTAL 65-69 YRS	415	9.9	100	1	2	7	13	23	31	57
70-74	328	10.9	138	2	2	7	14	26	33	62
75-79	219	10.3	95	2	2	7	14	22	31	58
80-84	138	10.3	110	1	2	7	12	23	32	58
85+	98	9.6	88	1	2	6	12	22	29	79
GRAND TOTAL	**1198**	**10.3**	**109**	**1**	**2**	**7**	**13**	**23**	**32**	**59**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	439	11.0	95	1	2	7	20	28	30	37
70-74	184	10.7	95	1	2	6	19	27	30	35
75-79	64	10.8	94	1	1	8	16	23	29	42
80-84	16	4.9	26	<1	<1	4	6	10	18	21
85+	12	10.7	168	1	1	6	12	32	43	45
B. *Operated*										
65-69 YRS	3	10.7	82	4	4	7	17	21	21	21
70-74	3	28.3		28	28	28	29	29	29	29
75-79										
80-84	2	9.0	98	2	2	9	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2278	12.8	118	2	3	8	21	28	32	43
70-74	1180	12.2	99	2	3	8	20	28	30	39
75-79	505	11.8	87	2	3	8	19	26	30	37
80-84	140	11.0	115	1	2	7	16	25	30	62
85+	45	12.2	234	1	2	7	14	29	47	75
B. *Operated*										
65-69 YRS	171	19.4	185	4	5	16	27	39	51	92
70-74	88	18.4	126	4	7	16	26	32	36	55
75-79	49	19.1	136	3	6	17	27	33	41	49
80-84	17	15.3	73	3	5	15	24	29	72	99+
85+	2	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	10.8	95	1	2	7	18	27	30	38
B. *Operated*	8	16.9	128	2	3	18	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	4148	12.5	110	2	3	8	21	28	31	42
B. *Operated*	327	18.8	155	4	6	16	26	35	43	73
1. SINGLE DX	723	10.9	96	1	2	7	19	27	30	38
2. MULTIPLE DX	4475	12.9	116	2	3	9	21	28	32	45
A. NOT OPERATED	4863	12.2	108	2	3	8	20	28	30	42
B. OPERATED	335	18.8	154	3	5	16	27	35	43	70
TOTAL 65-69 YRS	2891	12.9	122	2	3	8	21	28	32	46
70-74	1455	12.4	103	2	2	8	21	28	31	40
75-79	618	12.2	96	2	2	9	19	27	30	41
80-84	175	10.9	107	1	2	7	16	25	30	63
85+	59	11.8	210	1	1	7	14	28	44	74
GRAND TOTAL	**5198**	**12.6**	**114**	**2**	**3**	**8**	**21**	**28**	**31**	**43**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	20.5	62	10	10	21	25	29	29	29
70-74	2	18.0	450	3	3	18	33	33	33	33
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	17.0	42	9	9	17	20	27	28	28
70-74	10	10.8	30	1	3	10	16	17	18	18
75-79	3	10.7	54	5	5	8	16	19	19	19
80-84	2	13.0		13	13	13	13	13	13	13
85+	2	10.0	72	4	4	10	16	16	16	16
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	2	14.0	32	10	10	14	18	18	18	18
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	17.0	157	1	1	21	27	32	33	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	12.7	39	3	5	13	17	19	23	28
B. *Operated*	4	15.3	14	10	10	16	18	18	18	18
1. SINGLE DX	7	17.0	157	1	1	21	27	32	33	33
2. MULTIPLE DX	28	13.1	36	4	5	14	17	19	22	28
A. NOT OPERATED	31	13.7	65	1	4	13	19	24	29	33
B. OPERATED	4	15.3	14	10	10	16	18	18	18	18
TOTAL 65-69 YRS	12	18.0	43	9	10	18	22	28	29	29
70-74	14	12.3	65	1	3	10	16	20	30	33
75-79	4	12.5	50	5	5	13	18	19	19	19
80-84	3	9.0	48	1	1	13	13	13	13	13
85+	2	10.0	72	4	4	10	16	16	16	16
GRAND TOTAL	**35**	**13.9**	**59**	**2**	**4**	**14**	**18**	**22**	**29**	**33**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	10.8	91	2	2	9	13	26	28	28
70-74	2	21.5	85	15	15	21	28	28	28	28
75-79										
80-84	1	11.0		11	11	11	11	11	11	11
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	17.3	116	2	4	18	25	31	33	46
70-74	26	12.4	75	2	3	8	21	23	25	30
75-79	16	16.3	81	3	4	18	22	28	32	34
80-84	8	9.0	33	1	2	9	13	17	18	18
85+	3	14.0	28	8	8	16	17	18	18	18
B. *Operated*										
65-69 YRS	4	18.0	305	7	7	10	28	44	44	44
70-74	3	19.3	101	10	10	18	27	30	30	30
75-79	2	10.0	32	6	6	10	14	14	14	14
80-84	2	22.5	61	17	17	22	28	28	28	28
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	13.2	89	2	2	12	18	28	28	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	81	14.6	89	2	3	14	21	26	31	42
B. *Operated*	11	17.7	138	6	7	14	25	36	43	44
1. SINGLE DX	9	13.2	89	2	2	12	18	28	28	28
2. MULTIPLE DX	92	15.0	95	2	4	14	21	29	31	45
A. NOT OPERATED	90	14.4	88	2	3	13	21	28	30	41
B. OPERATED	11	17.7	138	6	7	14	25	36	43	44
TOTAL 65-69 YRS	38	16.3	127	2	3	13	25	31	39	46
70-74	31	13.6	81	2	3	10	21	26	30	30
75-79	18	15.6	77	3	4	16	21	27	32	34
80-84	11	11.6	58	1	2	11	16	22	27	28
85+	3	14.0	28	8	8	16	17	18	18	18
GRAND TOTAL	**101**	**14.8**	**93**	**2**	**4**	**13**	**21**	**28**	**31**	**45**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	2.5	3	<1	<1	2	4	5	5	5
70-74	16	3.4	22	<1	<1	1	4	10	16	18
75-79	15	2.7	6	<1	1	1	4	6	8	9
80-84	7	2.6	3	1	1	2	3	5	6	6
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	132	6.0	48	<1	1	4	7	12	21	41
70-74	88	7.0	64	1	1	4	8	18	21	42
75-79	47	5.7	21	1	1	5	7	14	16	21
80-84	31	3.7	7	1	1	3	5	8	10	10
85+	9	3.0	6	1	1	2	4	7	8	8
B. *Operated*										
65-69 YRS	11	8.0	33	1	1	7	14	15	17	17
70-74	8	13.6	224	1	2	7	18	39	47	47
75-79	4	4.5	12	1	1	4	7	8	8	8
80-84	3	12.7	312	1	1	4	26	33	33	33
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.8	8	<1	1	2	4	5	8	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	307	5.9	44	1	1	4	7	14	20	33
B. *Operated*	27	9.4	112	1	1	7	13	21	35	47
1. SINGLE DX	58	2.8	8	<1	1	2	4	5	8	17
2. MULTIPLE DX	334	6.2	50	1	1	4	7	14	21	40
A. NOT OPERATED	365	5.4	40	1	1	3	6	12	17	28
B. OPERATED	27	9.4	112	1	1	7	13	21	35	47
TOTAL 65-69 YRS	162	5.7	43	<1	1	4	7	13	16	39
70-74	112	6.9	72	1	1	4	8	18	22	49
75-79	66	4.9	18	1	1	4	7	9	15	20
80-84	41	4.2	27	1	1	3	5	8	10	33
85+	11	2.6	5	<1	<1	1	4	6	8	8
GRAND TOTAL	**392**	**5.7**	**45**	**1**	**1**	**4**	**7**	**13**	**19**	**37**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	6.7	55	1	1	5	7	20	21	21
70-74	2	7.0	50	2	2	7	12	12	12	12
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	9.4	61	2	3	7	11	24	28	31
70-74	28	9.3	60	1	2	7	14	22	27	28
75-79	18	8.9	78	2	3	5	11	26	31	32
80-84	17	8.5	60	2	2	7	9	20	28	32
85+	10	13.5	643	2	2	5	11	48	85	85
B. *Operated*										
65-69 YRS	7	15.9	504	2	3	7	13	55	66	66
70-74										
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.8	40	1	1	4	7	16	21	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	113	9.5	109	2	2	6	11	24	29	52
B. *Operated*	9	14.3	389	2	3	7	12	45	66	66
1. SINGLE DX	10	5.8	40	1	1	4	7	16	21	21
2. MULTIPLE DX	122	9.9	128	2	2	6	11	24	29	71
A. NOT OPERATED	123	9.2	104	2	2	6	11	22	28	46
B. OPERATED	9	14.3	389	2	3	7	12	45	66	66
TOTAL 65-69 YRS	53	9.9	115	2	3	7	11	24	29	65
70-74	30	9.2	58	1	2	7	14	21	27	28
75-79	20	8.5	72	2	3	5	10	23	30	32
80-84	18	8.1	60	1	2	7	8	19	28	32
85+	11	13.4	578	2	2	5	12	41	81	85
GRAND TOTAL	**132**	**9.6**	**123**	**2**	**2**	**6**	**11**	**23**	**29**	**69**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	4.1	11	1	1	3	5	9	10	15
70-74	25	4.3	8	1	2	3	6	9	10	11
75-79	18	6.2	57	1	1	4	7	11	25	34
80-84	14	4.9	14	1	1	4	8	11	11	11
85+	9	3.9	11	<1	<1	2	6	9	11	11
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	194	5.6	16	1	2	5	7	9	13	22
70-74	182	6.6	35	1	2	5	8	12	17	31
75-79	176	6.3	46	1	2	5	7	12	14	33
80-84	105	6.3	29	2	2	5	8	12	16	30
85+	69	5.9	12	2	3	5	7	11	14	16
B. *Operated*										
65-69 YRS	22	10.3	76	2	2	7	14	25	31	31
70-74	12	5.8	5	3	3	6	7	9	10	10
75-79	17	12.4	129	3	4	9	12	23	43	52
80-84	9	9.4	9	5	5	10	12	57	99+	99+
85+	6	12.8	26	7	7	14	15	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.6	19	1	1	3	6	10	11	25
B. *Operated*	4	4.8	11	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	726	6.2	29	1	2	5	8	11	14	27
B. *Operated*	66	10.1	66	3	3	8	12	19	31	92
1. SINGLE DX	102	4.6	18	1	1	3	6	9	11	24
2. MULTIPLE DX	792	6.5	33	1	2	5	8	12	16	31
A. NOT OPERATED	824	6.0	28	1	2	5	7	11	14	27
B. OPERATED	70	9.8	64	3	3	8	12	18	30	90
TOTAL 65-69 YRS	249	5.8	22	1	2	5	7	10	15	27
70-74	220	6.3	30	1	2	5	8	11	15	29
75-79	212	6.7	55	1	2	5	8	12	15	41
80-84	129	6.4	26	1	2	5	8	12	16	47
85+	84	6.2	16	1	2	5	8	12	15	19
GRAND TOTAL	**894**	**6.3**	**32**	**1**	**2**	**5**	**8**	**12**	**15**	**31**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	8.2	53	1	1	6	11	18	24	32
70-74	55	9.5	65	1	2	6	13	21	27	33
75-79	39	11.6	205	1	2	7	16	28	56	99+
80-84	29	9.4	67	1	1	8	12	20	23	39
85+	9	8.0	33	2	2	6	14	15	16	16
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79	1	41.0		41	41	41	41	41	41	41
80-84	2	8.5	13	6	6	8	11	11	11	11
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	9.3	90	1	2	6	12	19	29	45
70-74	246	9.9	78	2	2	7	14	22	28	44
75-79	204	11.3	131	2	3	8	14	24	35	77
80-84	124	9.2	84	1	2	6	12	19	27	51
85+	85	9.7	98	1	2	7	13	22	26	56
B. *Operated*										
65-69 YRS	12	12.3	59	2	3	12	15	25	28	28
70-74	18	20.8	377	4	8	16	24	40	70	88
75-79	11	19.1	125	8	9	15	21	38	44	45
80-84	6	12.7	47	5	5	10	19	23	23	23
85+	2	25.0	450	10	10	25	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	9.4	86	1	2	7	12	21	27	56
B. *Operated*	4	16.3	277	6	6	9	26	41	41	41
2. MULTIPLE DX										
A. *Not Operated*	947	9.9	96	2	2	7	13	21	29	47
B. *Operated*	49	17.5	204	4	6	14	21	35	42	88
1. SINGLE DX	212	9.5	89	1	2	7	12	21	28	56
2. MULTIPLE DX	996	10.3	104	2	2	7	13	22	30	48
A. NOT OPERATED	1155	9.8	94	1	2	7	13	21	29	47
B. OPERATED	53	17.4	204	4	6	13	21	36	42	87
TOTAL 65-69 YRS	377	9.2	82	1	2	6	12	19	27	45
70-74	319	10.5	98	2	2	7	14	23	28	45
75-79	255	11.8	146	2	3	8	15	27	37	81
80-84	161	9.4	78	1	2	6	12	20	25	48
85+	96	9.8	100	1	2	7	13	22	27	56
GRAND TOTAL	**1208**	**10.2**	**101**	**1**	**2**	**7**	**13**	**22**	**30**	**48**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	170	12.2	121	2	3	8	15	30	35	53
70-74	127	12.6	131	2	2	8	17	30	36	54
75-79	94	11.2	107	2	2	7	17	29	35	78
80-84	55	12.1	166	3	3	6	15	25	33	75
85+	17	16.9	354	1	2	11	22	42	61	70
B. *Operated*										
65-69 YRS	8	7.9	46	1	1	6	13	18	19	19
70-74	5	7.2	60	2	2	3	12	20	20	20
75-79	3	4.0	7	2	2	3	6	7	7	7
80-84	3	9.0	109	2	2	4	17	21	21	21
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	739	11.7	127	2	3	8	15	26	34	57
70-74	799	11.2	105	2	3	8	14	23	31	55
75-79	583	11.2	120	2	3	7	13	25	34	54
80-84	390	11.0	109	2	3	7	13	23	33	55
85+	202	11.0	149	2	2	7	13	25	36	98
B. *Operated*										
65-69 YRS	98	17.0	217	2	3	12	21	41	56	81
70-74	91	18.4	172	4	5	14	28	40	45	84
75-79	51	14.1	100	3	4	12	19	31	36	99
80-84	27	20.0	273	5	6	16	23	35	62	78
85+	16	16.9	507	2	3	11	15	83	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	12.3	134	2	2	8	16	29	36	55
B. *Operated*	20	7.6	46	1	2	4	12	19	20	21
2. MULTIPLE DX										
A. *Not Operated*	2713	11.3	118	2	3	8	14	25	34	58
B. *Operated*	283	17.2	203	3	4	13	23	37	53	99+
1. SINGLE DX	483	12.1	132	2	2	8	16	29	35	55
2. MULTIPLE DX	2996	11.8	129	2	3	8	15	26	35	61
A. NOT OPERATED	3176	11.4	120	2	3	8	14	25	34	57
B. OPERATED	303	16.6	198	2	4	12	23	36	52	99+
TOTAL 65-69 YRS	1015	12.3	136	2	3	8	15	28	36	59
70-74	1022	12.0	118	2	3	8	15	26	35	56
75-79	731	11.4	117	2	3	8	14	26	35	56
80-84	475	11.6	128	2	3	8	14	24	35	60
85+	236	11.9	188	2	2	8	14	29	45	99+
GRAND TOTAL	**3479**	**11.9**	**129**	**2**	**3**	**8**	**15**	**27**	**35**	**60**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.0	8	4	4	8	77	99+	99+	99+
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	8.7	24	3	4	7	12	17	18	18
70-74	7	15.1	470	1	1	4	27	52	57	57
75-79	9	11.9	31	3	5	10	17	19	19	19
80-84	1	9.0		9	9	54	99+	99+	99+	99+
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	9	2	2	8	99+	99+	99+	99+
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	28	11.4	129	1	2	8	16	27	59	99+
B. *Operated*										
1. SINGLE DX	4	6.0	13	2	2	9	99+	99+	99+	99+
2. MULTIPLE DX	28	11.4	129	1	2	8	16	27	59	99+
A. NOT OPERATED	31	10.7	121	1	2	8	17	61	99+	99+
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 65-69 YRS	13	8.3	22	3	4	7	12	26	84	99+
70-74	7	15.1	470	1	1	4	27	52	57	57
75-79	11	10.8	33	2	3	10	16	19	19	19
80-84	1	9.0		9	9	99+	99+	99+	99+	99+
85+										
GRAND TOTAL	**32**	**10.7**	**117**	**1**	**2**	**8**	**17**	**57**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	8.5	41	1	1	7	13	17	21	21
70-74	13	11.8	82	1	1	11	15	21	33	36
75-79	6	6.5	8	3	3	6	9	10	10	10
80-84	2	13.5	61	8	8	13	19	19	19	19
85+	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*										
65-69 YRS	12	9.5	135	1	1	5	13	28	37	39
70-74	10	15.9	315	2	2	9	24	45	57	57
75-79	4	14.5	75	4	4	15	21	23	23	23
80-84										
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	15.1	103	2	4	13	18	27	31	54
70-74	65	19.0	265	2	3	13	28	44	48	78
75-79	42	16.2	99	5	6	14	20	26	38	52
80-84	25	17.6	170	4	7	15	20	35	44	67
85+	18	17.9	77	4	7	19	23	35	74	99+
B. *Operated*										
65-69 YRS	58	24.4	412	3	5	19	36	52	79	99+
70-74	47	33.2	576	5	7	28	48	78	96	99+
75-79	31	31.2	348	3	9	30	43	64	73	99+
80-84	10	22.0	201	6	10	15	35	45	48	48
85+	8	16.0	33	9	9	18	21	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	9.7	53	1	2	9	13	17	21	36
B. *Operated*	27	12.9	184	1	1	8	19	31	42	57
2. MULTIPLE DX										
A. *Not Operated*	222	17.0	155	3	5	14	21	33	45	72
B. *Operated*	154	27.8	433	4	7	23	42	65	92	99+
1. SINGLE DX	60	11.1	112	1	1	9	15	23	34	55
2. MULTIPLE DX	376	21.4	297	3	6	16	28	48	66	99+
A. NOT OPERATED	255	16.0	148	2	4	13	20	31	43	69
B. OPERATED	181	25.6	423	2	4	20	39	57	83	99+
TOTAL 65-69 YRS	152	17.8	247	2	3	14	23	40	52	95
70-74	135	23.0	413	2	3	16	33	53	73	99+
75-79	83	21.0	248	4	5	16	28	43	58	91
80-84	37	18.5	171	5	7	15	20	37	46	67
85+	29	16.6	65	2	8	18	22	33	97	99+
GRAND TOTAL	**436**	**20.0**	**284**	**2**	**4**	**15**	**25**	**45**	**59**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	140	8.7	43	2	2	7	11	17	23	32
70-74	195	9.9	71	2	3	7	12	21	29	45
75-79	141	9.7	45	3	3	9	12	18	24	34
80-84	72	9.6	41	2	3	8	14	18	20	31
85+	29	11.0	98	1	2	8	12	26	36	41
B. *Operated*										
65-69 YRS	9	8.7	44	1	2	6	15	18	20	20
70-74	11	15.0	193	3	3	14	20	34	49	50
75-79	9	19.0	149	5	7	18	30	71	99+	99+
80-84	2	15.5	313	3	3	15	28	28	28	28
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	783	11.7	107	3	3	9	14	23	32	59
70-74	1175	11.8	105	3	4	9	15	23	31	64
75-79	1228	12.2	96	3	4	10	15	24	32	82
80-84	785	12.5	110	3	4	10	15	23	30	63
85+	375	13.6	177	3	4	9	16	27	43	93
B. *Operated*										
65-69 YRS	138	19.6	271	4	5	14	28	53	65	99+
70-74	149	20.0	268	4	6	17	25	57	77	99+
75-79	167	18.3	168	5	6	16	24	36	57	99+
80-84	103	17.3	122	4	5	15	25	38	42	99+
85+	35	18.0	153	4	5	15	26	45	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	9.6	55	2	3	8	12	19	25	41
B. *Operated*	31	14.4	143	3	3	12	21	34	49	99+
2. MULTIPLE DX										
A. *Not Operated*	4346	12.2	110	3	4	9	15	23	32	70
B. *Operated*	592	18.8	208	4	6	15	25	41	65	99+
1. SINGLE DX	608	9.8	61	2	3	8	12	20	26	42
2. MULTIPLE DX	4938	13.0	126	3	4	10	16	26	35	82
A. NOT OPERATED	4923	11.9	104	3	3	9	15	23	31	66
B. OPERATED	623	18.6	206	4	5	15	25	41	65	99+
TOTAL 65-69 YRS	1070	12.3	128	3	3	9	15	25	35	69
70-74	1530	12.4	124	3	4	9	16	25	34	78
75-79	1545	12.7	104	3	4	10	16	25	34	98
80-84	962	12.8	109	3	4	10	16	24	32	68
85+	439	13.8	171	3	4	10	17	29	43	99+
GRAND TOTAL	**5546**	**12.6**	**120**	**3**	**4**	**10**	**16**	**25**	**35**	**79**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	9.7	31	2	3	9	14	15	21	24
70-74	9	7.7	18	3	3	7	9	15	15	15
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84	2	8.0	8	6	6	8	10	10	10	10
85+	1	9.0		9	9	9	9	9	9	9
B. Operated										
65-69 YRS	3	12.3	44	5	5	14	17	18	18	18
70-74	2	13.5	5	12	12	13	15	15	15	15
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	127	11.6	138	2	3	8	14	28	36	77
70-74	56	10.0	43	3	4	8	13	19	21	35
75-79	20	10.4	76	2	3	7	11	28	31	32
80-84	6	7.3	20	1	1	7	10	14	14	14
85+	3	11.0	48	7	7	7	16	19	19	19
B. Operated										
65-69 YRS	36	21.3	432	4	4	14	27	69	82	99+
70-74	19	20.9	366	2	3	13	30	54	64	66
75-79	6	15.5	219	2	2	10	20	41	43	43
80-84	3	38.7	1425	6	6	30	67	80	80	80
85+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	9.0	26	2	3	8	13	15	17	24
B. Operated	5	12.8	24	5	5	14	16	18	18	18
2. MULTIPLE DX										
A. Not Operated	212	10.9	103	2	3	8	13	23	31	66
B. Operated	65	21.2	420	3	4	13	29	60	75	98
1. SINGLE DX	48	9.4	27	2	3	8	14	15	18	24
2. MULTIPLE DX	277	13.3	195	2	3	9	15	30	45	85
A. NOT OPERATED	255	10.6	90	2	3	8	13	21	30	63
B. OPERATED	70	20.6	396	3	4	13	28	57	74	97
TOTAL 65-69 YRS	195	13.1	188	2	3	9	14	29	47	94
70-74	86	12.2	130	3	4	9	15	23	36	64
75-79	28	11.1	102	2	3	7	12	29	33	43
80-84	11	16.0	508	1	3	8	13	50	77	80
85+	5	10.4	25	7	7	9	12	19	19	19
GRAND TOTAL	**325**	**12.7**	**172**	**2**	**3**	**9**	**14**	**28**	**40**	**82**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	129	4.3	12	1	1	3	5	8	11	17
70-74	98	4.7	17	1	1	4	6	11	13	22
75-79	58	4.3	9	1	1	4	5	8	11	15
80-84	31	4.0	9	1	1	3	6	8	9	14
85+	32	5.9	72	1	1	4	7	9	18	48
B. Operated										
65-69 YRS	4	3.0	1	2	2	3	4	4	4	4
70-74	3	5.3	8	2	2	7	7	7	7	7
75-79	7	4.0	3	2	2	4	5	7	7	7
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	853	7.6	70	1	2	5	9	15	21	46
70-74	785	7.9	51	1	2	6	10	16	21	39
75-79	680	8.1	47	2	2	6	10	16	21	36
80-84	476	9.6	126	2	2	7	11	18	26	73
85+	326	9.0	50	2	3	7	12	18	21	35
B. Operated										
65-69 YRS	94	12.7	160	2	3	8	17	25	48	86
70-74	101	15.6	127	3	4	13	20	29	40	52
75-79	61	17.9	170	3	5	14	24	34	46	63
80-84	36	20.3	320	2	3	16	29	43	61	72
85+	29	22.8	474	2	3	17	34	62	68	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	348	4.5	18	1	1	3	6	8	11	20
B. Operated	17	3.6	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	3120	8.2	67	2	2	6	10	16	22	42
B. Operated	321	16.4	205	2	3	13	22	35	49	70
1. SINGLE DX	365	4.5	17	1	1	3	5	8	11	20
2. MULTIPLE DX	3441	9.0	85	2	2	6	11	18	25	49
A. NOT OPERATED	3468	7.9	63	1	2	6	10	16	21	41
B. OPERATED	338	15.7	202	2	3	12	21	35	49	70
TOTAL 65-69 YRS	1080	7.7	74	1	2	5	9	16	21	50
70-74	987	8.3	62	1	2	6	11	17	24	41
75-79	806	8.5	62	2	2	6	11	17	24	42
80-84	544	10.0	141	2	2	6	11	21	29	72
85+	389	9.7	96	2	2	7	12	19	25	60
GRAND TOTAL	**3806**	**8.6**	**81**	**2**	**2**	**6**	**10**	**18**	**25**	**47**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	269	7.3	74	1	2	5	9	15	22	76
70-74	299	8.3	91	1	2	6	10	15	24	48
75-79	254	7.5	39	1	2	6	9	14	19	30
80-84	128	8.9	116	1	2	6	11	19	28	99+
85+	95	7.3	52	1	2	5	9	13	20	42
B. *Operated*										
65-69 YRS	170	7.6	49	1	2	5	10	18	22	30
70-74	171	8.3	66	1	2	6	11	16	21	46
75-79	116	9.4	60	2	2	7	13	20	22	38
80-84	41	10.6	105	1	2	8	14	22	34	49
85+	36	10.2	109	1	2	5	18	27	33	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1659	12.0	136	2	3	8	15	26	39	86
70-74	2020	11.9	134	2	3	8	14	26	38	67
75-79	2080	11.9	120	2	3	9	14	25	36	67
80-84	1555	12.4	127	3	4	9	15	25	35	63
85+	1229	11.5	105	3	4	8	14	23	32	60
B. *Operated*										
65-69 YRS	920	15.6	234	2	3	11	20	35	55	99+
70-74	887	16.5	227	2	3	12	22	35	50	94
75-79	804	17.7	239	3	4	13	24	43	55	99+
80-84	460	17.2	219	3	4	13	23	37	49	99
85+	277	17.3	262	2	[illegible]	11	23	40	53	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1045	7.8	73	1	2	5	9	15	22	52
B. *Operated*	534	8.6	65	1	2	6	12	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	8543	11.9	126	2	3	9	14	25	36	68
B. *Operated*	3348	16.7	234	2	3	12	22	38	53	99+
1. SINGLE DX	1579	8.1	71	1	2	6	10	17	22	49
2. MULTIPLE DX	11891	13.3	161	2	3	9	17	29	42	84
A. NOT OPERATED	9588	11.5	121	2	3	8	14	24	35	67
B. OPERATED	3882	15.6	218	2	3	11	21	35	50	99+
TOTAL 65-69 YRS	3018	12.4	162	2	3	9	16	28	42	97
70-74	3377	12.6	158	2	3	9	16	28	40	77
75-79	3254	12.9	150	2	3	9	16	29	42	82
80-84	2184	13.2	150	3	4	9	17	28	38	74
85+	1637	12.2	134	2	3	9	15	26	37	69
GRAND TOTAL	**13470**	**12.7**	**153**	**2**	**3**	**9**	**16**	**28**	**40**	**79**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	52	3.9	13	<1	1	3	6	7	9	23
70-74	27	3.9	5	2	2	4	4	7	9	11
75-79	14	3.6	8	1	2	3	4	7	11	12
80-84	4	1.8		1	1	2	2	2	2	2
85+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
65-69 YRS	13	5.0	20	1	1	4	5	14	15	15
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	5.0	8	3	3	5	7	7	7	7
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	187	5.9	16	2	2	5	8	11	13	21
70-74	138	5.3	12	2	2	4	7	10	12	19
75-79	56	5.8	19	1	2	4	8	12	14	21
80-84	38	4.8	7	1	2	5	6	8	10	13
85+	11	4.8	7	2	2	4	7	9	10	10
B. *Operated*										
65-69 YRS	41	7.4	66	2	2	5	9	12	22	47
70-74	27	8.2	49	2	2	7	11	14	28	30
75-79	9	7.0	8	3	4	6	9	11	11	11
80-84	4	5.5	18	1	1	5	9	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.7	9	1	1	3	4	7	9	17
B. *Operated*	17	4.8	16	1	2	3	5	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	430	5.6	14	2	2	5	7	10	13	19
B. *Operated*	81	7.5	51	2	2	6	10	12	21	42
1. SINGLE DX	118	3.9	10	1	1	3	4	7	10	18
2. MULTIPLE DX	511	5.9	20	2	2	5	7	11	13	26
A. NOT OPERATED	531	5.2	14	1	2	4	7	10	12	19
B. OPERATED	98	7.1	46	2	2	5	9	12	16	39
TOTAL 65-69 YRS	293	5.7	24	1	2	5	7	11	14	27
70-74	193	5.5	17	2	2	4	7	10	12	25
75-79	81	5.5	16	1	2	4	7	11	13	20
80-84	47	4.5	8	1	2	4	6	8	10	13
85+	15	4.3	6	2	2	4	5	8	9	10
GRAND TOTAL	**629**	**5.5**	**19**	**1**	**2**	**4**	**7**	**11**	**12**	**23**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.2	7	2	2	3	6	8	8	8
70-74	2	4.0	18	<1	<1	3	7	7	7	7
75-79	1	2.0		2	2	2	2	2	2	2
80-84	3	3.7	9	1	1	3	6	7	7	7
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	743	2.1	2	<1	1	2	2	3	4	7
70-74	589	2.2	3	<1	<1	2	3	3	4	10
75-79	469	2.2	1	<1	1	2	3	3	4	6
80-84	264	2.2	2	<1	<1	2	3	4	5	9
85+	139	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	4.7	18	1	1	4	6	8	10	27
70-74	43	5.2	7	2	2	5	7	9	10	12
75-79	28	5.3	13	<1	1	4	8	10	14	14
80-84	11	5.6	7	2	2	5	8	9	10	10
85+	11	7.3	32	<1	1	5	13	15	16	16
B. *Operated*										
65-69 YRS	725	3.5	14	1	1	2	4	7	9	19
70-74	614	3.7	15	1	1	2	4	8	10	20
75-79	483	3.9	18	1	1	3	4	8	12	24
80-84	242	4.2	21	1	1	3	4	8	14	27
85+	138	4.6	23	1	1	3	5	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.5	6	<1	1	2	6	7	8	8
B. *Operated*	2204	2.2	2	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	136	5.2	14	1	2	4	7	10	12	18
B. *Operated*	2202	3.8	16	1	1	2	4	7	11	22
1. SINGLE DX	2217	2.2	2	<1	1	2	3	3	4	8
2. MULTIPLE DX	2338	3.9	16	1	1	3	4	8	11	22
A. NOT OPERATED	149	5.1	13	1	1	4	7	9	11	16
B. OPERATED	4406	3.0	10	<1	1	2	3	5	8	18
TOTAL 65-69 YRS	1516	2.9	8	<1	1	2	3	5	7	16
70-74	1248	3.0	10	<1	1	2	3	6	8	18
75-79	981	3.1	10	<1	1	2	3	5	9	20
80-84	520	3.2	12	<1	1	2	3	6	9	20
85+	290	3.7	15	1	1	2	4	8	11	23
GRAND TOTAL	**4555**	**3.1**	**10**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	6.4	57	1	1	4	8	12	18	34
70-74	156	6.9	58	1	2	5	8	13	19	47
75-79	104	6.3	32	1	2	4	8	14	17	30
80-84	65	6.0	21	1	2	5	8	13	13	22
85+	48	6.9	27	1	2	6	9	13	16	29
B. *Operated*										
65-69 YRS	502	4.1	23	1	1	3	4	9	12	27
70-74	322	4.1	16	1	1	3	5	8	11	21
75-79	201	4.6	25	1	1	3	5	10	15	31
80-84	80	5.4	22	1	2	4	7	11	15	23
85+	48	6.0	28	1	2	4	7	12	18	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	895	8.6	82	2	2	6	10	16	23	55
70-74	865	9.0	70	2	2	7	11	17	22	49
75-79	700	8.9	68	2	3	7	11	18	26	50
80-84	440	8.7	43	2	3	7	11	16	22	63
85+	299	9.9	82	2	3	8	12	18	25	54
B. *Operated*										
65-69 YRS	761	9.9	166	2	2	6	12	22	34	91
70-74	606	10.6	150	1	2	7	14	26	36	95
75-79	374	11.3	161	2	2	7	14	26	41	78
80-84	199	13.5	223	2	3	9	17	30	42	87
85+	100	13.8	209	2	3	10	17	30	55	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	584	6.5	46	1	2	5	8	13	17	33
B. *Operated*	1153	4.4	22	1	1	3	5	9	13	27
2. MULTIPLE DX										
A. *Not Operated*	3199	8.9	71	2	3	7	11	17	23	52
B. *Operated*	2040	10.9	169	2	2	7	14	25	39	90
1. SINGLE DX	1737	5.1	31	1	1	3	6	11	14	29
2. MULTIPLE DX	5239	9.7	110	2	2	7	12	20	30	69
A. NOT OPERATED	3783	8.5	67	2	2	6	10	16	22	50
B. OPERATED	3193	8.6	126	1	2	4	10	21	30	80
TOTAL 65-69 YRS	2369	7.9	99	1	2	5	9	17	24	67
70-74	1949	8.5	90	1	2	6	10	18	27	56
75-79	1379	8.7	89	2	2	6	10	19	28	53
80-84	784	9.3	92	2	2	7	11	19	25	77
85+	495	10.0	102	2	2	7	12	19	29	61
GRAND TOTAL	**6976**	**8.5**	**94**	**1**	**2**	**6**	**10**	**18**	**26**	**59**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	1	1	2	3	4	4	4
70-74	3	4.0	4	2	2	4	5	6	6	6
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	8.0	32	4	4	8	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	594	4.5	6	1	2	4	6	8	9	14
70-74	434	4.4	5	2	2	4	5	7	8	12
75-79	284	4.7	6	2	2	4	6	8	9	13
80-84	134	4.6	4	2	2	4	6	7	8	10
85+	55	4.9	4	2	3	5	6	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.2	9	<1	<1	3	4	7	11	11
70-74	16	5.4	29	<1	1	3	7	16	16	16
75-79	5	2.6	1	2	2	2	3	4	4	4
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	2	12.0	242	1	1	12	23	23	23	23
B. *Operated*										
65-69 YRS	778	5.1	12	2	2	4	6	8	10	17
70-74	613	5.3	9	2	2	5	6	8	11	17
75-79	416	5.9	16	2	3	5	7	10	14	22
80-84	200	6.3	22	2	3	5	7	12	15	25
85+	93	6.4	26	1	2	5	8	11	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.4	11	1	1	4	6	9	12	12
B. *Operated*	1501	4.5	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	36	4.6	27	<1	1	3	5	14	16	23
B. *Operated*	2100	5.5	14	2	2	5	7	9	12	20
1. SINGLE DX	1511	4.5	6	2	2	4	6	7	9	13
2. MULTIPLE DX	2136	5.5	14	2	2	5	7	9	12	20
A. NOT OPERATED	46	4.6	23	<1	1	3	5	12	16	23
B. OPERATED	3601	5.1	11	2	2	4	6	8	10	17
TOTAL 65-69 YRS	1387	4.8	10	1	2	4	6	8	10	15
70-74	1066	5.0	8	2	2	4	6	8	10	16
75-79	706	5.4	12	2	2	5	6	9	12	19
80-84	338	5.6	15	2	2	5	7	9	13	21
85+	150	5.9	20	1	2	5	7	10	13	26
GRAND TOTAL	**3647**	**5.1**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	1.7	1	1	1	2	2	3	3	3
70-74	34	1.7	1	<1	1	1	2	3	4	5
75-79	31	2.5	5	<1	1	2	3	5	8	11
80-84	16	2.3	2	1	1	2	3	5	6	6
85+	11	2.5	5	1	1	2	3	6	9	9
B. *Operated*										
65-69 YRS	231	2.7	2	1	1	2	3	4	5	7
70-74	223	2.8	5	1	1	2	3	5	6	10
75-79	176	3.0	5	1	1	2	4	5	7	10
80-84	99	2.6	3	1	1	2	3	5	6	9
85+	39	3.5	12	<1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	2.8	5	1	1	2	3	6	8	9
70-74	33	4.0	15	1	1	3	4	11	14	16
75-79	37	4.1	13	1	1	3	5	11	12	14
80-84	36	4.6	14	1	1	3	5	9	14	17
85+	27	4.5	20	1	1	3	6	10	16	19
B. *Operated*										
65-69 YRS	230	4.2	21	1	2	3	5	8	11	23
70-74	249	4.3	15	1	1	3	5	10	13	21
75-79	238	4.5	39	1	1	3	6	9	11	15
80-84	190	5.0	26	2	2	3	6	10	13	24
85+	117	5.8	42	1	2	4	7	11	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.0	3	1	1	2	2	3	5	10
B. *Operated*	768	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	167	4.0	13	1	1	3	5	9	12	17
B. *Operated*	1024	4.6	27	1	2	3	5	9	12	23
1. SINGLE DX	889	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1191	4.5	25	1	1	3	5	9	12	22
A. NOT OPERATED	288	3.2	10	1	1	2	3	7	11	16
B. OPERATED	1792	3.9	18	1	1	3	4	7	10	20
TOTAL 65-69 YRS	524	3.3	11	1	1	2	4	6	8	15
70-74	539	3.5	11	1	1	2	4	7	10	18
75-79	482	3.8	22	1	1	3	4	7	10	14
80-84	341	4.2	18	1	1	3	5	8	11	22
85+	194	4.9	32	1	1	3	6	10	15	28
GRAND TOTAL	**2080**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.0	2	1	1	3	4	5	5	5
70-74	12	2.6	6	1	1	2	3	6	9	10
75-79	15	3.6	14	1	1	3	4	5	13	16
80-84	3	1.7		1	1	2	2	2	2	2
85+	8	3.4	8	1	1	3	4	8	10	10
B. *Operated*										
65-69 YRS	141	2.8	4	<1	1	2	3	5	7	11
70-74	137	3.0	4	<1	1	2	4	5	8	10
75-79	116	2.9	4	<1	1	2	3	5	7	10
80-84	84	2.9	6	<1	<1	2	3	5	8	13
85+	46	3.0	4	<1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	5.1	93	<1	1	2	4	8	35	43
70-74	31	4.6	19	1	1	2	7	12	15	16
75-79	33	5.2	29	<1	1	3	7	13	15	24
80-84	17	3.4	3	1	1	3	4	6	7	8
85+	21	6.9	31	1	2	5	10	15	19	22
B. *Operated*										
65-69 YRS	165	4.1	13	1	2	3	5	7	11	22
70-74	182	4.6	24	1	1	3	5	9	14	26
75-79	182	4.4	23	1	1	3	5	9	14	26
80-84	111	4.4	22	1	1	3	5	9	14	28
85+	78	5.4	46	1	1	3	5	13	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.1	8	1	1	2	4	5	10	16
B. *Operated*	524	2.9	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	131	5.1	38	1	1	3	6	12	15	37
B. *Operated*	718	4.5	23	1	1	3	5	9	13	26
1. SINGLE DX	570	2.9	5	<1	1	2	3	5	8	11
2. MULTIPLE DX	849	4.6	26	1	1	3	5	9	14	27
A. NOT OPERATED	177	4.6	31	1	1	3	5	10	15	32
B. OPERATED	1242	3.8	16	1	1	3	4	7	10	23
TOTAL 65-69 YRS	343	3.6	16	1	1	3	4	7	9	23
70-74	362	3.9	16	1	1	3	5	8	10	23
75-79	346	3.9	17	1	1	3	4	8	12	24
80-84	215	3.7	14	<1	1	3	4	7	10	21
85+	153	4.8	31	1	1	3	5	10	14	33
GRAND TOTAL	**1419**	**3.9**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	1.6		<1	1	1	2	3	3	3
70-74	41	1.8	1	<1	<1	2	2	3	4	4
75-79	38	2.3	6	1	1	2	2	3	4	16
80-84	32	1.8	1	<1	<1	2	2	3	3	5
85+	24	1.6	1	<1	1	1	2	3	3	4
B. *Operated*										
65-69 YRS	11223	2.2	1	1	1	2	2	3	3	5
70-74	14183	2.2	1	1	1	2	2	3	4	5
75-79	14933	2.3	1	1	1	2	3	3	4	5
80-84	10900	2.3	1	1	1	2	3	3	4	6
85+	7115	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	323	2.2	7	<1	<1	1	2	4	8	12
70-74	385	2.2	5	<1	<1	1	2	4	6	12
75-79	432	2.6	9	<1	1	2	3	5	9	16
80-84	346	2.9	9	<1	1	2	3	7	10	14
85+	289	2.9	11	<1	1	2	3	7	10	16
B. *Operated*										
65-69 YRS	10843	2.7	5	1	2	2	3	4	5	12
70-74	14140	2.7	6	1	2	2	3	4	5	12
75-79	15251	2.8	7	1	2	2	3	4	6	13
80-84	11507	2.9	7	1	2	2	3	4	6	13
85+	8159	3.1	10	1	2	2	3	5	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	1.9	2	<1	<1	2	2	3	3	5
B. *Operated*	58354	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1775	2.5	8	<1	1	2	3	6	9	14
B. *Operated*	59900	2.8	7	1	2	2	3	4	6	13
1. SINGLE DX	58515	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	61675	2.8	7	1	2	2	3	4	6	13
A. NOT OPERATED	1936	2.5	7	<1	1	2	3	5	9	14
B. OPERATED	118254	2.5	4	1	2	2	3	4	4	10
TOTAL .65-69 YRS	22415	2.4	3	1	1	2	3	3	4	9
70-74	28749	2.5	4	1	1	2	3	3	4	9
75-79	30654	2.5	4	1	2	2	3	4	4	9
80-84	22785	2.6	4	1	2	2	3	4	5	11
85+	15587	2.8	6	1	2	2	3	4	5	12
GRAND TOTAL	**120190**	**2.5**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	145	2.1	1	<1	1	2	2	3	4	5
70-74	172	1.8	1	<1	<1	2	2	3	3	4
75-79	161	1.8	1	<1	<1	2	2	3	3	6
80-84	92	1.8	1	<1	<1	2	2	3	3	4
85+	66	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	2.6	6	<1	<1	2	3	7	7	7
70-74	6	1.3		1	1	1	2	2	2	2
75-79	4	4.8	31	1	1	2	8	13	13	13
80-84	4	3.5	11	1	1	3	6	8	8	8
85+	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
65-69 YRS	199	2.8	9	1	2	2	3	4	6	11
70-74	222	2.7	6	<1	1	2	3	4	6	15
75-79	207	2.8	6	<1	1	2	3	5	7	16
80-84	125	2.8	19	1	1	2	3	4	5	24
85+	93	3.2	9	1	2	2	3	5	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	636	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	22	2.6	9	<1	<1	1	2	7	10	13
B. *Operated*	846	2.8	9	1	1	2	3	4	7	16
1. SINGLE DX	641	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX	868	2.8	9	<1	1	2	3	4	7	16
A. NOT OPERATED	27	2.5	8	<1	<1	1	3	6	9	13
B. OPERATED	1482	2.4	6	<1	1	2	3	3	5	12
TOTAL 65-69 YRS	350	2.5	6	<1	1	2	3	4	5	10
70-74	402	2.3	4	<1	<1	2	2	3	4	11
75-79	372	2.4	4	<1	1	2	2	4	6	13
80-84	222	2.4	11	<1	<1	2	3	3	4	10
85+	163	2.6	6	<1	<1	2	3	4	6	18
GRAND TOTAL	**1509**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**3**	**5**	**12**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.8	6	1	1	2	4	7	8	8
70-74	12	3.4	12	<1	<1	2	5	8	12	13
75-79	5	3.0	2	1	1	3	4	5	5	5
80-84	3	4.7	9	2	2	4	7	8	8	8
85+	2	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	69	2.3	3	1	1	2	2	4	7	9
70-74	45	2.1	2	<1	<1	2	2	3	5	7
75-79	27	2.2	1	1	1	2	2	4	5	7
80-84	16	2.0	1	1	1	2	2	3	4	4
85+	12	3.0	9	<1	1	2	3	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	5.7	32	1	2	4	6	10	15	37
70-74	68	6.1	35	1	2	5	7	12	16	34
75-79	47	7.7	28	1	2	6	11	16	18	23
80-84	29	8.7	51	2	2	7	10	20	24	32
85+	23	5.6	13	1	2	4	8	12	13	13
B. *Operated*										
65-69 YRS	87	4.0	30	1	1	2	3	9	15	31
70-74	75	4.0	18	2	2	2	4	8	11	25
75-79	45	4.6	23	1	1	2	5	12	17	20
80-84	19	8.5	102	1	2	6	10	19	34	44
85+	14	3.7	20	1	1	2	5	10	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.5	8	1	1	3	5	7	8	13
B. *Operated*	169	2.2	3	<1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	233	6.6	33	1	2	5	8	13	17	33
B. *Operated*	240	4.4	31	1	1	2	5	10	16	30
1. SINGLE DX	199	2.4	4	<1	1	2	2	5	7	11
2. MULTIPLE DX	473	5.5	33	1	2	3	7	12	17	31
A. NOT OPERATED	263	6.2	31	1	2	5	8	12	16	32
B. OPERATED	409	3.5	20	1	1	2	3	7	12	24
TOTAL 65-69 YRS	230	3.9	23	1	1	2	4	8	13	30
70-74	200	4.3	22	1	1	3	5	8	12	29
75-79	124	5.2	24	1	1	3	7	12	17	22
80-84	67	6.9	58	1	2	4	9	15	21	42
85+	51	4.5	15	1	1	3	6	11	13	17
GRAND TOTAL	**672**	**4.6**	**26**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	4.4	13	<1	<1	3	5	8	12	18
70-74	40	5.2	11	1	2	5	7	10	12	13
75-79	32	4.5	11	1	1	4	6	9	11	15
80-84	31	5.2	10	1	2	5	8	10	11	12
85+	31	6.8	20	1	2	6	9	14	16	18
B. *Operated*										
65-69 YRS	604	2.4	3	<1	1	2	3	4	5	10
70-74	614	2.4	2	<1	<1	2	3	4	5	8
75-79	544	2.5	3	<1	1	2	3	4	5	9
80-84	379	2.7	5	<1	1	2	3	5	6	10
85+	291	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	6.2	29	<1	1	5	9	13	16	26
70-74	127	6.0	27	1	1	5	8	13	15	29
75-79	116	7.5	73	1	1	5	9	16	27	43
80-84	93	7.2	41	1	1	6	9	14	16	38
85+	88	8.4	51	1	1	7	12	20	24	28
B. *Operated*										
65-69 YRS	755	3.2	12	1	1	2	4	5	7	15
70-74	944	3.6	15	1	1	3	4	6	8	24
75-79	807	3.6	15	1	1	3	4	6	9	19
80-84	614	3.9	17	1	1	3	4	8	11	21
85+	436	4.0	24	1	1	3	4	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	5.2	13	1	1	4	7	10	13	17
B. *Operated*	2432	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	503	7.0	45	1	1	5	9	15	19	33
B. *Operated*	3556	3.6	16	1	1	3	4	6	9	20
1. SINGLE DX	2609	2.6	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	4059	4.0	21	1	1	3	4	8	12	25
A. NOT OPERATED	680	6.5	37	1	1	5	8	14	18	29
B. OPERATED	5988	3.1	11	<1	1	2	4	5	8	16
TOTAL 65-69 YRS	1481	3.0	10	<1	1	2	3	5	8	15
70-74	1725	3.4	12	<1	1	2	4	6	8	19
75-79	1499	3.5	16	1	1	2	4	6	9	21
80-84	1117	3.8	16	1	1	2	4	8	11	20
85+	846	4.0	22	1	1	2	4	8	13	21
GRAND TOTAL	**6668**	**3.5**	**15**	**1**	**1**	**2**	**4**	**6**	**10**	**20**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	73	4.0	8	1	1	3	6	8	9	15
70-74	70	4.4	8	1	1	4	6	9	10	12
75-79	35	4.8	18	1	2	3	6	9	13	22
80-84	31	5.8	21	1	2	5	7	10	20	21
85+	27	5.1	11	1	2	5	8	10	11	13
B. *Operated*										
65-69 YRS	788	2.3	2	1	1	2	2	3	5	9
70-74	881	2.3	3	1	1	2	2	3	4	9
75-79	789	2.4	2	1	1	2	3	4	5	8
80-84	507	2.4	2	1	1	2	3	4	4	8
85+	271	2.3	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	203	5.8	36	1	1	4	8	11	13	24
70-74	233	5.5	17	1	1	5	8	10	14	19
75-79	204	6.1	31	1	1	5	8	12	15	25
80-84	160	5.9	21	1	1	5	8	12	14	24
85+	85	7.0	32	1	2	6	9	14	17	30
B. *Operated*										
65-69 YRS	1086	3.8	13	1	2	2	4	8	11	17
70-74	1171	3.9	17	1	2	2	4	8	11	21
75-79	1090	3.6	14	1	1	2	4	7	10	19
80-84	703	4.0	22	1	2	2	4	8	12	24
85+	394	4.1	23	1	1	2	4	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	4.6	12	1	1	4	6	9	10	20
B. *Operated*	3236	2.3	2	1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	885	5.9	27	1	1	5	8	11	14	23
B. *Operated*	4444	3.8	17	1	2	2	4	8	11	21
1. SINGLE DX	3472	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX	5329	4.2	19	1	2	3	5	9	12	21
A. NOT OPERATED	1121	5.7	24	1	1	4	8	11	14	22
B. OPERATED	7680	3.2	11	1	1	2	3	6	9	17
TOTAL 65-69 YRS	2150	3.4	12	1	1	2	4	7	10	16
70-74	2355	3.5	13	1	1	2	4	7	10	19
75-79	2118	3.4	12	1	1	2	3	7	10	17
80-84	1401	3.7	16	1	1	2	4	7	11	20
85+	777	3.8	18	1	1	2	4	8	12	23
GRAND TOTAL	**8801**	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.3	6	1	1	3	5	7	7	7
70-74	9	3.8	7	1	1	3	6	8	8	8
75-79	10	2.1	1	<1	<1	2	3	4	4	4
80-84	5	4.6	1	4	4	4	5	6	6	6
85+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
65-69 YRS	34	2.7	4	<1	1	2	3	5	8	9
70-74	13	2.3	2	<1	<1	2	4	4	4	4
75-79	13	2.5	1	1	1	2	3	4	5	5
80-84	8	2.3	1	1	1	2	3	4	4	4
85+	6	2.8	7	1	1	2	3	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	5.3	11	1	2	5	7	10	12	14
70-74	83	5.3	22	1	2	4	6	11	15	26
75-79	64	7.2	34	1	2	6	10	14	20	26
80-84	43	6.5	71	1	2	4	7	12	14	56
85+	16	4.8	17	1	1	4	6	11	14	16
B. *Operated*										
65-69 YRS	72	4.8	12	2	2	4	6	9	13	16
70-74	68	4.5	18	1	2	3	5	9	14	23
75-79	55	5.3	19	1	2	3	7	12	16	17
80-84	29	5.8	38	1	1	4	7	9	20	32
85+	17	4.6	20	1	2	3	5	9	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.1	4	1	1	3	4	6	7	8
B. *Operated*	74	2.6	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	291	5.9	28	1	2	4	7	12	15	26
B. *Operated*	241	5.0	19	1	2	4	6	10	14	22
1. SINGLE DX	108	2.7	3	1	1	2	4	5	7	9
2. MULTIPLE DX	532	5.5	24	1	2	4	7	11	15	23
A. NOT OPERATED	325	5.6	27	1	1	4	7	12	14	25
B. OPERATED	315	4.4	16	1	1	3	5	9	12	21
TOTAL 65-69 YRS	198	4.6	10	1	2	4	6	9	12	15
70-74	173	4.7	19	1	1	3	6	9	15	23
75-79	142	5.7	25	1	1	4	7	13	16	25
80-84	85	5.7	50	1	2	4	7	9	13	48
85+	42	4.2	16	1	1	3	5	8	13	20
GRAND TOTAL	**640**	**5.0**	**22**	**1**	**1**	**4**	**6**	**10**	**14**	**22**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	31	1	1	2	8	13	13	13
70-74	8	4.3	28	<1	<1	3	4	13	17	17
75-79	2	6.0	18	3	3	6	9	9	9	9
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	4	2.8	3	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	188	2.1	1	1	1	2	3	3	4	7
70-74	86	1.9	1	<1	1	2	2	3	3	7
75-79	42	1.9	1	<1	1	2	2	3	4	4
80-84	20	2.4	1	1	1	2	3	3	5	6
85+	18	3.3	56	<1	<1	1	2	21	70	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	59	7.0	32	1	2	5	9	13	22	26
70-74	46	6.3	18	<1	1	6	9	11	15	20
75-79	40	8.3	49	1	2	7	10	13	20	42
80-84	38	8.3	24	3	4	7	10	14	20	24
85+	20	7.1	37	<1	1	5	10	17	21	21
B. *Operated*										
65-69 YRS	256	2.8	3	1	1	2	3	4	5	10
70-74	179	3.8	35	1	1	2	3	8	11	27
75-79	80	3.3	11	<1	1	2	3	6	9	19
80-84	37	4.1	22	<1	1	3	4	8	15	25
85+	15	3.9	10	1	1	3	5	7	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.1	19	<1	<1	3	4	11	15	17
B. *Operated*	354	2.1	4	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	203	7.3	31	1	2	6	9	13	20	25
B. *Operated*	567	3.3	16	1	1	2	3	5	9	17
1. SINGLE DX	373	2.2	5	<1	1	2	2	3	4	12
2. MULTIPLE DX	770	4.4	23	1	1	3	5	9	13	23
A. NOT OPERATED	222	7.1	31	1	2	6	9	13	20	25
B. OPERATED	921	2.8	12	1	1	2	3	4	7	16
TOTAL 65-69 YRS	507	3.0	8	1	1	2	3	5	8	16
70-74	319	3.7	25	1	1	2	3	8	11	19
75-79	164	4.2	23	1	1	3	5	9	12	21
80-84	96	5.3	24	1	1	4	7	11	15	25
85+	57	4.7	35	<1	<1	2	5	13	21	95
GRAND TOTAL	**1143**	**3.7**	**18**	**1**	**1**	**2**	**4**	**8**	**11**	**22**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	7.8	27	1	2	7	9	16	19	20
70-74	6	5.5	15	<1	<1	5	7	11	12	12
75-79	7	4.3	17	1	1	3	5	11	13	13
80-84	4	7.5	6	6	6	7	9	11	11	11
85+	5	3.6	4	2	2	3	5	7	7	7
B. *Operated*										
65-69 YRS	35	3.8	12	<1	1	2	4	10	11	17
70-74	28	2.6	3	1	1	2	3	5	6	8
75-79	16	3.4	7	1	2	3	3	7	10	11
80-84	9	4.2	23	<1	<1	2	6	12	15	15
85+	7	6.6	20	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	6.9	39	1	3	5	8	13	16	40
70-74	53	8.0	32	2	2	6	11	15	18	32
75-79	53	10.3	78	1	3	8	13	22	30	42
80-84	46	12.2	95	2	3	9	15	26	33	45
85+	36	9.7	86	2	4	7	9	19	34	44
B. *Operated*										
65-69 YRS	87	6.0	63	1	1	3	6	17	25	40
70-74	71	12.8	262	1	1	4	24	37	46	61
75-79	39	12.1	178	1	1	7	15	36	40	47
80-84	20	13.8	194	1	1	9	21	36	43	49
85+	16	7.9	124	1	2	4	7	23	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.0	18	1	1	5	7	12	15	20
B. *Operated*	95	3.6	10	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	255	9.2	65	2	3	7	11	17	26	43
B. *Operated*	233	9.9	166	1	1	4	11	32	39	53
1. SINGLE DX	129	4.2	14	1	1	3	6	10	12	18
2. MULTIPLE DX	488	9.5	113	1	2	5	11	26	35	47
A. NOT OPERATED	289	8.8	60	2	3	6	11	17	25	43
B. OPERATED	328	8.1	129	1	1	3	8	27	36	50
TOTAL 65-69 YRS	201	6.0	45	1	1	4	6	13	20	37
70-74	158	9.1	143	1	1	4	10	29	36	59
75-79	115	9.6	106	1	2	5	12	26	36	44
80-84	79	11.4	113	1	2	8	14	27	36	48
85+	64	8.5	83	2	2	6	8	15	34	44
GRAND TOTAL	**617**	**8.4**	**97**	**1**	**1**	**5**	**10**	**20**	**32**	**46**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	433	3.6	7	1	1	3	5	7	9	14
70-74	350	3.5	6	1	1	3	5	7	8	14
75-79	257	3.6	5	1	1	3	4	6	8	13
80-84	152	4.3	11	1	2	3	5	8	9	22
85+	99	4.1	6	1	2	3	6	7	9	12
B. *Operated*										
65-69 YRS	78	4.0	8	1	1	3	5	8	10	14
70-74	43	5.1	11	2	2	4	6	11	12	15
75-79	24	5.5	10	1	2	6	7	10	12	13
80-84	7	3.9	5	2	2	3	5	8	8	8
85+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1545	4.8	13	1	2	4	6	9	11	16
70-74	1589	5.2	16	1	2	4	7	9	12	18
75-79	1318	5.4	13	2	2	5	7	10	12	19
80-84	987	5.7	16	2	2	5	7	10	13	20
85+	565	6.0	17	2	2	5	8	12	14	21
B. *Operated*										
65-69 YRS	170	6.9	24	2	2	6	9	14	16	22
70-74	150	7.2	23	2	2	6	9	13	16	24
75-79	113	9.0	56	2	2	7	11	18	25	40
80-84	74	8.6	33	2	3	7	11	16	20	27
85+	33	11.3	53	3	4	11	14	21	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1291	3.7	7	1	1	3	5	7	9	13
B. *Operated*	154	4.6	9	1	2	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	6004	5.3	15	1	2	4	7	10	12	18
B. *Operated*	540	7.9	35	2	2	6	10	15	19	27
1. SINGLE DX	1445	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX	6544	5.5	17	1	2	4	7	10	13	20
A. NOT OPERATED	7295	5.0	14	1	2	4	6	9	12	17
B. OPERATED	694	7.2	31	2	2	6	9	14	18	26
TOTAL 65-69 YRS	2226	4.7	13	1	2	4	6	9	11	16
70-74	2132	5.0	15	1	2	4	7	9	12	18
75-79	1712	5.4	16	1	2	4	7	10	13	20
80-84	1220	5.7	17	2	2	5	7	10	14	21
85+	699	6.0	19	2	2	5	8	12	14	22
GRAND TOTAL	**7989**	**5.2**	**16**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	217	2.4	1	1	1	2	3	3	4	6
70-74	109	2.4	1	1	1	2	3	4	4	7
75-79	66	2.4	1	1	1	2	3	4	5	6
80-84	22	2.2	1	1	1	2	3	4	4	4
85+	6	2.8	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.6	30	1	1	4	7	15	15	15
70-74	8	4.9	28	1	1	3	7	14	16	16
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	2	9.0	50	4	4	9	14	14	14	14
85+										
B. *Operated*										
65-69 YRS	86	2.8	2	1	2	3	3	4	5	8
70-74	55	2.6	1	1	1	3	3	4	5	6
75-79	31	3.2	4	1	1	3	4	7	8	9
80-84	10	2.3	1	1	1	2	3	3	3	3
85+	3	7.0	61	2	2	3	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	420	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	17	5.7	24	1	1	4	7	15	16	16
B. *Operated*	185	2.8	3	1	1	3	3	4	6	9
1. SINGLE DX	422	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX	202	3.1	5	1	1	3	3	5	7	15
A. NOT OPERATED	19	5.3	23	1	1	4	7	15	16	16
B. OPERATED	605	2.5	2	1	1	2	3	4	4	8
TOTAL 65-69 YRS	309	2.5	2	1	1	2	3	4	4	7
70-74	172	2.6	3	1	1	2	3	4	5	9
75-79	100	2.7	3	1	1	2	3	5	6	9
80-84	34	2.6	5	1	1	2	3	4	4	14
85+	9	4.2	20	2	2	3	4	11	16	16
GRAND TOTAL	**624**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.6	4	1	1	4	4	5	8	10
70-74	31	3.4	4	<1	1	4	4	6	7	7
75-79	14	3.7	8	1	1	3	7	8	9	9
80-84	9	4.4	12	<1	<1	4	6	10	12	12
85+	5	3.4	8	1	1	2	5	8	8	8
B. *Operated*										
65-69 YRS	183	2.3	3	1	1	2	2	3	5	11
70-74	111	2.4	4	<1	1	2	3	4	5	13
75-79	57	2.7	13	<1	1	2	3	4	5	27
80-84	12	2.0	1	<1	1	2	2	3	4	4
85+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	5.0	11	1	2	4	6	9	10	19
70-74	86	6.7	58	1	1	5	8	12	16	48
75-79	73	6.7	25	1	2	6	9	12	15	28
80-84	45	6.8	29	2	2	5	10	16	17	26
85+	24	6.5	26	<1	2	5	9	12	17	23
B. *Operated*										
65-69 YRS	283	3.4	21	1	1	2	3	6	10	28
70-74	147	3.2	9	1	1	2	4	6	10	14
75-79	88	3.4	9	1	1	2	4	6	11	17
80-84	31	4.9	15	2	2	3	7	11	12	18
85+	25	3.4	6	<1	1	3	4	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.6	5	1	1	4	4	7	8	11
B. *Operated*	366	2.4	5	1	1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	305	6.3	32	1	2	5	8	12	15	24
B. *Operated*	574	3.4	15	1	1	2	4	6	10	20
1. SINGLE DX	445	2.6	5	1	1	2	3	4	6	11
2. MULTIPLE DX	879	4.4	23	1	1	3	5	10	12	23
A. NOT OPERATED	384	5.7	27	1	1	4	7	11	14	23
B. OPERATED	940	3.0	12	1	1	2	3	5	8	17
TOTAL 65-69 YRS	563	3.3	14	1	1	2	3	6	9	19
70-74	375	3.8	21	1	1	2	4	8	11	18
75-79	232	4.3	18	1	1	3	5	9	12	23
80-84	97	5.4	22	1	2	4	7	12	16	22
85+	57	4.6	16	<1	1	3	6	10	12	22
GRAND TOTAL	**1324**	**3.8**	**18**	**1**	**1**	**2**	**4**	**8**	**11**	**20**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	11.3	66	2	2	15	16	17	17	17
70-74	3	7.3		7	7	7	8	8	8	8
75-79	2	10.0	50	5	5	10	15	15	15	15
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	10.8	65	2	3	9	14	20	27	40
70-74	48	8.1	30	3	3	7	10	15	18	32
75-79	40	10.5	100	2	2	7	12	27	30	49
80-84	17	9.5	59	3	4	7	11	15	29	36
85+	13	8.9	70	3	3	5	11	20	30	32
B. *Operated*										
65-69 YRS	28	13.4	137	2	2	11	18	26	39	51
70-74	19	15.3	155	2	2	14	22	35	42	43
75-79	11	19.4	215	3	6	15	24	40	55	56
80-84	6	8.5	38	2	2	7	9	19	20	20
85+	2	23.5	1	23	23	23	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	9.1	24	2	3	8	15	16	17	17
B. *Operated*	3	8.3	16	4	4	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	187	9.8	63	2	3	8	13	20	28	40
B. *Operated*	66	14.8	146	2	2	12	21	28	41	55
1. SINGLE DX	13	8.9	21	2	4	8	13	16	17	17
2. MULTIPLE DX	253	11.1	89	2	2	9	14	23	30	49
A. NOT OPERATED	197	9.8	61	2	3	8	13	19	27	40
B. OPERATED	69	14.5	142	2	2	12	21	28	40	55
TOTAL 65-69 YRS	101	11.5	84	2	2	10	16	21	28	46
70-74	71	10.0	70	2	3	8	12	21	28	42
75-79	54	12.3	128	2	2	8	15	28	30	56
80-84	24	9.2	50	3	4	7	10	15	25	36
85+	16	10.6	82	3	3	7	16	24	30	32
GRAND TOTAL	**266**	**11.0**	**86**	**2**	**2**	**8**	**14**	**23**	**30**	**48**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	7.3	23	2	3	6	10	14	17	19
70-74	23	5.0	9	1	2	5	7	9	11	12
75-79	11	6.5	14	2	3	5	8	12	16	16
80-84	6	7.3	29	<1	<1	6	11	15	16	16
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	94	7.0	48	2	2	3	11	16	18	35
70-74	42	8.2	44	1	1	7	13	18	20	22
75-79	20	7.7	48	1	2	4	13	17	21	24
80-84	1	13.0		13	13	13	13	13	13	13
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	453	8.1	35	2	2	7	10	15	19	31
70-74	429	8.8	45	2	3	7	11	16	19	42
75-79	366	9.3	49	2	3	8	12	17	21	44
80-84	223	11.4	97	3	4	8	14	24	31	48
85+	152	11.6	161	2	3	8	13	21	35	78
B. *Operated*										
65-69 YRS	598	13.1	137	2	2	11	18	26	35	72
70-74	452	14.4	172	2	2	12	20	31	41	70
75-79	188	14.5	164	2	2	11	22	34	38	60
80-84	56	17.8	172	2	2	15	28	37	39	54
85+	19	20.2	296	2	4	13	25	47	59	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	6.2	16	2	2	5	8	12	15	19
B. *Operated*	158	7.5	47	2	2	4	12	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	1623	9.3	62	2	3	8	11	17	22	45
B. *Operated*	1313	14.0	158	2	2	12	19	31	38	65
1. SINGLE DX	216	7.1	39	2	2	5	11	16	19	27
2. MULTIPLE DX	2936	11.4	110	2	2	9	15	24	33	55
A. NOT OPERATED	1681	9.2	61	2	3	7	11	17	22	44
B. OPERATED	1471	13.3	150	2	2	11	19	30	37	64
TOTAL 65-69 YRS	1161	10.6	95	2	2	8	14	21	30	52
70-74	946	11.3	113	2	2	8	15	24	32	54
75-79	585	10.9	91	2	2	8	14	22	32	49
80-84	286	12.5	116	2	3	9	17	27	35	51
85+	174	12.4	179	2	3	9	14	23	41	76
GRAND TOTAL	**3152**	**11.1**	**107**	**2**	**2**	**8**	**15**	**23**	**32**	**55**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	391	4.5	9	1	2	4	6	8	10	16
70-74	356	4.6	8	1	2	4	6	8	10	14
75-79	237	5.1	26	2	2	4	6	8	10	15
80-84	141	5.0	27	1	1	3	6	11	14	25
85+	85	4.9	11	1	2	4	7	10	11	15
B. *Operated*										
65-69 YRS	53	5.3	39	1	1	3	7	11	14	33
70-74	32	5.8	22	1	2	5	8	10	18	21
75-79	15	6.8	26	2	2	5	8	10	20	23
80-84	8	6.4	53	2	2	4	6	19	24	24
85+	6	6.3	21	2	2	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3759	6.5	27	2	2	5	8	12	15	26
70-74	3571	7.0	35	2	2	6	9	13	17	31
75-79	2915	7.2	33	2	2	6	9	13	17	31
80-84	1904	7.4	36	2	2	6	9	14	19	32
85+	1262	8.0	44	2	2	6	10	15	20	36
B. *Operated*										
65-69 YRS	632	10.2	79	2	2	8	14	19	25	49
70-74	517	11.0	108	2	3	8	14	22	30	56
75-79	372	12.4	107	2	3	10	16	25	37	56
80-84	206	13.1	102	3	4	11	17	27	36	55
85+	113	13.3	154	3	3	11	17	25	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1210	4.7	14	1	2	4	6	9	10	16
B. *Operated*	114	5.8	32	1	2	4	8	11	18	31
2. MULTIPLE DX										
A. *Not Operated*	13411	7.0	33	2	2	6	9	13	17	30
B. *Operated*	1840	11.4	101	2	3	9	15	22	31	56
1. SINGLE DX	1324	4.8	16	1	2	4	6	9	11	20
2. MULTIPLE DX	15251	7.6	44	2	2	6	9	14	19	36
A. NOT OPERATED	14621	6.9	32	2	2	5	8	13	17	29
B. OPERATED	1954	11.1	99	2	2	8	14	22	30	56
TOTAL 65-69 YRS	4835	6.8	35	2	2	5	8	13	17	30
70-74	4476	7.3	43	2	2	6	9	14	19	33
75-79	3539	7.6	43	2	2	6	9	14	19	38
80-84	2259	7.8	45	2	2	6	10	15	21	38
85+	1466	8.2	53	2	2	7	10	16	21	40
GRAND TOTAL	**16575**	**7.3**	**42**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	6.6	25	2	2	6	8	11	12	34
70-74	168	5.9	13	2	2	5	8	10	13	16
75-79	141	6.9	19	2	3	6	8	13	17	22
80-84	90	7.1	28	2	3	6	8	14	17	28
85+	93	6.4	18	2	3	5	8	11	15	25
B. *Operated*										
65-69 YRS	22	6.5	91	1	2	2	7	13	26	45
70-74	11	8.4	186	1	1	3	8	27	46	48
75-79	5	5.0	15	<1	<1	4	8	10	10	10
80-84	4	8.0	19	2	2	9	11	12	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2354	8.7	44	2	3	7	11	16	21	36
70-74	2763	9.0	49	2	3	7	11	17	21	39
75-79	2672	9.6	57	3	3	8	12	18	23	43
80-84	2110	10.3	67	3	4	8	13	19	26	46
85+	1714	10.7	81	3	4	8	13	20	27	48
B. *Operated*										
65-69 YRS	401	13.0	156	2	2	10	16	26	32	73
70-74	380	13.5	134	2	4	10	17	26	37	68
75-79	321	14.8	113	3	4	12	20	29	36	56
80-84	200	17.5	210	4	5	14	22	36	44	89
85+	152	19.7	265	4	5	15	27	45	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	6.5	20	2	3	6	8	11	14	25
B. *Operated*	42	6.9	96	1	2	3	9	13	26	48
2. MULTIPLE DX										
A. *Not Operated*	11613	9.6	58	3	3	8	12	18	24	42
B. *Operated*	1454	14.8	164	2	4	11	19	30	40	84
1. SINGLE DX	651	6.5	25	2	2	6	8	11	14	28
2. MULTIPLE DX	13067	10.2	73	3	3	8	12	19	26	46
A. NOT OPERATED	12222	9.4	57	3	3	8	12	18	23	42
B. OPERATED	1496	14.6	164	2	3	11	18	30	40	83
TOTAL 65-69 YRS	2894	9.2	61	2	3	7	11	17	23	40
70-74	3322	9.4	60	2	3	7	11	18	23	44
75-79	3139	10.0	64	3	3	8	12	19	25	43
80-84	2404	10.8	82	3	4	8	13	20	28	50
85+	1959	11.2	99	3	3	8	14	22	29	65
GRAND TOTAL	**13718**	**10.0**	**71**	**2**	**3**	**8**	**12**	**19**	**25**	**46**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	5.9	29	2	2	4	6	16	20	21
70-74	28	8.9	84	2	3	7	11	13	18	52
75-79	17	6.8	30	1	2	6	9	11	19	24
80-84	8	10.3	55	3	3	8	16	21	23	23
85+	3	8.3	33	5	5	5	13	15	15	15
B. *Operated*										
65-69 YRS	42	8.4	45	1	2	7	13	19	22	25
70-74	26	8.3	68	1	2	4	14	19	24	33
75-79	16	12.1	187	1	2	6	16	39	43	44
80-84	4	3.5	1	3	3	3	4	5	5	5
85+	4	5.0	5	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	391	9.9	86	2	2	8	12	19	26	49
70-74	414	11.5	102	3	3	9	14	22	31	68
75-79	372	11.9	115	2	3	9	15	21	30	63
80-84	295	13.0	118	3	4	10	16	25	35	59
85+	213	12.5	102	3	4	9	16	26	40	99+
B. *Operated*										
65-69 YRS	401	14.8	183	2	2	11	20	31	45	69
70-74	308	16.0	201	2	4	11	22	35	53	99+
75-79	204	17.2	293	2	3	12	22	39	73	99+
80-84	98	19.6	217	3	4	16	28	41	53	61
85+	30	16.5	120	3	6	15	22	30	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	7.6	51	2	2	6	9	14	20	43
B. *Operated*	92	8.7	74	1	2	5	13	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	1685	11.6	105	2	3	9	14	22	31	64
B. *Operated*	1041	16.1	212	2	3	12	21	34	51	86
1. SINGLE DX	174	8.2	63	2	2	6	11	18	23	43
2. MULTIPLE DX	2726	13.3	151	2	3	10	17	28	39	77
A. NOT OPERATED	1767	11.4	103	2	3	9	14	22	31	63
B. OPERATED	1133	15.5	205	2	3	11	20	34	49	85
TOTAL 65-69 YRS	860	12.0	134	2	2	8	15	26	34	66
70-74	776	13.1	145	2	3	10	17	27	39	84
75-79	609	13.6	181	2	3	10	17	28	41	83
80-84	405	14.4	149	3	4	11	18	31	40	60
85+	250	12.8	104	3	4	9	16	27	40	99+
GRAND TOTAL	**2900**	**13.0**	**147**	**2**	**3**	**10**	**16**	**27**	**39**	**76**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1762	11.1	19	5	6	11	13	16	18	26
70-74	1459	11.4	22	4	6	11	14	17	19	25
75-79	958	11.9	28	5	6	11	14	17	20	33
80-84	568	11.8	29	4	6	11	14	18	21	27
85+	344	12.0	31	5	6	11	15	18	21	31
B. *Operated*										
65-69 YRS	218	11.8	45	2	2	11	15	20	25	31
70-74	132	13.1	45	2	4	12	16	21	25	34
75-79	71	14.8	55	6	7	14	18	24	31	38
80-84	25	13.8	32	6	7	14	18	21	23	28
85+	12	15.1	45	3	6	15	19	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11342	12.6	40	5	7	12	15	19	23	36
70-74	11266	13.1	47	5	7	12	15	20	25	40
75-79	9630	13.7	55	5	7	12	16	22	26	41
80-84	6770	14.3	61	6	7	13	17	23	28	45
85+	4304	14.6	74	5	7	13	17	24	30	49
B. *Operated*										
65-69 YRS	2841	16.1	119	2	5	14	20	28	35	60
70-74	2106	17.5	115	4	8	15	21	30	38	63
75-79	1492	19.0	131	6	9	16	23	32	41	70
80-84	790	21.3	155	8	10	18	26	39	50	99+
85+	499	21.3	166	8	10	18	25	37	46	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5091	11.5	24	5	6	11	14	17	19	27
B. *Operated*	458	12.9	47	2	3	12	16	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	43312	13.4	52	5	7	12	16	21	26	41
B. *Operated*	7728	17.9	130	4	8	15	22	31	40	69
1. SINGLE DX	5549	11.6	26	4	6	11	14	17	20	28
2. MULTIPLE DX	51040	14.1	67	5	7	13	17	23	28	46
A. NOT OPERATED	48403	13.2	50	5	7	12	15	21	25	40
B. OPERATED	8186	17.6	127	3	7	15	22	31	39	68
TOTAL 65-69 YRS	16163	13.1	54	4	6	12	15	20	25	41
70-74	14963	13.5	57	5	7	12	16	22	27	43
75-79	12151	14.2	65	5	7	13	17	23	28	46
80-84	8153	14.8	72	6	7	13	17	24	31	50
85+	5159	15.1	84	5	7	13	18	25	32	53
GRAND TOTAL	**56589**	**13.9**	**63**	**5**	**7**	**12**	**16**	**22**	**28**	**45**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	777	4.0	6	1	1	3	5	7	9	12
70-74	680	4.2	8	1	2	3	5	8	10	15
75-79	509	4.3	6	1	2	4	6	8	9	13
80-84	314	4.6	17	1	2	4	5	9	10	19
85+	203	4.5	10	1	2	4	6	8	12	16
B. *Operated*										
65-69 YRS	194	3.5	10	1	1	2	4	8	11	17
70-74	92	4.3	25	1	1	2	5	10	13	28
75-79	37	3.2	6	1	2	2	3	7	9	11
80-84	9	3.8	22	1	1	3	3	11	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8304	5.5	13	2	2	5	7	10	12	19
70-74	8688	5.9	18	2	2	5	7	11	13	22
75-79	7477	6.1	20	2	2	5	8	11	14	23
80-84	5187	6.5	26	2	2	5	8	12	15	24
85+	3359	6.5	26	2	2	5	8	12	15	28
B. *Operated*										
65-69 YRS	3673	7.5	55	1	2	5	11	16	21	35
70-74	2352	8.6	75	2	2	6	12	18	24	40
75-79	1083	10.1	86	2	2	8	14	21	27	46
80-84	416	12.6	101	2	3	10	16	24	31	51
85+	191	12.3	103	2	3	10	16	24	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2483	4.2	8	1	2	4	5	8	9	14
B. *Operated*	332	3.7	14	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	33015	6.0	19	2	2	5	7	11	14	22
B. *Operated*	7715	8.6	71	2	2	6	12	18	24	40
1. SINGLE DX	2815	4.2	9	1	2	3	5	8	10	15
2. MULTIPLE DX	40730	6.5	30	2	2	5	8	12	16	28
A. NOT OPERATED	35498	5.9	19	2	2	5	7	11	13	22
B. OPERATED	8047	8.4	70	1	2	6	12	18	23	40
TOTAL 65-69 YRS	12948	6.0	26	1	2	5	8	12	15	25
70-74	11812	6.3	30	2	2	5	8	12	16	27
75-79	9106	6.5	29	2	2	5	8	12	16	28
80-84	5926	6.8	33	2	2	5	8	13	17	30
85+	3753	6.7	31	2	2	5	8	13	16	30
GRAND TOTAL	**43545**	**6.3**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	702	5.2	10	2	2	5	7	9	11	15
70-74	661	5.4	13	2	2	5	7	10	13	18
75-79	521	6.0	31	2	2	5	7	10	13	22
80-84	289	5.8	15	1	2	5	7	11	13	18
85+	195	6.3	32	2	2	5	7	10	14	34
B. *Operated*										
65-69 YRS	107	7.1	32	1	2	6	11	14	18	27
70-74	51	8.3	54	1	2	5	12	19	26	32
75-79	21	7.2	52	1	2	6	8	11	22	36
80-84	5	11.8	77	3	3	12	20	21	21	21
85+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7536	6.8	20	2	3	6	8	12	15	23
70-74	7726	7.2	27	2	3	6	9	13	16	26
75-79	6700	7.6	28	2	3	6	9	13	17	28
80-84	4590	7.8	34	2	3	6	10	14	18	29
85+	2862	8.2	42	2	3	7	10	15	20	35
B. *Operated*										
65-69 YRS	2418	11.6	88	2	2	10	15	22	28	49
70-74	1731	12.8	93	2	3	11	17	24	31	50
75-79	918	14.1	107	2	4	12	18	27	33	56
80-84	367	16.1	167	3	5	13	20	32	41	75
85+	160	15.4	161	4	5	13	18	28	38	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2368	5.6	18	2	2	5	7	10	13	21
B. *Operated*	186	7.6	41	1	2	6	11	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	29414	7.4	28	2	3	6	9	13	17	27
B. *Operated*	5594	12.8	102	2	3	11	16	24	31	53
1. SINGLE DX	2554	5.8	20	2	2	5	7	10	13	21
2. MULTIPLE DX	35008	8.2	44	2	3	7	10	15	20	34
A. NOT OPERATED	31782	7.2	28	2	3	6	9	13	16	27
B. OPERATED	5780	12.6	101	2	2	11	16	24	31	53
TOTAL 65-69 YRS	10763	7.8	39	2	3	6	10	15	19	32
70-74	10169	8.0	42	2	3	6	10	15	19	33
75-79	8160	8.2	42	2	3	6	10	15	20	33
80-84	5251	8.3	47	2	3	7	10	15	20	36
85+	3219	8.4	50	2	3	7	10	16	21	38
GRAND TOTAL	**37562**	**8.1**	**43**	**2**	**3**	**6**	**10**	**15**	**19**	**33**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	349	4.6	10	1	1	4	6	9	11	16
70-74	294	4.9	12	2	2	4	6	9	11	18
75-79	232	5.5	16	2	2	4	7	10	14	21
80-84	141	6.3	31	1	2	5	8	12	17	50
85+	112	6.0	17	2	2	5	7	12	16	20
B. *Operated*										
65-69 YRS	2228	6.1	[illegible]	1	2	3	10	14	17	25
70-74	1039	6.4	[illegible]	1	2	3	11	15	18	27
75-79	305	7.6	[illegible]	1	2	4	12	18	21	31
80-84	61	8.1	47	1	2	7	12	19	22	29
85+	15	7.9	104	1	1	4	11	17	34	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5618	7.0	27	2	2	6	9	13	16	27
70-74	6130	7.5	32	2	3	6	9	14	17	27
75-79	5907	8.2	41	2	3	6	10	15	20	35
80-84	4586	8.8	57	2	3	7	11	16	22	39
85+	4057	9.2	59	2	3	7	11	18	23	41
B. *Operated*										
65-69 YRS	8128	9.7	84	2	2	8	13	20	25	45
70-74	5025	11.0	98	2	2	9	15	22	30	51
75-79	2145	12.5	118	2	2	10	17	26	33	56
80-84	710	13.5	112	2	3	11	18	27	34	59
85+	406	14.8	134	2	4	12	19	30	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1128	5.2	16	1	2	4	7	10	13	20
B. *Operated*	3648	6.4	37	1	2	3	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	26298	8.0	42	2	3	6	10	15	19	34
B. *Operated*	16414	10.7	97	2	2	9	15	22	29	50
1. SINGLE DX	4776	6.1	33	1	2	3	9	14	17	25
2. MULTIPLE DX	42712	9.1	65	2	2	7	12	18	24	41
A. NOT OPERATED	27426	7.9	41	2	3	6	10	15	19	34
B. OPERATED	20062	9.9	89	2	2	8	14	21	27	47
TOTAL 65-69 YRS	16323	8.1	58	2	2	6	11	16	21	36
70-74	12488	8.7	62	2	2	7	12	18	23	41
75-79	8589	9.2	64	2	2	7	12	18	24	41
80-84	5498	9.4	66	2	3	7	12	18	24	41
85+	4590	9.6	68	2	3	7	12	19	24	44
GRAND TOTAL	**47488**	**8.8**	**62**	**2**	**2**	**7**	**11**	**17**	**23**	**40**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	177	10.7	17	5	6	10	13	16	18	25
70-74	147	11.0	29	5	5	10	14	19	21	29
75-79	108	11.2	20	4	7	10	14	16	20	25
80-84	74	11.5	30	4	6	11	14	17	22	33
85+	43	11.6	49	2	4	10	14	20	29	33
B. *Operated*										
65-69 YRS	23	14.5	49	7	8	12	18	23	29	35
70-74	28	12.0	46	3	6	10	13	21	30	32
75-79	19	12.5	13	6	8	13	15	17	19	19
80-84	9	12.0	18	4	6	11	14	18	19	19
85+	2	20.5	365	7	7	20	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1176	12.8	40	5	7	12	16	20	24	36
70-74	1167	13.0	41	5	7	12	15	20	25	35
75-79	1011	13.9	55	5	7	12	17	23	28	41
80-84	715	14.9	81	5	7	13	17	23	31	53
85+	511	15.5	88	5	6	13	19	27	34	56
B. *Operated*										
65-69 YRS	359	18.3	157	7	8	14	22	33	43	71
70-74	340	18.3	132	7	8	15	22	32	41	66
75-79	238	18.1	120	6	8	16	22	33	42	89
80-84	182	18.9	132	7	9	16	24	34	40	47
85+	98	18.8	131	7	9	15	24	35	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	11.1	25	4	6	10	14	17	21	29
B. *Operated*	81	13.1	41	5	7	12	16	21	28	35
2. MULTIPLE DX										
A. *Not Operated*	4580	13.7	56	5	7	12	16	22	28	42
B. *Operated*	1217	18.4	137	7	8	15	22	33	42	68
1. SINGLE DX	630	11.3	28	4	6	10	14	17	21	29
2. MULTIPLE DX	5797	14.7	77	5	7	13	17	25	31	49
A. NOT OPERATED	5129	13.4	53	5	7	12	16	22	27	41
B. OPERATED	1298	18.1	132	7	8	15	22	33	41	67
TOTAL 65-69 YRS	1735	13.8	68	6	7	12	16	22	28	45
70-74	1682	13.9	64	5	7	12	16	23	28	45
75-79	1376	14.4	66	5	7	13	17	24	30	45
80-84	980	15.4	90	5	7	13	18	26	34	52
85+	654	15.7	94	5	7	13	19	29	36	59
GRAND TOTAL	**6427**	**14.4**	**73**	**5**	**7**	**12**	**17**	**24**	**30**	**48**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	24.5	273	5	6	29	32	50	51	51
70-74	9	22.6	137	3	5	25	32	36	36	36
75-79	8	24.9	92	11	12	25	33	36	37	37
80-84	4	27.0	149	16	16	24	35	44	44	44
85+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
65-69 YRS	2	39.5	61	34	34	39	45	45	45	45
70-74										
75-79	1	35.0		35	35	35	35	35	35	35
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	110	25.0	187	3	6	27	34	43	45	55
70-74	113	29.2	212	5	8	31	41	47	53	61
75-79	75	30.2	233	7	11	30	38	47	55	88
80-84	42	32.2	193	6	13	31	41	51	56	64
85+	43	32.8	212	9	17	32	38	56	62	65
B. *Operated*										
65-69 YRS	51	36.2	211	10	18	37	45	56	63	99
70-74	38	38.6	453	12	15	34	56	80	94	99+
75-79	43	38.0	389	11	16	36	56	64	85	99+
80-84	16	43.0	284	22	29	39	54	83	95	99+
85+	14	35.6	261	9	11	39	44	74	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	24.2	156	5	8	25	33	38	49	51
B. *Operated*	3	38.0	37	34	34	35	42	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	383	28.9	212	5	8	30	38	47	54	63
B. *Operated*	162	37.9	323	11	16	37	51	67	88	99+
1. SINGLE DX	36	25.3	160	5	9	27	34	43	48	51
2. MULTIPLE DX	545	31.6	261	6	10	31	42	54	61	99+
A. NOT OPERATED	416	28.6	209	5	8	30	37	46	53	62
B. OPERATED	165	37.9	317	11	16	37	51	67	88	99+
TOTAL 65-69 YRS	174	28.4	223	4	7	30	40	48	52	67
70-74	160	31.0	282	6	10	31	43	54	63	98
75-79	127	32.6	289	8	12	30	41	57	59	98
80-84	62	34.6	233	8	17	33	43	55	66	98
85+	58	33.3	221	10	16	32	40	58	64	98
GRAND TOTAL	**581**	**31.2**	**257**	**6**	**10**	**31**	**42**	**53**	**60**	**99**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	130	3.1	6	<1	1	2	4	6	8	12
70-74	112	3.1	4	<1	1	3	4	6	7	10
75-79	64	3.1	4	1	1	3	4	5	7	11
80-84	44	4.3	19	<1	1	3	5	9	12	25
85+	31	3.5	7	1	1	3	3	6	8	15
B. *Operated*										
65-69 YRS	8	5.3	22	1	1	4	9	12	13	13
70-74	5	3.6	2	2	2	4	5	5	5	5
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	5.0	32	1	1	5	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	742	5.1	20	1	2	4	6	9	12	18
70-74	766	5.5	21	1	2	4	7	11	13	20
75-79	604	6.1	27	2	2	5	7	12	15	27
80-84	404	6.7	30	1	2	5	9	13	16	32
85+	310	7.2	32	2	2	6	9	13	17	30
B. *Operated*										
65-69 YRS	69	10.2	132	2	2	7	11	23	32	70
70-74	62	12.1	91	3	4	9	13	28	33	94
75-79	55	10.9	95	2	2	8	15	27	32	40
80-84	36	10.8	35	4	5	9	14	19	23	26
85+	21	12.6	150	3	4	9	16	21	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	3.3	7	1	1	3	4	6	8	13
B. *Operated*	16	5.3	20	1	1	4	8	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	2826	5.9	25	1	2	5	7	11	14	26
B. *Operated*	243	11.1	99	2	3	8	13	26	32	61
1. SINGLE DX	397	3.4	8	1	1	3	4	6	8	14
2. MULTIPLE DX	3069	6.3	33	1	2	5	8	12	16	31
A. NOT OPERATED	3207	5.6	24	1	2	4	7	11	14	25
B. OPERATED	259	10.8	96	2	3	8	13	24	32	59
TOTAL 65-69 YRS	949	5.2	28	1	1	4	6	10	13	31
70-74	945	5.6	27	1	2	4	7	11	14	28
75-79	724	6.3	33	1	2	5	7	12	16	32
80-84	486	6.8	31	1	2	5	9	14	17	29
85+	362	7.2	39	1	2	5	9	13	19	32
GRAND TOTAL	**3466**	**6.0**	**31**	**1**	**2**	**4**	**7**	**12**	**15**	**30**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	528	3.2	6	1	1	2	4	6	8	12
70-74	497	3.5	9	<1	1	3	5	7	8	13
75-79	354	3.9	11	<1	1	3	5	8	10	18
80-84	224	4.3	11	1	1	4	6	9	10	14
85+	160	5.4	23	1	2	4	7	11	15	24
B. *Operated*										
65-69 YRS	24	4.0	15	1	1	2	5	10	13	16
70-74	18	4.9	8	1	2	4	7	9	10	11
75-79	20	5.9	16	1	2	5	8	10	14	18
80-84	12	7.0	8	4	4	6	9	11	13	13
85+	6	6.5	20	3	3	5	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4272	5.9	25	1	2	5	8	11	15	26
70-74	5086	6.5	33	1	2	5	8	12	16	30
75-79	4629	6.9	34	2	2	5	9	13	17	28
80-84	3442	7.9	49	2	2	6	10	15	20	34
85+	2974	8.6	63	2	3	7	11	16	21	43
B. *Operated*										
65-69 YRS	522	10.9	77	2	3	9	14	22	28	46
70-74	545	11.6	75	2	3	10	15	24	32	57
75-79	582	13.3	94	3	4	11	17	26	34	62
80-84	472	14.7	164	4	4	11	18	27	39	81
85+	328	15.6	164	3	5	12	19	32	46	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1763	3.8	10	1	1	3	5	8	10	15
B. *Operated*	80	5.3	14	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	20403	7.0	39	1	2	5	9	13	17	31
B. *Operated*	2449	13.0	112	3	4	10	16	26	34	70
1. SINGLE DX	1843	3.8	11	1	1	3	5	8	10	16
2. MULTIPLE DX	22852	7.7	50	2	2	6	9	15	20	37
A. NOT OPERATED	22166	6.8	38	1	2	5	8	13	17	31
B. OPERATED	2529	12.8	110	2	4	10	16	26	33	69
TOTAL 65-69 YRS	5346	6.1	31	1	2	5	8	12	16	28
70-74	6146	6.7	37	1	2	5	8	13	17	33
75-79	5585	7.4	43	1	2	6	9	14	19	34
80-84	4150	8.5	65	2	2	6	10	16	22	43
85+	3468	9.1	75	2	3	7	11	17	24	49
GRAND TOTAL	**24695**	**7.4**	**48**	**1**	**2**	**6**	**9**	**14**	**19**	**36**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	485	4.3	8	1	1	3	6	8	10	15
70-74	463	4.3	11	1	1	3	6	8	10	15
75-79	354	4.8	12	1	2	4	6	9	12	18
80-84	257	4.9	22	1	1	4	6	9	12	24
85+	198	5.3	20	1	1	4	6	10	13	25
B. *Operated*										
65-69 YRS	299	6.6	19	2	3	6	8	12	14	23
70-74	333	6.7	18	2	3	6	9	11	14	25
75-79	390	6.8	15	2	3	6	9	12	15	19
80-84	325	7.6	31	3	3	7	9	13	16	31
85+	287	8.2	31	3	3	7	11	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5813	6.5	28	2	2	5	8	12	16	25
70-74	6277	7.0	34	2	2	6	9	13	17	30
75-79	5785	7.5	39	2	2	6	9	14	18	32
80-84	4288	8.0	45	2	3	6	10	15	19	36
85+	3651	8.2	46	2	3	7	10	15	20	36
B. *Operated*										
65-69 YRS	2280	10.4	72	2	3	8	13	19	26	47
70-74	3055	10.8	72	3	4	9	13	20	27	47
75-79	3459	11.4	74	3	4	9	14	21	26	49
80-84	2874	11.9	84	3	4	10	15	22	29	52
85+	2557	12.6	101	3	4	10	15	23	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1757	4.6	13	1	1	4	6	8	11	18
B. *Operated*	1634	7.2	23	2	3	6	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	25814	7.3	38	2	2	6	9	14	18	31
B. *Operated*	14225	11.4	81	3	4	9	14	21	28	52
1. SINGLE DX	3391	5.8	19	1	2	5	7	11	14	22
2. MULTIPLE DX	40039	8.8	57	2	3	7	11	17	22	40
A. NOT OPERATED	27571	7.2	36	2	2	6	9	13	17	31
B. OPERATED	15859	11.0	76	3	4	9	14	20	27	50
TOTAL 65-69 YRS	8877	7.4	41	2	2	6	9	14	18	32
70-74	10128	8.0	48	2	2	6	10	15	20	36
75-79	9988	8.8	53	2	3	7	11	17	21	37
80-84	7744	9.3	62	2	3	7	11	17	23	45
85+	6693	9.8	71	2	3	8	12	19	25	49
GRAND TOTAL	**43430**	**8.6**	**54**	**2**	**3**	**7**	**11**	**16**	**21**	**39**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	587	7.0	31	2	2	5	9	13	18	31
70-74	824	7.2	43	2	2	6	9	13	18	27
75-79	933	6.9	26	2	3	6	9	12	15	28
80-84	867	7.0	26	2	2	6	9	14	17	27
85+	1021	7.7	36	2	3	6	9	14	18	31
B. *Operated*										
65-69 YRS	21	12.2	176	2	2	7	19	29	45	53
70-74	29	6.6	15	2	3	6	7	11	15	20
75-79	19	12.1	56	2	3	11	18	26	64	99+
80-84	21	9.8	51	3	4	8	10	18	26	34
85+	22	10.0	57	3	3	7	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14780	9.3	51	2	3	8	11	17	22	38
70-74	19427	9.5	56	3	3	8	12	17	23	39
75-79	21583	9.9	57	3	3	8	12	18	24	40
80-84	19440	10.3	68	3	4	8	13	19	25	44
85+	20829	10.7	77	3	4	8	13	20	27	50
B. *Operated*										
65-69 YRS	1862	16.5	157	4	5	13	21	32	42	68
70-74	2171	16.9	167	4	5	14	21	34	45	69
75-79	2244	17.6	172	4	6	14	22	34	45	94
80-84	1783	18.5	176	5	6	15	24	36	46	85
85+	1618	18.8	187	5	7	15	24	36	50	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4232	7.2	33	2	2	6	9	13	17	29
B. *Operated*	112	9.8	69	2	3	7	12	20	28	70
2. MULTIPLE DX										
A. *Not Operated*	96059	10.0	63	3	3	8	12	18	24	43
B. *Operated*	9678	17.6	172	4	6	14	22	34	45	82
1. SINGLE DX	4344	7.2	34	2	2	6	9	14	18	29
2. MULTIPLE DX	105737	10.7	78	3	3	8	13	20	27	49
A. NOT OPERATED	100291	9.8	62	3	3	8	12	18	24	42
B. OPERATED	9790	17.5	171	4	6	14	22	34	45	82
TOTAL 65-69 YRS	17250	10.0	67	3	3	8	12	19	25	43
70-74	22451	10.1	71	3	3	8	12	19	25	46
75-79	24779	10.4	72	3	3	8	13	20	26	46
80-84	22111	10.8	80	3	4	8	13	21	27	49
85+	23490	11.1	88	3	4	9	14	21	28	55
GRAND TOTAL	**110081**	**10.5**	**76**	**3**	**3**	**8**	**13**	**20**	**27**	**48**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	6.2	33	2	2	5	8	11	15	36
70-74	158	6.4	22	2	2	5	8	11	14	27
75-79	111	6.7	27	2	2	5	9	12	15	30
80-84	64	7.2	45	2	3	5	8	14	20	42
85+	46	6.3	22	2	2	5	8	12	14	26
B. *Operated*										
65-69 YRS	336	5.7	31	1	2	2	10	14	17	22
70-74	206	7.9	66	1	2	3	12	21	26	33
75-79	92	6.7	70	1	1	2	8	20	29	32
80-84	30	8.4	103	1	1	5	11	21	28	48
85+	9	11.2	66	1	3	7	16	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2863	8.7	51	2	3	7	11	16	21	38
70-74	2654	8.9	47	2	3	7	11	17	22	37
75-79	2337	9.2	55	2	3	7	12	18	23	36
80-84	1638	9.8	74	2	3	8	12	18	26	50
85+	1291	10.2	80	2	3	8	13	20	28	47
B. *Operated*										
65-69 YRS	1875	11.3	117	2	2	9	15	25	34	57
70-74	1564	12.7	144	2	2	10	17	27	36	67
75-79	984	14.2	178	2	2	11	19	30	40	69
80-84	403	15.8	156	2	3	13	20	32	40	62
85+	181	16.4	175	3	4	13	21	34	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	6.5	29	2	2	5	8	11	15	34
B. *Operated*	673	6.7	52	1	2	3	11	16	22	29
2. MULTIPLE DX										
A. *Not Operated*	10783	9.2	58	2	3	7	11	17	23	40
B. *Operated*	5007	12.9	145	2	2	10	17	28	37	63
1. SINGLE DX	1247	6.6	41	1	2	4	9	14	19	29
2. MULTIPLE DX	15790	10.4	88	2	2	8	13	21	29	48
A. NOT OPERATED	11357	9.1	57	2	3	7	11	17	23	40
B. OPERATED	5680	12.1	138	2	2	10	16	27	35	59
TOTAL 65-69 YRS	5269	9.3	75	2	2	7	12	19	25	45
70-74	4582	10.1	84	2	2	8	13	21	28	48
75-79	3524	10.5	95	2	2	8	13	22	29	47
80-84	2135	10.8	95	2	3	8	13	22	30	54
85+	1527	10.9	94	2	3	8	14	22	31	51
GRAND TOTAL	**17037**	**10.1**	**86**	**2**	**2**	**8**	**13**	**21**	**28**	**47**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	5.8	16	2	2	5	8	10	15	18
70-74	24	6.5	31	2	2	4	9	13	21	23
75-79	23	5.7	24	<1	1	4	8	13	17	20
80-84	22	4.5	10	<1	1	4	6	10	11	11
85+	14	6.6	31	1	1	5	8	17	19	19
B. *Operated*										
65-69 YRS	8	7.9	64	2	2	3	13	21	23	23
70-74	10	4.4	9	2	2	3	6	9	10	10
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	7.0	25	2	3	6	9	13	16	26
70-74	895	8.1	46	2	3	6	10	15	19	35
75-79	1024	8.7	62	2	3	6	11	16	22	45
80-84	932	9.5	77	2	3	7	11	18	24	39
85+	921	9.9	75	3	3	7	12	19	27	47
B. *Operated*										
65-69 YRS	251	9.9	89	2	2	7	15	21	27	43
70-74	241	10.9	98	2	2	9	14	22	32	54
75-79	157	13.7	141	2	3	11	17	30	42	53
80-84	130	14.3	178	2	3	11	19	32	47	99+
85+	86	16.6	149	3	3	15	20	28	33	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	5.8	22	1	2	4	8	11	17	22
B. *Operated*	20	6.2	31	2	2	3	9	13	19	23
2. MULTIPLE DX										
A. *Not Operated*	4470	8.7	60	2	3	7	11	16	22	41
B. *Operated*	865	12.2	125	2	2	9	16	26	33	60
1. SINGLE DX	121	5.8	23	1	2	4	8	11	17	23
2. MULTIPLE DX	5335	9.3	72	2	3	7	11	18	25	44
A. NOT OPERATED	4571	8.7	59	2	3	7	11	16	22	41
B. OPERATED	885	12.1	123	2	2	9	16	26	33	60
TOTAL 65-69 YRS	975	7.7	43	2	2	6	10	16	19	32
70-74	1170	8.6	58	2	2	7	10	16	21	36
75-79	1206	9.3	75	2	3	7	12	18	26	48
80-84	1084	9.9	90	2	3	7	12	20	28	51
85+	1021	10.4	84	2	3	8	13	20	28	52
GRAND TOTAL	**5456**	**9.2**	**71**	**2**	**3**	**7**	**11**	**18**	**25**	**44**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	8.5	227	<1	<1	3	8	30	50	52
70-74	11	8.9	84	<1	1	6	12	25	29	29
75-79	8	15.8	176	2	2	13	21	37	43	43
80-84	8	21.3	564	<1	1	11	39	59	62	62
85+	2	11.0	162	2	2	11	20	20	20	20
B. *Operated*										
65-69 YRS	23	19.6	140	2	2	18	28	40	66	99+
70-74	12	15.7	184	2	2	16	26	54	91	99+
75-79	2	21.0	72	15	15	21	27	27	27	27
80-84	5	48.6	994	10	10	54	75	84	84	84
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	13.7	261	1	1	9	18	31	56	70
70-74	26	17.7	379	2	2	16	27	42	94	99+
75-79	38	18.5	285	2	4	14	25	35	79	99+
80-84	32	20.5	126	5	6	20	32	43	89	99+
85+	20	21.2	131	5	7	22	30	40	71	99+
B. *Operated*										
65-69 YRS	99	32.4	357	9	12	28	45	69	84	99+
70-74	65	34.0	363	13	14	31	48	69	96	99+
75-79	35	37.1	732	5	10	28	61	96	99	99+
80-84	8	33.4	440	6	11	32	53	90	99+	99+
85+	5	24.6	95	9	12	30	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	12.7	243	<1	1	6	18	36	52	62
B. *Operated*	42	22.0	324	2	2	18	29	56	89	99+
2. MULTIPLE DX										
A. *Not Operated*	143	18.2	240	2	3	16	27	36	72	99+
B. *Operated*	212	33.5	415	9	13	29	48	74	99+	99+
1. SINGLE DX	82	17.5	303	1	2	15	24	51	65	99+
2. MULTIPLE DX	355	27.4	400	3	6	24	38	67	97	99+
A. NOT OPERATED	183	17.0	245	1	2	14	25	36	63	99+
B. OPERATED	254	31.6	417	6	11	27	46	73	99+	99+
TOTAL 65-69 YRS	160	25.8	375	1	3	22	38	58	75	99+
70-74	114	25.9	407	2	3	22	37	63	95	99+
75-79	83	26.1	538	3	4	21	33	69	97	99+
80-84	53	25.2	366	4	5	22	35	71	95	99+
85+	27	21.1	127	4	7	23	31	74	99+	99+
GRAND TOTAL	**437**	**25.5**	**396**	**2**	**4**	**22**	**35**	**63**	**95**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	34.0		34	34	34	34	34	34	34
70-74	4	32.5	590	1	1	37	51	54	54	54
75-79	2	30.0	392	16	16	30	44	44	44	44
80-84	2	37.5	145	29	29	37	46	46	46	46
85+										
B. *Operated*										
65-69 YRS	8	46.0	834	11	11	53	78	93	99+	99+
70-74	5	42.6	240	22	23	50	58	96	99+	99+
75-79	4	30.8	134	17	17	37	57	99+	99+	99+
80-84	3	43.0	1369	6	6	43	71	80	80	80
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	33.2	296	1	7	34	47	52	54	54
B. *Operated*	20	41.7	556	9	12	43	75	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	29	39.0	478	6	12	43	57	88	99+	99+
A. NOT OPERATED	9	33.2	296	1	7	34	47	52	54	54
B. OPERATED	20	41.7	556	9	12	43	75	99+	99+	99+
TOTAL 65-69 YRS	9	44.7	746	11	11	47	77	91	99+	99+
70-74	9	38.1	370	1	11	46	57	79	99+	99+
75-79	6	30.5	159	16	16	37	44	89	99+	99+
80-84	5	40.8	730	6	6	43	54	80	80	80
85+										
GRAND TOTAL	**29**	**39.0**	**478**	**6**	**12**	**43**	**57**	**88**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	8.6	82	<1	<1	7	12	14	28	45
70-74	22	11.6	105	<1	1	9	19	26	32	35
75-79	53	13.3	164	1	2	11	17	28	37	75
80-84	27	10.3	83	<1	1	10	14	22	32	35
85+	25	11.0	133	2	2	9	12	21	32	59
B. *Operated*										
65-69 YRS	70	13.6	125	5	5	10	16	25	30	70
70-74	64	11.6	73	3	4	9	14	21	24	52
75-79	51	19.5	276	4	7	15	23	38	50	98
80-84	35	12.1	56	4	6	11	13	21	31	35
85+	15	16.6	95	6	7	14	22	35	36	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	216	17.3	205	1	4	13	23	37	52	71
70-74	245	17.0	240	2	3	13	21	39	58	90
75-79	272	18.6	205	4	6	16	23	39	53	99+
80-84	247	19.0	177	4	5	16	24	36	48	70
85+	210	17.8	187	2	4	15	23	34	51	78
B. *Operated*										
65-69 YRS	222	21.3	280	5	7	16	28	44	58	91
70-74	209	24.1	354	6	7	19	33	63	88	99+
75-79	224	23.9	360	4	7	17	32	58	67	99+
80-84	152	23.7	193	8	10	20	30	48	57	99+
85+	97	26.0	321	6	8	24	35	49	68	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	11.3	122	<1	1	9	14	23	34	56
B. *Operated*	235	14.3	139	4	5	11	17	28	35	60
2. MULTIPLE DX										
A. *Not Operated*	1190	18.0	203	3	4	15	23	37	51	88
B. *Operated*	904	23.5	307	6	7	19	31	51	68	99+
1. SINGLE DX	391	13.1	134	1	3	10	16	26	35	59
2. MULTIPLE DX	2094	20.4	255	4	6	16	26	44	59	99+
A. NOT OPERATED	1346	17.2	198	2	4	14	22	36	49	85
B. OPERATED	1139	21.6	286	5	7	16	28	48	64	99+
TOTAL 65-69 YRS	537	18.0	230	3	5	14	23	38	50	77
70-74	540	18.9	279	3	4	14	26	43	65	99+
75-79	600	20.2	274	3	6	16	25	46	60	99+
80-84	461	19.5	182	4	6	16	25	38	50	75
85+	347	19.6	235	3	5	15	25	39	55	85
GRAND TOTAL	**2485**	**19.2**	**243**	**3**	**5**	**15**	**25**	**40**	**56**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	70	27.0	352	6	8	21	36	64	76	99+
70-74	96	23.8	286	5	7	21	31	44	62	98
75-79	95	25.7	309	4	6	23	36	56	66	99+
80-84	94	24.3	295	7	9	21	30	59	82	99+
85+	71	23.7	308	6	9	19	34	55	81	99+
B. *Operated*										
65-69 YRS	54	32.2	398	8	11	29	51	83	99+	99+
70-74	35	33.6	372	8	11	33	47	62	67	76
75-79	40	35.2	465	8	14	32	53	64	73	92
80-84	38	29.9	303	10	11	28	45	82	99+	99+
85+	18	38.2	418	5	10	38	53	77	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	426	24.9	306	6	8	21	34	55	73	99+
B. *Operated*	185	33.2	387	9	11	30	51	69	91	99+
1. SINGLE DX										
2. MULTIPLE DX	611	27.4	345	6	9	23	38	62	79	99+
A. NOT OPERATED	426	24.9	306	6	8	21	34	55	73	99+
B. OPERATED	185	33.2	387	9	11	30	51	69	91	99+
TOTAL 65-69 YRS	124	29.3	375	7	9	24	43	70	85	99+
70-74	131	26.4	326	5	8	22	35	53	66	97
75-79	135	28.5	371	5	6	23	40	59	67	99+
80-84	132	25.9	301	8	10	23	34	65	94	99+
85+	89	26.7	360	6	9	22	40	63	82	99+
GRAND TOTAL	**611**	**27.4**	**345**	**6**	**9**	**23**	**38**	**62**	**79**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	3.6	8	1	1	2	5	7	10	12
70-74	43	4.3	15	1	1	3	5	9	12	22
75-79	30	4.1	22	1	1	3	5	7	8	26
80-84	19	4.9	32	1	1	3	5	9	19	26
85+	8	3.9	3	1	1	4	5	6	6	6
B. *Operated*										
65-69 YRS	1211	6.4	21	2	2	5	8	12	15	24
70-74	1121	6.4	22	2	2	5	8	12	15	24
75-79	744	6.4	19	1	2	5	8	12	15	22
80-84	288	6.7	27	1	2	6	8	14	17	27
85+	68	6.3	15	1	2	6	9	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	362	7.2	71	1	2	5	9	14	20	50
70-74	403	7.3	53	1	2	5	9	14	20	41
75-79	397	8.4	56	2	2	6	10	17	23	41
80-84	269	8.8	87	2	2	6	10	18	24	44
85+	184	9.4	78	2	4	7	12	18	23	68
B. *Operated*										
65-69 YRS	3996	9.0	61	2	3	7	11	17	23	40
70-74	3840	9.4	61	2	3	7	12	18	24	38
75-79	2629	9.8	67	2	3	8	12	19	24	41
80-84	1054	10.6	77	2	3	8	14	20	27	44
85+	331	10.4	67	2	3	8	14	21	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	4.1	15	1	1	3	5	7	11	26
B. *Operated*	3432	6.4	21	2	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1615	8.0	67	1	2	6	10	16	22	46
B. *Operated*	11850	9.5	64	2	3	7	12	18	24	40
1. SINGLE DX	3579	6.3	21	1	2	5	8	12	15	24
2. MULTIPLE DX	13465	9.3	65	2	3	7	11	18	24	41
A. NOT OPERATED	1762	7.7	64	1	2	6	9	16	22	46
B. OPERATED	15282	8.8	56	2	2	7	11	17	22	38
TOTAL 65-69 YRS	5616	8.3	54	2	2	6	10	16	21	38
70-74	5407	8.6	54	2	2	7	11	17	22	37
75-79	3800	8.9	58	2	2	7	11	18	22	38
80-84	1630	9.6	72	2	2	7	12	19	26	43
85+	591	9.5	65	2	3	7	12	19	23	47
GRAND TOTAL	**17044**	**8.7**	**57**	**2**	**2**	**7**	**11**	**17**	**22**	**38**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	18.3	522	1	2	11	19	40	86	90
70-74	33	16.3	343	2	2	9	16	38	59	95
75-79	19	19.7	479	4	5	13	23	56	78	84
80-84	20	14.7	136	4	4	9	23	31	38	44
85+	11	24.8	210	9	13	19	30	44	61	63
B. *Operated*										
65-69 YRS	192	16.9	235	2	3	12	24	43	53	99+
70-74	177	18.8	259	2	3	14	26	40	52	99+
75-79	103	18.2	270	3	5	13	25	39	58	99
80-84	40	21.1	349	2	3	17	27	44	59	86
85+	15	18.7	335	2	3	11	30	50	57	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	119	17.9	368	2	4	12	21	35	67	89
B. *Operated*	527	18.1	261	2	3	13	25	43	53	99+
1. SINGLE DX										
2. MULTIPLE DX	646	18.1	280	2	4	13	24	42	54	99
A. NOT OPERATED	119	17.9	368	2	4	12	21	35	67	89
B. OPERATED	527	18.1	261	2	3	13	25	43	53	99+
TOTAL 65-69 YRS	228	17.1	279	2	3	12	23	43	54	99+
70-74	210	18.4	271	2	3	14	25	39	53	99
75-79	122	18.4	299	3	5	13	24	40	59	99
80-84	60	19.0	284	2	4	14	25	43	48	84
85+	26	21.3	281	3	4	17	30	49	61	63
GRAND TOTAL	**646**	**18.1**	**280**	**2**	**4**	**13**	**24**	**42**	**54**	**99**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	174	9.5	69	2	2	7	11	22	29	89
70-74	209	10.3	78	2	3	8	13	21	28	43
75-79	206	11.5	92	2	3	8	15	23	31	49
80-84	162	13.0	131	2	3	9	18	28	33	57
85+	125	11.4	67	3	4	9	14	20	30	43
B. *Operated*										
65-69 YRS	57	9.0	54	1	2	7	11	20	23	39
70-74	33	9.4	84	2	3	8	9	20	26	49
75-79	34	13.0	297	1	2	7	15	30	38	95
80-84	10	11.9	110	2	2	9	13	30	33	33
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1654	12.9	129	3	4	10	16	26	37	67
70-74	2270	13.4	136	3	4	10	16	27	37	71
75-79	2385	14.1	148	3	4	10	18	29	40	79
80-84	2099	15.1	157	3	5	12	19	30	41	74
85+	1772	15.5	173	4	5	12	19	32	45	99+
B. *Operated*										
65-69 YRS	527	15.4	193	2	3	11	19	36	42	74
70-74	522	17.2	245	3	4	13	23	44	57	99+
75-79	436	19.6	254	4	5	14	27	48	70	99+
80-84	293	22.0	285	5	6	17	30	46	59	99+
85+	162	24.7	352	5	7	20	31	53	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	11.1	89	2	3	8	14	23	31	47
B. *Operated*	135	10.3	127	2	2	8	12	22	29	56
2. MULTIPLE DX										
A. *Not Operated*	10180	14.2	149	3	4	11	18	29	39	82
B. *Operated*	1940	18.6	265	3	4	14	25	43	58	99+
1. SINGLE DX	1011	11.0	94	2	3	8	14	23	31	48
2. MULTIPLE DX	12120	14.9	170	3	4	11	19	31	43	91
A. NOT OPERATED	11056	13.9	145	3	4	10	17	28	39	79
B. OPERATED	2075	18.1	260	3	4	13	24	42	57	99+
TOTAL 65-69 YRS	2412	13.1	139	3	4	10	16	28	38	72
70-74	3034	13.8	154	3	4	10	17	29	40	91
75-79	3061	14.7	171	3	4	11	18	31	43	91
80-84	2564	15.7	175	3	5	12	20	31	43	78
85+	2060	15.9	188	4	5	12	20	33	47	99+
GRAND TOTAL	**13131**	**14.6**	**166**	**3**	**4**	**11**	**18**	**31**	**42**	**90**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	736	18.4	199	4	6	14	24	39	49	79
70-74	918	18.7	222	4	5	14	25	40	51	86
75-79	1050	19.6	220	4	6	16	26	39	49	84
80-84	896	19.5	209	5	6	16	25	40	53	99+
85+	810	19.4	175	5	7	16	25	37	49	99+
B. *Operated*										
65-69 YRS	147	25.4	346	5	8	21	36	51	71	99+
70-74	162	27.1	343	6	8	23	41	60	84	99+
75-79	188	28.3	407	5	8	23	39	65	79	99+
80-84	100	33.7	437	7	12	31	52	89	99+	99+
85+	70	31.3	515	8	9	27	39	74	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4410	19.1	206	4	6	15	25	39	50	91
B. *Operated*	667	28.5	399	6	8	24	40	66	87	99+
1. SINGLE DX										
2. MULTIPLE DX	5077	20.4	241	4	6	16	27	43	56	99+
A. NOT OPERATED	4410	19.1	206	4	6	15	25	39	50	91
B. OPERATED	667	28.5	399	6	8	24	40	66	87	99+
TOTAL 65-69 YRS	883	19.6	230	4	6	15	26	41	52	88
70-74	1080	20.0	249	4	6	15	27	44	58	99+
75-79	1238	20.9	258	4	6	17	28	44	56	92
80-84	996	20.9	250	5	7	17	28	44	64	99+
85+	880	20.4	212	5	7	17	26	40	54	99+
GRAND TOTAL	**5077**	**20.4**	**241**	**4**	**6**	**16**	**27**	**43**	**56**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	594	4.3	19	1	1	4	5	8	10	16
70-74	659	4.4	9	1	1	4	6	8	10	15
75-79	697	4.8	14	1	2	4	6	9	11	19
80-84	580	4.8	20	1	1	4	6	9	11	19
85+	574	4.9	18	1	2	4	6	9	13	22
B. *Operated*										
65-69 YRS	270	4.3	9	1	2	3	6	8	11	16
70-74	247	5.5	40	1	2	4	8	10	14	18
75-79	161	4.9	12	1	2	4	7	9	13	16
80-84	72	6.1	39	1	2	4	7	12	20	37
85+	32	6.2	20	1	2	5	8	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4243	6.4	25	2	2	5	8	12	15	25
70-74	5760	6.7	30	2	2	5	8	12	16	28
75-79	7038	7.2	35	2	2	6	9	13	17	32
80-84	6568	7.7	47	2	2	6	9	15	19	36
85+	6656	8.3	67	2	2	6	10	15	21	53
B. *Operated*										
65-69 YRS	1717	8.7	60	2	2	7	11	16	21	45
70-74	1746	9.6	69	2	3	7	12	18	24	42
75-79	1507	10.5	95	2	3	8	13	20	27	65
80-84	951	12.1	119	2	3	9	15	24	34	79
85+	591	13.2	148	3	4	9	17	27	37	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3104	4.6	16	1	2	4	6	9	11	19
B. *Operated*	782	5.1	23	1	2	4	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	30265	7.3	43	2	2	6	9	14	18	35
B. *Operated*	6512	10.3	89	2	3	8	13	20	27	59
1. SINGLE DX	3886	4.7	17	1	2	4	6	9	11	19
2. MULTIPLE DX	36777	7.9	52	2	2	6	10	15	20	40
A. NOT OPERATED	33369	7.1	41	2	2	6	9	13	17	34
B. OPERATED	7294	9.7	85	2	2	7	12	19	25	57
TOTAL 65-69 YRS	6824	6.7	34	2	2	5	8	13	16	28
70-74	8412	7.1	39	2	2	6	9	13	18	34
75-79	9403	7.5	45	2	2	6	9	14	18	36
80-84	8171	8.0	56	2	2	6	10	15	21	40
85+	7853	8.4	72	2	2	6	10	16	22	56
GRAND TOTAL	**40663**	**7.6**	**50**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	483	10.1	109	2	2	7	13	20	27	65
70-74	618	11.1	121	2	3	8	14	22	31	56
75-79	628	11.4	94	2	3	9	15	23	29	47
80-84	596	11.6	88	2	3	9	16	22	31	52
85+	608	11.8	113	2	3	9	15	23	34	62
B. *Operated*										
65-69 YRS	79	9.2	49	2	2	8	11	17	24	37
70-74	69	12.8	187	2	3	9	14	27	41	76
75-79	47	9.7	77	2	3	8	12	16	25	99+
80-84	43	13.1	88	2	3	9	22	27	31	35
85+	23	15.5	264	2	3	11	20	28	47	78
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3475	13.1	142	3	4	10	16	27	37	72
70-74	4600	13.5	135	3	4	10	17	27	38	72
75-79	5484	14.3	144	3	4	11	18	29	40	77
80-84	5150	14.8	149	3	4	11	19	30	42	98
85+	5339	14.7	152	3	4	11	18	29	41	90
B. *Operated*										
65-69 YRS	845	17.9	275	3	4	13	23	45	66	99+
70-74	939	20.1	319	4	5	15	26	49	71	99+
75-79	845	21.2	308	4	5	16	29	49	62	99+
80-84	581	23.1	336	5	7	19	32	59	90	99+
85+	458	24.0	303	5	8	21	34	59	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2933	11.2	105	2	3	8	14	22	30	57
B. *Operated*	261	11.4	118	2	3	9	14	25	31	76
2. MULTIPLE DX										
A. *Not Operated*	24048	14.1	145	3	4	11	18	29	40	81
B. *Operated*	3668	20.8	311	4	5	16	28	50	74	99+
1. SINGLE DX	3194	11.3	106	2	3	8	14	22	30	57
2. MULTIPLE DX	27716	15.0	172	3	4	11	19	32	45	97
A. NOT OPERATED	26981	13.8	142	3	4	11	17	28	39	78
B. OPERATED	3929	20.2	304	3	5	15	27	49	72	99+
TOTAL 65-69 YRS	4882	13.6	165	3	3	10	16	29	42	83
70-74	6226	14.2	169	3	4	10	18	29	42	85
75-79	7004	14.8	165	3	4	11	18	31	42	85
80-84	6370	15.2	167	3	4	12	19	32	45	99+
85+	6428	15.1	166	3	4	12	19	31	44	99+
GRAND TOTAL	**30910**	**14.6**	**167**	**3**	**4**	**11**	**18**	**31**	**43**	**92**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1436	18.1	196	4	5	14	24	38	51	79
70-74	1876	18.7	236	4	5	14	24	40	54	93
75-79	2110	18.4	197	4	6	15	24	38	50	99+
80-84	1915	18.4	183	4	6	15	24	38	49	99+
85+	1816	18.4	195	4	6	14	23	38	53	99+
B. *Operated*										
65-69 YRS	313	25.6	410	5	7	20	37	65	97	99+
70-74	331	26.7	350	5	7	23	40	60	83	99+
75-79	317	29.0	412	5	8	26	46	64	89	99+
80-84	207	29.6	348	8	9	26	44	57	83	99+
85+	162	25.6	280	6	9	22	36	59	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9153	18.4	201	4	6	14	24	38	51	99+
B. *Operated*	1330	27.3	372	6	8	23	42	61	86	99+
1. SINGLE DX										
2. MULTIPLE DX	10483	19.5	232	4	6	15	25	42	57	99+
A. NOT OPERATED	9153	18.4	201	4	6	14	24	38	51	99+
B. OPERATED	1330	27.3	372	6	8	23	42	61	86	99+
TOTAL 65-69 YRS	1749	19.4	242	4	5	15	25	43	57	99+
70-74	2207	19.9	261	4	5	15	26	44	59	99+
75-79	2427	19.8	238	4	6	15	26	43	58	99+
80-84	2122	19.5	210	4	6	16	25	42	52	99+
85+	1978	19.0	205	4	6	15	24	40	56	99+
GRAND TOTAL	**10483**	**19.5**	**232**	**4**	**6**	**15**	**25**	**42**	**57**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	123	5.5	35	1	1	4	7	9	14	35
70-74	174	5.8	17	1	2	5	8	10	15	22
75-79	165	6.4	27	1	2	5	8	14	17	26
80-84	179	7.1	87	2	2	5	8	13	17	57
85+	141	7.2	43	2	2	5	8	15	19	36
B. *Operated*										
65-69 YRS	116	6.4	40	1	2	4	8	16	19	30
70-74	105	7.6	61	1	2	5	9	17	22	40
75-79	74	6.4	35	1	2	5	9	13	15	34
80-84	21	6.2	30	1	1	4	8	14	19	22
85+	11	10.5	85	1	2	7	15	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1556	8.8	74	2	3	7	10	17	23	50
70-74	2233	9.2	75	2	3	7	11	18	26	54
75-79	2655	9.8	85	2	3	7	12	19	27	54
80-84	2720	10.0	74	2	3	8	12	20	26	51
85+	2899	10.6	105	2	3	8	13	21	31	98
B. *Operated*										
65-69 YRS	650	13.1	191	2	3	9	16	29	43	93
70-74	688	12.5	159	2	3	9	15	25	36	73
75-79	614	13.4	181	2	3	9	16	28	46	96
80-84	368	16.2	225	3	4	12	21	35	60	99+
85+	272	14.9	184	3	4	10	18	32	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	782	6.4	43	2	2	5	8	12	16	32
B. *Operated*	327	6.9	47	1	2	5	9	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	12063	9.8	84	2	3	7	12	19	27	59
B. *Operated*	2592	13.7	185	2	3	10	16	29	46	92
1. SINGLE DX	1109	6.6	44	1	2	5	8	13	17	33
2. MULTIPLE DX	14655	10.5	104	2	3	8	13	21	30	68
A. NOT OPERATED	12845	9.6	83	2	3	7	12	19	26	58
B. OPERATED	2919	12.9	174	2	3	9	16	28	43	87
TOTAL 65-69 YRS	2445	9.7	107	2	2	7	11	19	29	64
70-74	3200	9.7	93	2	3	7	11	19	28	57
75-79	3508	10.2	101	2	3	7	12	20	29	61
80-84	3288	10.5	96	2	3	8	13	21	29	66
85+	3323	10.8	111	2	3	8	13	21	32	90
GRAND TOTAL	**15764**	**10.2**	**101**	**2**	**3**	**7**	**12**	**21**	**29**	**66**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	3.3	5	<1	<1	2	4	7	8	8
70-74	14	3.9	7	<1	1	3	7	8	8	8
75-79	21	6.6	30	1	2	4	9	15	19	21
80-84	20	6.4	36	1	1	5	9	10	19	28
85+	31	7.0	67	1	1	4	7	17	29	36
B. *Operated*										
65-69 YRS	212	6.7	50	1	1	5	10	14	17	23
70-74	203	6.8	42	1	1	3	11	15	21	30
75-79	121	7.6	54	1	1	4	12	17	24	31
80-84	61	8.7	59	1	2	7	13	18	24	37
85+	24	10.3	72	2	2	7	17	25	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	270	7.8	77	1	2	5	9	15	26	48
70-74	435	8.5	92	1	2	6	10	16	23	54
75-79	507	8.3	50	2	3	7	10	16	20	43
80-84	547	9.9	99	2	3	7	12	18	26	49
85+	726	10.2	82	2	3	8	12	19	27	58
B. *Operated*										
65-69 YRS	1661	14.5	213	2	2	11	18	30	48	87
70-74	1604	15.3	218	2	2	12	19	33	49	79
75-79	1265	17.1	242	2	3	13	22	37	51	82
80-84	778	19.5	270	2	4	15	26	42	56	99
85+	684	18.0	193	3	5	14	24	38	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.5	33	1	1	4	7	10	16	32
B. *Operated*	621	7.2	50	1	1	4	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	2485	9.2	81	2	2	7	11	18	25	52
B. *Operated*	5992	16.3	228	2	2	12	21	35	50	87
1. SINGLE DX	737	7.0	48	1	1	4	10	15	20	30
2. MULTIPLE DX	8477	14.2	196	2	2	10	18	31	45	82
A. NOT OPERATED	2601	9.0	79	2	2	7	11	17	25	50
B. OPERATED	6613	15.5	219	2	2	12	20	34	48	85
TOTAL 65-69 YRS	2173	12.7	187	1	2	9	16	28	41	81
70-74	2256	13.2	188	1	2	10	17	29	42	73
75-79	1914	14.0	195	2	2	10	18	32	45	76
80-84	1406	15.1	215	2	3	11	20	34	46	89
85+	1465	13.8	149	2	3	10	18	30	41	85
GRAND TOTAL	**9214**	**13.6**	**188**	**2**	**2**	**10**	**17**	**30**	**43**	**80**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	32	3.3	10	<1	<1	2	4	8	10	15
70-74	32	4.4	18	<1	1	3	5	10	12	20
75-79	28	4.1	8	1	1	3	6	9	9	10
80-84	20	4.5	13	1	1	3	6	11	13	13
85+	30	5.3	32	1	2	3	7	10	11	31
B. Operated										
65-69 YRS	327	11.3	28	2	3	11	14	18	20	28
70-74	289	11.2	38	2	2	11	14	18	21	31
75-79	193	11.3	34	2	2	11	14	19	22	31
80-84	89	12.5	53	2	3	12	16	19	22	43
85+	35	13.3	57	1	3	13	17	23	25	39
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	224	6.6	71	1	1	5	8	13	16	41
70-74	287	6.2	41	1	1	5	8	12	15	33
75-79	315	7.1	32	1	2	6	9	14	17	28
80-84	257	8.3	50	1	2	7	11	17	24	38
85+	246	8.6	71	1	2	6	11	17	25	66
B. Operated										
65-69 YRS	1734	15.3	130	2	6	13	18	27	35	79
70-74	1781	16.2	141	3	5	14	19	29	40	83
75-79	1262	17.3	136	3	5	15	21	33	43	64
80-84	570	18.4	165	4	6	15	23	33	43	75
85+	180	21.9	286	3	5	17	28	48	66	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	4.3	17	<1	1	3	5	9	11	21
B. Operated	933	11.5	36	2	2	11	14	18	22	30
2. MULTIPLE DX										
A. Not Operated	1329	7.3	52	1	2	5	9	15	19	39
B. Operated	5527	16.6	145	3	5	14	20	30	40	79
1. SINGLE DX	1075	10.5	39	2	2	11	14	18	21	30
2. MULTIPLE DX	6856	14.8	140	2	3	12	18	29	37	75
A. NOT OPERATED	1471	7.1	49	1	2	5	9	14	18	38
B. OPERATED	6460	15.8	133	2	5	13	19	29	38	75
TOTAL 65-69 YRS	2317	13.7	117	2	3	12	16	24	32	70
70-74	2389	14.2	128	2	3	12	17	26	35	73
75-79	1798	14.6	122	2	3	13	18	29	37	60
80-84	936	14.8	141	2	3	12	19	29	37	70
85+	491	13.6	188	2	3	10	17	30	43	82
GRAND TOTAL	**7931**	**14.2**	**129**	**2**	**3**	**12**	**17**	**27**	**35**	**71**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74	5	7.2	34	<1	<1	8	11	15	15	15
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	101	8.6	52	1	1	7	13	17	21	37
70-74	68	9.0	37	2	2	9	12	16	19	35
75-79	49	7.8	44	1	2	6	10	15	21	31
80-84	26	8.3	36	1	2	7	13	16	19	23
85+	3	4.3	24	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	4.5	26	<1	<1	3	4	13	18	19
70-74	12	7.1	28	1	2	7	9	15	18	19
75-79	19	7.7	42	<1	1	4	15	17	19	20
80-84	10	6.2	13	2	2	6	9	11	12	12
85+	15	7.9	40	1	1	6	12	17	21	23
B. Operated										
65-69 YRS	303	13.6	177	2	3	10	16	27	40	83
70-74	296	14.5	161	2	3	11	18	29	35	69
75-79	199	16.5	184	2	4	13	21	33	43	76
80-84	73	16.5	185	3	4	12	19	36	46	66
85+	67	17.4	160	5	6	14	24	30	36	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.4	21	<1	1	2	7	12	15	15
B. Operated	247	8.5	44	1	2	7	12	16	20	31
2. MULTIPLE DX										
A. Not Operated	74	6.7	32	1	1	4	9	16	18	22
B. Operated	938	15.0	174	2	3	11	18	30	40	75
1. SINGLE DX	258	8.3	44	1	2	7	11	16	20	31
2. MULTIPLE DX	1012	14.4	168	2	3	11	18	29	39	73
A. NOT OPERATED	85	6.4	31	1	1	4	9	16	18	22
B. OPERATED	1185	13.6	154	2	3	11	17	27	37	71
TOTAL 65-69 YRS	422	12.0	147	1	2	9	15	22	36	77
70-74	381	13.2	139	2	3	10	16	25	33	66
75-79	271	14.1	162	2	3	11	19	28	39	73
80-84	110	13.5	150	2	2	11	17	29	40	62
85+	86	15.1	151	1	2	12	21	28	34	67
GRAND TOTAL	**1270**	**13.2**	**149**	**2**	**2**	**10**	**16**	**26**	**36**	**70**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	4.2	14	<1	<1	3	7	10	12	14
70-74	27	5.9	22	<1	<1	4	10	13	14	15
75-79	25	6.3	32	<1	1	4	9	14	18	22
80-84	22	6.2	17	1	1	7	9	12	13	14
85+	13	7.2	28	1	2	6	12	15	17	17
B. *Operated*										
65-69 YRS	608	8.4	42	1	2	8	12	16	19	30
70-74	463	8.0	32	1	2	8	11	15	18	26
75-79	299	9.0	61	1	2	8	13	17	20	42
80-84	141	9.9	61	1	2	9	14	19	23	37
85+	98	10.2	45	2	2	10	14	19	21	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	237	7.4	34	1	1	6	11	15	18	28
70-74	198	8.2	34	1	2	7	12	16	20	35
75-79	212	9.6	72	2	2	7	11	19	24	46
80-84	158	9.5	47	2	2	8	12	18	22	43
85+	159	10.5	149	1	3	8	11	20	28	75
B. *Operated*										
65-69 YRS	2839	13.5	129	2	3	11	17	27	36	77
70-74	2564	14.6	159	2	3	11	18	29	40	69
75-79	1882	15.4	167	2	3	12	19	30	42	82
80-84	1075	15.6	180	2	3	12	20	31	43	84
85+	859	16.9	168	3	5	13	22	35	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.6	21	<1	1	4	9	12	14	18
B. *Operated*	1609	8.6	45	1	2	8	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	964	8.9	64	1	2	7	11	17	21	42
B. *Operated*	9219	14.7	156	2	3	12	18	29	40	77
1. SINGLE DX	1735	8.4	44	1	2	8	12	16	19	30
2. MULTIPLE DX	10183	14.2	150	2	3	11	18	28	39	75
A. NOT OPERATED	1090	8.5	60	1	2	7	11	16	21	40
B. OPERATED	10828	13.8	144	2	2	11	17	27	38	73
TOTAL 65-69 YRS	3723	12.2	114	2	2	10	15	24	33	66
70-74	3252	13.2	139	2	2	11	16	25	36	68
75-79	2418	14.0	151	2	2	11	18	28	38	74
80-84	1396	14.2	157	2	3	11	18	28	39	80
85+	1129	15.3	161	2	4	12	19	33	42	76
GRAND TOTAL	**11918**	**13.3**	**139**	**2**	**2**	**11**	**17**	**26**	**37**	**72**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	5.1	26	1	1	3	6	10	14	27
70-74	77	5.3	25	1	1	4	6	10	16	28
75-79	59	7.2	46	<1	1	5	9	14	24	33
80-84	48	6.1	25	1	1	5	9	12	19	21
85+	34	10.0	189	<1	1	5	9	25	47	60
B. *Operated*										
65-69 YRS	411	6.8	41	1	1	4	10	14	18	31
70-74	361	7.1	64	1	1	5	10	15	19	34
75-79	263	8.3	81	1	1	5	12	18	24	45
80-84	135	7.5	64	1	1	5	10	16	21	43
85+	51	8.3	79	1	1	4	13	19	32	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	590	7.8	60	1	2	6	10	16	21	48
70-74	630	8.1	68	1	2	6	10	16	22	43
75-79	663	8.9	67	2	2	7	11	18	25	42
80-84	446	10.3	91	2	3	8	13	20	28	52
85+	421	9.9	106	2	3	7	12	19	27	78
B. *Operated*										
65-69 YRS	1900	13.1	188	2	2	9	17	28	42	82
70-74	1806	14.7	206	2	2	11	19	33	47	79
75-79	1372	15.2	222	2	2	11	20	34	48	95
80-84	765	16.2	202	2	3	12	22	35	48	84
85+	597	17.6	234	3	4	14	22	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	6.2	48	1	1	4	8	12	20	32
B. *Operated*	1221	7.4	61	1	1	5	10	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	2750	8.9	76	2	2	7	11	18	24	50
B. *Operated*	6440	14.8	208	2	2	11	19	33	47	88
1. SINGLE DX	1539	7.1	58	1	1	5	9	16	21	37
2. MULTIPLE DX	9190	13.0	176	2	2	9	17	29	42	81
A. NOT OPERATED	3068	8.6	74	1	2	6	11	17	24	49
B. OPERATED	7661	13.6	192	2	2	10	18	31	44	82
TOTAL 65-69 YRS	3001	10.9	146	1	2	7	14	23	33	74
70-74	2874	12.0	165	1	2	8	15	27	40	72
75-79	2357	12.5	169	2	2	9	16	28	40	73
80-84	1394	13.1	159	2	2	9	17	29	40	75
85+	1103	14.0	191	2	3	10	18	31	46	98
GRAND TOTAL	**10729**	**12.2**	**163**	**2**	**2**	**8**	**16**	**27**	**39**	**75**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	590	8.3	21	3	4	8	10	13	15	21
70-74	474	8.2	18	3	4	8	10	13	15	21
75-79	336	9.0	33	3	4	8	11	14	17	30
80-84	190	8.9	20	2	3	8	12	15	16	23
85+	145	8.8	16	3	4	8	11	14	16	24
B. *Operated*										
65-69 YRS	177	8.9	21	2	3	9	11	15	17	26
70-74	169	9.1	26	3	3	9	12	15	18	29
75-79	105	8.9	28	2	3	8	11	15	20	27
80-84	71	9.7	24	2	3	10	12	15	18	25
85+	35	9.1	27	4	2	9	13	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2192	10.1	33	4	5	9	12	17	21	29
70-74	2114	10.2	31	3	5	9	12	16	20	29
75-79	1713	10.5	43	4	5	9	13	17	21	36
80-84	1196	10.8	42	4	5	10	13	18	23	39
85+	908	11.4	61	3	4	10	14	19	24	46
B. *Operated*										
65-69 YRS	1062	12.2	86	3	4	10	15	21	28	55
70-74	95C	12.3	54	3	5	11	16	22	26	37
75-79	745	13.3	86	4	5	11	16	23	32	53
80-84	457	13.0	60	4	6	12	16	22	27	53
85+	322	14.6	121	4	5	12	18	27	36	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1735	8.5	22	3	4	8	11	13	16	23
B. *Operated*	557	9.1	25	2	3	9	12	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	8123	10.5	39	4	5	9	13	17	21	35
B. *Operated*	3576	12.8	77	3	5	11	15	22	29	50
1. SINGLE DX	2292	8.7	23	3	4	8	11	14	16	24
2. MULTIPLE DX	11699	11.2	52	4	5	10	14	19	24	40
A. NOT OPERATED	9858	10.1	37	3	4	9	12	17	20	33
B. OPERATED	4133	12.3	72	3	4	11	15	21	27	48
TOTAL 65-69 YRS	4021	10.3	46	3	4	9	12	17	22	36
70-74	3707	10.4	37	3	4	9	13	17	21	32
75-79	2899	11.0	55	3	4	9	13	18	23	42
80-84	1954	11.2	45	4	5	10	14	18	24	40
85+	1410	11.8	72	3	4	10	14	20	26	47
GRAND TOTAL	**13991**	**10.8**	**48**	**3**	**4**	**9**	**13**	**18**	**23**	**38**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	11.1	66	2	2	9	16	21	25	37
70-74	73	11.3	73	2	4	9	13	23	31	42
75-79	64	11.0	53	2	3	10	15	21	25	32
80-84	51	10.4	63	3	4	9	13	15	28	49
85+	51	10.8	35	2	4	10	14	20	22	26
B. *Operated*										
65-69 YRS	415	6.4	32	2	2	5	7	13	19	28
70-74	275	9.2	76	2	3	5	13	22	29	38
75-79	153	13.7	177	2	3	9	20	31	37	63
80-84	86	17.4	129	3	4	15	24	32	39	55
85+	45	19.2	248	2	4	16	28	40	45	83
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	364	11.5	72	2	3	10	15	22	27	42
70-74	434	12.4	87	3	4	10	15	23	31	49
75-79	487	12.8	99	3	4	10	17	24	33	69
80-84	449	13.7	131	3	4	11	17	26	37	59
85+	507	13.6	104	3	4	10	17	26	32	55
B. *Operated*										
65-69 YRS	568	12.8	167	2	3	7	17	31	41	68
70-74	546	16.8	265	3	3	12	23	39	52	87
75-79	399	18.8	215	3	4	16	25	37	53	98
80-84	277	20.6	227	4	5	18	27	40	46	89
85+	188	22.9	268	5	6	19	33	45	53	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	10.9	58	2	3	9	14	20	26	38
B. *Operated*	974	9.9	102	2	3	6	13	24	31	46
2. MULTIPLE DX										
A. *Not Operated*	2241	12.9	100	3	4	10	16	24	31	58
B. *Operated*	1978	17.2	232	3	4	13	24	37	48	87
1. SINGLE DX	1261	10.1	92	2	3	6	13	23	30	44
2. MULTIPLE DX	4219	14.9	167	3	4	11	20	31	41	70
A. NOT OPERATED	2528	12.7	96	3	4	10	16	24	31	57
B. OPERATED	2952	14.8	201	2	3	10	21	33	44	82
TOTAL 65-69 YRS	1395	10.5	106	2	3	7	14	23	31	56
70-74	1328	13.5	166	2	3	9	18	29	39	68
75-79	1103	15.0	157	3	4	12	20	30	39	78
80-84	863	16.1	169	3	4	12	21	32	42	63
85+	791	16.0	163	3	5	12	21	32	42	64
GRAND TOTAL	**5480**	**13.8**	**154**	**2**	**3**	**10**	**18**	**29**	**39**	**66**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	58	2.9	7	<1	<1	2	4	6	8	14
70-74	57	3.4	7	<1	1	3	4	6	9	15
75-79	37	3.5	11	<1	1	3	4	7	12	16
80-84	25	3.8	9	<1	1	3	4	6	12	12
85+	26	4.5	20	1	1	4	5	7	12	24
B. *Operated*										
65-69 YRS	248	4.6	5	2	2	4	6	7	9	12
70-74	161	4.6	5	1	2	4	6	8	9	11
75-79	78	5.5	7	1	2	5	7	9	11	12
80-84	27	4.8	10	1	2	4	7	10	11	14
85+	22	6.4	27	1	2	5	7	14	19	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	365	4.5	17	1	1	3	6	8	10	17
70-74	368	5.0	13	1	2	4	6	9	12	18
75-79	273	6.3	46	1	2	5	7	11	18	43
80-84	243	5.0	14	1	2	4	6	10	12	18
85+	217	6.1	23	1	2	4	8	12	15	25
B. *Operated*										
65-69 YRS	1624	6.4	17	2	3	5	7	11	14	23
70-74	1067	6.8	20	2	3	5	8	12	15	24
75-79	619	7.4	24	3	3	6	9	14	17	27
80-84	278	8.7	50	3	3	7	10	16	22	42
85+	128	10.3	54	3	4	8	13	20	25	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.5	10	<1	1	3	4	6	9	15
B. *Operated*	536	4.8	7	1	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	1466	5.3	22	1	2	4	7	10	13	24
B. *Operated*	3716	7.0	24	3	3	6	8	12	16	26
1. SINGLE DX	739	4.4	8	1	1	4	6	8	9	14
2. MULTIPLE DX	5182	6.5	24	2	2	5	8	12	15	26
A. NOT OPERATED	1669	5.1	21	1	1	4	6	10	13	23
B. OPERATED	4252	6.7	22	2	3	5	8	12	15	25
TOTAL 65-69 YRS	2295	5.8	17	2	2	5	7	10	12	20
70-74	1653	6.0	17	2	2	5	7	11	14	22
75-79	1007	6.8	29	2	2	5	8	13	16	29
80-84	573	6.8	35	2	2	5	8	12	17	34
85+	393	7.4	37	2	2	6	9	14	19	32
GRAND TOTAL	**5921**	**6.2**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**25**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	202	7.2	20	1	2	6	10	13	14	19
70-74	192	7.2	27	1	2	6	9	14	17	29
75-79	162	6.9	28	1	1	6	9	12	17	27
80-84	142	6.6	23	1	1	6	9	12	16	22
85+	87	6.8	21	1	2	6	9	13	15	22
B. *Operated*										
65-69 YRS	195	8.7	74	1	1	8	11	17	22	49
70-74	156	8.1	32	1	2	8	12	14	17	29
75-79	89	9.0	68	2	2	8	12	16	20	50
80-84	64	9.3	47	1	2	9	13	19	25	90
85+	36	11.4	52	2	3	9	15	18	29	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1561	8.0	38	2	2	7	10	15	19	34
70-74	1735	8.2	40	2	3	7	10	15	19	34
75-79	1797	8.3	42	2	3	7	11	16	20	36
80-84	1386	8.2	38	2	3	7	11	15	19	32
85+	1073	8.9	59	2	3	7	11	16	22	41
B. *Operated*										
65-69 YRS	907	12.6	98	2	3	10	15	24	32	50
70-74	965	12.9	117	2	3	10	16	25	33	58
75-79	803	13.7	136	2	3	11	17	27	40	73
80-84	486	13.9	130	2	4	11	17	27	37	64
85+	339	16.2	188	3	5	13	19	31	43	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	7.0	24	1	2	6	9	13	16	23
B. *Operated*	540	8.8	57	1	2	8	12	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	7552	8.3	43	2	3	7	11	15	20	35
B. *Operated*	3500	13.5	126	2	3	11	17	26	35	64
1. SINGLE DX	1325	7.7	38	1	2	7	10	14	18	29
2. MULTIPLE DX	11052	9.9	75	2	3	8	12	19	25	47
A. NOT OPERATED	8337	8.2	41	2	2	7	11	15	19	34
B. OPERATED	4040	12.8	119	2	3	10	16	25	33	61
TOTAL 65-69 YRS	2865	9.4	63	2	2	8	12	18	24	41
70-74	3048	9.6	68	2	2	8	12	18	25	44
75-79	2851	9.8	74	2	3	8	12	19	25	51
80-84	2078	9.5	65	2	3	8	12	18	24	45
85+	1535	10.5	95	2	3	8	13	20	28	52
GRAND TOTAL	**12377**	**9.7**	**71**	**2**	**3**	**8**	**12**	**18**	**25**	**46**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	83	4.6	6	1	2	4	6	7	9	15
70-74	86	4.5	10	1	1	4	5	8	11	18
75-79	64	4.5	7	1	1	4	6	8	9	13
80-84	44	4.6	12	1	2	4	5	8	13	17
85+	49	4.9	12	1	2	4	7	11	13	99+
B. *Operated*										
65-69 YRS	23	2.8	3	<1	1	2	3	5	7	8
70-74	14	5.2	31	<1	1	3	6	14	19	21
75-79	6	2.5	2	1	1	2	4	4	4	4
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1041	6.9	28	2	3	6	8	12	15	27
70-74	1020	6.9	27	2	3	6	8	13	16	25
75-79	949	7.4	30	2	3	6	9	13	16	27
80-84	728	7.1	26	2	3	6	9	13	16	25
85+	738	7.4	30	2	3	6	9	14	17	28
B. *Operated*										
65-69 YRS	125	9.7	124	2	2	6	13	20	28	65
70-74	121	10.8	88	2	2	8	15	25	33	61
75-79	83	12.7	105	2	4	11	15	26	32	53
80-84	62	13.8	83	2	4	13	19	26	29	47
85+	41	13.3	110	3	4	11	16	24	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	4.6	9	1	2	4	6	8	11	17
B. *Operated*	47	3.5	12	1	1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	4476	7.1	28	2	3	6	9	13	16	26
B. *Operated*	432	11.5	105	2	2	9	15	24	30	54
1. SINGLE DX	373	4.5	9	1	2	4	6	8	11	17
2. MULTIPLE DX	4908	7.5	36	2	3	6	9	14	18	30
A. NOT OPERATED	4802	6.9	27	2	3	6	9	13	16	26
B. OPERATED	479	10.7	101	2	2	8	14	23	29	53
TOTAL 65-69 YRS	1272	6.9	37	2	2	5	8	12	16	30
70-74	1241	7.1	34	2	2	5	8	14	19	30
75-79	1102	7.6	36	2	3	6	9	14	17	31
80-84	836	7.5	33	2	3	6	9	14	18	28
85+	830	7.5	34	2	2	6	10	14	18	33
GRAND TOTAL	**5281**	**7.3**	**35**	**2**	**2**	**6**	**9**	**14**	**17**	**30**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	317	5.5	14	2	2	5	7	9	11	21
70-74	300	5.7	11	2	2	5	7	10	12	19
75-79	235	5.8	12	2	2	5	8	10	12	18
80-84	199	6.3	11	2	3	6	8	11	14	18
85+	190	6.2	14	2	2	5	8	11	14	18
B. *Operated*										
65-69 YRS	18	4.7	23	1	2	3	6	8	17	22
70-74	12	8.3	41	1	2	7	13	18	19	19
75-79	7	8.3	30	3	4	6	9	18	20	20
80-84	8	4.6	12	<1	<1	4	8	9	9	9
85+	3	8.7	10	5	5	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5281	7.6	26	3	3	7	9	13	17	25
70-74	5668	8.0	33	3	3	7	10	14	18	30
75-79	4806	8.1	31	3	3	7	10	14	18	29
80-84	3347	8.6	37	3	3	7	10	15	19	32
85+	3101	8.9	44	3	3	7	11	16	20	37
B. *Operated*										
65-69 YRS	510	12.0	114	2	3	9	15	23	31	63
70-74	464	12.4	101	3	4	10	15	24	32	57
75-79	353	14.2	132	3	5	11	18	27	34	82
80-84	223	14.7	128	3	4	11	20	29	40	63
85+	175	14.6	127	4	5	12	19	26	41	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1241	5.8	12	2	2	5	7	10	12	18
B. *Operated*	48	6.4	27	1	2	5	8	15	19	22
2. MULTIPLE DX										
A. *Not Operated*	22203	8.2	33	3	3	7	10	14	18	30
B. *Operated*	1725	13.2	118	3	4	10	16	25	34	65
1. SINGLE DX	1289	5.9	13	2	2	5	7	10	[illegible]	19
2. MULTIPLE DX	23928	8.5	41	3	3	7	10	15	20	34
A. NOT OPERATED	23444	8.0	32	3	3	7	10	14	18	30
B. OPERATED	1773	13.0	117	3	4	10	16	25	33	64
TOTAL 65-69 YRS	6126	7.9	34	2	3	7	10	14	18	31
70-74	6444	8.2	38	3	3	7	10	15	19	33
75-79	5401	8.4	39	3	3	7	10	15	19	32
80-84	3777	8.9	44	3	3	7	11	16	21	36
85+	3469	9.1	48	3	3	7	11	16	21	40
GRAND TOTAL	**25217**	**8.4**	**40**	**3**	**3**	**7**	**10**	**15**	**19**	**33**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	121	2.2	1	1	1	2	3	4	4	7
70-74	73	2.3	1	1	1	2	3	4	4	4
75-79	33	1.9	1	1	1	2	3	3	4	4
80-84	8	2.5	1	2	2	2	3	4	4	4
85+	11	2.8	3	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	3.7	11	<1	<1	3	5	9	10	10
70-74	7	1.9	1	<1	<1	1	3	4	4	4
75-79	5	4.0	10	1	1	3	6	9	9	9
80-84	1	18.0		18	18	18	18	18	18	18
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	492	2.9	4	1	1	3	3	5	6	10
70-74	249	3.2	7	1	1	3	3	5	7	14
75-79	115	3.5	6	1	2	3	4	5	8	14
80-84	26	3.7	6	1	2	3	4	8	10	11
85+	13	5.6	69	1	1	2	3	20	27	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	246	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	21	3.7	18	<1	<1	2	5	9	14	18
B. *Operated*	895	3.1	6	1	1	3	3	5	7	14
1. SINGLE DX	247	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX	916	3.1	6	1	1	3	4	5	7	14
A. NOT OPERATED	22	3.6	17	<1	<1	2	5	9	13	18
B. OPERATED	1141	2.9	5	1	1	2	3	5	6	13
TOTAL 65-69 YRS	620	2.8	3	1	1	2	3	5	6	9
70-74	329	2.9	5	1	1	2	3	5	6	13
75-79	154	3.1	5	1	1	3	3	5	8	14
80-84	35	3.8	11	1	2	3	4	9	11	18
85+	25	4.2	38	1	1	2	3	6	21	29
GRAND TOTAL	**1163**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	118	2.1	1	<1	1	2	2	3	4	7
70-74	75	2.1	1	<1	1	2	2	3	4	6
75-79	43	2.0	1	<1	<1	2	2	3	4	5
80-84	20	2.2	2	1	1	2	2	4	5	6
85+	10	2.4	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	2.8	6	<1	<1	1	5	7	8	8
70-74	5	3.8	2	2	2	4	5	5	5	5
75-79	3	3.3	16	1	1	1	6	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	285	2.9	3	1	1	2	4	5	7	11
70-74	169	3.2	6	1	1	3	4	5	7	13
75-79	120	3.1	4	1	1	3	4	6	7	9
80-84	40	4.1	29	1	1	3	4	6	8	35
85+	20	3.8	5	2	2	3	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	266	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	20	3.2	5	<1	<1	3	5	7	8	8
B. *Operated*	634	3.1	6	1	1	3	4	5	7	12
1. SINGLE DX	267	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	654	3.1	6	1	1	3	4	5	7	12
A. NOT OPERATED	21	3.1	5	<1	<1	2	5	6	8	8
B. OPERATED	900	2.8	5	1	1	2	3	5	6	11
TOTAL 65-69 YRS	413	2.7	3	1	1	2	3	4	6	9
70-74	249	2.9	5	1	1	2	3	5	6	13
75-79	167	2.8	3	1	1	2	3	5	7	9
80-84	61	3.5	20	1	1	3	4	6	7	32
85+	31	3.3	4	1	2	2	4	7	7	10
GRAND TOTAL	**921**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74										
75-79										
80-84										
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	35	2.0	2	1	1	2	2	4	4	8
70-74	17	1.9	1	<1	1	2	2	3	4	4
75-79	12	1.9	2	1	1	2	2	4	5	5
80-84	7	2.3	1	1	1	2	3	3	3	3
85+	16	1.8		1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	8.0	18	5	5	8	11	11	11	11
70-74	5	4.0	4	<1	<1	4	5	6	6	6
75-79										
80-84										
85+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
65-69 YRS	38	4.2	24	1	1	2	4	11	16	23
70-74	17	3.8	9	1	1	3	5	8	11	12
75-79	15	2.9	6	1	1	2	4	7	8	9
80-84	5	2.0	2	1	1	2	3	4	4	4
85+	7	2.6	3	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	87	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	9	5.2	7	<1	1	5	6	9	11	11
B. *Operated*	82	3.6	14	1	1	2	4	8	11	21
1. SINGLE DX	91	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	91	3.8	14	1	1	2	5	8	11	21
A. NOT OPERATED	13	4.2	8	<1	<1	4	5	8	10	11
B. OPERATED	169	2.8	8	1	1	2	3	5	8	16
TOTAL 65-69 YRS	77	3.2	14	1	1	2	3	8	11	21
70-74	39	3.0	5	<1	1	2	4	6	8	12
75-79	27	2.5	4	1	1	2	2	5	7	9
80-84	12	2.2	1	1	1	2	3	4	4	4
85+	27	2.3	2	1	1	2	2	4	6	7
GRAND TOTAL	**182**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	2.7	7	1	1	2	3	5	7	16
70-74	59	4.2	15	1	1	3	5	11	13	19
75-79	32	2.8	4	<1	<1	2	3	6	7	8
80-84	21	4.3	13	<1	1	3	6	10	12	13
85+	13	4.5	13	<1	1	4	5	11	13	13
B. *Operated*										
65-69 YRS	634	2.4	4	<1	1	2	2	4	5	12
70-74	401	2.6	7	1	1	2	3	4	6	14
75-79	238	3.1	16	1	1	2	3	5	9	23
80-84	92	2.6	3	<1	1	2	3	4	5	10
85+	34	3.1	11	1	1	2	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	293	5.7	16	1	2	5	7	11	14	19
70-74	261	5.8	25	1	1	5	7	11	13	30
75-79	184	6.3	26	1	2	5	8	13	16	25
80-84	121	7.1	35	2	2	6	9	14	19	31
85+	81	8.6	105	2	2	5	10	15	20	68
B. *Operated*										
65-69 YRS	967	4.4	34	1	1	2	4	10	15	36
70-74	675	5.1	59	1	1	3	5	11	15	44
75-79	420	5.7	57	1	1	3	6	13	20	34
80-84	158	6.5	110	1	1	3	8	14	20	54
85+	80	7.9	50	1	2	6	11	18	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.5	11	<1	1	2	4	7	12	16
B. *Operated*	1399	2.6	7	<1	1	2	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	940	6.3	31	1	2	5	8	12	15	26
B. *Operated*	2300	5.1	51	1	1	3	5	11	17	40
1. SINGLE DX	1584	2.7	8	<1	1	2	3	5	7	16
2. MULTIPLE DX	3240	5.4	46	1	1	3	6	12	16	37
A. NOT OPERATED	1125	5.8	29	1	2	4	7	12	15	26
B. OPERATED	3699	4.1	36	1	1	2	4	9	14	32
TOTAL 65-69 YRS	1954	3.9	22	1	1	2	4	8	12	23
70-74	1396	4.5	37	1	1	2	5	9	13	33
75-79	874	5.0	39	1	1	3	6	11	16	32
80-84	392	5.7	59	1	2	3	6	12	17	42
85+	208	7.2	66	1	2	5	9	15	19	40
GRAND TOTAL	**4824**	**4.5**	**35**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1420	7.0	17	2	3	6	8	12	15	21
70-74	1382	7.1	14	3	3	6	9	12	14	21
75-79	1238	7.6	22	3	3	7	9	13	15	25
80-84	1046	8.1	24	3	3	7	11	14	17	23
85+	1305	8.6	28	3	4	7	11	15	18	28
B. *Operated*										
65-69 YRS	124	10.0	73	1	2	8	13	18	25	48
70-74	139	11.6	72	2	3	10	15	22	29	42
75-79	94	11.3	77	2	3	9	14	23	30	47
80-84	56	11.6	50	2	2	11	18	22	24	26
85+	47	14.1	121	3	5	10	18	34	40	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10031	9.5	41	3	4	8	12	16	21	34
70-74	12119	10.0	47	3	4	8	12	17	22	37
75-79	12583	10.7	57	3	4	9	13	19	24	41
80-84	11300	11.4	63	4	4	9	14	20	25	42
85+	14459	12.1	75	4	5	10	15	21	27	49
B. *Operated*										
65-69 YRS	1763	16.8	160	4	6	14	21	32	43	98
70-74	1864	18.2	171	5	6	15	23	35	47	95
75-79	1751	19.2	195	5	7	16	24	38	49	86
80-84	1368	20.0	197	5	7	17	25	39	54	99+
85+	1296	20.4	194	6	7	17	26	39	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6391	7.7	21	3	3	7	10	13	16	23
B. *Operated*	460	11.3	76	2	2	9	15	22	27	45
2. MULTIPLE DX										
A. *Not Operated*	60492	10.8	59	3	4	9	13	19	24	41
B. *Operated*	8042	18.8	184	5	7	15	24	36	49	95
1. SINGLE DX	6851	7.9	26	3	3	7	10	14	17	26
2. MULTIPLE DX	68534	11.8	80	3	4	9	14	21	28	51
A. NOT OPERATED	66883	10.5	56	3	4	9	13	19	24	40
B. OPERATED	8502	18.4	181	4	6	15	23	35	48	92
TOTAL 65-69 YRS	13338	10.2	62	3	4	8	12	18	24	43
70-74	15504	10.8	67	3	4	9	13	19	26	46
75-79	15666	11.4	78	3	4	9	14	21	28	49
80-84	13770	12.0	81	3	4	10	15	22	28	53
85+	17107	12.5	87	4	5	10	15	22	29	54
GRAND TOTAL	**75385**	**11.4**	**76**	**3**	**4**	**9**	**14**	**21**	**27**	**49**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	140	4.8	11	1	2	4	6	8	11	20
70-74	120	4.8	9	2	2	4	6	8	9	17
75-79	125	5.1	10	2	2	4	6	9	11	16
80-84	79	5.5	14	1	2	5	7	10	13	19
85+	94	6.2	13	2	2	6	8	12	13	17
B. *Operated*										
65-69 YRS	2	6.0	2	5	5	6	7	7	7	7
70-74	6	7.5	37	3	3	5	9	18	19	19
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+	3	17.7	374	6	6	7	32	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	878	6.4	17	2	3	5	8	12	15	21
70-74	997	6.7	24	2	3	5	8	12	15	24
75-79	1002	7.2	25	2	3	6	9	13	16	28
80-84	776	7.7	29	2	3	6	10	14	18	29
85+	803	8.6	37	2	3	7	11	15	20	31
B. *Operated*										
65-69 YRS	48	11.9	70	3	4	10	15	22	29	45
70-74	67	14.6	135	3	3	10	22	27	39	56
75-79	42	13.1	62	3	4	12	18	21	30	37
80-84	37	16.9	285	4	5	12	20	29	48	95
85+	38	12.8	67	3	4	12	17	23	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	5.2	11	2	2	4	7	10	12	19
B. *Operated*	12	9.8	108	3	3	6	8	25	38	40
2. MULTIPLE DX										
A. *Not Operated*	4456	7.3	27	2	3	6	9	13	16	27
B. *Operated*	232	13.8	122	3	4	11	18	26	31	55
1. SINGLE DX	570	5.3	13	2	2	4	7	10	12	19
2. MULTIPLE DX	4688	7.6	33	2	3	6	9	14	18	29
A. NOT OPERATED	5014	7.0	25	2	3	6	9	13	16	27
B. OPERATED	244	13.6	121	3	4	11	18	26	32	54
TOTAL 65-69 YRS	1068	6.4	21	2	2	5	8	12	15	23
70-74	1190	6.9	32	2	3	5	8	13	16	27
75-79	1169	7.2	26	2	3	6	9	13	17	29
80-84	893	7.9	42	2	3	6	10	15	19	31
85+	938	8.6	38	2	3	7	11	15	20	32
GRAND TOTAL	**5258**	**7.3**	**32**	**2**	**3**	**6**	**9**	**14**	**17**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	408	6.2	14	2	2	5	8	11	14	19
70-74	424	6.5	18	2	3	6	8	12	15	21
75-79	284	6.1	15	2	3	5	7	11	14	21
80-84	161	6.6	20	2	3	5	8	12	16	28
85+	125	6.1	13	2	3	5	8	11	13	18
B. *Operated*										
65-69 YRS	68	4.4	14	<1	1	3	6	9	12	21
70-74	55	4.4	17	1	1	2	6	11	14	16
75-79	33	5.6	19	1	1	4	8	13	15	16
80-84	9	6.8	37	2	2	4	13	16	16	16
85+	5	9.8	80	2	2	6	14	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2852	8.3	43	3	3	7	10	14	19	35
70-74	2954	8.2	41	2	3	7	10	15	19	33
75-79	2430	8.3	42	3	3	7	10	15	19	33
80-84	1507	8.2	36	3	3	7	10	15	18	31
85+	1387	8.8	40	2	3	7	11	16	21	34
B. *Operated*										
65-69 YRS	484	11.2	135	2	2	8	13	23	32	84
70-74	451	11.2	110	2	3	9	14	22	30	63
75-79	338	12.8	131	2	3	9	17	26	36	51
80-84	183	13.2	103	3	4	10	16	27	36	51
85+	104	16.2	182	3	5	13	21	29	53	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1402	6.3	16	2	3	5	8	11	14	21
B. *Operated*	170	4.9	20	1	1	3	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	11130	8.3	41	2	3	7	10	15	19	33
B. *Operated*	1560	12.1	128	2	3	9	15	25	34	63
1. SINGLE DX	1572	6.2	16	2	2	5	8	11	14	21
2. MULTIPLE DX	12690	8.8	53	2	3	7	11	16	21	39
A. NOT OPERATED	12532	8.1	38	2	3	7	10	15	19	32
B. OPERATED	1730	11.4	122	2	2	8	15	23	32	62
TOTAL 65-69 YRS	3812	8.4	53	2	3	7	10	15	21	39
70-74	3884	8.3	48	2	3	7	10	15	20	36
75-79	3085	8.6	52	2	3	7	10	16	21	38
80-84	1860	8.6	43	2	3	7	10	16	20	36
85+	1621	9.1	51	2	3	7	11	17	22	39
GRAND TOTAL	**14262**	**8.5**	**50**	**2**	**3**	**7**	**10**	**16**	**21**	**37**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	171	8.2	39	2	3	6	10	17	23	32
70-74	187	8.1	64	2	3	6	9	16	20	47
75-79	114	7.2	39	2	2	6	9	13	18	34
80-84	80	7.4	25	2	2	6	10	14	15	30
85+	29	6.5	61	1	2	4	7	12	25	39
B. *Operated*										
65-69 YRS	9	10.0	96	1	1	8	11	25	34	34
70-74	10	8.5	28	2	2	8	12	16	18	18
75-79	7	9.0	36	2	3	8	10	19	21	21
80-84	3	7.0	7	4	4	8	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1550	10.1	68	2	3	8	12	19	26	44
70-74	1692	10.3	73	3	3	8	13	20	26	48
75-79	1271	9.8	65	2	3	8	12	18	24	47
80-84	642	10.1	69	2	3	8	12	19	24	40
85+	351	10.2	97	3	3	7	12	18	23	61
B. *Operated*										
65-69 YRS	193	19.6	281	4	5	16	25	46	80	99+
70-74	187	18.2	262	3	4	14	22	40	51	88
75-79	157	18.1	213	4	5	15	23	40	57	99+
80-84	56	17.7	169	3	5	14	24	30	48	64
85+	27	20.5	234	8	9	16	23	31	52	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	581	7.8	46	2	2	6	9	15	19	34
B. *Operated*	29	8.9	45	2	2	8	11	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	5506	10.1	71	3	3	8	12	19	25	46
B. *Operated*	620	18.6	245	3	5	15	24	40	62	99+
1. SINGLE DX	610	7.8	46	2	2	6	10	15	19	34
2. MULTIPLE DX	6126	11.0	95	3	3	8	14	21	29	60
A. NOT OPERATED	6087	9.9	69	2	3	8	12	19	25	46
B. OPERATED	649	18.2	240	3	5	14	23	39	60	99+
TOTAL 65-69 YRS	1923	10.9	95	3	3	8	13	22	28	68
70-74	2076	10.8	94	3	3	8	13	21	28	55
75-79	1549	10.4	85	2	3	8	13	20	27	58
80-84	781	10.3	76	2	3	8	12	19	26	43
85+	407	10.6	111	2	3	7	13	19	28	63
GRAND TOTAL	**6736**	**10.7**	**91**	**2**	**3**	**8**	**13**	**21**	**28**	**58**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1400	5.8	14	2	2	5	8	10	12	18
70-74	1055	6.2	17	2	2	5	8	11	13	21
75-79	622	6.3	17	2	2	5	8	12	15	21
80-84	306	6.4	22	2	2	5	8	12	15	21
85+	172	6.1	19	1	2	5	8	12	14	30
B. *Operated*										
65-69 YRS	24	9.6	45	1	2	8	14	20	23	25
70-74	17	6.1	10	2	3	7	8	8	13	15
75-79	14	5.4	42	<1	1	3	5	12	23	26
80-84	2	16.0	32	12	12	16	20	20	20	20
85+	2	13.5	61	8	8	13	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5510	7.8	33	2	3	6	10	14	18	28
70-74	4755	8.1	35	2	3	7	10	15	19	30
75-79	3296	8.6	38	2	3	7	10	15	20	32
80-84	1814	9.1	46	2	3	8	11	16	21	33
85+	1017	9.2	43	2	3	8	11	16	21	35
B. *Operated*										
65-69 YRS	400	13.7	151	2	4	11	17	25	34	74
70-74	321	14.2	96	3	5	12	19	29	36	67
75-79	201	14.7	156	4	5	11	17	28	38	65
80-84	103	14.1	102	3	4	11	18	28	34	53
85+	57	16.4	110	3	7	13	19	32	42	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3555	6.1	16	2	2	5	8	11	14	20
B. *Operated*	59	7.9	39	1	2	6	11	18	21	26
2. MULTIPLE DX										
A. *Not Operated*	16392	8.3	37	2	3	7	10	15	19	30
B. *Operated*	1082	14.2	129	3	4	11	18	28	36	66
1. SINGLE DX	3614	6.1	17	2	2	5	8	11	14	20
2. MULTIPLE DX	17474	8.7	44	2	3	7	11	16	20	35
A. NOT OPERATED	19947	7.9	34	2	3	7	10	14	18	29
B. OPERATED	1141	13.9	126	3	4	11	17	27	36	66
TOTAL 65-69 YRS	7334	7.8	38	2	3	6	10	14	18	30
70-74	6148	8.1	37	2	3	7	10	15	19	32
75-79	4133	8.5	43	2	3	7	10	15	20	34
80-84	2225	9.0	48	2	3	7	11	16	21	35
85+	1248	9.1	47	2	3	7	11	17	21	39
GRAND TOTAL	**21088**	**8.2**	**41**	**2**	**3**	**7**	**10**	**15**	**19**	**33**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1467	7.3	31	2	3	6	9	13	18	29
70-74	1290	7.5	38	2	3	6	9	14	18	34
75-79	881	7.2	34	2	2	6	9	13	17	29
80-84	383	7.3	28	2	3	6	9	13	18	30
85+	175	7.0	25	2	2	6	9	12	17	29
B. *Operated*										
65-69 YRS	81	9.4	97	2	2	5	12	21	36	45
70-74	60	7.4	23	1	2	7	10	14	16	20
75-79	56	9.4	53	1	2	8	12	21	24	40
80-84	20	12.9	184	3	3	9	16	26	47	61
85+	8	15.5	79	2	4	14	23	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9630	9.3	53	2	3	7	11	17	22	36
70-74	9876	9.4	56	3	3	7	12	17	22	41
75-79	7312	9.6	58	2	3	8	12	18	24	40
80-84	3963	9.7	58	2	3	8	12	18	24	42
85+	2166	10.3	76	3	3	8	13	19	25	50
B. *Operated*										
65-69 YRS	1223	16.0	225	3	4	12	19	35	53	99+
70-74	1231	15.7	192	3	4	12	20	34	48	99+
75-79	871	16.2	193	3	4	12	21	33	49	99+
80-84	408	16.3	194	3	4	12	21	33	44	99
85+	201	17.3	205	4	5	14	22	35	55	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4196	7.4	33	2	3	6	9	13	18	30
B. *Operated*	225	9.4	75	2	2	7	12	20	24	42
2. MULTIPLE DX										
A. *Not Operated*	32947	9.5	57	2	3	8	12	18	23	40
B. *Operated*	3934	16.1	203	3	4	12	20	34	50	99+
1. SINGLE DX	4421	7.5	36	2	3	6	9	14	18	32
2. MULTIPLE DX	36881	10.2	77	2	3	8	12	19	26	51
A. NOT OPERATED	37143	9.3	55	2	3	7	11	17	23	39
B. OPERATED	4159	15.7	198	3	4	12	20	34	49	99+
TOTAL 65-69 YRS	12401	9.7	72	2	3	7	12	18	25	47
70-74	12457	9.8	72	2	3	8	12	19	25	50
75-79	9120	10.0	73	2	3	8	12	19	26	49
80-84	4774	10.1	72	2	3	8	12	19	26	46
85+	2550	10.6	87	3	3	8	13	20	27	56
GRAND TOTAL	**41302**	**9.9**	**73**	**2**	**3**	**8**	**12**	**19**	**25**	**49**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	7.1	33	1	2	5	8	18	20	21
70-74	18	6.6	27	<1	1	6	10	13	18	21
75-79	10	4.5	2	2	2	4	6	7	7	7
80-84	5	7.4	13	3	3	7	10	12	12	12
85+	3	5.0	13	2	2	4	8	9	9	9
B. *Operated*										
65-69 YRS	89	9.4	35	3	4	7	13	18	22	28
70-74	42	8.6	53	2	2	6	11	18	26	33
75-79	32	9.3	68	3	4	6	10	21	32	37
80-84	15	10.0	63	3	4	8	11	20	30	33
85+	6	11.8	42	6	6	9	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	9.8	60	2	3	7	12	20	28	35
70-74	80	10.4	68	2	3	8	14	19	32	40
75-79	79	8.9	45	2	2	7	12	21	23	29
80-84	42	10.8	69	3	4	8	14	25	28	34
85+	31	8.9	61	1	2	8	10	16	19	42
B. *Operated*										
65-69 YRS	342	13.0	135	3	4	9	16	26	38	73
70-74	317	14.4	175	4	4	10	18	29	42	69
75-79	209	13.2	99	4	4	10	17	26	37	48
80-84	102	14.5	113	4	5	11	20	28	39	48
85+	65	12.5	144	4	4	9	14	22	49	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.3	22	1	2	5	8	12	18	21
B. *Operated*	184	9.3	47	3	3	7	12	19	23	33
2. MULTIPLE DX										
A. *Not Operated*	308	9.8	59	2	3	7	13	20	27	37
B. *Operated*	1035	13.6	139	3	4	10	17	27	39	60
1. SINGLE DX	235	8.7	43	2	3	7	11	18	22	33
2. MULTIPLE DX	1343	12.7	123	3	4	9	16	26	36	56
A. NOT OPERATED	359	9.3	55	2	2	7	12	19	26	36
B. OPERATED	1219	13.0	127	3	4	9	16	26	37	58
TOTAL 65-69 YRS	522	11.7	107	3	4	8	15	23	31	60
70-74	457	12.9	145	3	4	9	16	27	36	62
75-79	330	11.5	85	3	4	8	15	23	31	46
80-84	164	12.9	97	3	4	10	18	26	35	47
85+	105	11.2	112	2	3	9	13	20	29	58
GRAND TOTAL	**1578**	**12.1**	**113**	**3**	**4**	**9**	**15**	**25**	**34**	**51**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	279	5.0	20	1	1	4	6	9	13	26
70-74	268	5.8	25	1	2	5	7	11	14	29
75-79	219	6.9	49	1	2	5	9	13	17	34
80-84	183	6.2	21	1	2	5	8	12	15	23
85+	182	7.4	33	1	2	6	10	15	19	28
B. *Operated*										
65-69 YRS	348	7.3	44	1	2	6	9	16	19	33
70-74	277	7.0	45	1	1	5	9	14	21	42
75-79	188	7.9	44	1	2	6	11	16	22	32
80-84	92	7.1	62	1	1	5	9	15	21	46
85+	44	11.2	217	1	1	7	15	24	31	88
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3569	8.2	42	2	3	7	10	15	19	32
70-74	3825	9.0	49	2	3	7	11	17	22	37
75-79	3715	9.6	56	2	3	8	12	18	23	38
80-84	2883	10.4	72	2	3	8	13	19	26	49
85+	2934	10.9	73	2	3	9	14	21	27	46
B. *Operated*										
65-69 YRS	1974	12.3	138	2	2	9	16	26	34	64
70-74	1727	13.4	148	2	3	10	17	28	37	71
75-79	1413	14.6	175	2	3	11	19	31	41	75
80-84	853	16.6	182	3	4	13	22	34	47	98
85+	607	17.3	191	3	4	14	22	35	49	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1131	6.2	30	1	2	5	8	12	16	27
B. *Operated*	949	7.5	54	1	1	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	16926	9.5	58	2	3	8	12	18	23	40
B. *Operated*	6574	14.1	162	2	3	11	18	30	41	73
1. SINGLE DX	2080	6.8	41	1	2	5	9	14	18	32
2. MULTIPLE DX	23500	10.8	91	2	3	8	14	21	29	52
A. NOT OPERATED	18057	9.3	57	2	3	7	12	18	23	40
B. OPERATED	7523	13.3	153	2	2	10	17	28	39	71
TOTAL 65-69 YRS	6170	9.3	76	2	2	7	12	18	25	46
70-74	6097	10.0	81	2	3	7	13	20	27	47
75-79	5535	10.7	91	2	3	8	13	21	28	50
80-84	4011	11.4	101	2	3	9	14	23	31	60
85+	3767	11.8	98	2	3	9	15	23	31	56
GRAND TOTAL	**25580**	**10.5**	**88**	**2**	**3**	**8**	**13**	**21**	**28**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.7	5	<1	<1	4	6	6	6	6
70-74	12	4.8	11	1	2	4	6	10	12	12
75-79	8	4.4	8	2	2	4	5	9	11	11
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	247	2.6	2	1	1	2	3	5	5	8
70-74	142	2.8	3	1	1	2	3	5	7	9
75-79	94	2.6	3	1	1	2	3	5	6	9
80-84	44	2.5	5	<1	1	2	3	4	6	14
85+	44	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	80	4.8	21	1	1	4	6	9	13	27
70-74	68	6.7	99	1	1	4	7	13	21	66
75-79	49	6.1	37	1	1	4	8	13	17	35
80-84	40	6.2	29	1	1	5	8	14	16	25
85+	21	6.7	49	2	2	5	7	12	24	33
B. *Operated*										
65-69 YRS	806	3.7	16	1	1	2	4	7	11	21
70-74	602	3.7	22	1	2	2	4	7	10	26
75-79	445	3.6	15	1	2	2	4	7	10	23
80-84	284	3.8	13	1	2	2	4	8	12	18
85+	234	3.7	11	1	2	2	4	7	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.2	7	1	1	4	5	8	11	12
B. *Operated*	571	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	258	5.9	48	1	1	4	7	12	17	33
B. *Operated*	2371	3.7	17	1	2	2	4	7	11	22
1. SINGLE DX	604	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX	2629	3.9	20	1	2	2	4	8	12	23
A. NOT OPERATED	291	5.7	44	1	1	4	7	12	17	32
B. OPERATED	2942	3.5	14	1	1	2	4	7	10	19
TOTAL 65-69 YRS	1142	3.5	14	1	1	2	4	7	9	19
70-74	824	3.8	26	1	1	2	4	7	10	25
75-79	596	3.7	15	1	1	2	4	7	11	23
80-84	370	3.9	14	1	1	2	4	9	13	18
85+	301	3.7	13	1	2	2	4	7	10	19
GRAND TOTAL	**3233**	**3.7**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	4.2	14	<1	1	3	5	9	14	16
70-74	28	4.0	7	<1	1	3	6	8	9	11
75-79	16	3.8	3	<1	1	4	5	7	7	7
80-84	12	4.0	5	1	2	4	5	7	9	9
85+	15	5.4	9	1	2	6	7	10	10	10
B. *Operated*										
65-69 YRS	166	3.0	6	1	1	2	4	5	6	10
70-74	164	3.3	5	1	1	3	4	6	7	15
75-79	107	3.1	6	<1	1	3	3	5	7	15
80-84	52	3.6	6	1	1	3	4	7	9	13
85+	17	4.8	18	1	2	3	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	126	7.1	31	1	2	6	9	13	15	31
70-74	138	8.5	50	1	2	7	10	17	22	35
75-79	113	8.4	36	2	3	7	11	16	18	36
80-84	117	8.1	31	1	2	7	11	15	18	28
85+	126	9.3	39	3	3	8	12	15	18	40
B. *Operated*										
65-69 YRS	303	5.5	36	1	2	3	6	12	19	31
70-74	245	5.6	44	1	2	4	6	11	18	34
75-79	171	5.9	37	1	2	4	7	11	17	35
80-84	95	8.3	83	1	2	5	10	19	27	48
85+	81	10.0	71	1	2	7	14	21	31	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.2	8	<1	1	4	6	8	10	15
B. *Operated*	506	3.2	6	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	620	8.3	38	2	3	7	11	15	19	34
B. *Operated*	895	6.3	48	1	2	4	7	13	21	34
1. SINGLE DX	604	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX	1515	7.1	45	1	2	5	9	14	20	34
A. NOT OPERATED	718	7.7	36	1	2	6	10	14	18	33
B. OPERATED	1401	5.2	35	1	2	3	5	10	17	32
TOTAL 65-69 YRS	622	5.1	28	1	1	3	6	10	15	30
70-74	575	5.5	36	1	2	4	6	11	17	33
75-79	407	5.8	31	1	2	4	7	12	17	32
80-84	276	7.1	46	1	2	5	9	14	20	34
85+	239	8.9	48	2	3	7	12	17	21	35
GRAND TOTAL	**2119**	**6.0**	**37**	**1**	**2**	**4**	**7**	**13**	**17**	**32**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	185	3.5	5	<1	1	3	5	7	8	11
70-74	153	3.7	6	<1	1	3	5	7	8	12
75-79	126	4.0	12	1	1	3	5	8	10	19
80-84	78	4.4	13	1	1	4	6	8	12	20
85+	69	4.1	10	1	1	3	5	7	9	18
B. *Operated*										
65-69 YRS	229	6.4	80	1	1	4	8	11	15	53
70-74	195	5.1	26	<1	1	3	8	10	13	25
75-79	172	6.5	37	1	1	5	9	14	17	42
80-84	96	6.1	52	1	1	4	7	11	15	46
85+	73	7.2	53	1	1	5	9	18	22	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1772	5.7	22	1	2	4	7	10	13	23
70-74	1751	6.0	24	1	2	5	7	11	14	25
75-79	1462	6.4	29	2	2	5	8	12	16	27
80-84	1099	6.9	29	2	2	5	9	13	17	29
85+	895	7.7	51	2	2	6	9	14	18	38
B. *Operated*										
65-69 YRS	1422	8.9	73	1	2	7	11	18	24	47
70-74	1374	9.4	88	1	2	7	12	19	25	49
75-79	1230	9.6	87	2	2	7	12	19	29	57
80-84	866	11.1	135	2	2	8	13	25	35	57
85+	632	11.4	115	2	2	8	15	25	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	3.8	8	1	1	3	5	7	9	15
B. *Operated*	765	6.1	51	<1	1	4	8	12	16	41
2. MULTIPLE DX										
A. *Not Operated*	6979	6.3	29	1	2	5	8	12	15	28
B. *Operated*	5524	9.8	95	2	2	7	12	20	29	53
1. SINGLE DX	1376	5.1	33	1	1	4	7	10	13	28
2. MULTIPLE DX	12503	7.9	61	2	2	6	9	15	22	43
A. NOT OPERATED	7590	6.1	28	1	2	5	8	11	15	27
B. OPERATED	6289	9.4	91	1	2	7	12	19	28	52
TOTAL 65-69 YRS	3608	6.9	48	1	2	5	8	13	18	38
70-74	3473	7.2	52	1	2	5	9	14	19	37
75-79	2990	7.6	56	1	2	5	9	15	20	41
80-84	2139	8.5	77	2	2	6	10	17	25	43
85+	1669	8.9	78	2	2	6	11	18	26	49
GRAND TOTAL	**13879**	**7.6**	**59**	**1**	**2**	**6**	**9**	**15**	**21**	**41**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	133	4.9	19	1	2	4	6	8	11	23
70-74	102	5.2	11	1	1	5	7	9	11	17
75-79	90	6.5	20	1	2	5	8	12	13	24
80-84	54	5.4	14	1	1	4	7	12	13	15
85+	44	6.7	25	2	2	6	8	12	15	27
B. *Operated*										
65-69 YRS	108	7.9	30	<1	1	7	11	16	17	25
70-74	90	6.9	28	<1	<1	6	10	15	18	21
75-79	71	7.9	42	<1	1	7	11	16	24	25
80-84	49	8.4	41	2	2	7	11	19	23	30
85+	17	6.9	13	2	3	6	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	709	6.8	19	2	3	6	9	12	15	24
70-74	759	7.2	27	2	3	6	9	13	16	27
75-79	668	8.0	30	2	3	7	10	14	18	31
80-84	556	8.1	26	2	3	7	10	15	18	26
85+	422	8.6	32	2	3	7	11	16	20	33
B. *Operated*										
65-69 YRS	725	9.9	57	2	3	8	12	19	24	44
70-74	755	10.2	59	2	3	8	13	20	25	38
75-79	683	11.1	73	3	4	9	14	21	27	45
80-84	451	11.2	87	2	3	9	14	21	29	45
85+	278	11.7	96	3	4	9	15	21	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	5.5	18	1	2	4	7	10	13	20
B. *Operated*	335	7.6	33	<1	1	6	11	16	19	25
2. MULTIPLE DX										
A. *Not Operated*	3114	7.6	27	2	3	7	9	14	17	28
B. *Operated*	2892	10.6	70	2	3	9	13	20	25	44
1. SINGLE DX	758	6.5	25	1	1	5	9	13	16	25
2. MULTIPLE DX	6006	9.1	50	2	3	7	11	17	22	37
A. NOT OPERATED	3537	7.4	26	2	3	6	9	13	16	27
B. OPERATED	3227	10.3	67	2	3	8	13	20	25	41
TOTAL 65-69 YRS	1675	8.0	39	2	2	7	10	15	19	33
70-74	1706	8.4	43	2	3	7	10	16	20	36
75-79	1512	9.3	52	2	3	8	12	17	22	38
80-84	1110	9.2	53	2	3	7	12	17	22	36
85+	761	9.6	58	2	3	8	12	18	22	36
GRAND TOTAL	**6764**	**8.8**	**48**	**2**	**3**	**7**	**11**	**16**	**21**	**36**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	127	5.9	13	2	2	5	7	10	11	20
70-74	133	6.3	11	3	3	5	8	11	12	18
75-79	120	6.1	14	2	3	5	8	10	12	21
80-84	60	6.4	12	3	3	6	7	10	12	25
85+	58	7.7	23	3	3	6	10	13	18	26
B. *Operated*										
65-69 YRS	135	8.8	30	3	3	8	12	16	18	27
70-74	88	10.2	38	3	4	8	14	18	21	33
75-79	67	9.5	31	3	4	9	11	17	21	29
80-84	58	11.3	60	3	4	9	15	20	28	38
85+	45	10.8	37	3	4	10	13	19	21	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	669	7.5	23	3	3	6	9	13	16	28
70-74	777	8.1	32	3	3	7	9	15	19	29
75-79	781	9.0	50	3	3	7	11	15	21	34
80-84	559	9.4	49	3	4	8	12	17	20	34
85+	601	10.5	49	3	4	9	13	19	23	36
B. *Operated*										
65-69 YRS	771	12.8	102	3	4	10	16	25	32	54
70-74	877	13.1	105	4	5	10	15	26	33	56
75-79	840	14.1	125	4	5	11	18	27	37	60
80-84	685	15.4	151	4	5	12	19	30	40	66
85+	496	15.2	149	4	5	12	19	31	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	6.3	14	2	3	5	8	10	13	22
B. *Operated*	393	9.8	37	3	3	9	13	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	3387	8.8	41	3	4	7	11	16	20	33
B. *Operated*	3669	14.0	124	4	5	11	17	27	36	61
1. SINGLE DX	891	7.9	27	2	3	6	10	15	18	27
2. MULTIPLE DX	7056	11.5	91	3	4	9	14	22	30	53
A. NOT OPERATED	3885	8.5	38	3	3	7	10	15	19	32
B. OPERATED	4062	13.6	117	4	5	10	17	26	35	60
TOTAL 65-69 YRS	1702	9.9	66	3	3	7	12	19	25	44
70-74	1875	10.4	71	3	4	8	13	20	27	48
75-79	1808	11.2	90	3	4	8	14	21	29	53
80-84	1362	12.4	109	3	4	9	15	24	32	59
85+	1200	12.3	95	3	4	10	15	23	31	50
GRAND TOTAL	**7947**	**11.1**	**85**	**3**	**4**	**8**	**14**	**21**	**29**	**51**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	266	4.5	6	1	2	4	6	8	9	13
70-74	191	4.9	10	1	2	4	6	9	11	16
75-79	137	5.1	10	2	2	4	6	10	12	15
80-84	94	5.1	10	1	2	4	7	10	11	15
85+	80	6.2	22	1	2	5	7	13	18	22
B. *Operated*										
65-69 YRS	63	9.2	32	3	3	8	11	18	23	25
70-74	34	9.7	42	2	3	8	13	22	24	27
75-79	24	10.6	67	<1	1	9	13	22	28	35
80-84	12	8.0	7	5	5	8	10	12	13	13
85+	14	11.0	60	2	5	9	13	23	29	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1554	6.3	18	2	3	5	8	11	13	24
70-74	1481	6.8	28	2	3	6	8	12	15	24
75-79	1237	7.4	33	2	3	6	9	13	17	30
80-84	863	7.8	31	2	3	6	10	14	17	29
85+	683	8.8	47	3	3	7	11	16	21	36
B. *Operated*										
65-69 YRS	465	11.3	77	3	4	9	14	21	27	47
70-74	382	10.8	73	3	4	9	13	21	27	50
75-79	354	12.4	97	3	4	10	15	23	29	51
80-84	213	13.0	85	3	4	11	17	26	29	48
85+	121	14.7	136	4	5	11	19	28	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	5.0	10	1	2	4	6	9	11	18
B. *Operated*	147	9.6	40	2	3	8	12	20	24	31
2. MULTIPLE DX										
A. *Not Operated*	5818	7.2	29	2	3	6	9	13	16	27
B. *Operated*	1535	11.9	87	3	4	10	15	23	28	49
1. SINGLE DX	915	5.7	18	1	2	5	7	11	13	23
2. MULTIPLE DX	7353	8.2	45	2	3	6	10	15	20	34
A. NOT OPERATED	6586	6.9	28	2	3	6	8	12	16	26
B. OPERATED	1682	11.7	84	3	4	9	15	22	28	48
TOTAL 65-69 YRS	2348	7.2	33	2	3	6	9	13	17	28
70-74	2088	7.4	38	2	3	6	9	13	18	29
75-79	1752	8.3	49	2	3	7	10	15	20	35
80-84	1182	8.5	44	2	3	7	11	16	21	33
85+	898	9.4	62	2	3	7	11	18	25	44
GRAND TOTAL	**8268**	**7.9**	**43**	**2**	**3**	**6**	**10**	**15**	**20**	**33**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	295	5.7	8	2	3	5	7	9	10	16
70-74	240	5.6	9	2	3	5	7	9	12	15
75-79	195	6.3	9	3	3	6	8	10	12	16
80-84	97	7.2	39	3	3	5	9	12	17	39
85+	117	7.3	19	3	3	6	9	12	15	24
B. *Operated*										
65-69 YRS	135	9.4	16	3	4	9	12	15	17	20
70-74	107	11.5	28	5	6	10	14	18	20	32
75-79	95	12.0	67	4	6	11	14	17	25	54
80-84	65	13.5	98	4	5	12	16	23	26	69
85+	37	16.0	100	5	7	13	19	32	37	47
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1211	7.3	25	2	3	6	9	12	16	26
70-74	1340	8.1	31	3	3	7	10	14	17	30
75-79	1199	8.4	34	3	3	7	10	15	19	33
80-84	938	10.0	62	3	4	8	12	19	23	45
85+	891	10.3	71	3	4	8	12	17	24	50
B. *Operated*										
65-69 YRS	643	14.7	129	4	5	12	18	28	35	68
70-74	630	15.5	156	4	5	12	19	30	47	99+
75-79	645	17.4	172	5	6	13	21	36	47	69
80-84	497	19.4	217	5	7	15	25	37	47	84
85+	391	19.8	158	6	8	16	24	34	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	944	6.1	13	2	3	5	8	10	12	18
B. *Operated*	439	11.6	52	4	5	11	14	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	5579	8.6	43	3	3	7	10	15	20	34
B. *Operated*	2806	17.0	168	5	6	13	21	33	45	79
1. SINGLE DX	1383	7.9	32	3	3	7	10	14	17	29
2. MULTIPLE DX	8385	11.4	101	3	4	8	14	22	30	60
A. NOT OPERATED	6523	8.3	40	3	3	7	10	15	19	33
B. OPERATED	3245	16.3	156	4	6	13	20	31	42	77
TOTAL 65-69 YRS	2284	9.3	64	3	3	7	11	17	23	41
70-74	2317	10.0	75	3	4	8	12	18	25	56
75-79	2134	11.1	93	3	4	8	13	21	31	54
80-84	1597	12.9	130	3	4	9	15	26	33	68
85+	1436	12.8	111	3	4	10	16	24	32	62
GRAND TOTAL	**9768**	**10.9**	**93**	**3**	**4**	**8**	**13**	**21**	**29**	**55**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	6.3	5	2	2	7	8	9	9	9
70-74	12	6.6	6	3	4	6	8	10	11	11
75-79	16	6.5	15	1	2	6	9	11	14	15
80-84	17	7.1	15	2	3	6	9	14	15	15
85+	11	12.3	88	4	5	10	16	26	35	36
B. *Operated*										
65-69 YRS	53	10.2	23	4	5	10	13	16	17	29
70-74	38	14.7	65	4	7	13	19	25	31	38
75-79	26	16.5	135	5	7	15	19	25	37	65
80-84	13	12.8	80	3	4	12	17	23	34	36
85+	8	13.1	28	7	7	12	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	106	7.7	19	2	3	7	10	13	17	21
70-74	107	9.3	93	3	3	6	10	15	30	57
75-79	97	10.3	44	2	3	9	15	20	23	29
80-84	93	9.5	39	3	4	8	11	19	21	33
85+	72	11.8	143	3	3	9	13	21	31	76
B. *Operated*										
65-69 YRS	239	18.6	165	6	8	15	23	40	46	82
70-74	191	20.1	197	5	7	16	26	40	50	97
75-79	182	19.2	134	5	7	17	25	33	42	63
80-84	120	21.7	229	6	8	18	25	41	55	79
85+	105	21.5	188	6	8	17	28	44	49	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	7.4	24	2	3	7	9	11	16	32
B. *Operated*	138	13.1	65	4	5	12	16	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	475	9.5	65	3	3	8	11	18	22	42
B. *Operated*	837	19.9	178	6	8	16	25	39	48	76
1. SINGLE DX	213	11.1	58	3	4	9	15	19	24	37
2. MULTIPLE DX	1312	16.1	162	3	5	13	21	33	43	70
A. NOT OPERATED	550	9.3	60	3	3	7	11	17	21	38
B. OPERATED	975	18.9	168	5	7	15	24	38	47	74
TOTAL 65-69 YRS	417	14.2	129	3	5	11	17	29	41	66
70-74	348	15.7	170	3	4	12	19	35	43	76
75-79	321	15.7	120	3	4	13	21	29	35	62
80-84	243	15.5	170	4	5	12	19	30	40	72
85+	196	17.1	181	3	5	13	22	37	47	77
GRAND TOTAL	**1525**	**15.4**	**150**	**3**	**4**	**12**	**19**	**31**	**41**	**67**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	370	3.9	10	1	1	3	5	7	8	13
70-74	276	4.5	13	1	1	4	6	9	11	17
75-79	205	4.5	14	1	1	4	6	8	10	18
80-84	148	4.5	8	1	2	4	5	8	10	15
85+	106	4.5	14	1	1	4	6	8	11	21
B. *Operated*										
65-69 YRS	76	5.5	28	<1	<1	4	7	11	16	29
70-74	70	6.3	18	<1	<1	6	9	12	13	18
75-79	44	5.4	25	<1	<1	4	7	12	17	22
80-84	26	7.2	32	<1	1	5	11	13	16	27
85+	16	6.4	26	2	2	5	8	14	19	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3319	6.0	23	2	2	5	7	11	14	23
70-74	3115	6.3	21	2	2	5	8	12	15	22
75-79	2742	6.6	22	2	2	5	8	12	15	23
80-84	1957	7.3	39	2	2	6	9	13	16	31
85+	1568	8.0	42	2	3	6	10	15	18	33
B. *Operated*										
65-69 YRS	1047	10.1	63	3	3	8	12	18	25	40
70-74	1002	9.9	68	2	3	8	12	18	23	47
75-79	805	10.6	84	3	4	9	13	19	25	47
80-84	540	10.6	65	3	4	8	13	20	27	40
85+	343	11.3	56	3	4	9	14	21	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1105	4.3	12	1	1	4	6	8	10	17
B. *Operated*	232	5.9	25	<1	<1	5	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	12701	6.7	28	2	2	5	8	12	15	25
B. *Operated*	3737	10.3	69	2	3	8	13	19	25	43
1. SINGLE DX	1337	4.6	14	1	1	4	6	9	11	19
2. MULTIPLE DX	16438	7.5	39	2	2	6	9	14	18	31
A. NOT OPERATED	13806	6.5	27	2	2	5	8	12	15	25
B. OPERATED	3969	10.1	67	2	3	8	12	18	24	42
TOTAL 65-69 YRS	4812	6.7	34	2	2	5	8	12	17	30
70-74	4463	7.0	34	2	2	6	9	13	17	29
75-79	3796	7.3	38	2	2	6	9	14	17	30
80-84	2671	7.8	45	2	2	6	9	14	19	32
85+	2033	8.4	45	2	3	7	11	16	20	34
GRAND TOTAL	**17775**	**7.3**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**31**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	4.1	9	1	1	3	5	7	9	17
70-74	80	4.3	10	<1	1	3	6	9	10	17
75-79	54	4.9	10	1	1	4	6	8	11	16
80-84	25	4.4	40	<1	1	3	4	5	13	34
85+	21	6.1	22	1	2	5	7	13	17	20
B. *Operated*										
65-69 YRS	23	10.0	35	<1	1	9	15	16	18	21
70-74	38	12.2	136	<1	1	8	17	25	35	60
75-79	15	12.6	47	<1	<1	13	19	20	23	24
80-84	13	17.4	443	1	2	7	24	50	68	72
85+	17	16.8	96	3	4	17	25	30	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	651	6.2	36	1	2	5	8	12	16	27
70-74	585	6.4	25	2	2	5	8	12	16	25
75-79	561	7.2	35	2	2	6	9	14	17	32
80-84	393	7.7	35	2	3	6	9	15	20	31
85+	348	8.5	70	2	3	7	10	16	22	39
B. *Operated*										
65-69 YRS	317	15.7	144	3	4	13	20	30	39	86
70-74	299	17.3	201	3	5	13	22	37	48	81
75-79	266	16.5	178	4	4	13	21	35	45	89
80-84	145	20.3	171	4	5	17	29	42	46	59
85+	128	20.0	226	4	6	15	26	39	55	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.5	13	1	1	4	6	8	11	18
B. *Operated*	106	13.2	134	1	2	11	18	25	32	65
2. MULTIPLE DX										
A. *Not Operated*	2538	7.0	39	2	2	5	9	14	18	31
B. *Operated*	1155	17.4	181	3	5	14	22	36	46	85
1. SINGLE DX	381	6.9	62	1	1	4	8	16	21	35
2. MULTIPLE DX	3693	10.3	107	2	2	7	13	22	31	56
A. NOT OPERATED	2813	6.8	37	1	2	[illegible]	8	13	17	31
B. OPERATED	1261	17.0	178	3	4	14	22	35	45	82
TOTAL 65-69 YRS	1086	8.9	85	1	2	6	11	18	25	46
70-74	1002	9.7	106	2	2	7	12	20	30	62
75-79	896	9.9	95	2	2	7	12	20	30	50
80-84	576	11.0	112	2	3	7	14	26	35	52
85+	514	11.6	134	2	3	8	14	24	32	57
GRAND TOTAL	**4074**	**9.9**	**103**	**2**	**2**	**7**	**12**	**21**	**30**	**55**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.6	5	1	1	5	7	7	7	7
70-74	5	4.6	7	2	2	4	6	9	9	9
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	219	5.6	8	3	3	5	7	9	11	16
70-74	123	5.8	6	3	3	6	7	9	10	12
75-79	56	7.4	20	3	3	6	9	15	16	22
80-84	23	8.2	22	3	4	8	10	13	19	23
85+	28	6.3	12	3	3	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.8	8	<1	<1	3	6	8	8	8
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	1	6.0		6	6	6	6	6	6	6
80-84	3	15.0	49	10	10	12	20	23	23	23
85+	6	12.2	69	3	3	11	20	23	23	23
B. *Operated*										
65-69 YRS	227	8.7	42	3	4	7	10	15	21	39
70-74	159	9.2	43	3	4	7	11	15	21	38
75-79	101	9.5	19	4	5	9	12	15	17	24
80-84	62	13.4	172	4	4	11	15	20	35	84
85+	41	13.0	76	4	6	10	16	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.6	12	1	2	5	7	10	13	14
B. *Operated*	449	6.1	10	3	3	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	20	8.4	47	<1	1	6	11	21	23	23
B. *Operated*	590	9.7	57	3	4	8	12	16	21	46
1. SINGLE DX	463	6.0	10	3	3	5	7	10	12	19
2. MULTIPLE DX	610	9.7	56	3	4	8	12	16	21	45
A. NOT OPERATED	34	7.2	34	1	1	6	9	15	22	23
B. OPERATED	1039	8.2	40	3	3	6	10	14	18	32
TOTAL 65-69 YRS	461	7.1	27	3	3	6	8	12	16	31
70-74	289	7.7	29	3	3	6	9	13	16	31
75-79	159	8.7	20	3	4	8	11	15	17	23
80-84	88	12.1	133	3	4	10	14	20	23	75
85+	76	10.4	60	3	4	8	14	20	23	45
GRAND TOTAL	**1073**	**8.1**	**40**	**3**	**3**	**6**	**10**	**14**	**18**	**32**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	10.8	14	6	6	10	14	15	15	15
70-74	9	8.6	10	5	5	7	11	13	14	14
75-79	4	7.5	6	4	4	8	9	10	10	10
80-84	3	32.7	1417	8	8	14	60	76	76	76
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	180	9.3	19	4	5	8	11	15	18	26
70-74	130	9.6	18	5	5	9	12	15	17	25
75-79	65	10.1	17	4	6	9	12	15	18	24
80-84	45	11.0	39	5	6	10	12	14	18	44
85+	30	13.7	28	6	7	13	16	22	24	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	9	3	3	5	8	10	10	10
70-74	15	10.2	24	2	4	10	15	16	17	18
75-79	7	9.7	22	2	3	10	13	16	16	16
80-84	5	10.2	31	5	5	8	14	19	19	19
85+	6	16.2	79	6	6	15	22	29	30	30
B. *Operated*										
65-69 YRS	446	15.0	121	5	7	12	18	26	35	62
70-74	326	15.1	103	6	7	12	19	26	36	84
75-79	250	15.7	105	7	8	13	19	26	36	84
80-84	173	18.2	155	7	8	15	21	32	38	70
85+	109	16.1	75	6	8	14	20	27	35	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	12.0	214	5	5	9	12	15	39	76
B. *Operated*	450	9.9	22	5	5	9	12	16	19	25
2. MULTIPLE DX										
A. *Not Operated*	39	10.3	36	2	3	9	15	17	21	30
B. *Operated*	1304	15.7	115	6	7	13	19	26	36	67
1. SINGLE DX	472	10.0	31	5	5	9	12	15	19	26
2. MULTIPLE DX	1343	15.5	113	6	7	13	18	26	35	67
A. NOT OPERATED	61	10.9	99	3	4	9	14	16	20	71
B. OPERATED	1754	14.2	97	5	7	12	17	24	32	61
TOTAL 65-69 YRS	637	13.3	97	5	6	10	16	23	29	57
70-74	480	13.3	82	5	6	11	16	23	31	60
75-79	326	14.3	90	6	7	12	18	23	31	57
80-84	226	16.8	152	6	7	13	19	30	37	72
85+	146	15.5	66	6	7	14	19	27	32	42
GRAND TOTAL	**1815**	**14.1**	**98**	**5**	**6**	**11**	**17**	**24**	**32**	**61**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	2	1	1	3	3	4	4	4
70-74	4	6.5	30	2	2	6	11	13	13	13
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS	15	6.7	8	2	2	7	9	10	11	11
70-74	13	7.0	31	2	3	5	7	15	21	23
75-79	7	6.7	7	4	4	7	9	10	10	10
80-84	2	8.5	25	5	5	8	12	12	12	12
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	4.3	14	1	1	4	5	7	13	17
70-74	8	5.4	15	1	1	4	8	11	12	12
75-79	4	4.3	4	2	2	4	6	7	7	7
80-84	3	10.7	30	7	7	8	15	17	17	17
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	41	10.8	58	3	4	8	14	18	26	40
70-74	31	10.5	47	3	3	8	14	20	21	33
75-79	18	12.2	48	5	5	11	13	25	27	28
80-84	18	11.8	30	5	6	11	14	18	23	27
85+	15	12.4	123	4	5	7	17	20	40	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.4	15	1	1	3	6	11	13	13
B. *Operated*	39	6.7	15	2	3	6	9	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	35	5.1	16	1	1	4	6	10	16	17
B. *Operated*	123	11.2	56	3	4	9	14	20	26	42
1. SINGLE DX	49	6.3	16	2	2	5	9	11	13	23
2. MULTIPLE DX	158	9.9	54	2	3	8	13	18	23	39
A. NOT OPERATED	45	4.9	15	1	1	4	6	10	14	17
B. OPERATED	162	10.2	50	3	4	8	13	19	23	39
TOTAL 65-69 YRS	79	8.0	44	1	2	6	10	16	18	37
70-74	56	8.7	40	2	2	7	12	18	21	32
75-79	30	9.6	40	4	4	7	12	18	26	28
80-84	23	11.3	28	5	6	10	14	17	21	27
85+	19	10.6	109	3	4	6	13	20	35	47
GRAND TOTAL	**207**	**9.0**	**47**	**2**	**3**	**7**	**12**	**18**	**21**	**36**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.7	10	1	1	3	4	9	11	11
70-74	8	4.6	29	<1	<1	2	6	14	17	17
75-79	14	3.6	9	<1	1	2	5	8	10	11
80-84	10	3.8	14	1	1	2	4	9	14	14
85+	13	3.0	14	<1	<1	1	4	8	13	14
B. *Operated*										
65-69 YRS	4512	3.9	3	1	2	4	5	6	7	10
70-74	3496	4.1	4	2	2	4	5	6	8	10
75-79	2356	4.4	5	2	2	4	5	7	8	11
80-84	1123	4.7	5	2	2	4	6	8	9	12
85+	534	5.2	11	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	109	2.7	5	<1	1	2	4	5	7	12
70-74	147	3.7	11	<1	<1	2	5	9	12	14
75-79	107	5.5	24	<1	1	4	8	13	17	22
80-84	89	4.7	21	1	1	3	6	11	12	24
85+	73	7.0	63	<1	1	4	8	13	25	44
B. *Operated*										
65-69 YRS	5548	5.4	14	2	2	4	6	9	12	20
70-74	4961	5.8	17	2	3	5	7	10	13	22
75-79	3821	6.3	21	2	3	5	7	11	15	25
80-84	2063	6.9	25	2	3	6	8	12	16	28
85+	1146	8.2	37	2	3	7	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.7	13	<1	1	2	5	8	13	17
B. *Operated*	12021	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	525	4.5	23	<1	1	3	6	9	13	24
B. *Operated*	17539	6.1	20	2	3	5	7	11	14	24
1. SINGLE DX	12079	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX	18064	6.0	20	2	3	5	7	11	14	24
A. NOT OPERATED	583	4.4	22	<1	1	3	6	9	13	24
B. OPERATED	29560	5.3	14	2	2	4	6	9	12	21
TOTAL 65-69 YRS	10182	4.7	10	2	2	4	5	8	10	17
70-74	8612	5.1	12	2	2	4	6	9	11	18
75-79	6298	5.6	16	2	2	5	7	9	13	22
80-84	3285	6.1	19	2	3	5	7	10	13	24
85+	1766	7.2	32	2	3	6	9	13	17	29
GRAND TOTAL	**30143**	**5.3**	**14**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.4	1	1	1	1	2	3	3	3
70-74	8	2.0	1	1	1	2	3	4	4	4
75-79	8	1.3		<1	<1	1	2	2	2	2
80-84	7	2.9	8	<1	<1	1	6	7	7	7
85+	8	1.9	1	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	230	4.8	6	2	2	4	6	8	9	12
70-74	218	5.6	10	2	2	5	7	9	12	16
75-79	209	5.5	8	2	2	5	7	9	11	15
80-84	179	6.5	11	3	3	6	8	10	14	20
85+	146	6.4	14	2	3	6	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.7	21	1	1	3	6	10	16	18
70-74	21	5.5	20	<1	1	3	9	12	14	16
75-79	30	4.9	12	1	1	5	7	10	13	14
80-84	35	5.7	42	1	1	3	7	12	20	32
85+	54	5.5	16	1	1	5	8	11	13	16
B. *Operated*										
65-69 YRS	397	8.3	48	2	3	6	10	15	19	41
70-74	503	8.8	44	3	3	7	11	17	21	37
75-79	584	9.7	64	3	4	8	11	18	25	46
80-84	469	11.0	77	3	4	8	13	22	30	45
85+	503	11.0	74	3	4	8	13	20	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	1.9	2	<1	1	1	2	3	6	7
B. *Operated*	982	5.7	10	2	3	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	153	5.3	22	1	1	4	7	11	14	22
B. *Operated*	2456	9.8	63	3	4	8	12	18	25	41
1. SINGLE DX	1018	5.5	10	2	2	5	7	9	11	18
2. MULTIPLE DX	2609	9.5	61	2	3	7	11	18	25	41
A. NOT OPERATED	189	4.7	20	1	1	3	7	11	13	20
B. OPERATED	3438	8.6	51	2	3	7	10	16	22	38
TOTAL 65-69 YRS	645	6.9	35	2	2	5	8	13	17	28
70-74	750	7.7	35	2	3	6	9	15	19	35
75-79	831	8.4	51	2	3	7	10	15	22	39
80-84	690	9.5	63	2	3	7	11	18	28	42
85+	711	9.5	62	2	3	7	11	18	24	39
GRAND TOTAL	**3627**	**8.4**	**50**	**2**	**3**	**6**	**10**	**15**	**21**	**38**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	3.7	14	1	1	2	6	8	8	8
75-79	2	2.0	2	<1	<1	1	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	141	4.0	5	1	2	4	5	7	9	11
70-74	75	3.9	7	1	2	3	5	7	8	18
75-79	38	4.4	5	1	2	4	5	7	10	11
80-84	18	5.2	5	2	2	5	7	8	9	10
85+	9	6.9	18	3	3	5	10	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	6.1	83	<1	<1	3	7	14	30	37
70-74	13	6.5	20	1	1	5	9	13	15	15
75-79	9	6.9	13	2	2	8	10	56	99+	99+
80-84	7	5.1	11	1	1	6	8	10	10	10
85+	12	6.3	25	2	3	5	6	15	18	19
B. *Operated*										
65-69 YRS	279	6.5	21	2	2	5	8	13	16	22
70-74	220	7.7	64	2	2	6	10	13	16	39
75-79	105	6.9	32	2	2	5	8	13	21	28
80-84	60	8.4	52	3	3	6	9	18	25	35
85+	20	13.1	143	3	4	9	17	27	43	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	9	<1	<1	2	4	8	8	8
B. *Operated*	281	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	57	6.2	35	<1	1	5	9	14	17	95
B. *Operated*	684	7.3	44	2	3	5	9	14	19	33
1. SINGLE DX	286	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX	741	7.2	43	2	2	5	9	14	19	34
A. NOT OPERATED	62	6.0	33	<1	1	4	8	13	16	92
B. OPERATED	965	6.4	35	2	2	5	8	12	16	30
TOTAL 65-69 YRS	436	5.7	19	1	2	4	7	10	15	21
70-74	311	6.7	50	2	2	5	8	12	15	33
75-79	154	6.2	25	2	2	5	8	12	18	30
80-84	85	7.5	41	2	3	6	8	15	21	35
85+	41	9.8	89	3	3	6	14	19	27	52
GRAND TOTAL	**1027**	**6.4**	**35**	**2**	**2**	**5**	**8**	**12**	**16**	**31**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.1	1	2	2	3	4	5	5	5
70-74	5	5.0	17	<1	<1	4	8	11	11	11
75-79	8	2.8	4	1	1	2	3	6	7	7
80-84	6	3.3	1	2	2	3	4	5	5	5
85+	5	3.4	3	1	1	4	5	5	5	5
B. *Operated*										
65-69 YRS	683	6.0	10	2	3	6	7	10	11	18
70-74	488	6.1	9	2	3	6	8	9	11	18
75-79	264	6.5	9	2	3	6	8	10	12	14
80-84	113	6.7	13	2	3	6	8	11	14	20
85+	60	6.7	9	2	3	7	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	89	4.5	14	1	1	4	5	9	12	20
70-74	88	5.1	25	1	1	4	6	9	11	31
75-79	69	5.8	24	1	1	4	8	12	14	28
80-84	62	6.4	20	1	2	5	8	12	14	23
85+	53	6.0	17	2	2	6	8	11	14	21
B. *Operated*										
65-69 YRS	1214	8.6	37	3	4	7	10	15	20	33
70-74	1030	9.4	50	3	4	8	11	16	21	37
75-79	669	9.8	57	3	4	8	11	17	21	40
80-84	293	10.7	74	3	5	9	12	18	24	60
85+	137	10.9	48	3	4	9	14	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.4	4	1	1	3	4	6	7	11
B. *Operated*	1608	6.2	10	2	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	361	5.4	20	1	1	4	7	10	14	23
B. *Operated*	3343	9.4	49	3	4	8	11	16	21	38
1. SINGLE DX	1642	6.1	10	2	3	6	8	10	12	17
2. MULTIPLE DX	3704	9.0	48	2	3	7	11	16	21	38
A. NOT OPERATED	395	5.3	19	1	1	4	7	10	14	22
B. OPERATED	4951	8.3	39	3	3	7	10	14	19	32
TOTAL 65-69 YRS	1996	7.5	28	2	3	6	9	12	17	28
70-74	1611	8.1	39	3	3	7	10	14	18	33
75-79	1010	8.6	45	2	3	7	10	14	19	32
80-84	474	9.1	56	2	3	8	11	16	20	45
85+	255	8.7	37	2	3	7	11	17	20	35
GRAND TOTAL	**5346**	**8.1**	**38**	**2**	**3**	**7**	**10**	**14**	**19**	**32**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	4.0	6	1	1	3	5	8	9	13
70-74	119	3.9	5	1	2	4	5	7	8	11
75-79	97	4.6	9	1	2	4	6	9	11	17
80-84	52	5.2	10	1	1	5	6	9	13	14
85+	33	4.5	6	1	2	4	6	7	8	14
B. *Operated*										
65-69 YRS	43	8.6	25	2	3	8	10	16	18	27
70-74	30	11.7	33	<1	5	11	14	19	22	27
75-79	24	9.1	32	1	2	8	12	16	21	25
80-84	9	14.6	81	1	3	16	19	27	31	31
85+	5	14.0	180	1	1	13	21	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1842	5.2	12	2	2	4	6	9	12	18
70-74	1797	5.8	20	2	2	5	7	10	13	22
75-79	1517	6.1	24	2	2	5	7	11	14	25
80-84	1168	6.5	31	2	2	5	8	11	15	25
85+	919	7.3	30	2	3	6	9	13	17	30
B. *Operated*										
65-69 YRS	634	9.5	43	2	3	8	12	17	21	36
70-74	588	10.5	66	2	3	9	13	19	24	36
75-79	375	11.2	89	2	4	9	14	20	26	54
80-84	221	11.8	82	3	4	9	15	23	27	52
85+	133	11.7	76	2	3	9	15	22	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	4.3	7	1	2	4	5	8	9	14
B. *Operated*	111	10.3	42	2	3	9	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	7243	6.0	22	2	2	5	7	11	14	23
B. *Operated*	1951	10.6	66	2	3	9	13	19	24	40
1. SINGLE DX	559	5.5	20	1	2	4	7	11	14	22
2. MULTIPLE DX	9194	7.0	35	2	2	5	9	13	17	30
A. NOT OPERATED	7691	5.9	22	2	2	5	7	11	14	23
B. OPERATED	2062	10.5	65	2	3	9	13	19	24	40
TOTAL 65-69 YRS	2666	6.2	23	2	2	5	8	12	15	25
70-74	2534	6.9	35	2	2	5	9	13	17	30
75-79	2013	7.0	40	2	2	5	8	13	17	31
80-84	1450	7.3	42	2	2	6	9	14	17	33
85+	1090	7.8	38	2	3	6	9	15	19	35
GRAND TOTAL	**9753**	**6.9**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	47	1	1	2	8	15	15	15
70-74										
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	2	4.5	25	<1	<1	4	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	118	4.2	5	2	2	4	5	7	7	13
70-74	99	4.4	4	2	2	4	5	7	8	13
75-79	84	4.8	6	1	2	4	6	8	9	13
80-84	47	5.2	13	2	3	4	6	9	11	20
85+	30	5.3	5	2	2	6	7	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	5.7	45	1	1	4	6	9	24	31
70-74	19	5.7	11	1	2	5	7	11	13	15
75-79	20	6.2	15	<1	1	5	8	12	14	15
80-84	11	6.1	20	2	2	4	7	14	15	15
85+	17	8.9	102	<1	1	5	9	23	35	41
B. *Operated*										
65-69 YRS	154	7.2	34	2	3	5	8	15	19	32
70-74	172	7.2	31	2	3	6	9	14	18	29
75-79	161	8.2	32	3	3	6	11	19	22	23
80-84	87	8.9	55	3	4	7	11	15	19	49
85+	58	10.6	71	3	4	8	13	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.9	24	<1	<1	3	7	13	15	15
B. *Operated*	378	4.6	6	2	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	91	6.5	39	1	2	5	7	14	15	37
B. *Operated*	632	8.0	40	2	3	6	10	15	21	33
1. SINGLE DX	386	4.6	6	2	2	4	6	7	9	16
2. MULTIPLE DX	723	7.8	40	2	3	6	9	15	21	33
A. NOT OPERATED	99	6.3	37	1	1	5	7	14	15	36
B. OPERATED	1010	6.7	30	2	3	5	8	13	18	28
TOTAL 65-69 YRS	300	5.9	25	2	2	4	7	11	17	28
70-74	290	6.1	22	2	3	5	7	10	15	28
75-79	267	6.9	25	2	3	6	8	14	20	23
80-84	147	7.5	41	3	3	6	9	13	18	37
85+	105	8.8	61	2	3	6	11	15	27	42
GRAND TOTAL	**1109**	**6.7**	**30**	**2**	**3**	**5**	**8**	**13**	**18**	**29**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.6	4	<1	1	3	6	7	7	7
70-74	14	7.0	116	<1	<1	3	7	16	36	42
75-79	16	3.6	6	<1	1	3	5	5	9	10
80-84	9	4.0	6	<1	<1	4	6	8	8	8
85+	12	9.8	313	1	1	3	7	32	59	64
B. *Operated*										
65-69 YRS	274	6.4	15	2	2	5	8	11	14	21
70-74	223	6.4	15	2	2	6	8	11	13	17
75-79	185	7.7	30	2	3	7	10	14	17	30
80-84	131	8.8	41	3	3	7	10	18	24	32
85+	111	10.0	103	3	3	8	11	17	27	62
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	81	6.1	37	2	2	4	7	13	22	30
70-74	84	5.5	9	2	2	5	8	10	11	13
75-79	92	7.2	36	1	2	5	9	16	21	70
80-84	88	7.8	26	1	3	7	10	13	17	29
85+	110	7.6	46	2	2	5	10	15	21	36
B. *Operated*										
65-69 YRS	671	10.4	57	3	4	8	13	19	24	44
70-74	684	11.8	101	3	4	10	14	21	27	82
75-79	675	12.2	84	3	4	10	15	22	29	58
80-84	477	13.6	105	4	5	11	17	25	34	68
85+	450	14.5	111	5	5	12	17	29	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.4	80	<1	1	3	5	8	13	60
B. *Operated*	924	7.4	34	2	3	6	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	455	6.9	32	2	2	5	9	13	18	32
B. *Operated*	2957	12.3	91	3	4	10	15	22	31	61
1. SINGLE DX	994	7.3	37	2	3	6	9	13	17	31
2. MULTIPLE DX	3412	11.6	86	3	4	9	14	21	29	58
A. NOT OPERATED	525	6.7	39	1	2	5	8	13	18	33
B. OPERATED	3881	11.1	82	3	4	9	14	21	28	53
TOTAL 65-69 YRS	1045	8.9	48	2	3	7	11	17	22	36
70-74	1005	10.0	81	2	3	8	12	18	24	64
75-79	968	10.7	73	2	3	9	14	20	26	49
80-84	705	11.9	88	3	4	9	15	22	29	55
85+	683	12.6	110	3	3	10	16	25	35	63
GRAND TOTAL	**4406**	**10.6**	**79**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	563	5.1	10	1	2	5	7	9	11	16
70-74	472	5.3	15	1	2	4	7	10	13	17
75-79	407	5.9	23	1	2	5	7	10	13	24
80-84	278	5.4	14	1	2	4	7	11	14	19
85+	242	6.8	31	2	2	6	8	12	15	29
B. *Operated*										
65-69 YRS	279	11.8	45	5	7	11	14	17	21	35
70-74	255	12.6	50	6	7	11	15	20	26	45
75-79	209	13.0	39	5	7	12	16	21	25	35
80-84	138	13.9	84	4	7	12	16	21	27	60
85+	118	15.3	82	6	8	13	19	24	31	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1778	7.3	32	2	2	6	9	13	17	29
70-74	2052	7.9	41	2	3	6	10	15	19	30
75-79	1965	8.2	49	2	3	6	10	15	20	35
80-84	1665	8.7	44	2	3	7	11	16	20	35
85+	1755	9.9	62	2	3	8	12	18	24	46
B. *Operated*										
65-69 YRS	1410	17.7	154	6	8	14	21	33	42	74
70-74	1528	18.2	144	6	8	15	22	32	43	77
75-79	1400	19.3	153	7	8	16	23	36	46	83
80-84	1090	19.8	145	7	9	16	24	35	46	86
85+	968	20.7	189	7	9	17	25	37	52	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1962	5.6	17	1	2	5	7	10	13	20
B. *Operated*	999	12.9	56	5	7	11	15	20	25	46
2. MULTIPLE DX										
A. *Not Operated*	9215	8.4	46	2	3	7	10	16	20	36
B. *Operated*	6396	19.0	156	7	8	16	23	35	46	82
1. SINGLE DX	2961	8.0	42	2	2	7	10	15	19	33
2. MULTIPLE DX	15611	12.7	118	2	3	10	16	25	34	62
A. NOT OPERATED	11177	7.9	42	2	3	6	10	15	19	34
B. OPERATED	7395	18.2	147	6	8	15	22	33	44	77
TOTAL 65-69 YRS	4030	10.9	99	2	3	8	14	21	30	53
70-74	4307	11.6	102	2	3	9	15	23	30	53
75-79	3981	12.1	112	2	3	9	15	25	33	58
80-84	3171	12.5	108	2	3	10	16	25	33	57
85+	3083	13.2	127	3	4	10	17	26	34	66
GRAND TOTAL	**18572**	**12.0**	**109**	**2**	**3**	**9**	**15**	**24**	**32**	**59**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	649	4.1	10	1	1	3	5	8	10	16
70-74	551	3.9	7	1	1	3	5	7	9	13
75-79	502	4.2	11	1	1	3	5	8	10	17
80-84	369	4.4	18	1	1	3	5	8	11	14
85+	305	4.6	12	1	2	4	6	9	11	24
B. *Operated*										
65-69 YRS	60	6.9	62	<1	1	4	8	16	24	41
70-74	38	7.7	26	1	2	7	11	14	17	22
75-79	42	8.6	46	1	2	7	12	16	22	34
80-84	17	7.1	44	1	1	5	9	19	20	21
85+	12	4.6	9	1	1	4	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3909	5.7	18	2	2	5	7	10	13	22
70-74	4340	6.1	23	2	2	5	7	11	15	25
75-79	4093	6.6	31	2	2	5	8	12	16	29
80-84	3206	7.1	42	2	2	5	9	13	18	33
85+	3195	7.5	45	2	2	6	9	14	19	36
B. *Operated*										
65-69 YRS	572	10.7	81	2	3	8	13	21	29	51
70-74	611	12.0	94	2	4	9	15	24	31	46
75-79	517	13.0	124	3	4	10	16	24	33	59
80-84	375	13.8	131	3	4	11	17	28	39	59
85+	302	14.9	150	3	4	12	19	29	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2376	4.2	11	1	1	3	5	8	10	16
B. *Operated*	169	7.3	45	1	1	6	10	15	19	33
2. MULTIPLE DX										
A. *Not Operated*	18743	6.5	31	2	2	5	8	12	16	28
B. *Operated*	2377	12.6	112	3	4	10	16	25	34	57
1. SINGLE DX	2545	4.4	14	1	1	3	5	8	11	18
2. MULTIPLE DX	21120	7.2	44	2	2	5	9	14	19	35
A. NOT OPERATED	21119	6.3	29	2	2	5	8	12	15	27
B. OPERATED	2546	12.2	109	2	3	9	15	24	33	55
TOTAL 65-69 YRS	5190	6.0	27	1	2	5	7	11	15	27
70-74	5540	6.5	33	2	2	5	8	13	17	29
75-79	5154	7.0	43	2	2	5	8	14	18	33
80-84	3967	7.5	53	2	2	6	9	14	20	39
85+	3814	7.9	55	2	2	6	10	15	20	43
GRAND TOTAL	**23665**	**6.9**	**41**	**2**	**2**	**5**	**8**	**13**	**18**	**34**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1030	4.8	10	1	2	4	6	9	10	15
70-74	966	4.9	9	1	2	4	6	9	10	14
75-79	765	5.1	12	1	1	5	7	9	11	17
80-84	605	5.4	14	1	2	5	7	10	13	18
85+	440	6.0	18	1	2	5	8	11	13	22
B. *Operated*										
65-69 YRS	250	12.0	32	3	5	11	15	19	21	27
70-74	205	11.4	34	2	3	11	15	18	21	29
75-79	167	12.7	53	3	4	12	16	21	25	39
80-84	55	14.0	88	1	2	13	19	25	31	39
85+	55	15.8	158	3	5	14	21	29	48	98
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4063	6.3	18	2	2	5	8	11	14	21
70-74	4823	6.5	23	2	2	6	8	12	14	24
75-79	4876	6.9	27	2	2	6	9	13	16	26
80-84	4241	7.5	39	2	3	6	9	14	18	32
85+	3897	8.3	42	2	3	7	10	15	20	32
B. *Operated*										
65-69 YRS	1947	14.2	99	3	5	12	17	25	32	54
70-74	1986	15.3	131	3	5	13	19	28	37	65
75-79	1715	15.8	129	3	5	13	20	30	39	61
80-84	1139	17.4	179	4	5	14	22	34	46	76
85+	744	17.1	168	4	5	14	21	35	45	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3806	5.1	12	1	2	4	7	9	11	17
B. *Operated*	732	12.4	52	2	4	12	16	21	24	39
2. MULTIPLE DX										
A. *Not Operated*	21900	7.1	30	2	2	6	9	13	16	27
B. *Operated*	7531	15.6	134	3	5	13	19	29	39	67
1. SINGLE DX	4538	6.3	25	1	2	5	8	12	16	24
2. MULTIPLE DX	29431	9.3	70	2	3	7	11	18	24	45
A. NOT OPERATED	25706	6.8	28	2	2	6	8	12	16	26
B. OPERATED	8263	15.3	128	3	5	13	19	28	37	65
TOTAL 65-69 YRS	7290	8.4	53	2	2	6	11	16	21	37
70-74	7980	8.7	64	2	2	7	11	17	23	41
75-79	7523	8.9	65	2	3	7	11	18	24	42
80-84	6040	9.2	79	2	3	7	11	18	25	50
85+	5136	9.5	70	2	3	7	11	18	24	49
GRAND TOTAL	**33969**	**8.9**	**65**	**2**	**3**	**7**	**11**	**17**	**23**	**43**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.1	8	<1	1	4	5	9	10	11
70-74	19	4.5	8	1	1	4	5	8	10	12
75-79	7	3.0	6	1	1	2	5	7	7	7
80-84	8	3.9	4	1	1	4	5	6	7	7
85+	8	6.8	27	1	1	6	8	15	18	18
B. *Operated*										
65-69 YRS	355	3.8	7	1	2	3	5	7	9	13
70-74	182	4.4	10	1	2	4	5	7	10	19
75-79	91	4.9	12	2	2	4	6	9	14	18
80-84	42	5.8	30	1	2	4	6	15	18	27
85+	28	5.0	12	1	1	4	6	9	13	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	6.6	40	1	2	5	8	14	23	72
70-74	80	5.6	17	1	2	4	8	12	15	19
75-79	73	9.7	151	1	1	6	11	20	34	73
80-84	61	9.6	142	2	2	7	11	17	22	77
85+	58	10.5	100	2	3	7	16	19	23	62
B. *Operated*										
65-69 YRS	807	6.5	41	2	2	4	7	12	18	39
70-74	569	7.4	65	2	2	5	8	14	20	57
75-79	291	8.4	93	2	3	5	9	17	24	53
80-84	140	10.4	140	3	3	6	12	24	31	85
85+	98	9.9	52	2	3	8	14	22	25	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.4	10	1	1	4	6	8	10	17
B. *Operated*	698	4.3	10	1	2	4	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	370	8.1	86	1	2	5	10	17	23	62
B. *Operated*	1905	7.5	65	2	2	5	8	15	22	50
1. SINGLE DX	763	4.3	10	1	2	4	5	8	10	18
2. MULTIPLE DX	2275	7.6	69	2	2	5	8	15	22	50
A. NOT OPERATED	435	7.5	76	1	2	5	9	16	20	51
B. OPERATED	2603	6.6	53	2	2	4	7	13	19	43
TOTAL 65-69 YRS	1283	5.7	32	1	2	4	6	11	15	33
70-74	850	6.5	49	2	2	5	7	12	18	44
75-79	462	7.8	88	1	2	5	8	16	23	52
80-84	251	9.2	121	2	3	6	11	19	27	81
85+	192	9.3	62	2	3	7	13	19	23	52
GRAND TOTAL	**3038**	**6.8**	**56**	**1**	**2**	**5**	**7**	**14**	**19**	**44**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	564	4.5	18	1	1	3	6	8	11	21
70-74	520	4.6	15	1	1	4	6	9	12	20
75-79	491	4.8	19	1	1	4	6	10	12	25
80-84	319	4.7	16	1	1	4	6	10	13	19
85+	344	4.6	18	1	1	3	6	9	12	22
B. *Operated*										
65-69 YRS	448	7.4	53	1	2	5	10	16	21	35
70-74	396	8.6	65	1	2	7	12	17	22	36
75-79	277	9.4	78	1	2	7	13	19	29	46
80-84	166	9.3	59	1	2	8	12	19	24	41
85+	116	9.8	60	2	2	8	13	20	24	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3414	6.4	29	1	2	5	8	12	17	28
70-74	3805	6.8	38	1	2	5	8	13	17	31
75-79	3616	6.7	39	1	2	5	8	13	17	30
80-84	3149	7.3	46	1	2	6	9	14	19	34
85+	3195	7.8	57	2	2	6	9	15	21	43
B. *Operated*										
65-69 YRS	2475	13.5	154	2	3	10	17	28	39	74
70-74	2409	13.9	157	2	3	10	18	30	39	74
75-79	1945	15.2	183	2	3	12	20	32	44	74
80-84	1351	15.9	164	3	4	13	21	33	44	75
85+	1017	16.5	202	3	4	13	21	34	48	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2238	4.6	17	1	1	3	6	9	12	21
B. *Operated*	1403	8.6	63	1	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	17179	7.0	42	1	2	5	9	13	18	32
B. *Operated*	9197	14.7	169	2	3	11	19	31	42	75
1. SINGLE DX	3641	6.1	39	1	1	4	8	13	18	30
2. MULTIPLE DX	26376	9.7	100	2	2	7	12	20	28	55
A. NOT OPERATED	19417	6.7	39	1	2	5	8	13	17	31
B. OPERATED	10600	13.9	159	2	3	10	18	29	40	72
TOTAL 65-69 YRS	6901	8.9	87	1	2	6	11	19	26	49
70-74	7130	9.1	90	1	2	6	11	19	27	50
75-79	6329	9.3	100	1	2	6	11	20	28	55
80-84	4985	9.5	92	2	2	7	12	20	28	54
85+	4672	9.5	101	2	2	6	11	20	28	56
GRAND TOTAL	**30017**	**9.2**	**93**	**1**	**2**	**6**	**11**	**19**	**27**	**53**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	8.0	24	2	2	8	11	16	16	23
70-74	31	8.2	30	3	4	7	9	14	15	32
75-79	16	8.4	27	2	2	7	13	16	17	17
80-84	1	21.0		21	21	21	21	21	21	21
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	19	4.3	16	1	1	2	6	10	13	16
70-74	11	6.3	[illegible]	1	1	4	9	16	23	24
75-79	6	7.7	35	<1	<1	8	13	14	14	14
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	845	12.0	88	3	4	9	15	24	32	46
70-74	429	12.6	112	3	4	10	16	23	32	52
75-79	192	12.5	131	3	4	10	15	27	36	71
80-84	65	12.9	160	3	4	10	14	26	30	84
85+	17	11.9	128	1	4	7	16	26	37	43
B. *Operated*										
65-69 YRS	291	15.9	163	2	3	12	21	35	44	66
70-74	159	15.3	158	2	4	12	18	30	45	58
75-79	61	17.4	229	3	4	13	22	36	48	82
80-84	15	18.7	291	5	7	10	24	44	58	63
85+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	8.3	27	2	3	7	11	16	17	28
B. *Operated*	36	5.4	28	1	1	3	8	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	1548	12.3	103	3	4	9	15	24	32	52
B. *Operated*	527	16.0	172	2	4	12	20	35	45	64
1. SINGLE DX	131	7.5	29	1	2	7	10	15	16	26
2. MULTIPLE DX	2075	13.2	123	3	4	10	16	26	35	58
A. NOT OPERATED	1643	12.1	100	3	4	9	15	24	32	52
B. OPERATED	563	15.3	169	2	3	12	20	34	44	63
TOTAL 65-69 YRS	1201	12.7	107	2	3	10	16	26	34	53
70-74	630	13.0	121	2	4	10	16	25	34	55
75-79	275	13.3	150	3	3	10	16	28	38	72
80-84	81	14.1	185	4	4	10	16	27	37	84
85+	19	11.6	115	2	4	7	13	26	35	43
GRAND TOTAL	**2206**	**12.9**	**119**	**2**	**4**	**10**	**16**	**26**	**34**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	7.0	25	1	2	6	9	14	19	21
70-74	37	8.8	80	2	2	5	10	25	31	37
75-79	19	7.2	29	1	1	7	9	14	19	23
80-84	14	7.8	29	2	4	6	8	17	22	23
85+	4	5.8	34	1	1	5	10	13	13	13
B. *Operated*										
65-69 YRS	118	3.5	13	1	1	2	4	9	10	18
70-74	81	4.0	23	1	1	2	4	10	15	25
75-79	30	7.5	67	1	1	3	13	21	26	30
80-84	7	5.7	8	2	2	6	8	10	10	10
85+	7	8.7	31	2	2	8	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	594	11.4	98	3	3	9	14	22	29	55
70-74	528	11.2	91	3	3	9	14	22	29	44
75-79	433	11.8	78	3	4	9	15	22	28	47
80-84	197	14.0	128	3	4	10	18	30	41	81
85+	97	13.8	92	4	5	11	16	28	34	49
B. *Operated*										
65-69 YRS	494	10.3	88	1	1	8	14	23	28	42
70-74	402	12.2	137	1	2	10	17	27	33	64
75-79	262	15.0	159	1	2	13	20	33	41	58
80-84	113	14.0	128	2	2	10	20	31	39	74
85+	35	15.9	74	5	8	16	18	27	36	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	7.7	43	1	2	6	9	16	23	34
B. *Operated*	243	4.4	25	1	1	2	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	1849	11.8	95	3	4	9	15	23	31	54
B. *Operated*	1306	12.3	123	1	2	10	17	26	34	55
1. SINGLE DX	361	5.4	33	1	1	3	7	13	17	27
2. MULTIPLE DX	3155	12.0	107	2	3	9	16	25	32	54
A. NOT OPERATED	1967	11.6	93	3	3	9	14	23	30	54
B. OPERATED	1549	11.1	116	1	1	9	16	25	32	51
TOTAL 65-69 YRS	1250	10.1	88	1	2	8	13	21	28	47
70-74	1048	11.0	107	1	2	8	14	23	31	49
75-79	744	12.6	108	2	3	10	17	25	34	52
80-84	331	13.6	124	2	4	10	18	29	39	68
85+	143	13.9	86	3	5	12	17	27	33	42
GRAND TOTAL	**3516**	**11.4**	**103**	**1**	**2**	**9**	**15**	**24**	**31**	**52**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	8.6	62	1	2	6	10	20	28	38
70-74	50	6.7	37	1	2	5	7	13	15	35
75-79	37	6.9	17	2	3	5	9	13	16	17
80-84	24	5.8	18	1	2	5	7	9	14	22
85+	16	10.1	25	2	3	11	14	16	18	19
B. *Operated*										
65-69 YRS	32	7.8	41	2	2	5	13	18	20	21
70-74	43	7.1	33	1	1	6	10	16	18	23
75-79	19	6.7	82	<1	1	3	8	16	28	38
80-84	6	6.2	37	2	2	4	6	17	18	18
85+	3	18.7	214	3	3	21	29	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	667	10.2	72	2	3	8	13	20	25	47
70-74	528	10.1	76	2	3	8	13	20	27	53
75-79	414	11.0	72	3	4	9	14	21	27	68
80-84	195	11.6	93	3	4	9	14	22	35	53
85+	151	11.2	71	3	4	9	14	21	26	45
B. *Operated*										
65-69 YRS	262	14.4	162	1	2	10	19	30	42	68
70-74	242	18.3	223	2	3	15	26	39	51	82
75-79	141	16.6	138	3	4	14	23	30	35	64
80-84	76	18.9	209	2	3	15	26	42	49	66
85+	46	19.3	144	4	7	17	25	34	48	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	7.6	39	2	2	5	9	15	19	34
B. *Operated*	103	7.5	50	1	1	5	11	17	20	35
2. MULTIPLE DX										
A. *Not Operated*	1955	10.6	76	3	3	8	13	20	27	50
B. *Operated*	767	16.8	183	2	3	13	23	34	46	69
1. SINGLE DX	292	7.5	43	1	2	5	10	16	20	34
2. MULTIPLE DX	2722	12.3	113	2	3	9	15	26	34	61
A. NOT OPERATED	2144	10.3	73	2	3	8	13	20	27	47
B. OPERATED	870	15.7	176	2	2	12	22	33	45	69
TOTAL 65-69 YRS	1023	11.1	97	2	3	8	14	23	30	52
70-74	863	12.0	129	2	3	8	15	27	35	64
75-79	611	11.9	92	2	3	10	15	24	30	64
80-84	301	12.9	129	2	3	9	15	28	36	55
85+	216	13.0	95	3	4	11	16	25	32	52
GRAND TOTAL	**3014**	**11.9**	**109**	**2**	**3**	**9**	**15**	**25**	**33**	**59**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	352	4.2	8	1	1	3	6	8	10	13
70-74	300	4.3	15	1	2	4	5	7	9	17
75-79	250	4.6	9	1	1	4	6	8	10	16
80-84	171	5.6	13	1	2	5	7	10	11	20
85+	158	6.1	16	2	2	5	8	11	13	23
B. *Operated*										
65-69 YRS	2417	8.2	11	5	5	8	9	12	15	20
70-74	1676	9.1	17	5	5	8	10	14	16	23
75-79	948	9.8	20	5	6	9	12	15	18	25
80-84	416	11.0	22	6	6	10	13	18	20	26
85+	222	11.6	25	5	6	11	14	19	22	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1689	5.9	20	2	2	5	7	11	14	22
70-74	1767	6.3	22	2	2	5	8	11	14	25
75-79	1601	6.9	32	2	2	6	9	13	15	26
80-84	1342	7.7	47	2	3	6	9	14	18	32
85+	1448	8.7	50	2	3	7	11	15	21	35
B. *Operated*										
65-69 YRS	6938	11.6	51	5	6	10	14	19	24	41
70-74	5941	12.6	59	5	6	11	15	21	26	43
75-79	4288	14.2	72	6	7	12	17	23	29	49
80-84	2493	16.5	100	7	8	14	20	28	36	55
85+	1548	18.3	124	7	9	16	22	32	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1231	4.8	12	1	2	4	6	9	11	16
B. *Operated*	5679	9.1	17	5	5	8	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	7847	7.0	34	2	2	6	9	13	16	28
B. *Operated*	21208	13.5	73	6	6	11	16	23	29	49
1. SINGLE DX	6910	8.3	19	3	4	8	10	13	16	22
2. MULTIPLE DX	29055	11.7	71	3	4	10	14	21	26	46
A. NOT OPERATED	9078	6.7	32	2	2	5	8	12	16	27
B. OPERATED	26887	12.5	64	5	6	10	15	21	27	46
TOTAL 65-69 YRS	11396	9.8	43	3	4	8	12	17	21	36
70-74	9684	10.6	51	3	4	9	13	18	23	36
75-79	7087	11.6	65	3	4	10	14	21	26	43
80-84	4422	12.9	91	3	4	11	16	23	30	50
85+	3376	13.2	104	3	4	11	17	24	32	58
GRAND TOTAL	**35965**	**11.1**	**62**	**3**	**4**	**9**	**14**	**20**	**25**	**43**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	156	4.6	7	1	2	4	6	8	9	13
70-74	123	4.9	8	1	2	4	7	9	10	14
75-79	115	5.1	12	1	2	5	7	9	10	21
80-84	75	5.5	9	1	2	5	7	10	11	14
85+	74	6.7	18	2	2	6	8	13	17	21
B. *Operated*										
65-69 YRS	222	9.5	21	5	5	8	11	15	19	26
70-74	157	10.1	23	5	5	9	12	16	20	26
75-79	93	10.7	21	5	6	9	12	16	21	27
80-84	53	11.7	25	4	6	11	14	19	20	26
85+	42	13.9	95	5	6	12	16	22	35	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	616	6.5	18	1	2	6	8	12	15	19
70-74	636	7.1	25	2	3	6	9	12	15	29
75-79	547	7.5	25	2	3	7	9	13	17	26
80-84	440	8.4	29	2	3	7	11	15	19	27
85+	507	9.3	40	3	4	8	11	17	22	37
B. *Operated*										
65-69 YRS	843	12.8	59	5	6	11	15	21	28	43
70-74	775	14.1	75	6	7	11	17	25	30	46
75-79	527	15.7	88	7	8	13	19	27	32	50
80-84	407	17.3	115	7	8	15	21	31	38	59
85+	300	19.0	148	8	9	16	22	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	5.2	11	1	2	4	7	9	11	17
B. *Operated*	567	10.4	29	5	5	9	12	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	2746	7.7	28	2	3	7	10	14	17	27
B. *Operated*	2852	15.0	90	6	7	12	18	27	33	59
1. SINGLE DX	1110	7.8	27	2	3	7	10	14	18	25
2. MULTIPLE DX	5598	11.4	73	3	4	9	14	21	28	45
A. NOT OPERATED	3289	7.3	26	2	3	6	9	13	17	27
B. OPERATED	3419	14.2	83	6	7	12	17	24	32	51
TOTAL 65-69 YRS	1837	9.6	46	2	3	8	12	17	21	38
70-74	1691	10.4	59	3	3	9	13	19	25	38
75-79	1282	10.9	67	2	3	9	14	21	27	41
80-84	975	12.1	84	3	4	10	15	22	29	45
85+	923	12.5	98	3	4	10	16	23	33	65
GRAND TOTAL	**6708**	**10.8**	**67**	**3**	**3**	**9**	**13**	**20**	**26**	**43**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	4.0	8	1	1	3	5	9	9	10
70-74	50	4.7	15	1	1	4	7	9	11	22
75-79	32	5.3	10	2	2	4	8	9	10	15
80-84	37	5.6	18	1	2	5	7	10	13	22
85+	27	5.2	17	1	2	4	6	11	16	17
B. *Operated*										
65-69 YRS	155	9.7	45	1	2	9	13	18	21	29
70-74	173	10.4	42	2	3	10	13	17	24	32
75-79	153	11.7	35	2	4	11	15	19	23	28
80-84	100	12.2	66	2	2	11	17	23	28	34
85+	83	11.8	57	1	2	13	16	21	26	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	154	6.6	27	1	2	6	8	12	14	26
70-74	154	7.2	24	2	3	6	9	14	18	25
75-79	162	7.4	35	2	2	7	9	12	15	26
80-84	157	7.6	27	1	2	6	10	14	19	29
85+	181	8.7	41	2	3	7	10	15	22	34
B. *Operated*										
65-69 YRS	543	14.2	91	3	6	13	17	24	30	47
70-74	660	16.0	110	4	6	14	19	28	34	59
75-79	602	17.2	133	5	7	14	20	30	41	68
80-84	470	18.0	126	3	7	16	22	32	40	63
85+	435	18.0	120	4	7	16	22	31	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	4.9	13	1	1	4	7	10	11	20
B. *Operated*	664	11.0	47	2	3	10	15	20	23	32
2. MULTIPLE DX										
A. *Not Operated*	808	7.5	32	2	2	6	9	13	17	29
B. *Operated*	2710	16.5	117	4	6	14	20	29	37	61
1. SINGLE DX	852	9.6	46	1	2	9	13	18	22	31
2. MULTIPLE DX	3518	14.5	112	3	4	12	18	27	33	58
A. NOT OPERATED	996	7.0	29	1	2	6	9	13	16	28
B. OPERATED	3374	15.5	108	3	5	14	19	27	34	58
TOTAL 65-69 YRS	894	11.6	80	2	3	10	15	21	26	44
70-74	1037	13.2	96	2	3	11	17	24	31	54
75-79	949	14.2	113	2	4	12	18	25	33	57
80-84	764	14.5	114	2	3	13	20	28	35	61
85+	726	14.5	108	2	4	13	19	28	33	52
GRAND TOTAL	**4370**	**13.5**	**103**	**2**	**3**	**12**	**17**	**25**	**32**	**54**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	5.4	17	1	2	4	6	9	13	24
70-74	46	6.6	28	1	2	5	8	15	16	29
75-79	38	6.0	10	2	2	6	9	11	12	13
80-84	41	7.4	23	1	2	7	10	14	15	23
85+	35	7.2	15	2	3	6	10	13	14	18
B. *Operated*										
65-69 YRS	35	9.1	62	1	2	9	13	18	20	39
70-74	23	11.7	79	1	1	10	15	26	29	32
75-79	33	10.8	92	1	2	8	17	24	29	37
80-84	15	11.3	96	1	2	9	14	22	35	39
85+	11	11.8	88	1	2	9	18	25	32	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	221	8.6	50	2	2	7	10	16	23	43
70-74	251	8.7	49	2	3	7	10	16	24	37
75-79	228	9.6	65	2	3	8	11	19	27	56
80-84	202	9.4	49	3	4	7	12	17	20	39
85+	273	9.8	57	2	3	8	13	17	22	40
B. *Operated*										
65-69 YRS	252	15.7	131	2	4	13	21	31	40	50
70-74	307	16.0	152	3	4	14	20	27	38	71
75-79	242	17.6	162	4	5	15	23	30	40	82
80-84	178	20.4	217	4	7	17	25	42	50	92
85+	154	19.6	150	5	8	17	24	36	45	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	6.4	19	1	2	6	9	13	15	24
B. *Operated*	117	10.6	79	1	2	9	16	22	29	39
2. MULTIPLE DX										
A. *Not Operated*	1175	9.2	54	2	3	8	11	17	22	41
B. *Operated*	1133	17.4	162	3	5	15	22	32	42	79
1. SINGLE DX	336	7.9	44	1	2	6	10	16	21	34
2. MULTIPLE DX	2308	13.3	124	2	3	10	17	26	35	57
A. NOT OPERATED	1394	8.8	50	2	3	7	11	16	21	39
B. OPERATED	1250	16.8	158	2	4	14	21	31	41	79
TOTAL 65-69 YRS	567	11.4	98	2	2	9	15	24	31	44
70-74	627	12.2	113	2	3	9	16	24	29	57
75-79	541	13.0	124	2	3	10	17	26	33	64
80-84	436	13.7	147	3	4	10	18	28	41	60
85+	473	12.9	107	2	4	10	16	24	33	53
GRAND TOTAL	**2644**	**12.6**	**117**	**2**	**3**	**10**	**16**	**25**	**33**	**56**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	264	6.2	15	2	2	5	8	11	14	20
70-74	205	6.3	23	2	2	5	8	11	12	25
75-79	156	7.6	26	2	3	7	9	13	19	29
80-84	84	8.2	40	2	3	7	10	14	20	34
85+	65	8.2	27	3	4	7	10	14	18	30
B. *Operated*										
65-69 YRS	52	11.4	157	1	2	8	13	20	44	67
70-74	39	10.4	46	2	2	10	14	19	29	99+
75-79	21	8.1	91	1	1	6	12	24	67	99+
80-84	18	7.8	19	2	3	7	11	13	16	18
85+	7	16.9	307	1	3	11	16	47	55	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1330	8.3	41	2	3	7	10	14	19	33
70-74	1157	8.5	32	2	3	7	10	15	19	32
75-79	968	9.2	45	3	4	8	11	17	20	32
80-84	629	10.2	58	3	3	8	12	18	24	46
85+	612	11.0	71	3	4	9	14	20	26	50
B. *Operated*										
65-69 YRS	480	17.9	206	3	5	14	21	34	46	84
70-74	419	18.4	224	3	5	14	23	38	50	97
75-79	307	18.1	178	5	7	14	23	36	53	99+
80-84	204	18.6	165	4	6	15	23	37	49	99+
85+	133	18.4	174	5	7	15	21	35	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	6.9	23	2	3	6	8	12	14	28
B. *Operated*	137	10.4	105	1	2	9	13	19	39	99+
2. MULTIPLE DX										
A. *Not Operated*	4696	9.1	47	3	3	7	11	16	21	37
B. *Operated*	1543	18.2	197	4	6	14	22	36	49	96
1. SINGLE DX	911	7.4	37	2	2	6	9	13	17	34
2. MULTIPLE DX	6239	11.4	99	3	4	9	14	22	30	61
A. NOT OPERATED	5470	8.8	44	2	3	7	11	16	20	36
B. OPERATED	1680	17.6	194	3	5	14	22	36	49	96
TOTAL 65-69 YRS	2126	10.3	95	2	3	8	12	20	27	57
70-74	1820	10.5	95	2	3	8	13	21	30	58
75-79	1452	10.9	85	3	4	8	13	21	28	58
80-84	935	11.8	92	3	4	9	15	23	32	55
85+	817	12.0	95	3	4	10	15	22	29	60
GRAND TOTAL	**7150**	**10.9**	**93**	**3**	**3**	**8**	**13**	**21**	**29**	**57**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	245	4.8	12	1	1	4	6	9	10	19
70-74	265	5.0	11	1	1	4	6	9	11	16
75-79	232	5.4	15	1	2	5	7	9	12	18
80-84	221	5.4	20	1	2	5	6	9	11	16
85+	220	6.2	22	1	2	5	8	11	18	23
B. *Operated*										
65-69 YRS	28	11.6	262	2	2	8	12	21	38	86
70-74	34	7.8	22	2	3	7	10	14	17	23
75-79	34	10.1	40	3	3	8	14	18	24	25
80-84	23	11.9	92	4	5	10	13	17	32	51
85+	26	8.0	9	3	4	9	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2286	6.9	31	2	2	6	8	13	16	27
70-74	2691	7.4	32	2	3	6	9	13	18	31
75-79	2743	8.0	41	2	3	6	10	15	20	32
80-84	2689	8.2	46	2	3	7	10	15	19	33
85+	3034	8.7	45	2	3	7	11	16	20	36
B. *Operated*										
65-69 YRS	749	11.7	111	3	4	9	14	23	32	57
70-74	858	12.2	105	3	4	10	15	23	32	58
75-79	805	13.4	131	3	4	10	16	27	36	69
80-84	635	13.7	101	3	4	11	17	27	34	49
85+	555	14.1	128	4	5	11	18	27	34	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1183	5.3	16	1	2	5	7	9	12	19
B. *Operated*	145	9.8	82	2	3	8	12	16	23	53
2. MULTIPLE DX										
A. *Not Operated*	13443	7.9	40	2	3	6	9	14	19	32
B. *Operated*	3602	12.9	116	3	4	10	16	25	34	62
1. SINGLE DX	1328	5.8	25	1	2	5	7	10	14	23
2. MULTIPLE DX	17045	8.9	60	2	3	7	11	17	23	41
A. NOT OPERATED	14626	7.7	38	2	3	6	9	14	18	32
B. OPERATED	3747	12.8	115	3	4	10	16	25	34	62
TOTAL 65-69 YRS	3308	7.9	54	2	2	6	9	15	20	40
70-74	3848	8.3	52	2	3	6	10	16	21	36
75-79	3814	9.0	64	2	3	7	11	17	23	43
80-84	3568	9.0	60	2	3	7	11	17	24	41
85+	3835	9.3	60	2	3	7	11	18	23	41
GRAND TOTAL	**18373**	**8.7**	**58**	**2**	**3**	**7**	**10**	**17**	**22**	**41**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.4	15	2	2	4	7	12	13	13
70-74	11	6.3	20	1	1	6	9	13	14	14
75-79	10	8.6	53	4	4	6	8	20	28	28
80-84	5	6.8	14	4	4	6	8	13	13	13
85+	3	12.7	72	3	3	16	18	19	19	19
B. *Operated*										
65-69 YRS	4	8.8	14	5	5	9	12	12	12	12
70-74	9	6.8	19	<1	1	7	9	13	14	14
75-79	5	17.2	331	3	3	9	26	48	48	48
80-84	2	7.5	25	4	4	7	11	11	11	11
85+	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	102	10.7	128	2	3	8	12	18	31	68
70-74	98	11.1	75	2	3	9	14	21	27	47
75-79	69	11.3	83	3	3	9	14	24	28	51
80-84	55	10.8	102	2	3	9	14	25	32	98
85+	26	10.9	34	3	4	10	14	20	21	26
B. *Operated*										
65-69 YRS	71	15.7	225	2	3	12	17	30	50	81
70-74	69	19.5	238	6	7	15	23	42	55	81
75-79	53	19.1	172	4	6	16	25	37	57	98
80-84	28	17.4	158	4	5	14	21	42	45	47
85+	18	23.9	227	3	7	21	29	38	58	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	7.4	31	1	3	6	9	14	18	28
B. *Operated*	22	9.9	92	1	3	8	12	16	31	48
2. MULTIPLE DX										
A. *Not Operated*	350	10.9	93	2	3	9	13	20	29	55
B. *Operated*	239	18.4	211	3	5	14	22	40	50	85
1. SINGLE DX	58	8.3	55	1	3	7	12	14	19	46
2. MULTIPLE DX	589	14.0	154	3	3	11	17	28	41	67
A. NOT OPERATED	386	10.6	88	2	3	8	13	20	28	55
B. OPERATED	261	17.7	206	3	5	14	21	38	49	83
TOTAL 65-69 YRS	184	12.4	166	2	3	9	14	21	37	75
70-74	187	13.7	150	2	3	10	17	28	41	60
75-79	137	14.3	137	3	4	11	19	30	39	66
80-84	90	12.6	123	2	3	11	16	27	42	84
85+	49	15.8	141	3	4	14	20	29	34	70
GRAND TOTAL	**647**	**13.5**	**147**	**2**	**3**	**10**	**16**	**28**	**41**	**62**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	8	1	1	4	6	8	8	8
70-74	14	8.3	55	2	3	6	10	15	28	32
75-79	10	11.8	70	3	3	10	16	25	27	27
80-84	5	12.2	121	3	3	10	16	31	31	31
85+	2	9.0	32	5	5	9	13	13	13	13
B. *Operated*										
65-69 YRS	24	4.3	10	1	1	3	7	10	10	10
70-74	15	10.5	262	1	1	4	10	39	53	58
75-79	8	8.5	58	1	1	9	12	20	23	23
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	119	8.9	40	2	3	8	11	15	24	31
70-74	138	11.1	109	3	3	9	13	21	31	59
75-79	127	10.1	57	2	3	8	13	22	24	60
80-84	78	14.2	190	3	3	10	18	27	36	83
85+	79	13.8	187	2	3	10	16	27	41	84
B. *Operated*										
65-69 YRS	140	11.5	78	2	2	10	17	24	28	39
70-74	135	15.1	200	2	3	12	19	33	38	78
75-79	77	15.8	161	2	3	13	22	30	43	63
80-84	33	19.4	205	3	8	14	26	38	54	59
85+	17	18.9	216	5	8	13	28	38	54	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	9.4	62	2	3	7	12	23	30	32
B. *Operated*	48	6.9	100	1	1	4	9	11	25	58
2. MULTIPLE DX										
A. *Not Operated*	541	11.2	108	3	3	8	14	22	29	59
B. *Operated*	402	14.5	156	2	3	12	18	29	37	63
1. SINGLE DX	83	8.0	84	1	1	5	10	14	28	52
2. MULTIPLE DX	943	12.6	131	2	3	10	16	25	34	62
A. NOT OPERATED	576	11.1	105	3	3	8	13	22	29	58
B. OPERATED	450	13.7	155	2	2	10	18	28	37	62
TOTAL 65-69 YRS	287	9.7	60	2	2	8	13	20	26	36
70-74	302	12.7	158	2	3	10	15	26	35	70
75-79	222	12.1	100	2	3	10	15	24	30	61
80-84	117	15.5	194	3	3	11	20	31	38	73
85+	98	14.6	191	2	4	11	16	29	41	79
GRAND TOTAL	**1026**	**12.2**	**128**	**2**	**3**	**9**	**15**	**25**	**34**	**60**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	3.0		3	3	3	3	3	3	3
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	9.6	47	4	4	7	11	19	26	29
70-74	11	9.1	23	3	3	10	12	15	17	17
75-79	14	16.0	370	3	5	9	17	30	68	79
80-84	13	17.7	275	4	4	11	20	50	56	58
85+	18	15.8	166	3	3	11	24	37	44	48
B. *Operated*										
65-69 YRS	19	10.8	39	2	3	10	17	19	22	24
70-74	19	19.4	362	3	4	11	27	49	66	75
75-79	12	16.7	398	1	2	8	19	54	63	64
80-84	11	15.4	192	2	3	13	17	37	50	51
85+	6	25.2	529	4	4	21	29	63	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.8	5	3	3	4	6	8	8	8
B. *Operated*	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	72	13.8	179	3	4	10	16	28	47	74
B. *Operated*	67	16.3	264	2	4	11	19	38	56	74
1. SINGLE DX	8	4.0	5	1	1	4	5	7	8	8
2. MULTIPLE DX	139	15.0	220	3	4	10	17	30	51	75
A. NOT OPERATED	77	13.2	173	3	4	9	15	27	45	73
B. OPERATED	70	15.7	260	2	3	10	19	35	55	73
TOTAL 65-69 YRS	37	10.0	41	3	4	8	14	19	22	29
70-74	33	14.4	249	3	3	10	14	32	53	75
75-79	28	15.4	351	2	2	8	18	42	65	79
80-84	24	16.6	228	3	4	12	18	48	53	58
85+	25	17.8	248	3	4	12	28	39	53	67
GRAND TOTAL	**147**	**14.4**	**214**	**3**	**3**	**10**	**17**	**29**	**50**	**75**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	4.2	10	1	1	3	7	9	9	9
70-74	11	3.5	12	<1	<1	2	6	9	10	10
75-79	18	7.2	30	1	1	7	11	15	18	19
80-84	5	5.6	31	1	1	3	11	13	13	13
85+	6	12.5	118	4	4	7	22	29	30	30
B. *Operated*										
65-69 YRS	65	5.3	38	1	1	3	5	12	18	35
70-74	74	6.2	31	1	2	4	8	15	18	26
75-79	39	7.4	96	<1	1	3	8	19	27	51
80-84	22	7.2	54	1	1	4	12	20	24	25
85+	5	5.4	5	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	394	7.9	61	1	1	6	10	16	22	43
70-74	465	9.6	79	1	1	7	13	20	29	46
75-79	394	10.5	91	2	3	8	13	22	30	55
80-84	295	10.9	66	2	3	9	15	21	27	42
85+	282	11.4	71	1	3	9	16	24	32	99+
B. *Operated*										
65-69 YRS	752	13.2	168	2	2	9	18	31	43	73
70-74	597	15.1	227	2	3	10	21	34	48	84
75-79	478	16.0	204	2	3	12	21	36	48	72
80-84	244	19.4	281	2	3	14	30	42	56	88
85+	85	19.4	290	2	4	15	24	39	61	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.1	34	1	1	4	9	13	18	30
B. *Operated*	205	6.2	47	1	2	4	7	16	19	35
2. MULTIPLE DX										
A. *Not Operated*	1830	9.9	76	1	2	8	13	21	27	46
B. *Operated*	2156	15.3	214	2	3	11	21	35	47	81
1. SINGLE DX	261	6.2	44	1	1	4	8	15	19	33
2. MULTIPLE DX	3986	12.8	158	1	2	9	17	29	39	69
A. NOT OPERATED	1886	9.8	75	1	2	8	13	21	27	46
B. OPERATED	2361	14.5	206	2	2	10	20	34	46	77
TOTAL 65-69 YRS	1227	11.0	134	1	2	7	14	25	37	61
70-74	1147	12.2	162	1	2	8	16	27	38	72
75-79	929	13.1	157	2	3	9	16	30	41	61
80-84	566	14.4	177	2	3	10	19	33	42	64
85+	378	13.1	131	2	3	10	17	27	37	95
GRAND TOTAL	**4247**	**12.4**	**153**	**1**	**2**	**9**	**16**	**28**	**38**	**67**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	10.9	80	1	1	10	19	23	23	23
70-74	20	6.1	19	1	1	6	8	11	15	19
75-79	13	10.2	56	1	2	10	14	21	25	26
80-84	18	9.4	139	<1	1	5	13	25	39	47
85+	17	7.5	27	1	2	7	10	12	19	22
B. *Operated*										
65-69 YRS	28	9.8	236	<1	1	5	7	26	53	67
70-74	10	13.7	222	1	1	10	19	37	50	50
75-79	5	20.2	461	2	2	6	42	47	47	47
80-84	2	15.5	421	1	1	15	30	30	30	30
85+	3	7.3	57	2	2	4	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	363	10.9	76	2	2	9	14	22	27	42
70-74	439	11.6	85	2	3	9	14	23	28	51
75-79	471	12.4	90	2	4	10	16	23	30	50
80-84	477	13.0	125	3	4	10	16	23	34	74
85+	544	13.2	98	3	4	11	17	25	34	53
B. *Operated*										
65-69 YRS	278	18.0	181	2	4	15	24	35	45	66
70-74	275	21.5	263	4	5	17	31	44	64	99+
75-79	221	19.8	240	4	6	16	25	43	53	99+
80-84	144	23.0	256	4	6	18	30	51	66	99+
85+	122	21.2	229	5	6	17	27	43	51	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	8.4	62	1	1	6	11	19	23	42
B. *Operated*	48	11.8	241	1	1	6	14	37	50	67
2. MULTIPLE DX										
A. *Not Operated*	2294	12.3	97	2	3	10	16	24	30	54
B. *Operated*	1040	20.4	234	4	5	16	27	42	53	99+
1. SINGLE DX	125	9.7	132	1	1	6	12	23	33	56
2. MULTIPLE DX	3334	14.8	153	2	4	11	19	30	41	70
A. NOT OPERATED	2371	12.2	96	2	3	10	16	23	30	53
B. OPERATED	1088	20.0	237	3	5	16	27	42	53	99
TOTAL 65-69 YRS	678	13.8	138	2	2	11	18	29	37	54
70-74	744	15.1	175	2	4	11	20	33	43	86
75-79	710	14.7	150	2	4	11	19	29	40	71
80-84	641	15.1	173	3	4	12	19	31	46	94
85+	686	14.5	129	3	4	11	18	29	40	56
GRAND TOTAL	**3459**	**14.7**	**153**	**2**	**4**	**11**	**19**	**30**	**40**	**69**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	5.4	6	2	3	5	7	8	11	13
70-74	52	5.8	13	2	2	5	7	12	13	16
75-79	49	6.6	16	2	3	6	9	12	14	21
80-84	30	6.2	14	2	3	5	8	13	14	16
85+	26	6.5	18	2	4	5	7	11	15	23
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	5	12.6	75	8	8	9	14	28	28	28
75-79	3	5.7	30	2	2	3	10	12	12	12
80-84	2	9.0	2	8	8	9	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	578	7.9	24	3	3	7	9	13	16	25
70-74	616	8.1	27	3	4	7	10	14	18	26
75-79	582	9.4	44	3	4	8	11	16	21	32
80-84	444	9.4	45	3	4	8	11	17	21	35
85+	493	9.7	39	3	4	8	12	16	21	32
B. *Operated*										
65-69 YRS	119	14.7	147	5	6	11	18	25	35	75
70-74	137	14.6	89	5	6	12	20	26	32	46
75-79	98	16.2	154	4	5	12	20	28	44	69
80-84	79	16.3	110	5	6	13	20	31	36	60
85+	50	14.5	89	4	5	12	19	27	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	6.0	13	2	3	5	7	11	13	19
B. *Operated*	11	9.2	50	2	2	8	10	18	27	28
2. MULTIPLE DX										
A. *Not Operated*	2713	8.8	36	3	4	7	11	15	19	31
B. *Operated*	483	15.2	120	5	6	12	19	27	37	67
1. SINGLE DX	222	6.2	15	2	3	5	7	11	13	22
2. MULTIPLE DX	3196	9.8	54	3	4	8	12	18	23	39
A. NOT OPERATED	2924	8.6	35	3	4	7	10	15	19	31
B. OPERATED	494	15.1	119	5	6	12	19	27	37	67
TOTAL 65-69 YRS	752	8.8	49	3	4	7	10	14	20	38
70-74	810	9.1	43	3	4	7	11	17	21	37
75-79	732	10.1	63	3	4	8	12	18	25	43
80-84	555	10.2	59	3	4	8	12	19	23	41
85+	569	10.0	45	3	4	8	13	18	22	37
GRAND TOTAL	**3418**	**9.6**	**52**	**3**	**4**	**8**	**12**	**17**	**22**	**38**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	5.8	11	2	3	5	7	10	12	20
70-74	67	6.0	16	2	3	5	7	9	12	27
75-79	48	6.7	42	3	3	6	7	11	12	47
80-84	43	8.8	53	3	4	7	10	14	20	45
85+	36	5.8	12	1	2	5	7	12	13	15
B. *Operated*										
65-69 YRS	19	9.3	34	2	2	8	13	17	21	24
70-74	24	10.0	53	2	3	8	11	23	28	29
75-79	12	15.3	116	3	3	15	26	28	30	30
80-84	5	6.8	14	3	3	6	10	12	12	12
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	513	7.9	28	3	3	7	10	14	17	26
70-74	557	8.3	35	3	3	7	10	14	18	33
75-79	519	8.8	44	3	3	7	11	16	20	37
80-84	400	9.8	41	3	4	8	12	18	23	33
85+	414	9.7	37	3	4	8	12	17	19	34
B. *Operated*										
65-69 YRS	242	13.3	102	3	4	11	17	24	34	99+
70-74	230	15.3	120	3	5	12	20	29	38	66
75-79	173	15.7	136	4	5	13	21	30	38	81
80-84	123	15.3	188	3	5	11	19	33	42	89
85+	89	18.3	226	5	6	14	21	44	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	6.5	25	2	3	5	7	11	13	29
B. *Operated*	61	10.5	60	2	3	8	13	25	28	30
2. MULTIPLE DX										
A. *Not Operated*	2403	8.8	37	3	3	7	11	15	19	32
B. *Operated*	857	15.1	140	3	5	12	19	29	40	86
1. SINGLE DX	331	7.2	34	2	3	6	8	12	17	29
2. MULTIPLE DX	3260	10.5	72	3	4	8	13	19	26	49
A. NOT OPERATED	2673	8.6	37	3	3	7	11	15	19	32
B. OPERATED	918	14.8	136	3	4	12	19	29	39	85
TOTAL 65-69 YRS	850	9.3	54	2	3	7	11	17	23	43
70-74	878	10.0	67	3	3	8	12	19	26	46
75-79	752	10.3	76	3	3	8	12	20	27	47
80-84	571	10.9	78	3	4	8	13	20	27	49
85+	540	10.8	78	3	4	9	13	18	25	65
GRAND TOTAL	**3591**	**10.2**	**69**	**3**	**3**	**8**	**12**	**19**	**25**	**47**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	2.6	3	1	1	2	3	5	6	9
70-74	122	3.0	5	<1	1	2	4	5	7	13
75-79	69	3.3	7	1	1	2	4	7	8	13
80-84	32	4.0	6	1	2	3	5	8	10	10
85+	24	4.5	20	<1	1	3	5	13	15	18
B. *Operated*										
65-69 YRS	211	8.1	24	1	2	8	11	14	17	24
70-74	134	8.9	53	1	2	8	11	14	17	51
75-79	72	9.3	32	2	2	9	12	17	19	25
80-84	27	8.4	32	2	2	8	11	16	20	26
85+	20	6.0	13	1	2	6	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	472	4.3	12	1	1	3	5	8	11	18
70-74	401	5.0	16	1	2	4	6	9	12	22
75-79	245	5.1	13	2	2	4	7	10	11	19
80-84	163	6.0	17	2	2	5	7	12	14	21
85+	122	7.5	30	2	2	6	10	15	19	26
B. *Operated*										
65-69 YRS	672	10.4	71	2	3	9	13	18	22	42
70-74	567	10.8	61	2	3	9	14	19	25	41
75-79	368	12.1	86	2	3	10	15	23	28	54
80-84	170	11.7	69	2	3	9	16	22	26	35
85+	89	11.2	86	2	2	9	14	25	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	3.0	5	1	1	2	4	6	7	13
B. *Operated*	464	8.5	34	2	2	8	11	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	1403	5.1	16	1	2	4	6	10	13	20
B. *Operated*	1866	11.0	72	2	3	9	14	20	25	42
1. SINGLE DX	899	5.8	28	1	1	4	8	12	14	23
2. MULTIPLE DX	3269	8.5	56	2	2	7	11	17	22	37
A. NOT OPERATED	1838	4.6	15	1	1	4	6	9	12	19
B. OPERATED	2330	10.5	65	2	3	9	13	19	24	42
TOTAL 65-69 YRS	1543	7.3	48	1	2	6	10	15	18	33
70-74	1224	7.9	49	1	2	6	10	15	20	35
75-79	754	8.7	62	1	2	7	12	18	23	41
80-84	392	8.5	49	2	2	7	11	17	22	32
85+	255	8.4	52	2	2	7	11	17	25	33
GRAND TOTAL	**4168**	**7.9**	**51**	**1**	**2**	**6**	**10**	**16**	**20**	**35**

229: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	709	2.4	2	1	1	2	3	5	5	7
70-74	346	2.5	3	1	1	2	3	5	6	8
75-79	156	2.8	3	1	1	2	4	5	6	9
80-84	63	2.6	1	1	1	3	3	4	5	5
85+	31	3.1	4	1	1	3	4	6	7	9
B. Operated										
65-69 YRS	717	6.9	20	2	2	6	9	12	15	22
70-74	412	6.8	18	2	2	6	9	12	15	20
75-79	224	7.1	22	2	2	6	10	13	16	23
80-84	76	6.9	17	2	2	6	11	13	14	15
85+	34	9.4	40	3	3	8	12	17	24	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	846	3.4	7	1	1	3	4	7	8	13
70-74	495	3.6	7	1	1	3	4	7	8	13
75-79	311	4.0	11	1	1	3	5	7	9	15
80-84	186	4.0	7	1	1	3	5	8	9	14
85+	77	5.4	14	1	2	4	7	10	12	20
B. Operated										
65-69 YRS	1183	9.1	48	2	3	8	12	16	20	32
70-74	855	10.0	52	2	3	9	13	18	23	34
75-79	533	10.6	53	3	4	9	14	19	24	36
80-84	215	13.0	144	2	4	10	14	22	39	70
85+	86	12.4	65	2	3	10	16	22	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1305	2.5	3	1	1	2	3	5	6	8
B. Operated	1463	7.0	20	2	2	6	9	13	15	21
2. MULTIPLE DX										
A. Not Operated	1915	3.7	8	1	1	3	5	7	9	14
B. Operated	2872	10.0	59	2	3	8	13	18	23	37
1. SINGLE DX	2768	4.8	17	1	1	3	7	10	13	18
2. MULTIPLE DX	4787	7.5	48	1	2	6	10	15	19	32
A. NOT OPERATED	3220	3.2	6	1	1	3	4	6	8	12
B. OPERATED	4335	9.0	48	2	3	8	11	16	20	33
TOTAL 65-69 YRS	3455	5.9	31	1	1	4	8	12	15	24
70-74	2108	6.6	36	1	2	5	9	14	17	27
75-79	1224	7.3	41	1	2	5	10	15	19	30
80-84	540	7.8	81	1	2	5	10	15	21	51
85+	228	8.3	48	1	2	6	11	18	21	31
GRAND TOTAL	**7555**	**6.5**	**38**	**1**	**1**	**5**	**9**	**14**	**17**	**28**

2[illegible] [illegible]scellaneous diseases of kidney and ureter ([illegible]88-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	41	3.4	5	<1	1	3	5	7	7	11
70-74	35	4.3	10	1	2	3	5	9	12	15
75-79	23	5.3	15	1	1	4	8	13	13	13
80-84	19	5.5	15	1	2	5	8	11	13	14
85+	13	6.3	13	1	2	6	8	12	14	14
B. Operated										
65-69 YRS	169	6.0	36	1	1	4	8	13	17	28
70-74	118	6.3	39	1	1	4	9	15	19	29
75-79	70	5.3	21	1	1	4	8	13	16	18
80-84	40	4.2	15	<1	1	3	5	9	11	20
85+	20	6.2	27	1	1	4	11	14	16	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	348	6.5	24	1	2	5	8	13	15	25
70-74	409	8.4	43	2	2	7	11	17	21	36
75-79	396	8.4	61	2	2	7	10	15	22	39
80-84	319	9.3	56	2	2	7	12	19	23	35
85+	273	10.1	86	2	3	8	12	21	31	91
B. Operated										
65-69 YRS	863	11.0	100	2	2	8	14	23	32	51
70-74	819	11.5	111	1	2	9	15	23	30	61
75-79	547	12.0	120	2	2	9	16	24	33	58
80-84	346	13.6	135	2	2	11	18	29	36	59
85+	214	14.5	154	2	3	12	19	27	40	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	4.6	11	1	1	3	6	9	13	14
B. Operated	417	5.8	32	1	1	4	8	13	17	28
2. MULTIPLE DX										
A. Not Operated	1745	8.5	53	2	2	7	10	16	22	40
B. Operated	2789	11.9	116	2	2	9	16	24	33	57
1. SINGLE DX	548	5.5	27	1	1	4	8	13	15	24
2. MULTIPLE DX	4534	10.6	95	2	2	8	14	22	29	52
A. NOT OPERATED	1876	8.2	51	2	2	6	10	16	22	39
B. OPERATED	3206	11.1	110	1	2	9	15	23	31	54
TOTAL 65-69 YRS	1421	9.1	76	1	2	7	12	19	25	45
70-74	1381	10.0	86	1	2	8	13	21	27	43
75-79	1036	10.0	93	1	2	7	13	21	28	47
80-84	724	11.0	98	2	2	8	14	23	30	52
85+	520	11.6	116	2	3	8	14	25	34	65
GRAND TOTAL	**5082**	**10.1**	**90**	**1**	**2**	**8**	**13**	**21**	**28**	**50**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	2.5	2	1	1	2	3	5	5	7
70-74	24	2.3	3	1	1	2	3	4	6	9
75-79	12	2.3	2	1	1	2	3	4	5	5
80-84	4	4.3	3	2	2	4	5	6	6	6
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	91	4.6	10	1	2	4	7	10	11	13
70-74	71	6.3	28	1	1	5	9	13	19	23
75-79	39	5.3	14	2	2	4	7	10	13	17
80-84	38	6.9	42	1	2	5	9	12	22	32
85+	19	6.9	17	2	2	6	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	4.0	10	1	1	3	5	8	12	15
70-74	58	4.8	22	1	1	3	6	12	16	21
75-79	47	6.4	94	2	2	4	7	10	12	68
80-84	24	8.7	87	2	2	5	11	19	27	44
85+	22	6.6	21	1	1	6	7	14	17	17
B. *Operated*										
65-69 YRS	339	7.9	60	2	2	6	10	16	22	32
70-74	385	8.7	62	2	2	7	11	17	22	47
75-79	313	10.1	89	2	3	8	12	19	26	47
80-84	221	10.3	97	2	3	7	14	20	29	47
85+	158	12.6	139	2	3	10	16	23	31	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.5	3	1	1	2	3	5	5	8
B. *Operated*	258	5.7	21	1	2	4	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	230	5.4	41	1	1	4	6	12	16	26
B. *Operated*	1416	9.5	83	2	2	7	12	18	25	49
1. SINGLE DX	335	5.0	19	1	1	3	7	10	13	22
2. MULTIPLE DX	1646	8.9	79	2	2	6	11	17	24	47
A. NOT OPERATED	307	4.7	33	1	1	3	5	9	14	20
B. OPERATED	1674	8.9	75	2	2	7	11	17	23	45
TOTAL 65-69 YRS	544	6.5	44	1	2	5	9	13	17	29
70-74	538	7.7	53	1	2	5	10	16	20	38
75-79	411	9.0	84	2	2	6	11	17	24	47
80-84	287	9.7	89	2	2	7	12	19	29	43
85+	201	11.2	119	2	3	8	14	22	29	80
GRAND TOTAL	**1981**	**8.3**	**71**	**1**	**2**	**6**	**10**	**17**	**22**	**43**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	3.3	5	1	1	3	5	6	7	11
70-74	32	5.6	11	2	2	5	7	11	13	15
75-79	30	5.3	36	2	2	4	6	8	10	35
80-84	23	4.2	7	1	2	4	5	8	10	11
85+	37	4.9	15	1	2	4	5	10	13	21
B. *Operated*										
65-69 YRS	261	3.0	4	1	1	2	3	6	8	11
70-74	267	3.2	6	1	1	3	4	6	8	15
75-79	214	3.6	9	1	1	3	4	7	10	14
80-84	123	4.3	10	1	2	3	6	9	11	14
85+	59	4.8	13	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	366	6.3	21	2	2	5	8	11	15	25
70-74	423	6.9	28	2	2	6	8	12	14	25
75-79	405	7.5	33	2	3	6	10	14	16	41
80-84	449	8.3	40	3	3	7	10	14	20	33
85+	509	9.2	64	3	3	7	11	16	23	54
B. *Operated*										
65-69 YRS	1134	6.3	55	1	2	4	8	13	16	39
70-74	1221	6.8	53	1	2	5	8	15	19	32
75-79	1097	7.3	54	2	2	5	9	15	21	35
80-84	787	8.5	67	2	2	6	11	16	21	47
85+	663	9.4	68	2	3	7	12	19	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	4.5	14	1	1	4	6	8	11	20
B. *Operated*	924	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	2152	7.8	40	2	3	6	9	14	18	36
B. *Operated*	4902	7.4	59	1	2	5	9	15	20	40
1. SINGLE DX	1097	3.7	9	1	1	3	5	7	9	14
2. MULTIPLE DX	7054	7.5	53	2	2	6	9	15	20	40
A. NOT OPERATED	2325	7.5	39	2	3	6	9	14	18	35
B. OPERATED	5826	6.8	53	1	2	5	8	14	19	36
TOTAL 65-69 YRS	1812	5.7	41	1	2	4	7	11	15	32
70-74	1943	6.3	42	1	2	4	8	13	17	30
75-79	1746	6.9	45	2	2	5	9	14	19	35
80-84	1382	8.0	54	2	2	6	10	15	20	43
85+	1268	9.0	64	2	3	7	11	18	23	42
GRAND TOTAL	**8151**	**7.0**	**49**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.6	6	1	1	3	5	7	8	8
70-74	10	2.9	5	<1	<1	2	4	6	7	7
75-79	6	2.7	3	1	1	2	3	6	6	6
80-84	5	5.2	12	2	2	5	7	11	11	11
85+	8	2.8	3	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	307	3.7	11	1	2	3	4	7	8	15
70-74	310	3.9	9	1	1	3	5	8	11	14
75-79	245	4.3	15	1	1	3	5	7	9	23
80-84	119	3.8	6	1	2	3	5	7	9	11
85+	93	4.4	13	1	1	3	5	9	13	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	4.8	14	1	2	4	6	9	13	16
70-74	67	6.0	22	1	2	4	8	11	15	25
75-79	79	5.6	18	1	2	5	7	10	13	24
80-84	80	6.3	36	1	1	4	8	12	16	33
85+	48	9.1	87	1	2	5	14	20	26	49
B. *Operated*										
65-69 YRS	1021	5.7	33	1	2	4	7	12	15	25
70-74	1102	5.9	35	1	2	4	7	11	15	30
75-79	1003	6.6	39	1	2	5	8	14	17	32
80-84	673	7.5	58	2	2	6	9	15	22	43
85+	466	7.8	56	2	2	6	9	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.3	6	<1	1	3	5	6	8	11
B. *Operated*	1074	4.0	11	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	317	6.3	35	1	2	4	8	13	17	31
B. *Operated*	4265	6.5	42	1	2	5	8	13	17	32
1. SINGLE DX	1111	3.9	11	1	1	3	5	7	9	17
2. MULTIPLE DX	4582	6.5	42	1	2	5	8	13	17	32
A. NOT OPERATED	354	6.0	32	1	1	4	7	11	16	30
B. OPERATED	5339	6.0	37	1	2	4	7	12	16	31
TOTAL 65-69 YRS	1379	5.2	28	1	2	4	6	10	14	24
70-74	1489	5.5	29	1	2	4	7	11	14	28
75-79	1333	6.1	34	1	2	4	8	12	16	31
80-84	877	6.9	50	1	2	5	9	14	20	38
85+	615	7.3	53	2	2	5	9	15	20	41
GRAND TOTAL	**5693**	**6.0**	**37**	**1**	**2**	**4**	**7**	**12**	**16**	**31**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	241	4.5	10	1	1	4	6	8	10	16
70-74	271	4.8	12	1	1	4	6	9	12	17
75-79	252	5.7	20	1	2	5	7	10	14	21
80-84	237	5.6	13	1	2	5	8	11	13	16
85+	257	6.8	27	1	2	5	9	14	17	30
B. *Operated*										
65-69 YRS	613	4.0	12	1	1	3	5	7	9	19
70-74	604	3.9	9	1	1	3	5	7	10	15
75-79	450	4.4	23	1	1	3	5	9	11	16
80-84	238	4.9	17	1	1	4	5	10	12	23
85+	161	5.9	30	1	2	5	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3125	7.6	40	2	3	6	9	14	18	32
70-74	4247	8.2	46	2	3	7	10	15	20	35
75-79	5071	8.9	53	2	3	7	11	16	20	38
80-84	4852	9.4	61	2	3	8	12	17	22	42
85+	5946	9.8	60	3	3	8	12	17	23	42
B. *Operated*										
65-69 YRS	2878	8.1	68	1	2	6	10	17	23	44
70-74	3159	8.6	80	2	2	6	11	17	24	48
75-79	2921	9.6	92	2	2	7	12	19	26	55
80-84	2108	10.9	96	2	3	8	14	22	30	56
85+	1717	11.5	111	2	3	8	15	23	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1258	5.5	17	1	2	4	7	11	13	20
B. *Operated*	2066	4.3	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	23241	8.9	54	2	3	7	11	16	21	39
B. *Operated*	12783	9.5	88	2	2	7	12	19	26	54
1. SINGLE DX	3324	4.8	17	1	1	4	6	9	12	19
2. MULTIPLE DX	36024	9.1	66	2	3	7	11	17	23	44
A. NOT OPERATED	24499	8.8	52	2	3	7	11	16	21	38
B. OPERATED	14849	8.8	82	2	2	6	11	18	25	51
TOTAL 65-69 YRS	6857	7.4	50	1	2	5	9	14	20	36
70-74	8281	8.0	57	2	2	6	10	15	21	39
75-79	8694	8.8	65	2	3	7	11	17	22	45
80-84	7435	9.6	70	2	3	7	12	18	24	48
85+	8081	10.0	70	2	3	8	12	18	24	49
GRAND TOTAL	**39348**	**8.8**	**63**	**2**	**2**	**7**	**11**	**17**	**22**	**43**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99tn (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	2.8	8	<1	1	2	3	5	7	18
70-74	38	3.4	10	<1	1	2	4	8	10	16
75-79	28	4.7	18	1	1	3	6	14	14	15
80-84	23	4.3	8	<1	1	4	6	9	10	10
85+	11	2.6	3	<1	<1	3	4	5	6	6
B. *Operated*										
65-69 YRS	4601	5.8	9	2	2	5	7	9	11	16
70-74	3901	6.1	10	2	2	6	8	10	12	17
75-79	2558	6.5	13	2	3	6	8	10	13	20
80-84	1204	7.3	20	2	3	6	9	12	15	22
85+	537	8.3	25	2	4	7	10	14	17	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	418	4.5	14	<1	1	3	6	9	11	17
70-74	466	5.9	43	1	1	4	7	12	16	28
75-79	432	5.8	34	1	1	4	7	11	18	36
80-84	335	6.5	39	1	2	5	8	13	17	38
85+	315	8.4	87	1	2	6	10	15	24	57
B. *Operated*										
65-69 YRS	10743	7.8	28	2	3	7	9	13	17	27
70-74	11191	8.5	37	2	4	7	10	15	19	31
75-79	8417	9.4	48	3	4	8	11	16	21	36
80-84	4804	10.5	56	3	4	9	13	19	24	41
85+	2789	12.0	74	4	5	10	15	22	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.6	11	<1	1	2	4	8	10	16
B. *Operated*	12801	6.3	12	2	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1966	6.1	43	1	1	4	7	12	17	36
B. *Operated*	37944	9.0	43	3	4	7	11	16	21	35
1. SINGLE DX	12943	6.3	12	2	2	6	8	10	12	18
2. MULTIPLE DX	39910	8.9	44	2	3	7	11	16	20	35
A. NOT OPERATED	2108	5.9	41	1	1	4	7	12	16	36
B. OPERATED	50745	8.3	37	2	3	7	10	15	19	32
TOTAL 65-69 YRS	15804	7.1	23	2	3	6	9	12	15	24
70-74	15596	7.8	31	2	3	7	9	14	17	28
75-79	11435	8.6	41	2	3	7	10	15	20	34
80-84	6366	9.7	51	3	4	8	12	17	22	37
85+	3652	11.1	70	3	4	9	14	20	27	48
GRAND TOTAL	**52853**	**8.2**	**37**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	61	4.7	6	1	2	4	7	8	9	10
70-74	42	4.2	4	1	2	4	5	7	8	9
75-79	21	4.0	3	1	2	4	5	7	7	8
80-84	5	6.4	12	2	2	7	9	11	11	11
85+	6	4.3	8	2	2	3	4	9	10	10
B. *Operated*										
65-69 YRS	93	3.4	6	1	1	3	4	6	8	13
70-74	66	3.3	8	1	1	2	4	6	11	13
75-79	48	4.1	12	1	2	3	6	8	10	19
80-84	28	4.7	7	1	1	4	7	8	9	11
85+	12	7.8	40	<1	2	5	10	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	260	5.7	11	2	3	5	7	10	12	17
70-74	216	5.7	9	2	2	5	7	9	11	15
75-79	153	6.4	38	2	3	5	7	11	13	41
80-84	87	6.3	17	1	2	5	8	11	14	73
85+	61	7.3	31	3	3	6	9	14	15	37
B. *Operated*										
65-69 YRS	491	6.4	41	1	2	5	8	12	16	32
70-74	392	6.5	27	2	2	5	8	13	17	24
75-79	273	7.3	45	2	2	6	9	14	18	31
80-84	167	7.8	35	2	2	6	10	16	21	28
85+	89	9.4	53	2	3	8	11	18	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.5	5	1	2	4	6	8	8	10
B. *Operated*	247	3.9	10	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	777	6.0	18	2	3	5	7	10	13	19
B. *Operated*	1412	7.0	39	2	2	5	9	14	18	28
1. SINGLE DX	382	4.1	8	1	1	3	5	8	9	15
2. MULTIPLE DX	2189	6.6	31	2	2	5	8	13	16	27
A. NOT OPERATED	912	5.8	17	2	2	5	7	10	12	18
B. OPERATED	1659	6.5	35	1	2	5	8	13	17	28
TOTAL 65-69 YRS	905	5.8	27	1	2	5	7	10	14	22
70-74	716	5.9	19	1	2	5	8	11	14	22
75-79	495	6.6	39	2	2	5	8	13	16	30
80-84	287	7.0	27	1	2	6	9	14	17	28
85+	168	8.3	44	3	3	6	11	15	20	38
GRAND TOTAL	**2571**	**6.3**	**29**	**1**	**2**	**5**	**8**	**12**	**15**	**26**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	6	1	1	2	4	6	6	6
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	257	3.2	3	1	2	3	4	5	6	10
70-74	200	3.2	2	1	2	3	4	5	6	8
75-79	87	3.2	3	1	2	3	4	5	6	11
80-84	34	4.0	6	2	2	3	5	6	8	15
85+	14	3.8	5	1	2	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	5.1	6	2	2	5	7	9	9	9
70-74	6	4.3	11	<1	<1	4	5	10	10	10
75-79	9	3.0	2	1	1	3	4	5	5	5
80-84	5	4.2	9	1	1	3	6	9	9	9
85+	7	5.0	4	2	2	4	7	8	8	8
B. *Operated*										
65-69 YRS	377	4.8	15	2	2	4	5	8	13	22
70-74	293	4.9	13	1	2	4	5	9	12	20
75-79	191	5.3	21	2	2	4	6	10	13	29
80-84	82	5.4	14	2	2	4	6	10	14	20
85+	39	8.1	29	2	3	6	11	17	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	5	1	1	3	5	6	6	6
B. *Operated*	592	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	35	4.3	6	1	1	4	5	8	9	10
B. *Operated*	982	5.1	17	2	2	4	6	10	13	21
1. SINGLE DX	597	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX	1017	5.1	16	2	2	4	6	10	13	21
A. NOT OPERATED	40	4.2	6	1	1	4	5	8	9	10
B. OPERATED	1574	4.4	12	1	2	3	5	8	11	19
TOTAL 65-69 YRS	646	4.2	11	1	2	3	5	7	10	19
70-74	499	4.2	9	1	2	3	5	8	10	18
75-79	288	4.6	16	1	2	4	5	9	11	23
80-84	121	4.9	12	2	2	4	6	9	12	18
85+	60	6.7	24	2	2	5	9	15	18	21
GRAND TOTAL	**1614**	**4.4**	**12**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	85	5.6	6	2	3	5	7	10	10	14
70-74	64	5.2	6	2	2	5	7	9	10	12
75-79	39	5.6	6	3	3	5	6	8	10	15
80-84	15	5.4	8	1	2	5	8	9	10	11
85+	15	5.5	14	1	1	4	9	11	12	12
B. *Operated*										
65-69 YRS	63	5.2	14	2	2	4	7	10	12	20
70-74	40	5.0	14	1	2	4	6	10	14	17
75-79	24	5.2	18	1	2	4	6	9	15	21
80-84	9	7.2	19	2	2	7	11	13	13	13
85+	4	5.0	10	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	235	6.9	20	2	3	6	8	11	14	22
70-74	226	7.2	24	3	3	6	8	12	14	29
75-79	137	7.3	18	2	3	7	9	12	14	25
80-84	91	8.1	19	3	3	8	11	13	16	24
85+	60	8.9	32	3	4	7	11	15	17	38
B. *Operated*										
65-69 YRS	165	8.9	45	2	2	7	12	19	23	32
70-74	161	8.7	43	2	3	7	11	18	22	31
75-79	123	9.3	56	2	3	7	11	18	22	42
80-84	74	10.7	81	3	3	8	13	19	27	51
85+	42	11.1	50	3	4	9	15	21	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.5	7	2	2	5	7	9	10	13
B. *Operated*	140	5.3	15	2	2	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	749	7.3	22	3	3	6	9	12	15	28
B. *Operated*	565	9.3	52	2	3	7	12	18	23	37
1. SINGLE DX	358	5.4	10	2	2	5	7	9	11	17
2. MULTIPLE DX	1314	8.2	36	2	3	7	10	15	19	31
A. NOT OPERATED	967	6.9	19	2	3	6	8	11	14	26
B. OPERATED	705	8.5	47	2	3	7	11	17	22	35
TOTAL 65-69 YRS	548	7.1	26	2	3	6	9	12	16	28
70-74	491	7.2	28	2	3	6	9	13	17	29
75-79	323	7.7	33	2	3	6	9	13	18	32
80-84	189	8.9	45	3	3	8	11	15	19	39
85+	121	9.1	38	3	3	7	11	16	20	33
GRAND TOTAL	**1672**	**7.6**	**32**	**2**	**3**	**6**	**9**	**14**	**18**	**29**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	1.9		<1	1	2	2	3	3	3
70-74	19	2.0	1	1	1	2	2	3	4	4
75-79	12	2.2	2	<1	<1	2	3	4	5	5
80-84	7	1.9		<1	<1	2	2	3	3	3
85+	7	2.1	1	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	40	2.2	2	<1	1	2	2	4	5	7
70-74	48	2.1	1	<1	<1	2	2	3	4	8
75-79	28	2.4	2	1	1	2	3	4	5	7
80-84	15	2.1	1	<1	<1	2	3	3	4	4
85+	9	2.7	1	2	2	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	54	3.1	7	1	1	2	3	6	7	15
70-74	40	2.8	3	1	1	2	3	5	6	7
75-79	26	3.7	11	1	1	3	4	7	12	16
80-84	19	5.4	26	<1	1	4	7	10	17	23
85+	15	4.1	18	2	2	2	3	14	15	15
B. *Operated*										
65-69 YRS	171	3.9	15	1	1	2	4	8	12	20
70-74	145	3.9	23	1	1	3	4	7	9	38
75-79	96	4.5	24	1	1	3	5	9	12	29
80-84	68	5.8	37	1	2	3	8	11	18	32
85+	63	6.7	45	1	2	4	9	13	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.0	1	1	1	2	2	3	4	5
B. *Operated*	140	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	154	3.5	10	1	1	2	4	7	10	16
B. *Operated*	543	4.6	26	1	1	3	5	10	13	33
1. SINGLE DX	212	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX	697	4.3	23	1	1	3	5	9	13	28
A. NOT OPERATED	226	3.0	8	1	1	2	3	6	7	15
B. OPERATED	683	4.1	22	1	1	2	4	9	12	28
TOTAL 65-69 YRS	292	3.3	11	1	1	2	3	7	10	19
70-74	252	3.2	15	1	1	2	3	6	7	15
75-79	162	3.8	17	1	1	3	4	8	11	17
80-84	109	5.0	30	1	1	3	6	10	16	31
85+	94	5.5	36	1	2	3	7	12	15	34
GRAND TOTAL	**909**	**3.8**	**19**	**1**	**1**	**2**	**4**	**8**	**11**	**22**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	2.0	2	<1	1	2	2	3	5	7
70-74	13	2.9	7	<1	1	2	3	8	10	10
75-79	11	3.2	7	<1	<1	3	4	7	10	10
80-84	4	2.5	2	1	1	2	3	4	4	4
85+	5	3.8	8	1	1	3	6	8	8	8
B. *Operated*										
65-69 YRS	256	3.7	5	1	1	3	5	7	9	12
70-74	136	4.0	18	1	1	3	5	7	8	22
75-79	73	3.3	3	1	1	3	4	6	7	10
80-84	28	3.7	6	1	2	3	4	7	9	12
85+	12	5.9	28	1	2	4	7	14	19	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	6.6	45	1	1	4	8	13	18	40
70-74	49	6.0	25	1	1	5	8	12	14	28
75-79	49	8.2	75	1	2	6	10	18	35	99+
80-84	39	7.6	16	2	3	7	10	13	14	20
85+	30	11.1	122	1	1	9	17	24	37	48
B. *Operated*										
65-69 YRS	531	5.4	32	1	2	4	6	10	15	28
70-74	309	6.5	57	2	2	4	8	12	19	46
75-79	214	7.2	62	2	2	5	8	14	23	42
80-84	111	8.0	83	1	2	5	10	17	24	57
85+	50	10.0	57	1	2	9	15	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.7	5	<1	1	2	3	5	8	10
B. *Operated*	505	3.8	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	232	7.6	54	1	2	6	10	15	20	46
B. *Operated*	1215	6.4	51	1	2	4	7	13	19	40
1. SINGLE DX	560	3.7	9	1	1	3	5	7	8	12
2. MULTIPLE DX	1447	6.6	51	1	2	4	8	13	19	40
A. NOT OPERATED	287	6.6	48	1	1	5	9	14	19	45
B. OPERATED	1720	5.7	40	1	2	4	6	11	16	37
TOTAL 65-69 YRS	874	4.9	26	1	2	4	6	9	13	24
70-74	507	5.7	44	1	2	4	7	10	15	41
75-79	347	6.4	53	1	2	4	7	13	22	45
80-84	182	7.1	58	1	2	5	9	13	19	48
85+	97	9.5	74	1	2	7	15	19	24	44
GRAND TOTAL	**2007**	**5.8**	**41**	**1**	**2**	**4**	**7**	**12**	**16**	**38**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	682	2.3	1	1	1	2	3	3	4	7
70-74	451	2.4	2	1	1	2	3	3	5	9
75-79	223	2.7	4	1	1	2	3	4	6	13
80-84	97	2.8	3	<1	1	2	3	5	7	10
85+	37	3.2	4	1	2	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	4.8	12	1	1	4	6	9	13	14
70-74	12	4.3	10	1	1	3	6	9	10	10
75-79	8	3.4	9	<1	<1	2	5	8	9	9
80-84	3	17.7	433	1	1	11	33	41	41	41
85+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	793	3.7	8	1	2	3	4	7	10	16
70-74	570	3.8	13	1	2	3	4	7	11	17
75-79	359	3.7	9	1	2	3	4	7	9	19
80-84	141	4.1	9	2	2	3	5	8	11	16
85+	70	4.7	8	1	2	4	6	9	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	1490	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	38	5.3	46	1	1	3	7	10	13	41
B. *Operated*	1933	3.8	10	1	2	3	4	7	10	16
1. SINGLE DX	1498	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX	1971	3.8	11	1	2	3	4	7	10	16
A. NOT OPERATED	46	4.6	40	<1	1	3	6	9	12	41
B. OPERATED	3423	3.2	7	1	1	2	3	6	8	14
TOTAL 65-69 YRS	1490	3.0	6	1	1	2	3	5	7	13
70-74	1034	3.2	8	1	1	2	3	6	8	15
75-79	592	3.3	7	1	1	2	4	6	8	15
80-84	242	3.8	13	1	1	3	4	7	10	16
85+	111	4.2	7	1	2	3	5	9	10	12
GRAND TOTAL	**3469**	**3.2**	**7**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.8	10	2	2	5	8	10	10	10
70-74	10	4.5	24	<1	<1	2	6	13	15	15
75-79	3	1.3		1	1	1	2	2	2	2
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	5	4.4	11	1	1	5	7	8	8	8
B. *Operated*										
65-69 YRS	283	2.7	2	<1	1	2	3	5	5	8
70-74	170	2.6	3	1	1	2	3	5	5	10
75-79	137	2.6	2	<1	1	2	3	5	6	8
80-84	51	3.2	6	1	2	3	4	5	6	16
85+	24	4.5	35	1	1	3	5	8	16	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.7	7	<1	1	3	5	7	9	10
70-74	49	5.2	25	1	1	3	7	13	17	21
75-79	35	5.9	29	<1	2	5	8	9	15	30
80-84	23	7.1	187	<1	<1	3	6	15	37	66
85+	23	5.0	14	1	2	4	7	10	13	15
B. *Operated*										
65-69 YRS	363	4.3	17	1	2	3	5	8	11	21
70-74	276	4.7	37	1	2	3	5	10	12	25
75-79	172	4.9	27	1	2	3	6	10	13	31
80-84	70	5.1	31	1	2	3	6	11	14	32
85+	36	7.9	69	2	2	4	10	22	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.1	14	<1	1	3	6	10	12	15
B. *Operated*	665	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	179	5.2	40	<1	1	4	6	10	15	27
B. *Operated*	917	4.7	29	1	2	3	5	10	13	30
1. SINGLE DX	691	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	1096	4.8	30	1	2	3	5	10	13	30
A. NOT OPERATED	205	5.0	37	<1	1	4	6	10	14	25
B. OPERATED	1582	3.9	19	1	1	3	4	7	11	22
TOTAL 65-69 YRS	700	3.6	11	1	1	3	4	6	9	16
70-74	505	4.1	25	1	1	3	4	9	12	18
75-79	347	4.0	18	<1	1	3	5	8	11	30
80-84	147	4.7	47	1	1	3	4	10	14	35
85+	88	6.0	43	1	2	4	8	12	22	34
GRAND TOTAL	**1787**	**4.0**	**21**	**1**	**1**	**3**	**4**	**8**	**11**	**22**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	2	3.5	1	3	3	3	4	4	4	4
85+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
65-69 YRS	40	8.5	10	5	6	8	10	12	14	21
70-74	24	8.3	25	4	5	7	9	11	18	29
75-79	23	8.0	16	2	3	7	10	13	18	19
80-84	11	9.0	26	2	4	8	10	17	22	22
85+	9	10.4	36	2	3	9	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	6.3	21	1	2	5	9	14	15	15
70-74	8	3.9	4	2	2	3	5	7	7	7
75-79	13	7.4	55	1	2	5	9	16	27	29
80-84	12	7.8	25	4	4	6	10	15	19	20
85+	9	10.7	141	1	1	5	16	29	37	37
B. *Operated*										
65-69 YRS	150	9.4	22	5	5	8	11	16	18	25
70-74	113	10.9	43	6	6	9	12	19	23	39
75-79	86	10.9	30	5	6	9	13	18	21	32
80-84	38	12.4	45	6	6	11	15	20	25	39
85+	26	15.4	77	4	6	12	22	27	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	107	8.6	18	3	5	8	10	12	18	25
2. MULTIPLE DX										
A. *Not Operated*	54	7.3	48	1	2	5	9	15	19	37
B. *Operated*	413	10.8	37	5	6	9	12	19	23	33
1. SINGLE DX	116	8.1	19	2	3	7	9	12	18	24
2. MULTIPLE DX	467	10.4	39	3	5	9	12	18	22	34
A. NOT OPERATED	63	6.6	44	1	1	4	7	15	18	36
B. OPERATED	520	10.3	34	5	6	8	12	18	22	32
TOTAL 65-69 YRS	202	9.0	20	4	5	8	10	15	18	24
70-74	147	9.9	41	3	5	8	11	18	23	35
75-79	125	9.8	32	2	4	9	11	17	21	31
80-84	63	10.7	41	4	5	8	13	19	21	37
85+	46	12.9	85	1	2	11	19	25	32	37
GRAND TOTAL	**583**	**9.9**	**36**	**3**	**5**	**8**	**11**	**18**	**22**	**33**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.6	8	3	3	5	7	10	11	11
70-74	1	4.0		4	4	4	4	4	4	4
75-79	4	5.5	9	3	3	5	8	9	9	9
80-84										
85+	6	5.5	8	4	4	5	5	10	11	11
B. *Operated*										
65-69 YRS	27	7.6	34	1	2	6	9	16	22	24
70-74	7	9.7	62	2	2	9	13	22	24	24
75-79	5	10.2	15	7	7	9	13	16	16	16
80-84	3	20.0	867	3	3	3	41	54	54	54
85+	5	2.6	1	<1	<1	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	8.6	51	2	3	6	11	16	22	36
70-74	23	7.0	27	2	2	5	10	13	17	22
75-79	22	10.7	54	3	4	9	12	17	26	38
80-84	8	11.0	67	5	5	8	12	25	30	30
85+	10	14.9	356	2	3	6	16	49	58	58
B. *Operated*										
65-69 YRS	87	12.9	129	2	4	9	17	24	27	70
70-74	53	14.5	220	4	5	10	17	27	30	97
75-79	40	15.0	116	3	4	13	20	34	47	99+
80-84	21	14.3	76	6	7	11	19	34	61	99+
85+	19	17.2	429	3	4	11	18	46	74	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.4	7	3	3	5	7	10	11	11
B. *Operated*	47	8.4	80	1	2	6	10	17	24	54
2. MULTIPLE DX										
A. *Not Operated*	90	9.6	81	2	3	7	12	16	30	51
B. *Operated*	220	14.2	167	3	4	11	18	26	37	98
1. SINGLE DX	65	7.6	61	2	2	5	9	14	22	50
2. MULTIPLE DX	310	12.8	146	3	4	10	15	24	35	89
A. NOT OPERATED	108	8.9	71	2	3	7	11	16	23	48
B. OPERATED	267	13.1	156	2	4	10	17	24	34	95
TOTAL 65-69 YRS	148	10.8	98	2	3	8	14	22	25	53
70-74	84	11.9	161	2	3	9	14	23	28	83
75-79	71	12.8	89	3	4	11	16	22	38	90
80-84	32	14.0	126	3	5	10	17	34	51	99+
85+	40	13.1	313	2	3	6	13	31	60	84
GRAND TOTAL	**375**	**11.9**	**135**	**2**	**3**	**9**	**15**	**23**	**34**	**83**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	6.0	16	1	1	7	9	11	11	11
70-74	4	4.3	8	2	2	4	6	8	8	8
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	12.3	69	3	3	15	18	19	19	19
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	90	7.6	10	3	5	7	9	11	14	19
70-74	40	9.0	18	4	5	8	11	14	17	23
75-79	22	8.1	10	2	3	8	10	12	14	15
80-84	11	8.5	18	4	4	8	10	15	19	19
85+	10	11.0	120	1	2	7	16	28	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	4.8	11	1	1	5	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	3	12.3	69	3	3	15	18	19	19	19
B. *Operated*	173	8.3	19	3	5	7	9	13	16	22
1. SINGLE DX	11	4.8	11	1	1	5	8	9	11	11
2. MULTIPLE DX	176	8.3	19	3	5	7	10	14	16	22
A. NOT OPERATED	3	12.3	69	3	3	15	18	19	19	19
B. OPERATED	184	8.1	19	2	4	7	9	12	15	22
TOTAL 65-69 YRS	95	7.6	10	2	5	7	9	11	14	19
70-74	47	8.8	22	2	4	8	11	15	19	23
75-79	22	8.1	10	2	3	8	10	12	14	15
80-84	12	7.9	22	1	3	7	10	14	18	19
85+	11	10.5	111	1	3	6	14	25	38	39
GRAND TOTAL	**187**	**8.1**	**19**	**2**	**4**	**7**	**9**	**13**	**16**	**22**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	25	3.2	19	<1	1	2	3	4	15	20
70-74	16	2.2		1	1	2	3	3	3	3
75-79	12	2.8	6	1	1	2	3	6	9	10
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	12.0	50	7	7	12	17	17	17	17
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84										
85+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
65-69 YRS	98	4.7	20	1	1	3	7	10	14	22
70-74	65	4.7	12	1	1	3	7	9	10	18
75-79	47	5.1	21	1	2	3	7	12	15	23
80-84	20	6.2	17	2	2	6	8	10	14	18
85+	12	8.3	53	2	2	6	10	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	58	2.8	9	1	1	2	3	4	8	20
2. MULTIPLE DX										
A. *Not Operated*	7	7.1	23	3	3	6	8	15	17	17
B. *Operated*	242	5.1	20	1	1	3	7	10	14	23
1. SINGLE DX	59	2.8	9	1	1	2	3	4	8	19
2. MULTIPLE DX	249	5.2	20	1	1	3	7	10	14	23
A. NOT OPERATED	8	6.5	23	2	2	5	8	15	17	17
B. OPERATED	300	4.7	18	1	1	3	7	10	14	22
TOTAL 65-69 YRS	124	4.4	20	1	1	2	6	10	14	21
70-74	83	4.4	12	1	1	3	7	8	11	18
75-79	61	4.7	18	1	2	3	6	10	14	22
80-84	23	5.6	17	1	2	5	8	10	13	18
85+	17	7.1	42	2	2	5	9	20	23	23
GRAND TOTAL	**308**	**4.7**	**19**	**1**	**1**	**3**	**7**	**10**	**14**	**22**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	6	6.8	10	2	2	8	9	10	10	10
75-79	4	4.3	3	2	2	4	5	6	6	6
80-84	3	5.0	3	4	4	4	6	7	7	7
85+										
B. *Operated*										
65-69 YRS	31	3.5	13	<1	<1	2	4	8	13	16
70-74	26	4.3	27	<1	1	3	4	8	19	23
75-79	17	2.7	2	1	1	2	3	5	6	7
80-84	7	2.6	1	1	1	3	3	4	4	4
85+	7	2.9	6	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	7.3	33	2	2	5	8	15	21	25
70-74	41	7.8	56	2	2	6	9	16	21	43
75-79	44	6.9	27	3	3	6	8	12	17	30
80-84	34	8.1	31	2	3	7	10	16	19	24
85+	35	8.0	20	1	4	7	10	14	16	21
B. *Operated*										
65-69 YRS	79	6.3	50	1	2	4	8	13	17	46
70-74	53	5.8	36	1	1	4	7	15	19	28
75-79	49	6.7	40	<1	1	4	9	14	19	34
80-84	36	9.2	80	2	2	6	10	19	34	39
85+	31	9.0	90	1	2	7	13	19	20	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.5	7	2	2	5	7	9	10	10
B. *Operated*	88	3.5	13	<1	1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	182	7.6	33	2	3	6	9	15	19	28
B. *Operated*	248	7.0	55	1	2	5	9	15	19	39
1. SINGLE DX	103	3.7	13	<1	1	3	4	8	10	20
2. MULTIPLE DX	430	7.3	46	1	2	5	9	15	19	36
A. NOT OPERATED	197	7.4	32	2	3	6	9	14	19	28
B. OPERATED	336	6.1	46	1	1	4	8	14	19	36
TOTAL 65-69 YRS	140	5.9	39	1	1	4	7	13	16	28
70-74	126	6.2	40	1	1	4	8	15	19	32
75-79	114	6.1	30	1	2	5	7	12	16	31
80-84	80	8.0	52	2	2	6	9	16	22	38
85+	73	7.9	50	1	2	7	10	15	19	43
GRAND TOTAL	**533**	**6.6**	**41**	**1**	**2**	**5**	**8**	**14**	**19**	**34**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	3.1	4	<1	<1	3	5	6	6	6
70-74	6	2.0	1	<1	<1	2	3	3	3	3
75-79	8	4.5	6	2	2	4	7	8	8	8
80-84	8	4.6	17	<1	<1	3	8	11	12	12
85+	3	3.0	12	1	1	1	6	7	7	7
B. *Operated*										
65-69 YRS	1058	7.2	6	4	4	7	8	10	12	15
70-74	808	7.4	8	4	5	7	9	10	12	18
75-79	514	7.5	8	4	5	7	9	10	13	18
80-84	166	8.0	13	4	5	7	9	12	14	20
85+	69	8.5	29	4	4	8	9	12	17	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	102	3.5	9	<1	1	3	4	8	9	15
70-74	91	4.7	29	1	1	3	5	9	12	32
75-79	69	5.0	12	<1	1	4	7	11	12	14
80-84	55	5.7	32	1	1	4	7	14	24	96
85+	54	7.1	22	2	2	6	9	14	19	96
B. *Operated*										
65-69 YRS	3210	8.3	13	4	5	8	9	12	15	20
70-74	2419	8.6	20	4	5	8	10	13	15	26
75-79	1647	9.2	26	5	5	8	10	14	18	30
80-84	697	10.0	35	4	5	8	12	16	20	34
85+	265	10.2	37	3	5	9	12	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.5	7	<1	<1	3	5	7	8	12
B. *Operated*	2615	7.4	8	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	371	4.9	21	1	1	4	6	10	14	28
B. *Operated*	8238	8.8	21	4	5	8	10	13	16	25
1. SINGLE DX	2655	7.3	8	4	4	7	8	10	12	17
2. MULTIPLE DX	8609	8.6	21	4	5	8	10	13	16	26
A. NOT OPERATED	411	4.8	20	<1	1	4	6	10	13	28
B. OPERATED	10853	8.5	18	4	5	8	10	13	15	23
TOTAL 65-69 YRS	4385	7.9	12	4	5	7	9	12	14	20
70-74	3324	8.2	18	4	5	8	9	12	15	24
75-79	2238	8.7	22	4	5	8	10	13	17	25
80-84	926	9.4	32	3	4	8	11	15	19	32
85+	391	9.4	35	3	4	8	11	16	20	41
GRAND TOTAL	**11264**	**8.3**	**18**	**4**	**5**	**8**	**9**	**13**	**15**	**24**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.6	3	<1	<1	2	4	5	6	6
70-74	6	2.5	2	1	1	2	3	5	5	5
75-79	8	4.3	9	1	1	4	6	9	10	10
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	5	2.4	3	1	1	2	3	5	5	5
B. *Operated*										
65-69 YRS	491	2.0	2	<1	<1	2	2	3	4	8
70-74	327	2.0	1	<1	1	2	2	3	4	7
75-79	184	2.1	1	<1	1	2	2	3	5	7
80-84	71	2.7	5	1	1	2	3	5	6	14
85+	51	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	54	3.6	8	1	1	3	4	9	10	12
70-74	48	3.5	9	1	1	3	5	7	8	17
75-79	40	6.1	27	1	1	4	8	12	18	24
80-84	27	6.0	20	1	1	5	9	12	15	18
85+	54	5.6	19	1	2	5	8	10	12	23
B. *Operated*										
65-69 YRS	1003	3.5	14	1	1	2	4	8	10	18
70-74	805	3.6	12	1	1	2	4	8	11	17
75-79	481	3.9	15	1	1	2	4	9	11	18
80-84	273	4.8	28	1	1	3	6	12	16	29
85+	144	5.4	39	1	2	3	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.0	4	<1	1	2	4	6	6	10
B. *Operated*	1124	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	223	4.8	17	1	1	3	7	10	12	22
B. *Operated*	2706	3.8	17	1	1	2	4	9	12	19
1. SINGLE DX	1153	2.1	2	<1	1	2	2	3	5	8
2. MULTIPLE DX	2929	3.9	17	1	1	2	4	9	12	20
A. NOT OPERATED	252	4.6	16	1	1	3	6	9	12	21
B. OPERATED	3830	3.3	13	<1	1	2	3	7	10	17
TOTAL 65-69 YRS	1556	3.0	10	<1	1	2	3	7	9	16
70-74	1106	3.1	9	1	1	2	3	7	9	15
75-79	713	3.6	13	1	1	2	4	8	10	18
80-84	373	4.5	24	1	1	3	5	10	14	20
85+	254	4.8	28	1	1	3	6	10	12	23
GRAND TOTAL	**4082**	**3.4**	**13**	**<1**	**1**	**2**	**3**	**7**	**10**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.0	19	<1	<1	1	3	9	15	15
70-74	7	5.6	17	1	1	5	6	12	14	14
75-79	5	2.0	1	1	1	2	2	3	3	3
80-84	6	7.0	30	1	1	7	9	15	16	16
85+	11	4.1	13	1	1	3	6	10	11	11
B. *Operated*										
65-69 YRS	350	3.1	15	<1	1	2	3	6	8	17
70-74	226	2.8	6	1	1	2	3	6	7	11
75-79	127	3.4	10	<1	1	2	4	8	9	19
80-84	59	4.8	29	<1	1	2	6	14	17	27
85+	28	3.8	14	1	1	2	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	5.4	30	1	1	4	7	10	14	33
70-74	64	8.8	49	1	2	8	11	16	22	39
75-79	67	7.3	57	1	2	5	8	13	22	43
80-84	56	6.2	17	2	2	5	8	13	15	21
85+	64	6.8	33	1	1	6	8	14	16	34
B. *Operated*										
65-69 YRS	1154	6.2	52	1	1	4	8	12	19	40
70-74	850	6.0	49	1	1	4	8	13	16	35
75-79	507	7.6	85	1	2	4	9	18	25	54
80-84	279	9.3	151	1	2	6	11	21	31	68
85+	186	10.3	148	1	2	6	12	24	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.3	17	<1	1	3	6	11	15	16
B. *Operated*	790	3.2	13	<1	1	2	3	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	309	7.0	39	1	2	5	9	14	17	36
B. *Operated*	2976	6.9	73	1	1	4	8	15	22	46
1. SINGLE DX	829	3.3	13	<1	1	2	3	7	9	18
2. MULTIPLE DX	3285	6.9	70	1	1	4	8	15	22	45
A. NOT OPERATED	348	6.7	37	1	1	5	9	14	16	36
B. OPERATED	3766	6.1	63	1	1	3	8	13	20	43
TOTAL 65-69 YRS	1572	5.5	44	<1	1	3	7	11	17	38
70-74	1147	5.5	42	1	1	3	7	12	16	33
75-79	706	6.8	70	1	2	4	8	16	22	48
80-84	400	8.2	116	1	2	5	9	18	26	55
85+	289	8.6	109	1	2	6	10	18	32	58
GRAND TOTAL	**4114**	**6.2**	**61**	**1**	**1**	**3**	**8**	**13**	**19**	**43**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.9	18	<1	1	5	10	11	11	11
70-74	2	6.0	32	2	2	6	10	10	10	10
75-79	3	3.3	6	1	1	3	5	6	6	6
80-84	3	10.0	169	2	2	3	19	25	25	25
85+	4	4.5	6	3	3	4	6	8	8	8
B. *Operated*										
65-69 YRS	280	8.1	14	3	4	8	10	12	14	20
70-74	202	7.8	13	3	4	8	10	12	15	20
75-79	109	8.8	13	3	4	9	10	13	16	21
80-84	46	8.4	11	2	5	8	10	13	15	17
85+	23	10.2	20	5	5	10	12	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	6.3	79	<1	1	4	7	13	19	53
70-74	34	5.8	24	<1	1	5	8	11	19	21
75-79	32	9.9	300	1	2	4	11	24	29	96
80-84	26	10.4	124	2	2	7	13	21	38	51
85+	18	6.3	32	1	2	5	7	13	19	23
B. *Operated*										
65-69 YRS	530	9.5	41	2	4	8	11	16	20	34
70-74	405	9.4	28	2	4	9	11	15	19	30
75-79	299	10.5	67	2	4	9	12	17	23	36
80-84	119	9.6	30	2	3	9	12	16	21	30
85+	48	9.1	24	2	3	8	11	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.9	32	<1	1	3	9	11	18	25
B. *Operated*	660	8.2	14	3	4	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	149	7.7	117	1	1	5	8	15	23	53
B. *Operated*	1401	9.7	41	2	4	9	11	16	20	32
1. SINGLE DX	680	8.2	14	2	4	8	10	12	15	20
2. MULTIPLE DX	1550	9.5	49	2	3	8	11	16	20	33
A. NOT OPERATED	169	7.5	107	1	1	5	8	15	23	53
B. OPERATED	2061	9.2	33	2	4	8	11	15	18	30
TOTAL 65-69 YRS	857	8.9	35	2	4	8	10	14	18	30
70-74	643	8.7	24	2	4	8	10	15	18	26
75-79	443	10.0	70	2	3	9	12	17	22	33
80-84	194	9.4	39	2	3	9	11	15	21	34
85+	93	8.6	26	2	3	8	11	14	20	25
GRAND TOTAL	**2230**	**9.1**	**39**	**2**	**3**	**8**	**11**	**15**	**19**	**30**

254: Ectopic pregnancy (633)

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80 84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS	—	—								
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	313	6.4	26	2	3	5	8	10	13	27
70-74	250	6.6	25	2	3	5	8	11	14	23
75-79	239	7.9	44	2	3	6	9	15	21	30
80-84	189	8.4	43	2	3	7	10	15	19	38
85+	180	8.1	53	2	3	6	10	14	20	60
B. *Operated*										
65-69 YRS	139	9.0	86	1	2	7	12	17	22	53
70-74	112	8.0	47	2	3	6	10	13	23	37
75-79	67	9.7	55	2	3	7	14	19	20	43
80-84	62	9.8	73	2	3	8	12	19	27	49
85+	37	12.5	82	2	3	10	16	28	34	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2121	9.2	49	3	3	7	11	16	21	35
70-74	1991	9.6	48	3	4	8	12	17	22	37
75-79	1811	10.1	68	3	4	8	12	18	23	44
80-84	1576	10.6	59	3	4	9	13	19	24	42
85+	1686	11.1	82	3	4	8	13	21	29	53
B. *Operated*										
65-69 YRS	948	14.9	177	3	4	11	18	32	43	77
70-74	850	15.7	162	3	4	12	21	32	44	78
75-79	728	16.4	184	3	5	13	20	33	48	94
80-84	526	17.9	230	4	5	13	23	38	51	99+
85+	442	17.9	214	4	5	13	23	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1171	7.3	37	2	3	6	9	13	17	31
B. *Operated*	417	9.3	69	2	3	7	12	18	27	44
2. MULTIPLE DX										
A. *Not Operated*	9185	10.0	61	3	4	8	12	18	24	43
B. *Operated*	3494	16.2	189	3	5	12	21	34	47	91
1. SINGLE DX	1588	7.8	46	2	3	6	9	14	19	36
2. MULTIPLE DX	12679	11.8	103	3	4	9	14	23	31	61
A. NOT OPERATED	10356	9.7	59	3	4	8	12	18	23	42
B. OPERATED	3911	15.5	180	3	4	12	20	32	45	87
TOTAL 65-69 YRS	3521	10.5	91	3	3	8	12	20	28	55
70-74	3203	10.9	85	3	4	8	13	21	29	52
75-79	2845	11.5	104	3	4	9	14	22	29	65
80-84	2353	12.0	106	3	4	9	14	23	31	59
85+	2345	12.1	113	3	4	9	15	24	33	72
GRAND TOTAL	**14267**	**11.3**	**99**	**3**	**4**	**8**	**14**	**22**	**30**	**59**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	5.3	11	2	2	5	8	10	12	16
70-74	38	5.8	16	2	2	5	8	11	12	21
75-79	28	7.4	16	2	2	8	10	12	14	19
80-84	22	6.5	13	1	2	6	8	10	13	17
85+	29	7.2	22	2	2	5	9	16	19	25
B. *Operated*										
65-69 YRS	80	6.7	75	1	2	4	7	14	23	52
70-74	58	8.2	76	<1	<1	6	9	22	28	40
75-79	32	6.2	38	1	1	3	8	15	21	24
80-84	24	8.9	55	2	3	8	11	15	25	36
85+	19	9.9	42	1	2	8	16	18	21	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	9.2	60	3	3	7	11	17	23	44
70-74	326	9.5	76	2	3	7	11	18	22	51
75-79	223	10.0	63	3	4	8	12	18	26	45
80-84	206	10.1	70	3	4	8	13	17	20	44
85+	198	10.1	68	3	4	8	12	18	28	52
B. *Operated*										
65-69 YRS	293	12.0	151	2	2	8	15	28	43	89
70-74	263	12.6	172	2	3	9	16	24	39	87
75-79	185	15.0	176	2	3	11	20	35	41	55
80-84	141	14.7	222	3	4	10	17	30	42	83
85+	126	13.7	188	2	3	9	16	27	40	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	6.3	17	2	2	5	8	11	15	21
B. *Operated*	213	7.5	65	<1	1	5	10	16	24	38
2. MULTIPLE DX										
A. *Not Operated*	1241	9.7	68	3	3	8	12	18	24	48
B. *Operated*	1008	13.3	176	2	3	9	17	28	40	82
1. SINGLE DX	375	7.0	45	1	2	5	9	15	19	34
2. MULTIPLE DX	2249	11.3	119	2	3	8	14	22	33	66
A. NOT OPERATED	1403	9.3	63	2	3	7	11	17	23	46
B. OPERATED	1221	12.3	162	2	2	8	16	27	38	78
TOTAL 65-69 YRS	706	9.8	101	2	2	7	12	21	32	61
70-74	685	10.4	113	2	3	7	12	21	26	71
75-79	468	11.6	111	2	3	8	14	25	35	52
80-84	393	11.5	127	2	4	9	14	20	30	73
85+	372	11.1	108	2	3	8	13	21	33	64
GRAND TOTAL	**2624**	**10.7**	**111**	**2**	**3**	**8**	**13**	**21**	**31**	**61**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	12.0		12	12	12	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	14	4.3	10	1	1	4	5	8	12	13
70-74	10	3.9	4	2	2	3	4	7	9	9
75-79	9	10.2	251	1	1	3	10	38	48	48
80-84	3	4.3	17	1	1	3	7	9	9	9
85+	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	7.3	52	<1	<1	5	12	19	20	20
70-74	1	13.0		13	13	13	13	13	13	13
75-79	2	7.5	61	2	2	7	13	13	13	13
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	26	7.5	70	1	1	5	9	16	19	43
70-74	14	6.8	20	2	3	5	8	14	16	17
75-79	9	16.6	480	2	3	11	13	50	74	74
80-84	6	7.8	63	2	2	5	9	22	23	23
85+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	40	5.3	64	1	1	3	5	9	18	48
2. MULTIPLE DX										
A. *Not Operated*	11	7.4	43	<1	1	5	13	16	20	20
B. *Operated*	58	8.7	122	1	2	6	11	16	21	71
1. SINGLE DX	41	5.5	64	1	1	3	5	10	18	48
2. MULTIPLE DX	69	8.5	109	1	2	5	11	16	20	68
A. NOT OPERATED	12	7.8	41	<1	1	7	13	15	19	20
B. OPERATED	98	7.3	100	1	2	4	8	15	21	61
TOTAL 65-69 YRS	49	6.6	51	1	1	4	8	15	17	43
70-74	25	5.9	16	2	3	4	7	13	15	17
75-79	20	12.8	324	1	2	7	13	36	61	74
80-84	10	7.2	44	1	1	5	9	17	23	23
85+	6	2.3	1	2	2	2	2	4	4	4
GRAND TOTAL	**110**	**7.4**	**94**	**1**	**2**	**4**	**9**	**14**	**20**	**58**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	<1	<1	2	3	4	4	4
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79										
80-84	2	2.0		2	2	2	2	2	2	2
85+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
65-69 YRS	107	2.0	5	<1	<1	1	2	4	5	14
70-74	61	2.1	4	<1	<1	1	3	4	7	11
75-79	40	2.5	14	<1	<1	1	3	4	6	24
80-84	24	2.3	2	<1	<1	2	3	4	6	7
85+	12	1.8	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	6.3	6	4	4	5	8	10	10	10
70-74	4	5.0	3	3	3	5	6	7	7	7
75-79										
80-84	3	5.0	13	2	2	4	8	9	9	9
85+	2	8.0	18	5	5	8	11	11	11	11
B. *Operated*										
65-69 YRS	117	4.3	28	<1	1	2	5	8	16	27
70-74	85	5.1	37	1	2	3	5	11	16	34
75-79	58	4.8	23	<1	1	3	6	10	15	27
80-84	34	6.8	72	<1	1	4	8	14	16	48
85+	21	5.5	9	1	2	4	7	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*	244	2.1	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	16	5.9	7	2	3	5	8	10	11	11
B. *Operated*	315	4.9	33	<1	1	3	6	11	15	32
1. SINGLE DX	254	2.1	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX	331	5.0	32	<1	1	3	6	11	15	30
A. NOT OPERATED	26	4.6	8	<1	2	4	6	9	10	11
B. OPERATED	559	3.7	23	<1	<1	2	4	8	13	24
TOTAL 65-69 YRS	235	3.3	18	<1	<1	2	4	7	10	21
70-74	152	3.8	25	<1	<1	2	4	8	14	28
75-79	98	3.8	20	<1	<1	2	4	8	13	26
80-84	63	4.8	45	<1	1	3	6	10	14	44
85+	37	4.4	10	<1	<1	4	6	9	10	14
GRAND TOTAL	**585**	**3.8**	**23**	**<1**	**<1**	**2**	**4**	**8**	**12**	**24**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	179	8.8	101	<1	1	6	10	20	27	54
70-74	148	8.6	67	1	2	7	10	17	29	44
75-79	155	9.3	113	2	2	7	11	19	28	81
80-84	103	9.4	82	2	3	6	12	18	23	52
85+	128	9.8	105	2	3	8	12	17	21	62
B. *Operated*										
65-69 YRS	498	6.7	99	<1	1	3	7	18	26	52
70-74	401	8.7	165	<1	1	3	10	23	37	66
75-79	283	9.4	131	<1	1	4	13	26	34	51
80-84	188	10.5	140	<1	1	5	16	27	36	86
85+	172	11.8	171	<1	1	8	17	28	38	85
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1238	11.5	116	2	3	8	14	24	30	57
70-74	1362	11.7	110	2	3	8	15	24	32	57
75-79	1305	12.9	128	3	4	10	16	26	36	84
80-84	1238	13.7	158	3	4	10	17	28	40	75
85+	1392	13.6	134	3	4	11	17	26	36	81
B. *Operated*										
65-69 YRS	1575	14.9	278	1	2	9	21	37	56	98
70-74	1550	18.3	321	2	2	13	26	45	63	99+
75-79	1369	19.8	317	2	3	15	28	48	64	99+
80-84	1134	21.2	320	2	4	16	30	52	66	99+
85+	1122	22.2	314	3	6	17	30	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	9.2	94	1	2	7	11	18	26	54
B. *Operated*	1542	8.7	138	<1	1	4	12	23	34	63
2. MULTIPLE DX										
A. *Not Operated*	6535	12.7	130	2	3	9	16	26	35	72
B. *Operated*	6750	18.9	315	2	2	14	27	46	63	99+
1. SINGLE DX	2255	8.9	124	<1	1	5	11	21	31	62
2. MULTIPLE DX	13285	15.9	234	2	3	11	21	36	52	99+
A. NOT OPERATED	7248	12.3	127	2	3	9	15	25	34	70
B. OPERATED	8292	17.0	298	1	2	12	24	42	59	99+
TOTAL 65-69 YRS	3490	12.2	194	1	2	8	16	29	41	80
70-74	3461	14.2	224	1	2	9	19	33	48	90
75-79	3112	15.4	227	2	3	11	21	35	51	99+
80-84	2663	16.5	240	2	3	12	22	39	54	99+
85+	2814	16.7	227	2	4	12	21	38	53	99+
GRAND TOTAL	**15540**	**14.9**	**224**	**2**	**2**	**10**	**20**	**35**	**50**	**95**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	8.2	42	1	2	6	11	18	21	27
70-74	15	10.3	72	3	3	7	10	26	27	27
75-79	8	6.5	4	4	4	6	8	9	10	10
80-84	4	6.5	30	2	2	6	11	13	13	13
85+	6	5.2	4	3	3	5	6	8	8	8
B. *Operated*										
65-69 YRS	26	9.5	37	1	1	9	15	18	19	21
70-74	18	12.4	104	2	3	11	16	27	37	42
75-79	7	8.9	52	2	2	5	14	20	21	21
80-84	2	12.5	1	12	12	12	13	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	255	10.2	85	2	3	8	13	18	25	48
70-74	223	11.0	75	2	3	8	14	26	31	60
75-79	163	12.5	91	3	4	10	16	22	29	56
80-84	61	13.9	123	2	4	11	17	28	38	60
85+	31	12.2	120	3	3	10	15	20	37	57
B. *Operated*										
65-69 YRS	162	18.0	294	3	5	13	22	37	59	98
70-74	137	19.5	353	3	4	12	25	44	67	91
75-79	111	19.3	230	3	5	15	27	44	51	84
80-84	40	18.1	256	3	4	14	28	48	82	99+
85+	11	18.9	216	3	4	15	29	43	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	8.1	40	2	2	6	10	18	26	27
B. *Operated*	53	10.5	60	1	2	10	15	19	22	42
2. MULTIPLE DX										
A. *Not Operated*	733	11.4	89	2	3	9	14	23	30	57
B. *Operated*	461	18.8	289	3	4	14	24	44	60	98
1. SINGLE DX	110	9.3	51	2	2	7	12	18	25	34
2. MULTIPLE DX	1194	14.2	179	3	4	10	17	30	44	83
A. NOT OPERATED	790	11.1	86	2	3	9	14	22	29	55
B. OPERATED	514	17.9	272	3	4	13	23	42	58	96
TOTAL 65-69 YRS	467	12.8	167	2	3	10	15	25	34	78
70-74	393	14.0	188	3	3	10	17	30	40	90
75-79	289	14.9	154	3	4	11	19	31	44	64
80-84	107	15.1	172	2	3	12	20	38	48	99+
85+	48	12.9	140	3	3	10	15	29	40	57
GRAND TOTAL	**1304**	**13.8**	**170**	**3**	**3**	**10**	**17**	**29**	**42**	**77**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	250	8.1	28	2	3	7	10	16	19	27
70-74	173	8.4	43	2	3	7	10	15	20	41
75-79	117	8.3	22	2	3	7	11	14	16	29
80-84	47	9.7	49	2	3	9	12	15	30	34
85+	25	8.3	26	2	3	7	11	17	18	20
B. *Operated*										
65-69 YRS	471	10.0	66	2	2	8	14	19	26	40
70-74	273	11.0	55	2	3	10	15	19	24	36
75-79	134	12.7	75	2	3	11	16	25	30	38
80-84	32	11.6	68	3	3	9	17	24	27	31
85+	12	18.4	95	3	6	17	27	32	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1077	10.1	69	2	3	8	12	19	24	47
70-74	941	10.1	60	3	3	8	13	20	24	45
75-79	736	10.5	62	3	4	9	14	19	23	38
80-84	387	11.0	85	3	4	9	14	22	29	60
85+	187	10.9	110	3	3	9	13	19	25	70
B. *Operated*										
65-69 YRS	921	13.6	119	3	4	11	18	28	36	82
70-74	706	14.9	179	3	3	12	19	31	44	83
75-79	403	16.4	165	3	4	14	20	32	43	77
80-84	155	18.3	187	4	5	16	24	33	40	78
85+	32	14.5	69	4	4	14	19	29	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	8.3	33	2	3	7	10	15	19	30
B. *Operated*	922	10.9	66	2	3	9	15	21	27	38
2. MULTIPLE DX										
A. *Not Operated*	3328	10.4	69	3	3	8	13	19	25	46
B. *Operated*	2217	14.9	152	3	4	12	19	30	40	82
1. SINGLE DX	1534	9.9	54	2	3	8	13	18	24	35
2. MULTIPLE DX	5545	12.2	107	3	4	10	16	23	32	63
A. NOT OPERATED	3940	10.0	64	3	3	8	12	19	24	43
B. OPERATED	3139	13.7	130	2	3	11	17	27	36	72
TOTAL 65-69 YRS	2719	11.1	85	2	3	9	15	21	29	52
70-74	2093	11.7	103	3	3	9	15	23	31	59
75-79	1390	12.3	97	3	4	10	16	23	30	59
80-84	621	12.8	117	3	4	10	16	26	33	62
85+	256	11.4	100	3	3	9	14	21	28	77
GRAND TOTAL	**7079**	**11.7**	**97**	**2**	**3**	**9**	**15**	**22**	**30**	**57**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	152	5.7	23	2	2	4	7	11	13	30
70-74	165	6.2	17	1	2	5	8	12	13	21
75-79	171	6.7	23	2	2	5	9	13	17	23
80-84	140	6.6	22	1	2	6	8	12	14	26
85+	157	6.6	45	1	2	6	8	11	15	24
B. *Operated*										
65-69 YRS	2689	11.8	38	2	3	12	16	19	22	30
70-74	2487	13.2	40	2	5	13	16	20	23	33
75-79	1875	14.7	45	4	8	14	18	22	26	37
80-84	887	14.6	41	3	7	15	17	22	26	32
85+	246	16.4	62	4	8	15	19	25	33	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1091	7.0	27	1	2	6	9	13	16	28
70-74	1484	8.0	48	1	2	6	10	15	19	34
75-79	1660	8.1	43	2	2	7	10	15	19	33
80-84	1438	9.4	73	2	3	7	12	17	22	44
85+	1380	9.4	76	2	3	7	12	18	25	57
B. *Operated*										
65-69 YRS	4184	13.9	78	2	3	13	17	24	29	44
70-74	4335	15.4	81	3	5	14	18	25	31	50
75-79	3602	16.8	90	4	7	16	20	27	34	58
80-84	1818	18.3	102	5	9	16	22	31	38	59
85+	677	18.9	145	5	8	16	23	32	42	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	6.4	26	1	2	5	8	12	15	24
B. *Operated*	8184	13.3	43	2	4	13	17	20	24	33
2. MULTIPLE DX										
A. *Not Operated*	7053	8.4	55	2	2	7	11	16	21	38
B. *Operated*	14616	15.8	90	3	5	15	19	26	33	54
1. SINGLE DX	8969	12.7	45	2	3	13	16	20	24	33
2. MULTIPLE DX	21669	13.4	91	2	3	12	17	24	30	50
A. NOT OPERATED	7838	8.2	52	2	2	7	10	15	20	36
B. OPERATED	22800	14.9	75	3	5	14	18	24	30	48
TOTAL 65-69 YRS	8116	12.1	63	2	3	12	16	21	25	38
70-74	8471	13.2	70	2	3	13	17	22	27	42
75-79	7308	14.0	79	3	4	13	18	24	29	47
80-84	4283	14.1	94	3	4	13	18	24	31	52
85+	2460	12.6	112	2	3	10	16	24	32	66
GRAND TOTAL	**30638**	**13.2**	**77**	**2**	**3**	**12**	**17**	**23**	**28**	**46**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	6.9	117	1	1	4	8	12	16	76
70-74	61	7.6	59	1	2	5	[illegible]	16	19	44
75-79	50	5.2	13	1	2	4	6	10	13	21
80-84	42	7.0	60	2	2	6	7	11	13	52
85+	33	6.3	23	1	2	5	8	13	16	23
B. *Operated*										
65-69 YRS	167	9.6	45	2	2	9	14	18	20	31
70-74	152	12.2	113	2	2	11	17	22	29	84
75-79	98	13.1	91	2	3	12	16	22	27	57
80-84	48	13.0	79	2	3	12	17	20	30	51
85+	13	13.4	82	3	4	14	21	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	355	8.3	62	2	2	6	10	15	22	49
70-74	413	8.6	52	2	3	6	11	16	23	39
75-79	383	9.5	56	2	3	7	12	19	26	38
80-84	347	10.3	106	2	3	8	12	19	29	58
85+	284	9.9	70	2	3	8	12	20	27	39
B. *Operated*										
65-69 YRS	379	14.8	170	2	3	11	19	33	43	71
70-74	329	17.1	220	2	3	14	22	37	48	96
75-79	266	19.5	252	3	4	15	25	43	54	71
80-84	157	20.2	214	2	5	17	25	40	47	77
85+	76	23.0	371	4	6	17	28	54	66	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	6.7	60	1	2	5	8	13	16	46
B. *Operated*	478	11.6	82	2	2	11	16	20	26	51
2. MULTIPLE DX										
A. *Not Operated*	1782	9.3	69	2	3	7	11	18	25	43
B. *Operated*	1207	17.7	225	3	3	14	23	39	49	80
1. SINGLE DX	726	9.9	80	2	2	8	14	19	23	51
2. MULTIPLE DX	2989	12.7	149	2	3	9	16	27	38	66
A. NOT OPERATED	2030	8.9	68	2	3	7	11	17	24	44
B. OPERATED	1685	15.9	192	2	3	13	20	33	45	72
TOTAL 65-69 YRS	963	11.0	115	2	2	8	14	22	34	62
70-74	955	12.0	135	2	3	9	16	25	34	61
75-79	797	13.0	147	2	3	10	16	28	37	66
80-84	594	12.9	149	2	3	9	16	27	38	56
85+	406	12.2	151	2	3	8	15	25	36	68
GRAND TOTAL	**3715**	**12.1**	**136**	**2**	**3**	**9**	**15**	**25**	**36**	**63**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.8	13	2	2	7	8	10	10	10
70-74	2	2.5	5	<1	<1	2	4	4	4	4
75-79	4	3.3	2	1	1	4	4	4	4	4
80-84	5	7.8	42	3	3	6	10	19	19	19
85+	3	12.3	186	3	3	6	22	28	28	28
B. *Operated*										
65-69 YRS	248	3.2	6	1	1	2	4	6	8	16
70-74	146	3.2	5	1	1	2	4	7	8	11
75-79	68	3.4	8	1	1	3	4	6	9	15
80-84	23	4.3	11	1	2	3	5	9	12	14
85+	11	3.5	14	<1	<1	2	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	3.7	9	<1	<1	3	5	9	10	12
70-74	27	5.0	12	1	1	4	7	10	12	15
75-79	18	5.2	19	<1	1	4	6	11	16	18
80-84	7	13.1	156	5	5	8	15	35	40	40
85+	7	8.7	19	4	4	8	10	16	17	17
B. *Operated*										
65-69 YRS	742	4.0	18	1	1	3	4	7	11	22
70-74	501	4.3	20	1	1	3	5	8	12	20
75-79	266	4.4	18	1	1	3	5	9	14	23
80-84	90	5.9	45	1	1	3	7	12	16	39
85+	39	5.9	36	<1	1	3	9	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.5	44	<1	1	4	7	15	24	28
B. *Operated*	496	3.3	7	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	99	5.3	27	<1	1	4	7	10	14	29
B. *Operated*	1638	4.3	21	1	1	3	5	9	12	23
1. SINGLE DX	515	3.4	8	1	1	2	4	7	8	16
2. MULTIPLE DX	1737	4.4	21	1	1	3	5	9	12	23
A. NOT OPERATED	118	5.5	30	<1	1	4	7	11	16	32
B. OPERATED	2134	4.1	18	1	1	3	5	8	11	20
TOTAL 65-69 YRS	1035	3.8	15	1	1	3	4	7	10	19
70-74	676	4.1	17	1	1	3	5	8	11	19
75-79	356	4.3	16	1	1	3	5	8	13	20
80-84	125	6.1	47	1	2	3	7	12	17	41
85+	60	6.1	38	<1	1	3	9	14	18	30
GRAND TOTAL	**2252**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	4.7	14	<1	1	4	6	9	12	21
70-74	67	5.9	16	1	2	5	7	11	14	20
75-79	66	5.7	19	1	2	5	7	12	14	20
80-84	54	6.1	23	1	2	5	8	11	17	96
85+	48	6.3	26	1	1	5	8	11	12	32
B. *Operated*										
65-69 YRS	199	6.0	61	1	1	3	7	15	17	33
70-74	183	7.0	42	1	1	4	10	16	19	32
75-79	101	8.1	61	1	1	5	11	20	26	33
80-84	43	7.4	48	1	1	5	11	15	18	36
85+	24	8.5	43	1	3	6	13	17	21	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	295	6.2	25	1	2	5	8	11	16	24
70-74	344	6.9	42	1	2	5	9	14	17	28
75-79	369	7.8	46	2	2	6	9	15	22	38
80-84	302	9.3	91	2	3	7	11	18	27	51
85+	302	8.4	76	2	2	7	11	15	18	80
B. *Operated*										
65-69 YRS	410	9.4	95	2	2	6	13	21	30	48
70-74	331	9.5	101	1	2	6	12	22	30	52
75-79	253	11.7	114	2	3	8	16	26	32	59
80-84	135	13.1	106	2	3	10	17	31	36	57
85+	80	10.8	93	2	3	8	14	23	32	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	5.6	19	1	1	5	7	11	13	27
B. *Operated*	550	6.9	53	1	1	4	10	16	20	32
2. MULTIPLE DX										
A. *Not Operated*	1612	7.7	56	2	2	6	9	15	20	42
B. *Operated*	1209	10.4	103	2	2	7	14	24	31	52
1. SINGLE DX	878	6.4	41	1	1	4	8	14	18	32
2. MULTIPLE DX	2821	8.9	78	2	2	6	11	19	26	49
A. NOT OPERATED	1940	7.4	51	1	2	6	9	14	19	39
B. OPERATED	1759	9.3	90	1	2	6	13	21	29	47
TOTAL 65-69 YRS	997	7.3	63	1	2	5	9	16	22	39
70-74	925	7.8	63	1	2	5	10	16	23	39
75-79	789	8.9	71	1	2	6	11	20	26	42
80-84	534	9.8	89	2	2	7	12	21	30	51
85+	454	8.6	73	2	2	7	11	17	22	68
GRAND TOTAL	**3699**	**8.3**	**70**	**1**	**2**	**6**	**10**	**17**	**25**	**44**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	28.5	1301	3	3	28	54	54	54	54
70-74	2	8.5	25	5	5	8	12	12	12	12
75-79	2	3.0		3	3	3	3	3	3	3
80-84	4	6.3	3	4	4	6	7	8	8	8
85+										
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	26.0		26	26	26	26	26	26	26
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	7.0	14	2	3	6	11	12	13	13
70-74	22	11.3	37	4	5	9	14	20	24	25
75-79	16	8.6	28	2	3	8	11	16	21	23
80-84	10	6.6	5	3	3	7	8	9	10	10
85+	4	9.0	15	6	6	8	12	14	14	14
B. *Operated*										
65-69 YRS	10	16.2	206	1	2	11	25	39	39	39
70-74	12	8.8	30	2	3	7	13	17	20	20
75-79	3	22.7	234	11	11	17	34	40	40	40
80-84	5	13.0	44	7	7	10	19	22	22	22
85+	1	93.0		93	93	93	93	93	93	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.5	242	3	3	5	8	33	54	54
B. *Operated*	3	13.7	134	3	3	12	22	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	72	8.7	25	3	3	8	11	15	19	25
B. *Operated*	31	15.9	318	2	4	10	19	39	40	93
1. SINGLE DX	13	11.2	206	3	3	6	12	32	50	54
2. MULTIPLE DX	103	10.9	122	3	3	8	13	20	25	65
A. NOT OPERATED	82	8.9	49	3	3	7	11	15	21	45
B. OPERATED	34	15.7	298	2	3	10	20	39	40	93
TOTAL 65-69 YRS	33	11.2	145	1	3	7	12	28	39	54
70-74	37	10.1	34	3	3	8	13	19	23	25
75-79	22	10.8	83	2	3	8	12	24	32	40
80-84	19	8.2	21	3	4	7	9	15	20	22
85+	5	25.8	1422	6	6	10	34	93	93	93
GRAND TOTAL	**116**	**10.9**	**130**	**3**	**3**	**8**	**12**	**22**	**26**	**67**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	230	6.9	25	2	2	5	9	13	17	29
70-74	207	7.0	21	2	2	6	8	13	17	22
75-79	184	7.4	21	2	3	7	10	13	15	24
80-84	111	7.4	30	2	2	6	9	13	19	28
85+	65	7.4	66	2	3	5	9	12	15	57
B. *Operated*										
65-69 YRS	342	7.9	38	1	2	7	11	15	19	31
70-74	189	9.0	61	1	2	7	12	19	23	39
75-79	110	8.0	51	1	2	6	11	18	25	62
80-84	27	7.1	37	2	2	5	11	15	18	26
85+	11	8.8	35	1	2	8	12	17	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1602	7.9	29	2	3	7	10	14	18	28
70-74	1736	8.2	31	2	3	7	10	15	18	29
75-79	1764	8.7	44	2	3	7	11	16	21	34
80-84	1297	9.2	54	2	3	7	11	17	22	40
85+	1106	9.5	62	2	3	8	12	18	23	41
B. *Operated*										
65-69 YRS	924	11.7	89	2	2	10	15	24	31	52
70-74	798	13.9	148	2	3	11	18	29	37	63
75-79	511	14.4	136	2	3	11	18	29	41	65
80-84	244	14.9	133	3	4	12	19	30	38	70
85+	116	18.2	201	4	6	15	24	39	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	7.2	27	2	3	6	9	13	17	26
B. *Operated*	679	8.2	47	1	2	7	11	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	7505	8.6	42	2	3	7	11	16	20	34
B. *Operated*	2593	13.5	128	2	3	11	17	28	36	64
1. SINGLE DX	1476	7.6	36	2	2	6	10	14	19	34
2. MULTIPLE DX	10098	9.9	69	2	3	8	12	19	25	44
A. NOT OPERATED	8302	8.5	41	2	3	7	11	15	20	33
B. OPERATED	3272	12.4	116	2	3	10	16	26	34	60
TOTAL 65-69 YRS	3098	8.9	51	2	3	7	11	17	23	37
70-74	2930	9.7	71	2	3	8	12	18	25	46
75-79	2569	9.7	66	2	3	8	12	19	25	44
80-84	1679	9.9	68	2	3	8	12	19	25	44
85+	1298	10.2	81	2	3	8	13	20	27	62
GRAND TOTAL	**11574**	**9.6**	**65**	**2**	**3**	**8**	**12**	**18**	**24**	**44**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	394	7.8	23	2	3	7	10	14	17	26
70-74	269	8.2	30	2	3	7	11	15	16	28
75-79	126	8.4	32	1	2	7	12	17	19	26
80-84	72	8.8	26	2	3	8	12	17	18	22
85+	33	8.0	30	1	3	7	10	14	20	26
B. *Operated*										
65-69 YRS	1043	9.0	47	1	2	8	12	17	22	32
70-74	495	9.5	46	1	2	9	13	19	23	30
75-79	232	11.2	69	1	2	10	15	21	23	40
80-84	63	11.8	76	1	2	11	17	26	29	32
85+	35	10.7	62	1	2	9	16	22	27	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1196	9.2	33	3	3	8	12	16	19	30
70-74	1065	9.7	36	2	3	9	12	17	20	30
75-79	790	9.7	37	3	4	8	12	18	22	30
80-84	502	10.6	58	3	4	9	14	19	26	36
85+	314	11.0	65	3	4	9	14	20	26	44
B. *Operated*										
65-69 YRS	1687	13.3	90	2	4	11	17	24	30	47
70-74	1133	14.0	107	2	3	12	18	27	35	55
75-79	646	15.2	102	3	5	13	20	28	32	50
80-84	271	17.1	155	3	4	14	22	31	38	65
85+	82	18.0	113	3	5	17	25	31	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	8.1	27	2	3	7	10	15	17	26
B. *Operated*	1868	9.6	51	1	2	8	13	19	23	32
2. MULTIPLE DX										
A. *Not Operated*	3867	9.8	41	3	4	8	12	18	21	32
B. *Operated*	3819	14.2	104	2	4	12	18	26	33	51
1. SINGLE DX	2762	9.1	44	1	2	8	12	17	21	30
2. MULTIPLE DX	7686	12.0	77	3	4	10	15	22	29	45
A. NOT OPERATED	4761	9.5	38	2	3	8	12	17	21	31
B. OPERATED	5687	12.7	91	2	3	11	17	24	30	48
TOTAL 65-69 YRS	4320	10.6	62	2	3	9	14	20	25	40
70-74	2962	11.2	69	2	3	9	14	21	27	43
75-79	1794	11.8	71	2	4	10	15	22	27	42
80-84	908	12.5	95	2	3	10	16	25	31	49
85+	464	12.0	79	3	4	9	16	24	29	39
GRAND TOTAL	**10448**	**11.2**	**70**	**2**	**3**	**9**	**15**	**21**	**27**	**42**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	8.4	31	2	3	7	11	17	21	26
70-74	60	8.3	56	2	2	7	10	14	19	43
75-79	33	8.2	35	3	4	7	10	13	16	35
80-84	16	9.7	51	3	4	8	12	15	28	33
85+	7	6.3	47	2	2	3	7	18	21	21
B. *Operated*										
65-69 YRS	136	8.4	38	1	2	7	12	15	19	28
70-74	60	9.2	45	1	2	8	12	17	25	29
75-79	20	10.3	177	1	1	7	12	22	42	60
80-84	7	13.6	116	1	2	12	17	31	34	34
85+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	362	8.2	27	3	3	7	10	14	17	26
70-74	320	8.4	32	2	3	7	11	16	19	32
75-79	251	8.7	49	2	3	7	10	16	21	38
80-84	154	8.4	40	3	3	7	10	15	18	33
85+	96	8.9	37	2	3	8	12	15	21	33
B. *Operated*										
65-69 YRS	312	11.2	92	2	2	9	14	22	29	60
70-74	160	13.2	140	2	3	10	17	26	36	59
75-79	82	14.6	189	2	3	12	18	25	42	78
80-84	35	19.8	233	3	5	16	26	40	56	66
85+	16	14.1	108	1	2	13	18	26	37	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	8.4	41	2	3	7	10	16	20	37
B. *Operated*	225	8.9	54	1	2	8	12	16	23	36
2. MULTIPLE DX										
A. *Not Operated*	1183	8.5	35	2	3	7	10	15	19	32
B. *Operated*	605	12.8	130	2	3	10	17	24	36	63
1. SINGLE DX	433	8.7	47	1	2	7	11	16	21	36
2. MULTIPLE DX	1788	9.9	71	2	3	8	12	19	24	46
A. NOT OPERATED	1391	8.5	36	2	3	7	10	15	19	33
B. OPERATED	830	11.7	112	1	2	9	15	23	32	60
TOTAL 65-69 YRS	902	9.3	53	2	3	8	12	17	23	39
70-74	600	9.8	68	2	3	8	12	18	25	42
75-79	386	10.0	89	2	3	8	12	18	25	57
80-84	212	10.6	92	3	3	8	12	20	30	54
85+	121	9.4	49	2	2	8	13	18	22	38
GRAND TOTAL	**2221**	**9.7**	**67**	**2**	**3**	**8**	**12**	**18**	**24**	**43**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	7.2	13	1	2	8	10	12	12	16
70-74	13	7.0	8	3	4	6	8	11	13	14
75-79	8	6.4	14	1	2	6	10	11	11	11
80-84	3	4.0	9	1	1	4	6	7	7	7
85+	3	7.3	26	3	3	6	11	13	13	13
B. *Operated*										
65-69 YRS	2	7.0	8	5	5	7	9	9	9	9
70-74	4	4.5	6	3	3	4	6	8	8	8
75-79	2	8.5	25	5	5	8	12	12	12	12
80-84										
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	146	9.0	39	2	3	8	11	16	20	32
70-74	106	8.7	27	3	3	8	11	15	19	26
75-79	87	8.3	31	2	3	7	11	16	20	28
80-84	61	9.1	26	3	4	8	12	17	19	22
85+	45	9.8	51	2	3	8	12	20	24	38
B. *Operated*										
65-69 YRS	34	11.6	46	3	3	11	17	21	25	26
70-74	24	12.0	58	2	2	11	17	23	25	26
75-79	13	21.7	287	6	8	14	35	51	56	57
80-84	7	8.4	25	2	2	9	13	15	15	15
85+	3	12.0	61	3	3	16	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	6.9	12	1	3	7	9	12	13	16
B. *Operated*	9	7.1	18	3	3	5	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	445	8.9	34	2	3	7	11	16	20	29
B. *Operated*	81	13.1	98	2	3	11	17	24	30	55
1. SINGLE DX	72	6.9	13	1	3	7	9	12	13	16
2. MULTIPLE DX	526	9.5	46	2	3	8	12	18	22	35
A. NOT OPERATED	508	8.6	32	2	3	7	11	16	20	28
B. OPERATED	90	12.5	93	2	3	10	17	23	26	54
TOTAL 65-69 YRS	218	9.1	37	2	3	8	12	17	20	30
70-74	147	9.0	32	3	3	8	11	17	22	26
75-79	110	9.8	77	2	3	8	11	17	24	52
80-84	71	8.8	26	3	3	8	12	16	18	22
85+	52	9.9	49	2	3	8	13	19	23	38
GRAND TOTAL	**598**	**9.2**	**43**	**2**	**3**	**8**	**12**	**17**	**21**	**33**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	78	7.5	25	1	2	7	11	13	15	28
70-74	48	8.4	26	2	3	8	11	14	18	28
75-79	45	8.7	22	1	4	8	11	15	18	22
80-84	30	9.4	63	2	3	8	12	15	17	45
85+	16	5.0	12	2	2	5	6	8	14	16
B. *Operated*										
65-69 YRS	22	6.0	26	1	1	5	8	13	18	19
70-74	20	7.4	28	1	1	6	13	14	15	15
75-79	11	7.8	66	2	2	5	7	23	27	27
80-84	6	4.8	18	2	2	3	8	12	12	12
85+	2	11.5	41	7	7	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	298	8.9	30	3	4	7	12	17	20	27
70-74	292	9.7	34	3	4	9	12	16	21	31
75-79	253	9.8	51	3	4	8	12	16	22	36
80-84	164	10.5	66	3	4	9	12	17	22	49
85+	118	10.9	98	3	4	8	13	21	25	61
B. *Operated*										
65-69 YRS	54	10.7	101	2	3	8	13	26	34	52
70-74	55	14.5	113	2	4	13	19	30	36	52
75-79	53	14.4	112	3	4	12	18	29	39	50
80-84	24	18.6	187	3	5	16	19	33	54	58
85+	10	19.6	190	3	5	16	31	69	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	8.0	29	1	2	7	11	14	17	29
B. *Operated*	61	6.9	33	1	1	5	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	1125	9.8	48	3	4	8	12	17	21	35
B. *Operated*	196	14.2	127	3	3	12	17	30	39	56
1. SINGLE DX	278	7.8	30	1	2	7	11	14	17	28
2. MULTIPLE DX	1321	10.4	62	3	4	8	13	19	25	48
A. NOT OPERATED	1342	9.5	46	3	3	8	12	17	21	35
B. OPERATED	257	12.5	114	2	2	10	16	27	36	53
TOTAL 65-69 YRS	452	8.7	39	2	3	7	11	16	20	30
70-74	415	10.1	46	2	4	9	13	19	23	34
75-79	362	10.3	59	3	4	9	13	18	25	41
80-84	224	11.1	84	3	3	9	13	18	26	54
85+	146	10.8	101	2	3	8	13	22	28	73
GRAND TOTAL	**1599**	**9.9**	**58**	**2**	**3**	**8**	**12**	**18**	**23**	**44**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	488	6.7	29	1	2	6	9	12	15	22
70-74	373	6.8	25	1	2	6	9	13	17	25
75-79	227	6.6	26	1	1	6	9	13	15	26
80-84	133	7.4	31	1	2	6	10	15	18	25
85+	104	7.2	23	1	2	6	10	14	17	22
B. *Operated*										
65-69 YRS	573	8.2	38	1	2	8	12	16	19	29
70-74	441	8.7	54	1	2	8	12	18	21	34
75-79	286	10.3	64	1	2	9	15	20	26	36
80-84	85	9.1	65	1	1	8	12	17	30	36
85+	32	13.7	92	1	1	13	20	26	27	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1751	8.2	32	2	2	7	11	15	18	27
70-74	1725	8.6	43	2	3	7	11	16	20	30
75-79	1488	9.2	45	2	3	8	12	17	22	32
80-84	1026	9.4	50	2	3	8	12	18	22	36
85+	721	9.5	63	2	3	8	12	18	22	36
B. *Operated*										
65-69 YRS	1547	12.0	93	2	3	10	16	24	31	47
70-74	1248	13.0	103	2	3	11	17	25	32	51
75-79	901	14.0	116	2	3	12	19	28	35	58
80-84	338	16.3	132	3	4	13	22	30	38	71
85+	170	17.4	131	3	5	15	25	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1325	6.8	27	1	2	6	9	13	16	24
B. *Operated*	1417	9.0	52	1	2	8	12	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	6711	8.8	44	2	3	7	11	17	21	32
B. *Operated*	4204	13.3	107	2	3	11	17	26	34	54
1. SINGLE DX	2742	7.9	41	1	2	7	11	16	20	32
2. MULTIPLE DX	10915	10.6	73	2	3	8	14	21	27	43
A. NOT OPERATED	8036	8.5	42	2	2	7	11	16	20	31
B. OPERATED	5621	12.2	97	2	2	10	16	25	31	50
TOTAL 65-69 YRS	4359	9.4	58	2	2	8	12	18	23	38
70-74	3787	9.9	67	2	2	8	13	19	25	42
75-79	2902	10.6	73	2	2	9	14	21	27	43
80-84	1582	10.7	75	2	3	9	14	22	28	45
85+	1027	10.7	81	2	3	8	14	22	26	54
GRAND TOTAL	**13657**	**10.0**	**68**	**2**	**2**	**8**	**13**	**20**	**26**	**41**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	5.1	11	1	2	4	7	11	12	15
70-74	74	5.6	15	2	2	5	7	10	12	23
75-79	61	5.5	13	1	2	5	8	10	12	17
80-84	36	5.6	8	2	2	5	7	8	10	16
85+	31	4.8	12	1	1	4	7	9	14	15
B. *Operated*										
65-69 YRS	585	3.3	7	<1	1	3	4	6	8	15
70-74	317	3.3	7	<1	<1	2	4	6	9	15
75-79	145	3.7	19	<1	1	2	4	7	13	22
80-84	68	4.4	56	<1	<1	3	4	7	11	47
85+	25	4.1	17	1	1	3	4	11	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	414	6.8	24	2	2	6	9	13	16	26
70-74	358	7.6	28	2	2	6	10	14	18	27
75-79	333	7.5	35	2	3	6	9	14	19	30
80-84	257	7.3	27	2	2	6	9	14	19	25
85+	239	8.8	63	2	3	7	10	18	24	38
B. *Operated*										
65-69 YRS	686	5.4	27	1	2	4	6	11	15	27
70-74	484	5.8	48	1	2	4	6	12	18	33
75-79	320	6.4	55	1	2	5	7	12	21	44
80-84	150	7.5	49	2	2	5	9	17	21	45
85+	64	11.6	154	2	2	9	16	21	28	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	5.3	12	1	2	5	7	10	12	17
B. *Operated*	1140	3.4	12	<1	<1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	1601	7.5	34	2	2	6	9	14	19	28
B. *Operated*	1704	6.1	46	1	2	4	7	13	18	34
1. SINGLE DX	1445	3.8	13	<1	1	3	5	7	10	17
2. MULTIPLE DX	3305	6.8	41	1	2	5	8	14	18	31
A. NOT OPERATED	1906	7.2	31	2	2	6	9	14	18	27
B. OPERATED	2844	5.1	34	<1	1	3	6	11	16	30
TOTAL 65-69 YRS	1788	5.0	21	1	1	4	6	10	13	23
70-74	1233	5.7	32	1	1	4	7	12	16	28
75-79	859	6.3	39	1	2	5	8	12	18	31
80-84	511	6.9	37	1	2	5	8	14	19	34
85+	359	8.7	76	2	2	6	10	18	24	49
GRAND TOTAL	**4750**	**5.9**	**34**	**1**	**2**	**4**	**7**	**12**	**16**	**28**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	33	<1	<1	<1	8	11	11	11
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	667	3.7	4	1	2	3	5	6	7	10
70-74	463	3.6	4	1	1	3	4	6	7	10
75-79	254	4.1	6	1	1	4	5	7	9	13
80-84	109	3.9	5	1	1	3	5	6	9	12
85+	45	4.0	7	1	1	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	3.5	15	<1	<1	2	5	9	12	17
70-74	30	4.3	15	<1	1	3	6	10	14	14
75-79	22	4.0	14	<1	1	3	6	8	12	16
80-84	14	4.6	14	<1	1	3	7	10	12	12
85+	9	6.8	62	1	1	3	9	20	25	25
B. *Operated*										
65-69 YRS	2412	4.5	6	2	2	4	5	7	9	13
70-74	1601	4.8	11	2	2	4	6	8	9	16
75-79	832	5.2	15	2	2	4	6	9	11	17
80-84	348	5.6	16	2	2	5	7	10	13	22
85+	102	5.8	21	1	2	5	7	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	19	<1	<1	1	7	11	11	11
B. *Operated*	1538	3.7	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	117	4.2	18	<1	<1	2	6	10	13	20
B. *Operated*	5295	4.8	10	2	2	4	6	8	10	17
1. SINGLE DX	1545	3.7	4	1	1	3	5	6	8	11
2. MULTIPLE DX	5412	4.8	10	2	2	4	6	8	10	17
A. NOT OPERATED	124	4.1	18	<1	<1	2	6	10	13	19
B. OPERATED	6833	4.6	9	1	2	4	5	8	9	16
TOTAL 65-69 YRS	3124	4.3	6	1	2	4	5	7	8	13
70-74	2095	4.5	10	1	2	4	5	7	9	16
75-79	1109	4.9	13	1	2	4	6	8	10	17
80-84	472	5.2	14	1	2	4	6	9	11	21
85+	157	5.4	19	1	2	4	7	10	13	26
GRAND TOTAL	**6957**	**4.5**	**9**	**1**	**2**	**4**	**5**	**8**	**9**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.2		<1	<1	1	1	2	2	2
70-74	3	7.7	9	5	5	7	10	11	11	11
75-79	4	8.0	25	2	2	8	12	13	13	13
80-84	2	3.0	8	1	1	3	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	220	2.5	3	<1	<1	2	3	5	6	8
70-74	114	2.8	4	<1	1	2	3	5	7	11
75-79	70	3.0	6	<1	<1	2	4	6	8	13
80-84	28	4.8	8	1	1	4	7	9	11	11
85+	16	3.0	5	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.8	20	<1	<1	3	8	12	12	12
70-74	23	5.6	8	2	2	5	7	9	10	12
75-79	11	8.0	12	2	3	8	11	13	13	13
80-84	9	7.9	14	1	2	9	11	12	12	12
85+	5	6.4	12	3	3	6	8	12	12	12
B. *Operated*										
65-69 YRS	208	4.5	26	<1	1	3	5	8	12	23
70-74	147	4.6	17	1	1	3	6	8	12	22
75-79	89	4.9	16	<1	1	3	7	10	14	19
80-84	59	5.2	23	1	1	4	6	12	15	25
85+	25	7.2	50	2	2	5	8	14	26	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.8	18	<1	1	3	7	11	13	13
B. *Operated*	448	2.8	4	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	61	6.3	13	1	2	6	9	12	12	13
B. *Operated*	528	4.8	23	1	1	3	6	9	13	24
1. SINGLE DX	462	2.9	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX	589	4.9	22	1	1	4	6	10	13	24
A. NOT OPERATED	75	6.0	14	1	1	5	9	12	12	13
B. OPERATED	976	3.9	15	<1	1	3	5	8	10	20
TOTAL 65-69 YRS	446	3.5	15	<1	<1	2	4	7	9	17
70-74	287	4.0	12	1	1	3	5	8	10	16
75-79	174	4.4	13	<1	<1	3	6	9	12	17
80-84	98	5.3	18	1	1	4	7	11	13	24
85+	46	5.7	33	<1	1	4	7	12	16	31
GRAND TOTAL	**1051**	**4.0**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	14.2	110	3	4	11	21	29	32	48
70-74	16	13.1	82	1	2	12	21	27	28	28
75-79	13	13.8	144	1	2	12	25	30	36	37
80-84	16	18.3	218	5	6	13	21	41	52	57
85+	11	12.3	69	2	3	10	18	24	29	29
B. *Operated*										
65-69 YRS	87	16.1	198	2	3	12	23	36	43	93
70-74	73	16.5	179	2	3	13	24	36	44	58
75-79	44	14.9	161	2	3	10	23	30	40	52
80-84	18	12.1	73	3	4	10	16	23	32	37
85+	17	11.6	46	4	5	10	16	20	26	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	153	17.6	189	3	4	14	26	39	46	74
70-74	139	16.4	142	3	4	13	23	35	40	51
75-79	127	15.6	143	3	5	11	21	33	38	57
80-84	82	20.5	312	2	3	14	30	47	58	94
85+	70	15.8	233	3	4	10	19	38	49	77
B. *Operated*										
65-69 YRS	435	22.8	303	4	6	18	31	48	65	99+
70-74	395	23.5	347	3	5	18	32	53	63	98
75-79	251	24.6	369	4	6	18	34	55	72	99+
80-84	158	23.5	291	4	6	19	33	48	59	99
85+	117	24.9	305	6	10	19	34	51	65	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	14.4	123	2	3	11	21	28	36	54
B. *Operated*	239	15.4	166	2	3	12	22	34	42	62
2. MULTIPLE DX										
A. *Not Operated*	571	17.0	192	3	4	13	23	37	46	73
B. *Operated*	1356	23.6	326	4	6	18	32	52	65	99+
1. SINGLE DX	325	15.2	154	2	3	11	21	33	41	58
2. MULTIPLE DX	1927	21.6	295	3	5	16	30	47	60	98
A. NOT OPERATED	657	16.7	183	3	4	12	22	36	46	64
B. OPERATED	1595	22.4	311	3	5	17	31	49	62	99+
TOTAL 65-69 YRS	705	20.5	265	3	5	16	29	43	57	99+
70-74	623	20.8	287	3	4	16	28	44	59	94
75-79	435	20.7	295	3	5	16	28	48	61	90
80-84	274	21.5	286	3	5	16	30	46	58	97
85+	215	20.3	274	4	5	14	26	46	55	82
GRAND TOTAL	**2252**	**20.7**	**280**	**3**	**5**	**16**	**29**	**46**	**59**	**96**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	161	7.1	30	1	2	5	10	14	17	27
70-74	188	7.2	23	2	2	6	10	14	16	21
75-79	192	8.0	33	2	3	7	11	15	19	31
80-84	174	8.4	34	2	2	7	11	17	19	25
85+	156	8.6	53	2	2	7	11	14	21	42
B. *Operated*										
65-69 YRS	362	8.6	43	1	2	7	13	16	20	31
70-74	243	10.1	51	2	3	9	14	17	23	39
75-79	201	11.0	59	2	3	11	15	20	23	34
80-84	94	12.9	50	2	4	12	16	23	26	35
85+	84	14.8	82	3	4	14	19	26	30	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1613	8.9	52	2	3	7	11	17	22	36
70-74	2207	10.0	57	2	3	8	13	19	23	39
75-79	2662	10.3	56	3	3	9	13	19	23	39
80-84	2322	11.0	63	3	4	9	14	20	25	41
85+	2453	11.0	75	3	3	9	14	21	27	49
B. *Operated*										
65-69 YRS	1116	14.4	153	2	3	12	18	30	39	65
70-74	1082	15.9	131	3	4	14	21	30	39	66
75-79	1053	17.5	163	3	5	15	22	32	43	82
80-84	721	17.9	153	4	6	15	23	33	43	82
85+	507	19.6	190	4	7	16	24	39	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	871	7.9	34	2	2	7	11	15	18	30
B. *Operated*	984	10.4	56	2	2	9	15	19	24	33
2. MULTIPLE DX										
A. *Not Operated*	11257	10.3	61	2	3	8	13	19	25	41
B. *Operated*	4479	16.6	157	3	4	14	21	32	42	71
1. SINGLE DX	1855	9.2	47	2	2	8	13	17	21	33
2. MULTIPLE DX	15736	12.1	97	2	3	10	15	23	31	54
A. NOT OPERATED	12128	10.1	60	2	3	8	13	19	24	41
B. OPERATED	5463	15.5	144	2	4	13	20	30	39	67
TOTAL 65-69 YRS	3252	10.6	92	2	3	8	14	21	29	50
70-74	3720	11.6	84	2	3	9	15	22	29	48
75-79	4108	12.1	93	3	3	10	16	23	30	55
80-84	3311	12.4	89	3	4	10	16	23	29	50
85+	3200	12.3	103	3	4	10	15	24	33	57
GRAND TOTAL	**17591**	**11.8**	**92**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	9.7	200	1	1	2	20	26	26	26
70-74										
75-79	1	8.0		8	8	8	8	8	8	8
80-84	3	2.7	1	2	2	2	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	49	6.2	24	2	2	5	9	12	15	28
70-74	18	6.8	63	2	2	4	7	18	28	32
75-79	23	6.1	38	<1	1	5	8	10	20	29
80-84	4	5.8	67	1	1	2	10	18	18	18
85+	4	4.8	4	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	13.6	185	3	4	9	17	29	46	59
70-74	26	17.1	500	3	3	9	15	49	78	92
75-79	17	16.4	492	3	4	7	17	43	76	91
80-84	12	12.9	197	1	2	9	12	39	46	47
85+	11	18.5	152	1	3	14	28	35	37	37
B. *Operated*										
65-69 YRS	182	8.3	75	1	2	5	10	18	24	47
70-74	104	8.8	129	2	2	5	11	18	24	73
75-79	57	10.5	119	1	3	8	12	20	40	54
80-84	34	9.9	49	2	3	7	15	22	24	24
85+	13	13.1	156	2	3	9	19	29	43	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.5	69	1	1	3	7	21	26	26
B. *Operated*	98	6.2	34	1	2	5	8	12	18	31
2. MULTIPLE DX										
A. *Not Operated*	85	15.8	330	3	3	9	18	36	52	92
B. *Operated*	390	9.1	96	2	2	6	12	19	24	52
1. SINGLE DX	106	6.2	36	1	2	4	8	12	19	30
2. MULTIPLE DX	475	10.3	144	2	2	6	13	21	33	66
A. NOT OPERATED	93	15.0	313	2	3	8	17	36	50	92
B. OPERATED	488	8.5	85	1	2	5	10	18	24	50
TOTAL 65-69 YRS	253	8.3	76	1	2	5	10	18	26	50
70-74	148	10.0	194	2	2	5	11	21	32	78
75-79	98	10.5	169	1	2	7	12	20	40	73
80-84	53	9.9	83	2	2	7	13	22	24	47
85+	29	13.8	144	2	2	9	21	32	37	46
GRAND TOTAL	**581**	**9.5**	**127**	**2**	**2**	**6**	**11**	**20**	**29**	**59**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	5.8	21	1	1	5	7	14	15	17
70-74	22	7.5	37	<1	1	6	11	17	20	22
75-79	20	5.2	19	1	1	4	7	11	15	19
80-84	10	6.7	8	2	2	7	8	10	11	11
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	27	5.7	30	1	1	4	8	12	16	24
70-74	17	6.5	27	2	2	4	8	15	18	19
75-79	10	7.4	32	2	2	6	11	16	20	20
80-84	4	6.3	22	2	2	5	10	12	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	124	8.3	30	2	3	7	10	15	17	30
70-74	139	8.4	44	2	3	7	10	14	18	41
75-79	98	8.0	32	2	2	7	11	15	19	30
80-84	66	7.8	27	2	3	6	10	16	19	25
85+	33	7.6	34	2	2	6	9	18	20	24
B. *Operated*										
65-69 YRS	45	11.6	56	2	3	11	16	23	26	31
70-74	24	12.3	52	3	3	12	17	22	26	30
75-79	16	15.7	93	4	5	15	22	25	35	40
80-84	13	11.8	62	3	4	12	13	23	31	33
85+	6	14.2	77	4	4	12	19	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	6.2	23	1	1	5	8	13	17	21
B. *Operated*	58	6.3	27	1	1	4	8	13	18	24
2. MULTIPLE DX										
A. *Not Operated*	460	8.1	34	2	3	7	10	15	19	30
B. *Operated*	104	12.6	62	3	4	12	17	23	28	36
1. SINGLE DX	137	6.2	25	1	1	5	8	13	17	22
2. MULTIPLE DX	564	9.0	42	2	3	7	11	17	21	31
A. NOT OPERATED	539	7.8	33	2	2	7	10	15	19	28
B. OPERATED	162	10.3	59	2	2	9	14	21	25	33
TOTAL 65-69 YRS	222	8.4	37	1	2	7	11	16	21	30
70-74	202	8.6	45	2	3	7	11	15	20	34
75-79	144	8.5	43	2	2	7	11	18	22	32
80-84	93	8.2	31	2	3	6	11	15	19	30
85+	40	8.4	45	1	2	6	11	19	22	29
GRAND TOTAL	**701**	**8.4**	**40**	**2**	**2**	**7**	**11**	**16**	**21**	**30**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	172	4.9	12	1	1	4	6	10	12	15
70-74	138	6.1	28	1	1	5	8	13	17	28
75-79	108	5.7	17	1	1	5	8	11	15	21
80-84	52	6.3	29	1	2	5	7	16	18	22
85+	50	5.8	15	1	2	5	9	11	14	15
B. *Operated*										
65-69 YRS	650	3.2	11	<1	1	2	3	6	9	21
70-74	390	3.2	9	1	1	2	3	7	9	16
75-79	226	3.5	11	1	1	2	4	8	10	18
80-84	70	4.6	32	<1	1	3	5	10	17	33
85+	25	4.8	35	<1	1	3	6	12	17	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	888	6.5	26	1	2	5	8	12	16	27
70-74	891	7.0	28	2	2	5	9	13	17	28
75-79	771	7.7	45	2	2	6	9	14	18	35
80-84	565	8.2	53	2	3	6	10	16	19	31
85+	420	7.9	51	2	2	6	10	16	20	35
B. *Operated*										
65-69 YRS	870	6.8	77	1	2	4	9	15	21	55
70-74	717	8.1	83	1	2	5	10	18	25	55
75-79	508	9.5	117	1	2	6	12	21	28	58
80-84	236	11.3	135	2	2	8	14	27	33	62
85+	115	13.2	144	3	3	9	18	29	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	5.6	19	1	1	4	8	11	15	21
B. *Operated*	1361	3.4	12	<1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	3535	7.3	38	2	2	6	9	14	18	31
B. *Operated*	2446	8.5	99	1	2	5	11	18	27	57
1. SINGLE DX	1881	4.0	15	1	1	3	5	9	12	20
2. MULTIPLE DX	5981	7.8	63	1	2	6	10	16	21	43
A. NOT OPERATED	4055	7.1	36	2	2	6	9	14	18	29
B. OPERATED	3807	6.6	74	1	1	3	8	15	22	48
TOTAL 65-69 YRS	2580	5.7	41	1	1	4	7	12	16	31
70-74	2136	6.6	46	1	2	4	9	14	19	33
75-79	1613	7.5	65	1	2	5	9	15	21	41
80-84	923	8.6	74	2	2	6	11	17	22	56
85+	610	8.6	70	2	2	6	10	18	24	43
GRAND TOTAL	**7862**	**6.9**	**54**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	6.0	8	4	4	6	8	8	8	8
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	7.1	28	2	3	5	9	14	18	27
70-74	30	6.4	21	2	2	5	8	11	18	22
75-79	21	8.9	33	2	2	8	13	17	20	22
80-84	8	8.8	12	4	5	8	11	13	14	14
85+	4	8.5	15	5	5	7	11	14	14	14
B. *Operated*										
65-69 YRS	5	12.2	41	6	6	10	17	22	22	22
70-74	2	13.5	85	7	7	13	20	20	20	20
75-79	3	9.7	30	4	4	10	14	15	15	15
80-84	2	5.5	1	5	5	5	6	6	6	6
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.7	26	1	1	5	8	15	16	16
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	100	7.4	25	2	2	6	9	14	18	25
B. *Operated*	12	10.7	36	4	5	9	15	21	22	22
1. SINGLE DX	7	6.4	22	1	2	5	7	14	16	16
2. MULTIPLE DX	112	7.8	27	2	3	6	10	15	19	24
A. NOT OPERATED	106	7.4	25	2	2	6	9	14	18	24
B. OPERATED	13	10.2	35	4	5	8	15	20	22	22
TOTAL 65-69 YRS	42	7.7	31	2	3	6	9	15	20	27
70-74	33	6.6	26	1	2	5	8	12	20	22
75-79	26	8.7	30	2	3	8	13	16	20	22
80-84	12	7.7	10	4	5	6	10	13	14	14
85+	6	9.2	22	5	5	7	14	16	16	16
GRAND TOTAL	**119**	**7.7**	**27**	**2**	**3**	**6**	**10**	**15**	**19**	**24**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	7.0	8	5	5	7	9	9	9	9
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	4	11.8	76	1	1	12	18	21	21	21
70-74	2	14.5	5	13	13	14	16	16	16	16
75-79	4	8.5	54	3	3	6	13	19	19	19
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	5.4	36	1	1	2	12	51	96	99+
70-74	8	7.1	42	<1	<1	5	12	17	18	18
75-79	11	7.4	31	3	3	5	10	17	18	18
80-84	9	6.7	24	1	2	4	12	13	13	13
85+	5	5.0	40	1	1	3	7	16	16	16
B. *Operated*										
65-69 YRS	13	9.9	20	2	4	10	13	16	17	17
70-74	13	12.1	36	2	4	12	16	20	22	23
75-79	14	14.1	129	4	5	11	17	34	42	44
80-84	4	16.3	66	10	10	14	22	27	27	27
85+	5	12.6	51	5	5	11	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.2	11	2	2	5	8	9	9	9
B. *Operated*	10	11.0	49	1	2	11	16	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	43	6.4	31	<1	1	4	11	17	18	99+
B. *Operated*	49	12.5	61	4	5	11	16	20	27	44
1. SINGLE DX	15	9.1	43	1	2	8	15	19	20	21
2. MULTIPLE DX	92	9.7	56	1	2	9	14	18	23	76
A. NOT OPERATED	48	6.3	29	1	1	4	9	17	18	99+
B. OPERATED	59	12.2	58	3	4	11	16	20	25	43
TOTAL 65-69 YRS	28	8.3	37	1	1	9	13	18	25	99+
70-74	25	10.3	38	<1	2	10	15	18	20	23
75-79	29	10.8	87	3	3	8	15	19	34	44
80-84	14	9.5	50	1	2	9	13	19	25	27
85+	11	8.2	55	1	1	5	15	20	21	21
GRAND TOTAL	**107**	**9.6**	**53**	**1**	**2**	**9**	**14**	**18**	**21**	**67**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	64	2.4	2	<1	1	2	3	4	5	8
70-74	70	2.3	1	<1	1	2	3	4	5	6
75-79	77	2.4	1	<1	1	2	3	4	5	74
80-84	35	2.9	9	<1	1	2	3	5	7	18
85+	26	2.3	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	3	1.0		1	1	1	1	1	1	1
80-84	2	5.0	32	1	1	5	9	9	9	9
85+	2	5.5	41	1	1	5	10	10	10	10
B. *Operated*										
65-69 YRS	118	2.8	4	1	2	2	3	4	6	13
70-74	123	3.1	13	1	2	2	3	5	7	26
75-79	104	2.9	11	1	1	2	3	4	7	22
80-84	71	2.8	4	1	1	2	3	5	6	13
85+	37	2.9	7	1	1	2	3	5	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	272	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	12	2.9	10	1	1	1	3	9	10	10
B. *Operated*	453	2.9	8	1	2	2	3	4	7	16
1. SINGLE DX	272	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	465	2.9	8	1	2	2	3	5	7	16
A. NOT OPERATED	12	2.9	10	1	1	1	3	9	10	10
B. OPERATED	725	2.7	6	1	1	2	3	4	6	14
TOTAL 65-69 YRS	184	2.7	3	1	1	2	3	4	6	10
70-74	196	2.8	9	1	1	2	3	4	6	18
75-79	184	2.6	7	<1	1	2	3	4	6	25
80-84	108	2.9	6	1	1	2	3	5	7	16
85+	65	2.7	5	1	1	2	3	4	8	13
GRAND TOTAL	**737**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	33	1	1	3	7	15	15	15
70-74										
75-79	6	3.2	3	2	2	3	4	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
65-69 YRS	41	6.9	53	1	1	4	10	14	24	32
70-74	22	4.7	31	1	2	2	3	12	17	24
75-79	4	8.0	42	2	2	7	13	15	15	15
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	4.0	13	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	7.2	46	2	2	6	8	14	19	39
70-74	67	8.8	86	1	1	7	11	17	21	55
75-79	44	7.5	43	1	2	6	8	15	21	33
80-84	28	9.9	54	2	2	7	14	23	26	29
85+	31	6.9	13	1	3	7	9	11	15	16
B. *Operated*										
65-69 YRS	121	11.9	102	2	2	10	16	26	30	52
70-74	77	12.7	149	1	2	11	17	28	48	89
75-79	50	12.6	178	2	3	9	16	22	28	88
80-84	19	19.5	293	3	4	17	25	37	60	76
85+	22	8.7	46	1	2	7	14	19	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.1	13	1	2	3	4	9	14	15
B. *Operated*	72	6.1	43	1	1	3	10	14	23	30
2. MULTIPLE DX										
A. *Not Operated*	220	8.0	54	1	2	6	9	16	19	38
B. *Operated*	289	12.5	138	2	2	10	17	26	32	71
1. SINGLE DX	86	5.7	38	1	1	3	9	14	17	29
2. MULTIPLE DX	509	10.6	107	2	2	7	15	22	29	59
A. NOT OPERATED	234	7.8	53	1	2	6	9	16	19	38
B. OPERATED	361	11.2	126	1	2	9	15	24	30	64
TOTAL 65-69 YRS	217	9.7	83	1	2	7	14	23	29	42
70-74	166	10.1	115	1	2	7	14	21	34	60
75-79	104	9.7	113	2	2	7	13	19	27	60
80-84	49	13.3	167	2	3	9	17	28	32	76
85+	59	7.3	26	1	2	7	9	15	18	24
GRAND TOTAL	**595**	**9.9**	**100**	**1**	**2**	**7**	**14**	**20**	**29**	**55**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	1.7	1	1	1	1	3	3	3	3
1. SINGLE DX	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX	3	1.7	1	1	1	1	3	3	3	3
A. NOT OPERATED										
B. OPERATED	6	2.2	1	1	1	2	3	3	3	3
TOTAL 65-69 YRS	3	2.3	1	1	1	3	3	3	3	3
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**6**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.8	11	1	1	4	5	9	9	9
70-74	9	4.3	5	1	1	5	6	7	7	7
75-79	6	4.5	16	<1	<1	3	9	10	10	10
80-84	6	3.7	1	2	2	4	5	5	5	5
85+	7	4.4	9	<1	<1	5	6	8	9	9
B. *Operated*										
65-69 YRS	25	8.2	39	1	2	8	11	16	21	26
70-74	18	5.4	13	1	2	5	7	9	13	16
75-79	10	7.0	78	1	1	2	14	21	26	26
80-84	5	7.0	17	2	2	7	10	12	12	12
85+	6	7.8	21	2	2	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	7.2	81	1	2	5	8	15	19	55
70-74	58	6.0	18	1	1	5	9	12	14	17
75-79	51	6.2	19	2	2	5	8	11	13	25
80-84	37	6.0	27	1	1	4	8	12	19	23
85+	34	7.6	36	2	3	6	11	13	15	34
B. *Operated*										
65-69 YRS	82	11.5	94	1	3	9	15	22	34	48
70-74	59	12.6	181	1	2	8	19	26	35	78
75-79	56	14.4	201	1	2	10	18	31	42	77
80-84	42	15.7	221	1	3	12	19	31	57	65
85+	29	15.8	120	2	4	16	20	28	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.2	7	<1	1	4	6	9	9	10
B. *Operated*	64	7.1	34	1	1	5	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	220	6.5	34	1	2	5	8	13	15	28
B. *Operated*	268	13.5	159	1	2	10	19	28	36	64
1. SINGLE DX	97	6.1	26	1	1	5	9	13	16	26
2. MULTIPLE DX	488	10.3	114	1	2	7	13	21	30	57
A. NOT OPERATED	253	6.2	31	1	2	5	8	12	14	25
B. OPERATED	332	12.3	141	1	2	9	17	25	34	60
TOTAL 65-69 YRS	152	9.6	83	1	2	7	12	19	28	50
70-74	144	8.5	94	1	2	5	11	19	22	48
75-79	123	9.9	122	1	2	7	12	22	31	63
80-84	90	10.4	139	1	2	7	13	22	29	63
85+	76	10.5	81	2	3	7	14	21	28	48
GRAND TOTAL	**585**	**9.6**	**102**	**1**	**2**	**7**	**12**	**20**	**27**	**56**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	3.3		3	3	3	4	4	4	4
70-74	4	3.8	2	2	2	4	5	5	5	5
75-79										
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	10	4.1	7	2	2	3	5	8	11	11
1. SINGLE DX	6	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX	10	4.1	7	2	2	3	5	8	11	11
A. NOT OPERATED										
B. OPERATED	16	3.5	5	1	2	3	4	5	9	11
TOTAL 65-69 YRS	4	3.5		3	3	3	4	4	4	4
70-74	5	3.4	2	2	2	3	5	5	5	5
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	7.0	32	3	3	7	11	11	11	11
85+	3	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**16**	**3.5**	**5**	**1**	**2**	**3**	**4**	**5**	**9**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	1	1	1	2	3	3	3	3
70-74	8	2.8	1	1	1	3	4	4	4	4
75-79	5	7.0	56	1	1	2	14	17	17	17
80-84	1	6.0		6	6	6	6	6	6	6
85+	3	4.7	9	2	2	4	7	8	8	8
B. *Operated*										
65-69 YRS	27	6.1	37	1	1	4	8	11	20	29
70-74	18	6.6	50	<1	<1	4	7	19	22	24
75-79	9	5.0	11	2	2	3	6	10	12	12
80-84	10	4.5	6	1	1	4	7	8	8	8
85+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	5.3	20	1	2	4	6	10	14	23
70-74	33	7.2	33	1	2	5	9	14	23	26
75-79	40	7.7	45	2	2	6	9	16	22	35
80-84	26	7.5	22	3	3	7	8	13	17	25
85+	11	11.2	27	3	4	12	15	18	21	21
B. *Operated*										
65-69 YRS	94	8.5	57	2	2	6	12	17	22	42
70-74	83	9.8	130	2	2	8	12	16	23	75
75-79	66	9.5	64	2	2	9	12	19	23	47
80-84	29	9.8	31	2	3	9	13	17	22	24
85+	17	11.8	45	2	4	12	14	18	27	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.1	16	1	1	3	4	10	15	17
B. *Operated*	65	6.1	35	1	1	4	7	12	20	28
2. MULTIPLE DX										
A. *Not Operated*	140	7.3	32	2	2	6	9	14	20	27
B. *Operated*	289	9.4	76	2	2	8	12	17	23	44
1. SINGLE DX	86	5.6	31	1	1	4	7	12	19	27
2. MULTIPLE DX	429	8.7	63	2	2	7	11	16	22	35
A. NOT OPERATED	161	6.9	31	1	2	5	8	14	18	26
B. OPERATED	354	8.8	70	2	2	7	12	16	23	35
TOTAL 65-69 YRS	155	7.3	47	1	2	5	9	14	21	29
70-74	142	8.4	93	1	2	6	10	16	23	40
75-79	120	8.5	54	2	2	6	11	16	22	39
80-84	66	8.0	26	2	3	7	10	15	18	25
85+	32	11.3	41	2	3	11	14	20	23	31
GRAND TOTAL	**515**	**8.2**	**59**	**2**	**2**	**6**	**11**	**16**	**22**	**32**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	8	4.8	10	2	2	4	5	10	12	12
70-74	4	3.3	2	2	2	3	4	5	5	5
75-79	3	2.7		2	2	3	3	3	3	3
80-84										
85+	4	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	47	5.4	10	2	3	4	6	10	11	17
70-74	26	5.7	11	3	3	5	6	12	13	15
75-79	18	6.4	16	2	3	5	7	14	16	16
80-84	3	6.3	2	5	5	6	7	8	8	8
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	19	3.8	6	1	2	3	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	94	5.7	11	2	3	5	6	11	13	17
1. SINGLE DX	19	3.8	6	1	2	3	5	6	9	12
2. MULTIPLE DX	97	5.6	11	2	3	5	6	11	13	17
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	113	5.4	11	2	3	5	6	11	12	16
TOTAL 65-69 YRS	55	5.3	9	2	3	4	6	10	12	17
70-74	31	5.2	11	2	3	5	5	11	13	15
75-79	22	5.8	15	2	2	5	7	13	15	16
80-84	4	5.3	6	2	2	5	7	8	8	8
85+	4	3.3	4	1	1	3	5	6	6	6
GRAND TOTAL	**116**	**5.3**	**11**	**2**	**3**	**4**	**6**	**11**	**12**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	7.7	33	1	2	6	8	19	21	21
70-74	9	6.0	12	1	2	5	9	11	11	11
75-79	8	6.8	14	1	2	7	9	12	13	13
80-84	3	16.3	112	5	5	18	24	26	26	26
85+	7	6.6	20	<1	1	5	8	14	15	15
B. *Operated*										
65-69 YRS	70	6.7	32	2	2	5	9	14	19	29
70-74	53	5.9	30	1	1	4	9	14	18	23
75-79	23	8.5	76	2	2	5	15	18	26	37
80-84	10	5.7	25	<1	<1	4	9	13	17	17
85+	10	5.5	67	<1	<1	3	4	18	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	96	7.3	25	2	3	6	9	13	18	25
70-74	103	9.5	39	2	3	8	13	19	21	29
75-79	85	9.0	47	2	3	7	11	20	24	36
80-84	59	9.2	64	1	3	7	11	18	24	47
85+	40	10.8	143	2	3	7	13	21	26	73
B. *Operated*										
65-69 YRS	172	10.4	113	2	2	8	13	20	33	78
70-74	136	12.8	198	2	3	9	15	28	43	83
75-79	77	13.4	130	2	3	10	17	25	36	58
80-84	27	15.0	277	<1	1	11	18	42	49	69
85+	11	12.6	483	1	1	5	15	84	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	7.6	31	1	2	6	9	16	20	26
B. *Operated*	166	6.6	39	1	1	4	9	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	383	8.9	52	2	3	7	11	17	21	34
B. *Operated*	423	12.1	163	2	2	9	15	25	37	80
1. SINGLE DX	206	6.8	37	1	1	5	9	16	19	29
2. MULTIPLE DX	806	10.6	113	2	3	8	13	21	30	70
A. NOT OPERATED	423	8.8	50	2	3	7	11	17	21	33
B. OPERATED	589	10.5	134	1	2	7	14	23	34	75
TOTAL 65-69 YRS	351	8.7	72	2	2	6	11	17	24	41
70-74	301	10.2	115	1	2	8	13	20	28	55
75-79	193	10.6	87	2	2	8	14	24	27	49
80-84	99	10.6	126	1	2	8	13	22	36	59
85+	68	9.9	172	1	1	7	11	21	33	96
GRAND TOTAL	**1012**	**9.8**	**100**	**1**	**2**	**7**	**12**	**20**	**27**	**60**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	219	4.6	20	1	1	3	6	8	12	20
70-74	182	4.8	14	1	1	4	6	9	11	20
75-79	140	5.7	29	1	1	4	8	12	15	31
80-84	78	4.4	10	1	1	3	6	8	10	18
85+	74	4.9	23	1	1	4	6	10	14	28
B. *Operated*										
65-69 YRS	16	7.1	95	1	1	3	7	23	33	37
70-74	8	12.3	161	1	1	6	24	30	32	32
75-79	6	4.8	5	2	2	5	6	8	8	8
80-84	3	7.3	34	3	3	5	12	14	14	14
85+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1536	7.3	46	2	2	6	9	14	20	33
70-74	1557	7.6	45	2	2	6	9	14	19	35
75-79	1292	7.8	45	2	2	6	10	15	19	39
80-84	925	8.5	63	2	3	6	11	16	21	39
85+	709	8.0	49	2	3	6	10	16	20	38
B. *Operated*										
65-69 YRS	196	12.8	142	2	3	9	15	27	37	78
70-74	169	13.1	118	3	4	10	18	29	39	95
75-79	130	12.7	127	2	3	10	16	23	31	73
80-84	99	14.9	116	3	4	13	20	28	41	78
85+	41	13.7	112	3	5	10	15	32	40	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	4.9	20	1	1	4	6	10	12	21
B. *Operated*	35	7.8	85	1	2	4	8	24	31	37
2. MULTIPLE DX										
A. *Not Operated*	6019	7.8	49	2	2	6	10	15	19	37
B. *Operated*	635	13.2	126	2	3	10	17	27	39	80
1. SINGLE DX	728	5.0	23	1	1	4	6	10	13	25
2. MULTIPLE DX	6654	8.3	59	2	2	6	10	16	21	41
A. NOT OPERATED	6712	7.5	46	2	2	6	9	14	19	36
B. OPERATED	670	12.9	126	2	3	10	17	27	39	75
TOTAL 65-69 YRS	1967	7.6	56	1	2	6	9	15	21	38
70-74	1916	7.8	52	1	2	6	10	15	21	40
75-79	1568	8.0	53	2	2	6	10	16	20	40
80-84	1105	8.8	69	2	2	6	11	17	23	44
85+	826	8.0	52	2	2	6	10	16	20	40
GRAND TOTAL	**7382**	**8.0**	**56**	**2**	**2**	**6**	**10**	**16**	**21**	**40**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	99	5.4	17	1	2	4	7	10	13	23
70-74	71	6.4	57	1	2	5	7	12	19	50
75-79	60	6.3	11	2	3	6	8	10	13	18
80-84	49	5.6	13	1	2	4	8	11	14	15
85+	50	5.8	36	2	2	4	6	11	14	40
B. *Operated*										
65-69 YRS	11	13.9	127	3	3	13	16	28	43	44
70-74	13	10.3	44	1	2	10	15	21	21	21
75-79	4	14.5	116	2	2	16	23	24	24	24
80-84	3	6.0	9	3	3	6	8	9	9	9
85+	3	10.3	6	8	8	10	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	744	7.0	27	2	3	5	9	14	16	26
70-74	810	7.7	35	2	3	6	10	14	18	27
75-79	767	7.9	37	2	3	6	9	15	19	33
80-84	596	8.1	49	2	3	7	10	14	18	32
85+	495	8.3	46	2	3	7	10	15	20	37
B. *Operated*										
65-69 YRS	150	14.0	144	3	4	11	16	26	36	71
70-74	160	14.4	83	4	5	12	19	28	34	42
75-79	98	18.0	168	3	5	14	24	38	47	80
80-84	80	16.9	126	4	5	15	19	30	40	60
85+	41	19.5	179	4	6	16	26	39	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	5.9	27	1	2	5	7	11	14	23
B. *Operated*	34	11.6	72	2	3	10	16	21	24	44
2. MULTIPLE DX										
A. *Not Operated*	3412	7.7	38	2	3	6	9	14	18	31
B. *Operated*	529	15.7	133	3	5	13	20	32	38	64
1. SINGLE DX	363	6.4	34	1	2	5	8	13	16	25
2. MULTIPLE DX	3941	8.8	58	2	3	7	11	17	22	40
A. NOT OPERATED	3741	7.6	37	2	3	6	9	14	18	30
B. OPERATED	563	15.5	130	3	4	13	19	31	38	63
TOTAL 65-69 YRS	1004	7.9	52	2	3	6	10	15	19	35
70-74	1054	8.7	50	2	3	7	11	17	21	35
75-79	929	8.9	60	2	3	7	10	18	23	45
80-84	728	8.9	63	2	3	7	11	16	21	43
85+	589	8.8	63	2	3	7	10	17	24	42
GRAND TOTAL	**4304**	**8.6**	**56**	**2**	**3**	**7**	**10**	**16**	**22**	**40**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	3.8	7	1	1	3	4	7	10	14
70-74	53	4.5	10	1	2	3	6	10	11	15
75-79	29	3.7	4	1	2	3	5	7	8	9
80-84	20	3.5	6	<1	<1	3	5	7	8	8
85+	8	4.6	9	1	1	4	7	9	9	9
B. *Operated*										
65-69 YRS	16	4.9	13	1	2	4	7	11	12	13
70-74	5	3.2	5	1	1	3	4	7	7	7
75-79	7	4.3	8	2	2	4	5	9	10	10
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	3	3.0	4	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	415	5.4	18	1	2	4	7	10	12	20
70-74	392	5.5	15	1	2	5	7	10	14	18
75-79	292	5.5	17	1	2	4	7	11	14	20
80-84	185	5.2	16	1	2	4	6	10	14	20
85+	119	6.2	31	1	2	5	8	11	16	37
B. *Operated*										
65-69 YRS	79	8.1	43	2	2	6	11	17	22	31
70-74	67	7.5	25	2	3	6	9	14	17	27
75-79	57	8.9	57	3	4	6	11	16	22	47
80-84	26	11.0	65	3	4	9	15	22	32	33
85+	25	8.8	55	2	3	6	11	18	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	4.0	7	1	1	3	5	8	10	14
B. *Operated*	33	4.2	10	1	1	3	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	1403	5.5	18	1	2	4	7	10	13	21
B. *Operated*	254	8.5	45	2	3	6	11	16	22	33
1. SINGLE DX	207	4.0	8	1	1	3	5	8	10	14
2. MULTIPLE DX	1657	6.0	23	1	2	5	7	11	15	25
A. NOT OPERATED	1577	5.3	17	1	2	4	7	10	13	20
B. OPERATED	287	8.0	43	2	2	6	10	16	20	32
TOTAL 65-69 YRS	574	5.6	21	1	2	4	7	10	13	25
70-74	517	5.6	16	1	2	5	7	10	14	19
75-79	385	5.9	23	1	2	4	7	12	15	22
80-84	233	5.7	24	1	2	4	7	11	15	28
85+	155	6.5	34	1	2	5	8	11	17	36
GRAND TOTAL	**1864**	**5.7**	**22**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	181	3.3	5	1	1	3	4	6	7	11
70-74	153	3.5	4	1	1	3	5	6	7	11
75-79	103	3.2	5	1	1	3	4	5	8	11
80-84	83	3.1	8	<1	1	2	4	5	7	18
85+	67	3.1	5	1	1	2	4	6	8	12
B. *Operated*										
65-69 YRS	122	4.6	9	1	2	4	6	8	9	17
70-74	108	4.7	7	1	2	4	6	8	10	14
75-79	63	5.0	12	1	2	4	7	10	11	17
80-84	38	4.4	5	1	1	4	6	7	8	11
85+	39	3.5	5	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	504	4.5	11	1	1	4	6	8	10	17
70-74	528	4.4	10	1	1	4	6	8	10	16
75-79	456	4.8	17	1	1	4	6	9	12	19
80-84	358	4.9	19	1	1	4	6	9	12	20
85+	369	4.9	19	1	1	4	6	10	13	23
B. *Operated*										
65-69 YRS	285	6.6	43	1	2	5	8	12	15	32
70-74	291	6.9	37	1	2	5	8	14	18	30
75-79	238	7.9	51	2	2	6	9	16	24	39
80-84	133	6.5	21	1	2	5	8	13	15	24
85+	123	6.3	25	1	2	5	8	12	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.3	5	1	1	3	4	6	7	11
B. *Operated*	370	4.5	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2215	4.7	14	1	1	4	6	9	11	19
B. *Operated*	1070	6.9	38	1	2	5	8	13	18	32
1. SINGLE DX	957	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	3285	5.4	23	1	1	4	7	10	14	25
A. NOT OPERATED	2802	4.4	13	1	1	4	6	8	10	18
B. OPERATED	1440	6.3	32	1	2	5	8	12	16	29
TOTAL 65-69 YRS	1092	4.8	19	1	1	4	6	9	11	19
70-74	1080	5.0	18	1	1	4	6	9	12	23
75-79	860	5.5	27	1	1	4	7	10	14	28
80-84	612	5.0	18	1	1	4	6	9	13	20
85+	598	4.9	18	1	1	4	6	10	12	23
GRAND TOTAL	**4242**	**5.0**	**20**	**1**	**1**	**4**	**6**	**9**	**12**	**23**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	3.8	8	<1	1	3	5	9	10	11
70-74	21	3.2	2	1	1	3	4	5	6	6
75-79	12	4.8	18	2	2	3	5	13	14	14
80-84	8	5.0	10	<1	1	4	7	10	11	11
85+	11	4.4	7	<1	1	3	6	8	9	9
B. *Operated*										
65-69 YRS	83	3.1	5	<1	1	2	4	6	9	12
70-74	66	3.2	9	<1	1	2	3	8	9	15
75-79	24	4.3	58	<1	1	2	3	9	23	36
80-84	18	4.7	31	1	1	3	5	9	19	25
85+	11	3.5	13	<1	<1	2	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	236	5.7	37	1	1	4	7	11	15	30
70-74	266	7.6	64	1	2	5	10	15	21	42
75-79	254	7.5	53	1	2	5	9	16	22	43
80-84	157	9.8	70	2	2	7	14	20	26	34
85+	140	10.9	113	1	2	8	15	23	31	49
B. *Operated*										
65-69 YRS	174	7.3	90	1	2	4	8	19	29	99+
70-74	146	10.0	164	1	1	5	12	29	42	99+
75-79	125	13.4	221	2	2	8	18	34	51	80
80-84	59	12.1	120	1	2	9	20	30	36	94
85+	33	12.7	99	<1	2	12	19	26	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.0	8	1	1	3	5	8	10	14
B. *Operated*	202	3.4	15	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	1053	7.9	65	1	2	5	10	16	23	42
B. *Operated*	537	10.3	149	1	2	6	14	28	41	99+
1. SINGLE DX	277	3.6	13	<1	1	2	4	8	10	17
2. MULTIPLE DX	1590	8.7	95	1	2	5	11	20	28	61
A. NOT OPERATED	1128	7.7	62	1	2	5	10	16	23	42
B. OPERATED	739	8.4	122	1	1	4	11	23	34	99+
TOTAL 65-69 YRS	516	5.7	50	1	1	4	7	12	19	66
70-74	499	7.6	88	1	1	4	9	16	29	55
75-79	415	9.0	111	1	2	5	12	20	28	56
80-84	242	9.8	80	1	2	6	14	24	28	43
85+	195	10.4	104	1	2	8	15	23	29	45
GRAND TOTAL	**1867**	**8.0**	**86**	**1**	**2**	**5**	**10**	**18**	**27**	**55**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	14	<1	<1	6	7	11	11	11
70-74	4	5.5	27	<1	<1	5	10	10	10	10
75-79	2	5.0	32	<1	<1	4	9	9	9	9
80-84	5	5.0	10	<1	<1	5	7	9	9	9
85+	7	8.9	56	2	2	4	16	19	19	19
B. *Operated*										
65-69 YRS	74	16.9	159	3	5	15	21	38	53	89
70-74	61	16.8	193	2	4	13	20	41	52	95
75-79	68	16.5	226	3	4	12	21	30	46	78
80-84	76	18.0	301	3	4	13	22	40	52	94
85+	91	14.8	157	2	3	11	19	28	32	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	88	10.8	68	2	3	8	15	22	25	43
70-74	105	10.9	55	3	3	9	14	22	27	35
75-79	94	11.5	109	3	4	9	13	23	27	67
80-84	92	11.4	112	2	3	8	13	25	35	90
85+	158	10.4	72	2	4	8	13	20	28	60
B. *Operated*										
65-69 YRS	737	23.6	311	5	7	18	32	49	63	99
70-74	801	23.9	271	5	7	20	32	47	62	99+
75-79	749	23.4	275	5	7	19	30	50	66	99+
80-84	617	22.4	239	5	8	19	30	44	58	99+
85+	753	19.9	223	5	7	16	24	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.3	27	<1	<1	5	9	14	18	19
B. *Operated*	370	16.5	205	3	4	13	20	36	48	83
2. MULTIPLE DX										
A. *Not Operated*	537	10.9	81	2	3	8	13	22	28	61
B. *Operated*	3657	22.7	266	5	7	18	30	46	61	99+
1. SINGLE DX	394	15.9	200	2	4	12	20	35	46	82
2. MULTIPLE DX	4194	21.2	258	4	6	17	28	44	58	99+
A. NOT OPERATED	561	10.7	79	2	3	8	13	22	27	60
B. OPERATED	4027	22.1	264	5	7	18	29	46	60	99+
TOTAL 65-69 YRS	905	21.7	291	4	6	16	29	46	59	98
70-74	971	22.0	260	4	6	18	30	44	58	99
75-79	913	21.6	269	4	6	17	28	46	62	99+
80-84	790	20.6	243	4	6	16	28	42	56	99+
85+	1009	17.9	205	4	6	14	22	36	52	97
GRAND TOTAL	**4588**	**20.7**	**255**	**4**	**6**	**16**	**28**	**43**	**58**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	918	3.4	5	1	1	3	4	6	7	12
70-74	619	3.5	6	1	1	3	4	7	8	13
75-79	334	3.5	7	1	1	3	4	6	8	14
80-84	198	3.3	4	1	1	3	4	6	7	12
85+	146	3.6	7	1	1	3	4	8	9	14
B. *Operated*										
65-69 YRS	290	3.0	6	1	1	2	3	6	8	12
70-74	124	3.2	6	1	1	2	3	7	9	13
75-79	41	4.3	11	1	2	3	6	9	12	15
80-84	7	3.3	2	2	2	3	4	5	5	5
85+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5230	4.5	11	1	2	4	6	8	10	16
70-74	4053	4.9	13	1	2	4	6	9	11	19
75-79	2837	4.9	14	1	2	4	6	9	11	19
80-84	1717	5.2	16	1	2	4	6	10	12	21
85+	1242	5.1	18	1	2	4	6	9	12	21
B. *Operated*										
65-69 YRS	1104	5.6	29	1	2	4	7	12	15	25
70-74	661	6.5	38	1	2	5	9	14	18	28
75-79	297	8.2	47	2	2	6	11	17	22	31
80-84	109	8.0	39	2	2	6	10	16	20	33
85+	65	10.6	119	2	2	6	15	21	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2215	3.4	6	1	1	3	4	6	8	13
B. *Operated*	465	3.2	7	1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	15079	4.8	13	1	2	4	6	9	11	19
B. *Operated*	2236	6.5	39	1	2	5	9	14	18	29
1. SINGLE DX	2680	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX	17315	5.0	17	1	2	4	6	9	12	21
A. NOT OPERATED	17294	4.6	12	1	2	4	6	8	11	18
B. OPERATED	2701	5.9	35	1	2	4	8	13	17	28
TOTAL 65-69 YRS	7542	4.5	13	1	2	4	6	8	11	18
70-74	5457	4.9	16	1	2	4	6	9	12	20
75-79	3509	5.1	17	1	2	4	6	9	12	21
80-84	2031	5.2	17	1	2	4	6	10	13	21
85+	1456	5.2	23	1	2	4	6	10	13	21
GRAND TOTAL	**19995**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	4.0	9	<1	1	3	6	9	10	13
70-74	84	5.0	21	1	1	3	7	10	15	23
75-79	66	3.9	10	<1	1	3	5	9	11	15
80-84	30	3.5	7	1	1	3	5	8	9	11
85+	33	3.9	8	<1	1	3	6	8	8	12
B. *Operated*										
65-69 YRS	117	3.7	8	<1	1	3	5	8	10	13
70-74	91	4.1	10	<1	1	3	6	9	10	13
75-79	66	4.5	46	<1	<1	3	5	8	10	46
80-84	31	4.9	22	1	1	3	7	11	13	22
85+	12	6.8	26	2	2	5	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1080	7.0	42	1	2	5	9	13	17	33
70-74	1122	7.2	36	1	2	6	9	13	18	32
75-79	860	7.2	32	2	2	6	9	14	18	28
80-84	566	7.1	50	1	2	5	9	14	19	29
85+	391	7.4	46	1	2	6	9	14	19	34
B. *Operated*										
65-69 YRS	584	7.9	78	1	2	5	10	16	22	45
70-74	482	8.5	79	1	2	6	10	18	24	49
75-79	358	8.5	73	1	2	6	10	17	23	55
80-84	182	8.9	50	2	2	7	12	20	24	30
85+	80	11.0	65	2	3	9	15	20	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.2	13	1	1	3	6	9	11	16
B. *Operated*	317	4.2	19	<1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	4019	7.2	40	1	2	6	9	14	18	31
B. *Operated*	1686	8.4	74	1	2	6	11	18	24	43
1. SINGLE DX	617	4.2	16	<1	1	3	6	9	11	16
2. MULTIPLE DX	5705	7.5	50	1	2	6	9	15	20	36
A. NOT OPERATED	4319	7.0	38	1	2	5	9	13	18	30
B. OPERATED	2003	7.8	68	1	2	5	10	16	22	42
TOTAL 65-69 YRS	1868	7.0	51	1	2	5	9	14	18	35
70-74	1779	7.3	47	1	2	5	9	14	19	36
75-79	1350	7.2	44	1	2	6	9	14	19	41
80-84	809	7.3	48	1	2	5	9	15	20	29
85+	516	7.7	49	1	2	6	10	16	20	35
GRAND TOTAL	**6322**	**7.2**	**48**	**1**	**2**	**5**	**9**	**14**	**19**	**35**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	142	2.9	4	1	1	2	4	5	7	10
70-74	124	3.3	20	<1	1	2	4	6	7	28
75-79	102	3.3	6	1	1	3	4	6	8	13
80-84	44	3.0	5	<1	<1	2	4	6	8	10
85+	44	4.6	24	<1	1	3	6	10	12	29
B. *Operated*										
65-69 YRS	86	6.1	19	1	2	5	8	11	15	22
70-74	89	6.0	18	1	1	4	8	12	15	19
75-79	73	7.1	37	1	2	5	9	14	15	36
80-84	42	7.4	38	1	2	5	12	14	23	25
85+	34	7.8	44	2	2	6	11	15	23	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	539	4.8	21	1	1	4	6	10	14	25
70-74	611	6.0	38	1	2	4	8	12	15	28
75-79	549	5.8	19	1	2	5	7	11	14	21
80-84	414	7.6	46	1	2	5	9	16	22	34
85+	498	7.7	61	2	2	6	9	16	22	53
B. *Operated*										
65-69 YRS	539	9.0	50	2	3	7	11	17	22	36
70-74	602	9.4	53	2	3	8	12	17	23	36
75-79	512	10.4	78	2	3	9	13	19	26	51
80-84	414	11.5	99	2	3	9	15	22	28	58
85+	327	12.2	111	2	3	9	15	23	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.3	11	<1	1	2	4	6	8	14
B. *Operated*	324	6.6	28	1	2	5	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	2611	6.3	37	1	2	5	8	13	17	31
B. *Operated*	2394	10.3	75	2	3	8	13	19	25	50
1. SINGLE DX	780	4.7	21	1	1	3	6	10	13	23
2. MULTIPLE DX	5005	8.2	59	1	2	6	10	16	22	42
A. NOT OPERATED	3067	5.8	34	1	1	4	7	12	16	29
B. OPERATED	2718	9.8	71	2	3	8	12	18	24	47
TOTAL 65-69 YRS	1306	6.4	36	1	2	5	8	13	17	30
70-74	1426	7.2	46	1	2	6	9	14	18	34
75-79	1236	7.6	50	1	2	6	10	15	19	36
80-84	914	9.1	73	1	2	7	12	19	25	45
85+	903	9.2	82	2	2	7	12	18	25	54
GRAND TOTAL	**5785**	**7.7**	**55**	**1**	**2**	**6**	**10**	**15**	**21**	**39**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	577	3.9	10	1	1	3	5	8	10	16
70-74	428	4.0	8	1	1	3	5	7	9	16
75-79	356	4.0	9	1	1	3	5	8	10	15
80-84	224	4.3	12	1	1	4	6	8	11	19
85+	158	4.3	8	1	1	4	6	8	10	13
B. *Operated*										
65-69 YRS	87	5.5	17	1	1	5	7	12	16	18
70-74	34	4.8	13	2	2	4	5	10	14	16
75-79	41	6.6	20	1	2	6	11	12	13	20
80-84	21	6.3	27	1	1	5	8	12	18	24
85+	9	4.3	8	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2297	5.3	18	1	2	4	7	10	12	19
70-74	2268	5.4	21	1	2	4	7	10	12	20
75-79	1912	5.8	19	1	2	5	7	11	13	23
80-84	1418	6.3	27	2	2	5	8	12	16	25
85+	1218	6.5	36	2	2	5	8	12	15	31
B. *Operated*										
65-69 YRS	417	8.9	61	2	3	7	11	18	23	37
70-74	400	9.3	48	2	3	8	12	17	21	31
75-79	321	9.7	57	2	3	8	13	20	23	40
80-84	191	10.6	45	3	4	9	14	21	24	32
85+	121	12.3	88	2	4	10	16	24	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1743	4.0	10	1	1	3	5	8	9	16
B. *Operated*	192	5.7	18	1	2	4	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	9113	5.8	23	1	2	5	7	11	14	22
B. *Operated*	1450	9.7	57	2	3	8	12	19	23	36
1. SINGLE DX	1935	4.2	11	1	1	3	5	8	10	16
2. MULTIPLE DX	10563	6.3	30	1	2	5	8	12	16	26
A. NOT OPERATED	10856	5.5	21	1	2	4	7	10	13	21
B. OPERATED	1642	9.2	54	2	2	7	12	18	22	35
TOTAL 65-69 YRS	3378	5.5	24	1	2	4	7	10	14	23
70-74	3130	5.7	25	1	2	5	7	11	14	22
75-79	2630	6.0	24	1	2	5	8	11	15	26
80-84	1854	6.5	30	1	2	5	8	13	17	26
85+	1506	6.7	40	1	2	5	8	13	16	34
GRAND TOTAL	**12498**	**6.0**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**25**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	4.0	13	1	1	3	5	8	12	19
70-74	103	4.8	42	1	1	3	6	10	13	38
75-79	78	5.0	41	1	1	3	6	9	13	42
80-84	65	4.7	11	<1	1	4	7	9	12	16
85+	61	5.6	74	<1	1	3	6	11	14	60
B. *Operated*										
65-69 YRS	52	5.9	20	1	1	4	9	13	14	20
70-74	37	5.1	31	<1	1	3	6	11	17	28
75-79	26	5.5	21	<1	1	5	6	13	16	16
80-84	15	6.1	31	1	1	5	8	12	19	22
85+	8	4.5	45	1	1	2	3	16	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	964	6.4	35	1	2	5	8	13	16	27
70-74	1108	6.7	38	1	2	5	8	13	18	32
75-79	1072	6.9	33	2	2	5	8	13	18	27
80-84	867	7.0	33	2	2	6	9	13	17	26
85+	735	7.9	61	2	2	6	9	16	21	42
B. *Operated*										
65-69 YRS	331	11.1	118	2	2	8	14	25	31	52
70-74	284	12.0	93	2	3	10	16	24	31	51
75-79	265	12.6	149	2	3	9	15	26	41	59
80-84	186	11.3	90	2	2	9	14	25	33	43
85+	148	12.1	91	2	3	10	16	22	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	4.8	35	1	1	3	6	9	13	22
B. *Operated*	138	5.5	25	1	1	4	7	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	4746	6.9	39	2	2	5	8	14	18	31
B. *Operated*	1214	11.8	111	2	3	9	15	24	33	54
1. SINGLE DX	540	5.0	32	1	1	3	6	10	14	22
2. MULTIPLE DX	5960	7.9	58	2	2	6	10	16	21	41
A. NOT OPERATED	5148	6.8	39	1	2	5	8	13	18	30
B. OPERATED	1352	11.1	106	2	2	8	14	23	31	51
TOTAL 65-69 YRS	1442	7.3	56	1	2	5	9	15	21	39
70-74	1532	7.5	53	1	2	5	9	15	21	38
75-79	1441	7.8	60	2	2	6	10	15	20	45
80-84	1133	7.6	44	2	2	6	9	15	20	34
85+	952	8.4	69	1	2	6	10	18	21	49
GRAND TOTAL	**6500**	**7.7**	**56**	**1**	**2**	**6**	**9**	**15**	**21**	**41**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	990	4.8	34	1	1	3	6	10	13	28
70-74	923	5.7	63	1	1	4	6	10	15	49
75-79	874	5.1	30	1	1	3	6	10	14	29
80-84	612	5.7	54	1	1	4	6	11	14	55
85+	520	5.3	34	1	1	4	6	10	13	30
B. *Operated*										
65-69 YRS	248	5.1	67	1	1	3	6	10	14	68
70-74	188	4.7	26	1	1	3	6	9	12	27
75-79	129	5.9	68	1	1	3	6	12	19	50
80-84	63	4.7	17	<1	1	3	6	10	16	17
85+	38	5.1	28	1	2	3	6	14	23	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6735	6.7	35	1	2	5	8	13	17	30
70-74	7381	7.0	41	2	2	5	9	13	18	34
75-79	7367	7.0	40	2	2	5	9	13	18	31
80-84	5874	7.2	40	2	2	5	9	14	19	33
85+	5214	7.7	56	2	2	6	9	15	21	41
B. *Operated*										
65-69 YRS	1338	11.0	166	2	2	7	13	27	42	87
70-74	1355	11.7	169	2	2	8	14	25	39	76
75-79	1194	11.5	140	2	2	8	14	24	34	86
80-84	804	12.4	154	2	3	9	15	27	38	76
85+	571	12.9	157	2	3	9	16	27	37	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3919	5.3	43	1	1	4	6	10	14	31
B. *Operated*	666	5.1	48	1	1	3	6	10	15	47
2. MULTIPLE DX										
A. *Not Operated*	32571	7.1	42	2	2	5	9	14	18	33
B. *Operated*	5262	11.7	158	2	2	8	14	26	39	81
1. SINGLE DX	4585	5.3	44	1	1	4	6	10	14	32
2. MULTIPLE DX	37833	7.7	60	2	2	6	9	15	21	43
A. NOT OPERATED	36490	6.9	42	1	2	5	8	13	18	33
B. OPERATED	5928	11.0	150	2	2	7	13	24	36	80
TOTAL 65-69 YRS	9311	7.0	57	1	2	5	8	14	20	42
70-74	9847	7.5	63	1	2	5	9	15	20	43
75-79	9564	7.4	55	1	2	5	9	14	19	39
80-84	7353	7.6	56	2	2	6	9	15	21	42
85+	6343	8.0	66	2	2	6	10	16	22	45
GRAND TOTAL	**42418**	**7.5**	**59**	**1**	**2**	**5**	**9**	**15**	**20**	**42**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.7	3	2	2	5	5	7	7	7
70-74	4	8.5	28	2	2	8	12	15	15	15
75-79	3	4.0	9	1	1	4	6	7	7	7
80-84	5	12.0	82	1	1	9	19	24	24	24
85+	5	3.2	3	2	2	2	4	6	6	6
B. *Operated*										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	2	23.0	392	9	9	23	37	37	37	37
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	1	10.0		10	10	10	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	7.6	79	<1	1	4	9	18	26	43
70-74	24	11.8	118	1	2	8	17	29	38	39
75-79	28	9.4	45	2	2	8	15	19	20	23
80-84	24	10.4	211	1	1	7	11	20	44	69
85+	28	8.3	39	2	2	6	11	19	22	23
B. *Operated*										
65-69 YRS	24	18.7	480	2	2	12	20	35	83	90
70-74	19	22.6	403	2	3	17	35	44	63	78
75-79	17	13.9	183	2	3	8	20	27	46	56
80-84	12	24.9	707	2	3	11	47	66	77	79
85+	7	17.9	126	3	4	22	27	31	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.5	33	1	2	5	8	16	20	24
B. *Operated*	7	11.4	132	3	4	8	10	32	37	37
2. MULTIPLE DX										
A. *Not Operated*	138	9.3	93	1	2	6	12	20	26	46
B. *Operated*	79	19.5	396	2	3	12	27	44	70	87
1. SINGLE DX	30	7.7	57	1	2	6	9	16	24	37
2. MULTIPLE DX	217	13.0	226	1	2	8	17	29	42	79
A. NOT OPERATED	161	8.9	85	1	2	6	11	20	24	43
B. OPERATED	86	18.8	377	2	3	11	26	43	64	86
TOTAL 65-69 YRS	66	11.3	243	1	2	6	14	23	33	88
70-74	49	16.2	251	1	2	9	24	38	43	78
75-79	50	10.5	93	2	2	8	15	21	26	56
80-84	42	14.7	358	1	2	8	15	42	64	79
85+	40	9.3	65	2	2	6	11	22	26	32
GRAND TOTAL	**247**	**12.4**	**208**	**1**	**2**	**7**	**15**	**28**	**39**	**79**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.0	7	3	3	4	7	9	9	9
70-74	11	4.8	14	<1	1	3	8	11	11	11
75-79	6	3.8	25	1	1	2	3	13	14	14
80-84	4	5.5	40	2	2	3	9	15	15	15
85+	6	11.0	147	2	2	7	10	32	35	35
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	9.6	52	1	2	8	13	20	23	36
70-74	50	12.0	198	3	3	8	15	29	47	99+
75-79	42	12.9	160	1	3	10	14	26	39	68
80-84	30	11.0	84	2	3	8	14	21	32	43
85+	31	11.7	122	1	2	11	16	20	23	60
B. *Operated*										
65-69 YRS	38	28.1	718	4	4	18	38	86	97	99+
70-74	21	30.8	419	3	5	33	43	58	72	79
75-79	14	22.3	208	3	8	20	36	49	87	99+
80-84	11	27.4	645	4	6	19	68	99+	99+	99+
85+	9	9.4	146	1	1	5	25	67	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.9	45	1	1	3	9	12	15	35
B. *Operated*	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	202	11.4	125	2	3	9	14	22	34	75
B. *Operated*	93	25.9	528	3	4	20	39	75	99	99+
1. SINGLE DX	33	6.0	42	1	2	3	9	12	15	35
2. MULTIPLE DX	295	16.0	296	2	3	11	19	41	67	99+
A. NOT OPERATED	233	10.7	118	1	2	8	14	21	33	70
B. OPERATED	95	25.5	525	3	4	19	39	74	99	99+
TOTAL 65-69 YRS	91	17.1	411	2	3	10	20	39	73	99
70-74	83	15.7	307	2	3	9	19	43	56	94
75-79	63	14.0	178	1	2	11	16	37	43	95
80-84	45	14.5	262	2	3	10	17	45	80	99+
85+	46	11.2	124	1	2	8	16	25	39	99+
GRAND TOTAL	**328**	**15.0**	**280**	**2**	**3**	**10**	**18**	**39**	**65**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.5	7	<1	1	3	5	7	10	10
70-74	6	2.5	1	2	2	2	3	4	4	4
75-79	7	4.0	18	<1	<1	3	5	11	13	13
80-84	6	1.8	1	<1	<1	2	3	3	3	3
85+	3	10.3	44	6	6	7	15	18	18	18
B. *Operated*										
65-69 YRS	51	4.2	16	1	1	3	5	9	13	23
70-74	35	3.4	7	1	1	3	4	7	10	12
75-79	38	4.5	16	1	1	3	5	12	14	17
80-84	14	2.9	6	<1	1	2	3	6	9	10
85+	16	5.3	27	1	1	3	5	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	4.9	23	1	1	3	6	10	13	28
70-74	102	6.3	36	1	1	5	8	14	16	34
75-79	121	6.1	33	1	2	4	7	14	20	51
80-84	99	7.4	32	1	2	6	10	15	18	25
85+	143	7.1	62	2	2	5	8	14	17	83
B. *Operated*										
65-69 YRS	176	8.0	72	1	2	5	10	16	29	42
70-74	139	8.5	62	2	2	6	12	19	27	37
75-79	159	10.0	100	1	2	7	12	21	29	53
80-84	111	9.4	76	2	2	7	12	20	31	41
85+	97	10.8	102	1	2	8	14	22	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.7	14	<1	1	3	5	7	12	18
B. *Operated*	154	4.1	14	1	1	3	5	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	549	6.4	40	1	1	5	8	14	17	32
B. *Operated*	682	9.2	82	1	2	6	12	20	28	43
1. SINGLE DX	188	4.0	14	1	1	3	5	9	13	18
2. MULTIPLE DX	1231	8.0	65	1	2	5	10	16	23	41
A. NOT OPERATED	583	6.3	38	1	1	5	8	14	17	31
B. OPERATED	836	8.3	73	1	2	5	11	18	25	41
TOTAL 65-69 YRS	323	6.4	51	1	1	4	8	14	19	36
70-74	282	7.0	48	1	2	5	9	15	21	36
75-79	325	7.8	68	1	2	5	10	16	23	47
80-84	230	7.9	54	1	2	5	10	17	22	38
85+	259	8.4	78	1	2	6	11	17	22	67
GRAND TOTAL	**1419**	**7.5**	**60**	**1**	**2**	**5**	**10**	**16**	**22**	**39**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	318	8.1	22	2	3	7	11	14	17	22
70-74	338	8.7	37	2	3	7	11	17	21	30
75-79	308	9.4	32	3	4	8	12	17	21	27
80-84	264	9.8	39	3	3	9	13	17	21	29
85+	250	9.8	49	2	3	8	13	18	22	35
B. *Operated*										
65-69 YRS	22	8.0	26	2	2	7	12	16	17	18
70-74	12	14.3	79	2	4	12	21	27	32	33
75-79	14	11.7	18	7	8	10	14	17	20	21
80-84	8	8.1	31	<1	1	8	12	16	17	17
85+	5	16.2	133	4	4	17	23	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1212	10.6	49	3	4	9	13	19	24	36
70-74	1679	11.2	68	3	4	9	14	20	25	46
75-79	1998	11.8	64	3	4	10	15	21	27	43
80-84	1863	11.8	67	4	4	10	15	21	26	45
85+	2089	12.2	78	3	4	10	15	22	27	49
B. *Operated*										
65-69 YRS	177	17.8	217	4	5	13	23	36	54	94
70-74	235	17.1	144	4	5	14	22	31	42	66
75-79	236	19.5	199	6	7	16	24	41	52	99+
80-84	200	20.8	214	6	7	17	25	40	51	88
85+	181	20.3	178	5	7	17	26	39	48	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1478	9.1	35	2	3	8	12	17	21	29
B. *Operated*	61	10.8	49	2	3	10	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*	8841	11.6	67	3	4	10	15	21	26	44
B. *Operated*	1029	19.1	190	4	6	16	24	37	50	87
1. SINGLE DX	1539	9.2	36	2	3	8	12	17	21	29
2. MULTIPLE DX	9870	12.4	85	3	4	10	16	23	29	51
A. NOT OPERATED	10319	11.3	63	3	4	9	14	20	25	43
B. OPERATED	1090	18.6	186	4	6	15	23	36	48	84
TOTAL 65-69 YRS	1729	10.8	67	3	4	9	13	20	25	48
70-74	2264	11.5	76	3	4	9	15	22	27	49
75-79	2556	12.3	78	3	4	10	15	22	28	51
80-84	2335	12.4	84	3	4	10	15	22	28	49
85+	2525	12.5	88	3	4	10	16	23	29	53
GRAND TOTAL	**11409**	**12.0**	**80**	**3**	**4**	**10**	**15**	**22**	**28**	**50**

345. Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	5	8.4	16	5	5	7	10	15	15	15
75-79	4	11.5	86	5	5	8	17	25	25	25
80-84	2	12.5	5	11	11	12	14	14	14	14
85+	3	7.0	27	4	4	4	11	13	13	13
B. *Operated*										
65-69 YRS	2	22.5	613	5	5	22	40	40	40	40
70-74	2	39.5	1625	11	11	39	68	68	68	68
75-79	1	17.0		17	17	17	17	17	17	17
80-84	1	27.0		27	27	27	27	27	27	27
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	16.6	175	3	6	12	23	29	48	59
70-74	20	11.1	50	3	4	9	13	22	26	28
75-79	32	13.4	194	4	5	10	14	19	59	64
80-84	28	10.1	36	4	4	9	13	21	32	99+
85+	31	12.9	223	2	3	7	15	24	54	70
B. *Operated*										
65-69 YRS	10	38.9	715	7	9	50	74	99+	99+	99+
70-74	17	32.5	530	3	6	36	62	89	99+	99+
75-79	14	32.1	919	5	7	18	38	87	90	91
80-84	5	19.0	187	2	2	27	31	93	99+	99+
85+	8	22.3	90	13	13	19	31	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	9.1	34	3	4	7	12	15	22	25
B. *Operated*	6	28.0	537	5	6	22	40	65	68	68
2. MULTIPLE DX										
A. *Not Operated*	129	12.7	142	3	4	9	15	23	31	76
B. *Operated*	54	30.8	571	4	7	29	60	89	99+	99+
1. SINGLE DX	21	14.5	234	3	4	10	15	32	53	68
2. MULTIPLE DX	183	18.0	335	3	4	12	23	60	77	99+
A. NOT OPERATED	144	12.3	131	3	4	9	14	23	29	71
B. OPERATED	60	30.5	559	5	7	29	59	87	99+	99+
TOTAL 65-69 YRS	31	23.7	456	3	6	19	40	72	96	99+
70-74	44	20.4	391	3	5	13	30	67	78	99+
75-79	51	18.4	437	4	5	11	17	48	76	91
80-84	36	12.0	65	4	4	11	17	30	72	99+
85+	42	14.3	198	2	3	11	16	30	44	70
GRAND TOTAL	**204**	**17.7**	**324**	**3**	**4**	**12**	**23**	**59**	**73**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	5.0	17	1	2	4	6	10	10	27
70-74	83	4.7	7	1	2	4	7	8	10	14
75-79	87	5.2	12	1	2	4	7	10	13	16
80-84	73	5.9	12	1	2	5	8	11	12	16
85+	114	6.3	19	1	2	5	8	13	16	21
B. *Operated*										
65-69 YRS	3	7.3	6	5	5	7	9	10	10	10
70-74	2	12.0	200	2	2	12	22	22	22	22
75-79	4	7.3	26	1	1	7	11	13	13	13
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	881	7.3	30	2	2	6	9	14	17	27
70-74	985	8.0	43	2	2	7	10	15	19	33
75-79	1082	9.1	55	2	3	7	12	17	23	40
80-84	1022	9.3	67	2	3	7	11	18	24	39
85+	1139	9.9	75	2	3	8	13	19	24	51
B. *Operated*										
65-69 YRS	192	14.7	246	2	4	10	16	32	56	87
70-74	183	15.8	215	2	4	12	19	36	55	85
75-79	180	15.4	112	4	5	12	19	30	40	88
80-84	126	17.5	245	3	5	12	21	37	56	89
85+	121	17.5	168	4	5	14	24	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	5.4	14	1	2	5	7	10	13	19
B. *Operated*	11	7.7	37	1	1	7	10	17	22	22
2. MULTIPLE DX										
A. *Not Operated*	5109	8.8	56	2	3	7	11	17	22	38
B. *Operated*	802	16.0	197	3	4	12	20	34	53	94
1. SINGLE DX	463	5.5	15	1	2	5	7	10	13	20
2. MULTIPLE DX	5911	9.8	81	2	3	7	12	19	25	55
A. NOT OPERATED	5561	8.5	53	2	2	7	11	16	21	37
B. OPERATED	813	15.9	196	3	4	12	20	34	52	93
TOTAL 65-69 YRS	1171	8.3	72	2	2	6	10	16	21	55
70-74	1253	8.9	75	2	2	7	11	17	23	55
75-79	1353	9.7	65	2	3	7	12	19	25	47
80-84	1222	9.9	89	2	3	7	12	19	26	56
85+	1375	10.3	84	2	3	8	13	20	28	56
GRAND TOTAL	**6374**	**9.5**	**78**	**2**	**3**	**7**	**12**	**18**	**25**	**52**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	139	11.2	118	2	4	9	14	17	25	67
70-74	203	10.8	47	3	4	10	14	19	23	37
75-79	238	12.0	72	3	4	10	15	22	27	47
80-84	292	11.4	60	3	4	10	15	20	22	41
85+	350	11.5	61	2	3	10	14	21	27	40
B. *Operated*										
65-65 YRS	5	16.2	307	5	5	10	21	47	47	47
70-74	5	27.0	249	12	12	19	41	49	49	49
75-79	8	13.4	216	3	4	7	16	39	47	47
80-84	8	23.8	411	3	4	15	42	53	56	56
85+	7	9.9	18	2	3	12	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	499	14.0	94	4	5	12	18	25	31	46
70-74	733	14.4	97	4	5	12	18	25	33	54
75-79	1035	15.2	115	4	5	13	19	26	35	61
80-84	1223	15.4	118	4	5	13	19	28	35	63
85+	1815	15.3	134	4	5	13	19	29	37	72
B. *Operated*										
65-69 YRS	101	26.0	305	5	8	21	35	55	60	71
70-74	128	24.5	303	8	9	19	33	55	65	99+
75-79	158	24.5	262	6	9	20	34	47	57	96
80-84	144	24.6	282	6	8	20	32	57	69	99+
85+	174	22.4	267	6	6	19	31	47	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1222	11.4	67	3	4	10	15	20	25	44
B. *Operated*	33	17.6	251	3	4	12	19	47	49	56
2. MULTIPLE DX										
A. *Not Operated*	5305	15.1	118	4	5	13	19	27	35	64
B. *Operated*	705	24.2	281	6	8	20	32	52	62	99+
1. SINGLE DX	1255	11.6	73	3	4	10	15	20	26	46
2. MULTIPLE DX	6010	16.1	146	4	5	13	20	30	40	72
A. NOT OPERATED	6527	14.4	110	4	5	12	18	26	34	60
B. OPERATED	738	23.9	281	6	8	19	32	51	61	99+
TOTAL 65-69 YRS	744	15.1	148	4	5	12	19	29	39	63
70-74	1069	15.0	127	4	5	12	19	27	39	64
75-79	1439	15.7	135	4	5	13	19	29	38	62
80-84	1667	15.5	134	4	5	13	19	29	38	70
85+	2346	15.2	139	3	5	12	19	29	38	76
GRAND TOTAL	**7265**	**15.4**	**136**	**4**	**5**	**13**	**19**	**29**	**38**	**69**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	142	4.5	23	1	1	3	5	9	14	27
70-74	158	4.8	28	1	1	3	6	9	14	25
75-79	231	5.3	32	1	1	4	6	11	16	31
80-84	226	6.2	40	1	1	4	7	12	17	32
85+	238	5.5	21	1	2	4	7	11	14	23
B. *Operated*										
65-69 YRS	252	5.3	22	1	1	4	6	11	16	23
70-74	240	6.5	38	1	2	5	8	13	17	32
75-79	213	6.9	28	1	2	5	9	13	19	27
80-84	162	7.0	28	1	2	5	9	16	17	23
85+	148	8.4	74	2	3	6	9	15	21	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	370	9.3	92	2	2	6	12	20	25	52
70-74	593	8.9	53	2	2	7	12	19	23	35
75-79	720	9.3	78	2	2	7	12	19	25	47
80-84	733	9.4	75	2	3	7	12	19	25	49
85+	979	11.0	127	2	3	8	13	24	32	70
B. *Operated*										
65-69 YRS	482	11.0	139	2	3	7	13	23	33	61
70-74	514	11.6	130	2	3	8	14	24	34	85
75-79	577	12.7	180	2	2	9	15	27	38	83
80-84	475	13.7	150	2	3	10	18	29	37	91
85+	416	14.4	160	3	4	11	18	31	40	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	5.4	29	1	1	4	6	11	16	27
B. *Operated*	1015	6.6	36	1	2	5	8	13	18	28
2. MULTIPLE DX										
A. *Not Operated*	3395	9.7	89	2	2	7	12	20	27	50
B. *Operated*	2464	12.6	154	2	3	9	16	27	37	82
1. SINGLE DX	2010	6.0	33	1	1	4	7	12	16	27
2. MULTIPLE DX	5859	10.9	118	2	2	8	14	23	31	62
A. NOT OPERATED	4390	8.7	79	1	2	6	11	18	25	47
B. OPERATED	3479	10.9	127	2	2	7	14	23	33	67
TOTAL 65-69 YRS	1246	8.6	95	1	2	5	11	19	25	53
70-74	1505	9.0	79	1	2	6	12	20	25	47
75-79	1741	9.6	106	1	2	7	12	20	28	60
80-84	1596	10.0	95	2	2	7	13	21	29	57
85+	1781	10.8	123	2	3	7	13	24	32	60
GRAND TOTAL	**7869**	**9.7**	**101**	**1**	**2**	**7**	**12**	**21**	**28**	**55**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	3.0	9	<1	<1	2	4	6	8	17
70-74	43	2.8	5	<1	1	2	4	6	8	10
75-79	40	3.2	9	<1	1	2	4	7	10	14
80-84	41	3.6	7	<1	1	3	5	8	10	11
85+	54	4.5	21	1	1	3	5	7	11	27
B. *Operated*										
65-69 YRS	703	2.9	5	1	1	2	4	5	7	13
70-74	600	3.1	7	1	1	2	4	6	8	14
75-79	458	3.5	8	1	1	3	4	7	10	14
80-84	258	4.4	34	1	1	3	5	8	12	21
85+	199	4.2	18	1	1	3	5	8	11	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	120	6.8	77	1	1	5	8	14	18	46
70-74	154	7.4	58	1	2	5	10	15	20	37
75-79	192	8.3	63	1	2	7	11	16	22	57
80-84	193	8.9	65	2	2	6	11	19	24	41
85+	239	7.9	44	2	2	6	10	15	20	41
B. *Operated*										
65-69 YRS	641	6.8	61	1	1	4	8	15	20	38
70-74	736	7.2	66	1	2	5	9	15	22	46
75-79	656	7.7	54	1	2	5	10	16	23	37
80-84	515	8.7	78	1	2	6	11	19	26	56
85+	437	11.1	155	2	3	7	13	23	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	3.5	11	<1	1	3	4	7	9	16
B. *Operated*	2218	3.4	11	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	898	8.0	60	1	2	6	10	16	21	44
B. *Operated*	2985	8.1	79	1	2	5	10	17	25	48
1. SINGLE DX	2439	3.4	11	1	1	3	4	7	9	16
2. MULTIPLE DX	3883	8.0	75	1	2	5	10	17	24	48
A. NOT OPERATED	1119	7.1	53	1	1	5	9	15	20	39
B. OPERATED	5203	6.1	56	1	1	4	7	13	19	38
TOTAL 65-69 YRS	1507	4.9	39	1	1	3	6	10	15	31
70-74	1533	5.5	45	1	1	3	6	12	16	33
75-79	1346	6.2	43	1	1	4	8	13	19	33
80-84	1007	7.4	66	1	1	5	9	17	23	41
85+	929	8.4	97	1	2	5	10	18	25	52
GRAND TOTAL	**6322**	**6.2**	**55**	**1**	**1**	**4**	**7**	**13**	**19**	**38**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	3.8	3	<1	1	4	5	7	7	7
70-74	11	3.1	7	<1	<1	2	3	8	9	9
75-79	11	2.3	2	<1	<1	2	3	5	5	5
80-84	8	4.0	7	<1	<1	4	6	8	8	8
85+	12	4.6	15	<1	<1	3	7	11	12	12
B. *Operated*										
65-69 YRS	109	2.9	7	1	1	2	3	5	8	15
70-74	71	2.4	3	1	1	2	3	5	6	9
75-79	58	2.9	5	1	1	2	4	6	6	10
80-84	33	3.8	12	1	1	3	4	8	10	18
85+	28	3.4	9	<1	1	2	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	6.3	27	1	2	5	9	13	13	27
70-74	55	7.2	60	1	1	4	8	18	23	42
75-79	65	8.0	48	1	2	6	10	18	22	38
80-84	54	8.2	40	2	3	6	11	14	17	38
85+	78	7.5	27	1	2	7	9	14	18	26
B. *Operated*										
65-69 YRS	166	4.5	20	1	1	3	6	11	13	21
70-74	149	7.1	89	1	1	3	7	19	28	47
75-79	108	6.0	44	1	1	4	8	15	20	34
80-84	90	8.8	139	1	1	5	10	20	40	89
85+	87	7.4	49	1	1	5	10	19	23	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.6	7	<1	<1	3	5	7	9	12
B. *Operated*	299	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	288	7.6	40	1	2	6	10	15	21	35
B. *Operated*	600	6.5	65	1	1	4	7	15	22	45
1. SINGLE DX	355	3.0	6	<1	1	2	4	7	8	12
2. MULTIPLE DX	888	6.8	57	1	1	4	9	15	21	43
A. NOT OPERATED	344	6.9	37	1	1	5	9	13	18	28
B. OPERATED	899	5.3	48	1	1	3	6	12	18	41
TOTAL 65-69 YRS	325	4.1	16	1	1	3	5	10	13	20
70-74	286	5.8	63	1	1	3	6	12	24	46
75-79	242	5.6	37	1	1	3	7	13	18	32
80-84	185	7.5	85	1	1	5	9	17	24	65
85+	205	6.7	35	1	1	5	9	14	21	28
GRAND TOTAL	**1243**	**5.7**	**46**	**1**	**1**	**3**	**7**	**13**	**18**	**39**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	58	9.2	100	<1	1	8	11	18	22	65
70-74	96	7.8	28	1	2	7	11	15	18	22
75-79	116	10.4	76	1	1	9	15	20	23	47
80-84	151	10.2	111	<1	2	8	14	22	27	99+
85+	222	10.2	76	1	1	8	14	21	27	44
B. *Operated*										
65-69 YRS	1106	14.1	46	7	8	13	17	21	24	38
70-74	1504	15.1	60	7	8	14	18	23	28	42
75-79	2119	16.0	64	7	9	15	18	25	30	47
80-84	2463	16.9	65	8	9	15	19	26	32	50
85+	3341	17.0	77	8	9	15	20	26	34	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	213	13.9	162	1	3	11	17	31	43	99
70-74	338	14.6	157	3	4	11	18	30	37	66
75-79	534	15.2	193	2	3	11	18	32	45	70
80-84	585	14.7	163	2	3	12	18	32	44	99+
85+	985	15.0	191	2	3	11	19	33	50	99+
B. *Operated*										
65-69 YRS	2743	18.7	128	8	9	16	22	32	43	82
70-74	4593	19.7	141	8	10	16	23	34	45	81
75-79	6714	20.3	150	8	10	17	24	36	47	87
80-84	8107	21.1	166	8	10	18	25	37	50	96
85+	11507	21.0	166	9	10	17	25	37	50	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	9.8	79	1	1	8	13	20	25	47
B. *Operated*	10533	16.2	67	7	9	15	19	25	31	51
2. MULTIPLE DX										
A. *Not Operated*	2655	14.8	179	2	3	11	19	32	46	91
B. *Operated*	33664	20.5	157	8	10	17	24	36	48	92
1. SINGLE DX	11176	15.8	70	6	8	14	18	25	30	51
2. MULTIPLE DX	36319	20.1	161	7	9	17	24	36	48	92
A. NOT OPERATED	3298	13.8	163	1	3	11	18	29	43	84
B. OPERATED	44197	19.5	139	8	10	16	23	33	44	84
TOTAL 65-69 YRS	4120	17.1	113	6	8	15	20	28	38	75
70-74	6531	18.2	128	7	9	16	21	31	40	74
75-79	9483	19.0	137	7	9	16	22	33	43	79
80-84	11306	19.7	149	7	9	17	23	34	46	91
85+	16055	19.6	153	7	9	16	23	34	46	90
GRAND TOTAL	**47495**	**19.1**	**143**	**7**	**9**	**16**	**22**	**33**	**44**	**84**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	17.8	376	1	3	12	22	58	73	99+
70-74	48	17.6	367	<1	1	11	24	56	61	99+
75-79	46	18.7	449	1	2	10	22	52	59	87
80-84	54	14.3	204	1	2	10	19	38	40	68
85+	92	17.2	334	1	2	11	21	46	59	80
B. *Operated*										
65-69 YRS	112	18.4	152	7	8	15	23	37	43	65
70-74	104	18.8	111	7	10	17	23	32	48	99+
75-79	128	17.9	134	5	8	15	22	33	50	99+
80-84	130	20.3	217	7	9	15	23	40	57	90
85+	172	19.2	139	6	8	17	23	36	52	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	109	20.5	386	2	3	14	32	57	71	99+
70-74	143	23.5	411	3	5	16	34	55	72	99+
75-79	166	21.1	411	2	3	14	28	50	71	94
80-84	201	18.3	276	2	4	13	25	47	64	99+
85+	349	19.1	387	2	3	12	26	52	70	99+
B. *Operated*										
65-69 YRS	296	25.3	341	6	9	20	33	58	81	99+
70-74	336	26.8	332	8	10	22	37	68	99+	99+
75-79	461	27.2	331	9	11	22	35	61	75	99+
80-84	454	25.3	328	8	10	20	31	54	76	99+
85+	671	24.1	260	7	9	20	31	52	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	17.0	336	1	2	11	21	50	60	90
B. *Operated*	646	18.9	151	6	8	16	23	36	50	99+
2. MULTIPLE DX										
A. *Not Operated*	968	20.1	373	2	3	13	28	51	71	99+
B. *Operated*	2218	25.6	312	8	10	21	33	57	80	99+
1. SINGLE DX	924	18.4	207	3	5	15	22	39	55	99+
2. MULTIPLE DX	3186	23.9	337	4	7	19	32	55	76	99+
A. NOT OPERATED	1246	19.4	366	2	3	12	27	51	67	99+
B. OPERATED	2864	24.1	283	7	9	19	30	53	73	99+
TOTAL 65-69 YRS	555	22.4	322	4	6	17	29	53	72	99+
70-74	631	24.0	327	5	8	19	33	58	82	99+
75-79	801	24.0	337	4	7	19	31	55	71	99+
80-84	839	22.1	303	4	7	17	27	49	69	99+
85+	1284	21.6	290	3	6	17	28	49	64	99+
GRAND TOTAL	**4110**	**22.6**	**313**	**4**	**6**	**18**	**29**	**52**	**71**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	5.4	11	1	2	5	7	11	12	15
70-74	124	8.1	37	2	2	7	11	14	18	35
75-79	78	9.7	97	2	3	8	11	18	24	64
80-84	57	9.1	129	2	2	6	11	18	22	78
85+	70	7.9	28	1	2	7	11	15	17	27
B. *Operated*										
65-69 YRS	223	9.7	44	2	3	8	12	18	23	31
70-74	165	11.5	81	2	3	9	15	22	28	48
75-79	119	11.3	71	2	3	9	14	23	29	45
80-84	65	11.3	76	3	4	10	14	23	31	41
85+	31	10.4	70	2	3	9	12	21	32	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	259	10.9	86	2	3	8	14	21	29	47
70-74	224	10.2	60	2	3	8	14	20	24	48
75-79	246	12.3	117	3	4	9	15	27	35	58
80-84	225	11.9	80	2	4	10	15	22	30	47
85+	250	10.8	99	2	3	8	13	22	25	64
B. *Operated*										
65-69 YRS	394	15.3	157	3	5	12	19	33	44	86
70-74	291	17.2	234	3	5	13	21	36	45	95
75-79	263	17.2	167	4	5	14	21	34	43	98
80-84	177	20.4	237	4	6	17	25	46	61	99+
85+	169	18.9	283	3	5	13	24	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	7.8	54	2	2	6	10	13	18	32
B. *Operated*	603	10.8	64	2	3	9	14	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	1204	11.2	89	2	3	9	14	22	30	55
B. *Operated*	1294	17.3	206	3	5	13	22	37	50	99+
1. SINGLE DX	1040	9.5	62	2	3	8	12	18	23	39
2. MULTIPLE DX	2498	14.4	159	3	4	11	18	30	43	85
A. NOT OPERATED	1641	10.3	82	2	3	8	13	20	27	50
B. OPERATED	1897	15.2	170	3	4	12	19	32	44	91
TOTAL 65-69 YRS	984	11.8	107	2	3	9	15	24	33	54
70-74	804	12.7	136	2	3	10	16	24	35	77
75-79	706	13.7	133	3	4	10	17	28	39	70
80-84	524	14.4	156	3	4	11	19	29	42	83
85+	520	13.0	165	2	3	9	16	28	49	88
GRAND TOTAL	**3538**	**12.9**	**135**	**2**	**3**	**10**	**16**	**26**	**37**	**74**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	4.5	15	1	1	3	6	9	12	20
70-74	129	5.6	21	1	1	4	7	12	15	20
75-79	116	6.8	34	2	2	5	9	14	18	31
80-84	111	6.5	18	1	2	6	9	12	15	20
85+	74	7.3	55	1	2	5	8	13	20	44
B. *Operated*										
65-69 YRS	766	6.7	18	2	2	6	9	12	15	22
70-74	539	7.9	36	2	3	7	10	13	17	33
75-79	335	9.2	48	3	3	8	11	16	20	30
80-84	138	8.8	31	3	4	7	12	17	19	23
85+	93	10.1	69	2	3	9	13	19	20	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	323	6.8	24	1	2	6	9	13	16	25
70-74	350	8.0	44	2	3	6	10	15	21	32
75-79	350	9.2	84	2	3	7	12	17	24	47
80-84	294	8.9	47	2	3	7	11	17	22	35
85+	302	10.4	67	2	3	8	13	21	28	39
B. *Operated*										
65-69 YRS	1041	10.2	76	3	3	8	12	19	25	47
70-74	862	11.7	95	3	4	9	14	22	28	59
75-79	657	13.4	125	3	4	10	16	25	38	66
80-84	380	14.3	147	4	5	11	16	29	45	82
85+	281	14.1	162	3	4	11	17	27	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	6.0	27	1	2	4	8	12	16	27
B. *Operated*	1871	7.8	33	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1619	8.6	55	2	3	7	11	17	22	41
B. *Operated*	3221	12.1	109	3	4	9	14	23	31	64
1. SINGLE DX	2448	7.4	32	2	2	6	9	13	17	28
2. MULTIPLE DX	4840	10.9	93	2	3	8	13	21	28	59
A. NOT OPERATED	2196	7.9	49	2	2	6	10	16	21	35
B. OPERATED	5092	10.5	85	3	3	8	13	19	26	56
TOTAL 65-69 YRS	2277	8.2	48	2	3	7	10	15	20	34
70-74	1880	9.5	68	2	3	7	11	18	23	48
75-79	1458	10.9	95	2	3	8	13	20	28	59
80-84	923	10.8	91	2	3	8	13	20	29	57
85+	750	11.5	106	2	3	8	14	22	30	62
GRAND TOTAL	**7288**	**9.7**	**76**	**2**	**3**	**7**	**12**	**18**	**24**	**50**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.6	14	1	1	3	7	11	12	12
70-74	15	4.0	12	<1	1	3	6	9	12	13
75-79	4	2.5	2	1	1	2	3	4	4	4
80-84	15	5.3	19	1	1	4	7	7	16	19
85+	20	6.0	38	2	2	4	6	12	21	29
B. *Operated*										
65-69 YRS	4	6.3	57	1	1	4	11	17	17	17
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	2	4.0		4	4	4	4	4	4	4
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	120	7.7	45	1	2	6	10	14	18	39
70-74	154	8.2	65	1	2	6	11	16	24	37
75-79	155	9.1	87	1	2	7	12	18	23	54
80-84	124	9.2	63	2	3	7	12	18	23	47
85+	170	9.6	89	2	2	8	12	21	25	77
B. *Operated*										
65-69 YRS	38	10.1	84	1	2	8	11	23	32	44
70-74	33	11.8	68	2	3	9	18	24	28	29
75-79	30	12.9	150	2	2	8	15	37	41	42
80-84	23	16.0	190	3	4	12	19	52	67	99+
85+	44	13.4	133	2	2	10	18	31	38	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.9	22	1	1	3	6	10	13	28
B. *Operated*	11	4.6	23	1	1	4	6	12	17	17
2. MULTIPLE DX										
A. *Not Operated*	723	8.8	72	2	2	7	11	17	24	45
B. *Operated*	168	12.6	120	2	2	9	17	29	39	53
1. SINGLE DX	74	4.9	22	1	1	3	6	9	13	27
2. MULTIPLE DX	891	9.5	83	2	2	7	12	20	27	50
A. NOT OPERATED	786	8.5	69	1	2	6	11	17	24	43
B. OPERATED	179	12.1	118	1	2	9	16	28	38	53
TOTAL 65-69 YRS	171	8.0	53	1	2	6	10	15	24	41
70-74	204	8.5	64	1	2	6	11	18	25	36
75-79	191	9.5	97	1	2	7	12	18	27	50
80-84	163	9.8	83	2	3	7	12	20	27	55
85+	236	9.9	96	2	2	7	12	23	29	53
GRAND TOTAL	**965**	**9.2**	**80**	**1**	**2**	**7**	**12**	**19**	**26**	**48**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	9.0		9	9	9	9	9	9	9
80-84	2	11.0	32	7	7	11	15	15	15	15
85+										
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	69.0		69	69	69	69	69	69	69
75-79	2	17.0	18	14	14	17	20	20	20	20
80-84	1	10.0		10	10	10	10	10	10	10
85+	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	13.0	37	9	9	10	16	22	22	22
70-74	4	31.3	1255	6	6	18	54	83	83	83
75-79	4	5.3	7	3	3	4	7	9	9	9
80-84	8	10.3	38	3	3	10	15	19	19	19
85+	8	11.9	60	2	2	10	19	22	23	23
B. *Operated*										
65-69 YRS	8	19.3	617	1	2	6	36	59	60	60
70-74	7	36.4	1373	8	8	12	74	89	90	90
75-79	6	24.7	230	9	10	20	31	50	52	52
80-84	1	71.0		71	71	71	71	71	71	71
85+	3	24.0	76	14	14	28	29	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.3	17	7	7	9	13	15	15	15
B. *Operated*	6	23.8	548	4	5	17	26	65	69	69
2. MULTIPLE DX										
A. *Not Operated*	28	13.4	230	3	3	10	19	23	31	83
B. *Operated*	25	28.0	705	2	5	16	45	71	86	90
1. SINGLE DX	9	19.3	393	4	5	14	21	52	69	69
2. MULTIPLE DX	53	20.3	499	3	3	11	22	58	81	90
A. NOT OPERATED	31	13.1	209	3	3	10	18	22	25	83
B. OPERATED	31	27.2	658	3	5	16	40	70	84	90
TOTAL 65-69 YRS	13	16.2	391	1	3	9	16	58	60	60
70-74	12	37.4	1196	6	7	18	76	86	89	90
75-79	13	16.3	179	3	4	14	20	35	49	52
80-84	12	15.4	333	3	4	10	17	35	66	71
85+	12	16.1	91	2	3	16	24	29	30	30
GRAND TOTAL	**62**	**20.1**	**477**	**3**	**4**	**11**	**22**	**59**	**76**	**89**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	1.9	1	<1	<1	1	3	4	4	4
70-74	11	2.5	11	<1	<1	1	3	7	12	12
75-79	10	2.5	10	<1	<1	1	1	8	9	9
80-84	8	3.9	33	1	1	2	3	13	18	18
85+	9	4.1	17	1	1	2	6	11	13	13
B. *Operated*										
65-69 YRS	73	2.6	7	<1	1	1	4	5	7	14
70-74	62	2.0	4	<1	1	1	3	4	6	13
75-79	44	2.7	5	<1	1	2	4	4	7	12
80-84	39	3.4	25	<1	1	1	3	10	15	25
85+	29	2.8	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	4.4	13	1	1	3	6	9	11	17
70-74	38	5.8	19	1	1	5	8	10	15	21
75-79	33	10.4	183	1	1	5	10	27	51	56
80-84	36	8.2	46	1	2	7	10	19	25	27
85+	41	7.9	60	1	2	5	10	16	26	37
B. *Operated*										
65-69 YRS	98	6.0	84	1	1	3	6	15	24	51
70-74	100	6.1	36	1	1	4	8	16	18	27
75-79	87	7.3	61	1	1	5	10	15	23	39
80-84	77	6.5	82	1	1	4	7	13	24	55
85+	87	6.8	44	1	1	4	8	18	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.8	12	<1	1	1	3	8	11	18
B. *Operated*	247	2.6	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	178	7.4	66	1	1	5	9	16	22	50
B. *Operated*	449	6.5	61	1	1	4	8	15	21	38
1. SINGLE DX	301	2.7	9	<1	1	2	3	5	8	15
2. MULTIPLE DX	627	6.8	62	1	1	4	8	16	21	39
A. NOT OPERATED	232	6.3	57	1	1	4	8	13	20	40
B. OPERATED	696	5.1	45	1	1	3	6	12	18	34
TOTAL 65-69 YRS	217	4.3	44	<1	1	2	4	9	15	41
70-74	211	4.7	26	1	1	3	6	12	16	22
75-79	174	6.5	74	1	1	3	8	15	22	52
80-84	160	6.0	60	1	1	3	8	14	22	33
85+	166	6.2	42	1	1	4	7	14	18	35
GRAND TOTAL	**928**	**5.4**	**48**	**1**	**1**	**3**	**6**	**12**	**18**	**35**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	6	<1	<1	2	5	6	6	6
70-74	4	5.5	25	3	3	3	8	13	13	13
75-79	1	1.0		1	1	1	1	1	1	1
80-84	6	4.2	20	<1	<1	3	4	12	13	13
85+	3	8.7	20	4	4	9	12	13	13	13
B. *Operated*										
65-69 YRS	221	3.4	10	1	1	3	4	6	9	13
70-74	104	3.7	9	1	1	3	5	7	9	16
75-79	53	5.4	17	1	2	4	7	11	13	18
80-84	20	5.3	11	<1	1	4	7	10	11	12
85+	11	5.5	21	<1	1	4	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	4.5	6	<1	1	5	7	7	8	8
70-74	13	5.0	20	1	1	5	5	8	17	19
75-79	19	7.2	23	1	1	8	10	13	17	18
80-84	7	9.6	7	7	7	8	11	14	14	14
85+	10	16.3	566	2	2	8	17	50	82	82
B. *Operated*										
65-69 YRS	530	4.3	29	1	1	3	5	9	12	25
70-74	313	4.8	23	1	1	3	6	10	13	27
75-79	198	5.6	30	1	1	4	7	12	16	37
80-84	69	8.3	57	1	2	6	11	21	24	32
85+	25	7.5	42	2	2	5	10	14	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.7	18	<1	<1	3	6	13	13	13
B. *Operated*	409	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	67	7.7	105	1	1	6	9	15	17	71
B. *Operated*	1135	5.0	30	1	1	3	6	10	15	28
1. SINGLE DX	428	3.9	11	1	1	3	5	8	11	16
2. MULTIPLE DX	1202	5.2	35	1	1	3	6	11	15	28
A. NOT OPERATED	86	7.0	87	1	1	5	8	13	17	59
B. OPERATED	1544	4.7	26	1	1	3	6	10	13	26
TOTAL 65-69 YRS	774	4.0	23	1	1	3	5	8	11	23
70-74	434	4.6	20	1	1	3	6	9	13	24
75-79	271	5.6	27	1	1	4	8	12	16	24
80-84	102	7.6	44	1	2	6	10	16	23	31
85+	49	8.9	147	2	2	6	11	16	20	82
GRAND TOTAL	**1630**	**4.8**	**29**	**1**	**1**	**3**	**6**	**10**	**14**	**26**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.4	13	1	1	3	5	10	13	13
70-74	12	6.2	22	1	1	5	9	14	14	14
75-79	6	4.3	10	1	1	4	7	9	9	9
80-84	2	2.0		2	2	2	2	2	2	2
85+	6	7.0	48	<1	<1	4	11	18	19	19
B. *Operated*										
65-69 YRS	67	5.6	59	1	1	3	6	12	21	42
70-74	60	7.4	69	1	1	4	9	21	27	29
75-79	29	6.0	47	1	1	3	8	20	23	23
80-84	26	5.7	28	1	1	4	9	11	17	23
85+	16	14.1	139	1	1	14	25	31	32	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	9.0	74	1	2	7	12	17	28	43
70-74	47	8.1	49	1	2	7	11	15	25	33
75-79	41	7.8	61	1	2	6	9	19	31	99+
80-84	30	10.6	119	1	1	9	13	22	35	51
85+	33	8.3	22	2	3	8	11	13	16	25
B. *Operated*										
65-69 YRS	139	12.5	181	1	2	7	17	35	42	99+
70-74	112	12.9	235	1	2	6	18	38	48	99+
75-79	72	13.6	178	1	2	9	20	37	48	90
80-84	67	17.2	302	1	2	11	24	51	63	99+
85+	47	11.0	122	2	2	7	17	25	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.3	20	1	1	4	7	13	14	19
B. *Operated*	198	6.9	67	1	1	3	8	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	194	8.6	63	1	2	7	12	17	25	48
B. *Operated*	437	13.3	208	1	2	8	20	39	50	99+
1. SINGLE DX	234	6.7	60	1	1	3	8	20	23	34
2. MULTIPLE DX	631	11.9	168	1	2	7	16	32	44	99+
A. NOT OPERATED	230	8.1	58	1	2	6	11	16	25	45
B. OPERATED	635	11.3	173	1	1	6	16	31	43	99+
TOTAL 65-69 YRS	259	9.8	134	1	1	5	12	26	40	74
70-74	231	10.1	149	1	1	5	14	26	38	95
75-79	148	10.1	124	1	1	6	14	26	39	99+
80-84	125	13.0	218	1	2	8	17	40	52	99+
85+	102	10.4	90	1	2	7	14	24	31	73
GRAND TOTAL	**865**	**10.5**	**144**	**1**	**2**	**6**	**14**	**26**	**41**	**98**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	5.3	12	2	2	5	6	8	12	19
70-74	24	5.9	26	1	2	5	7	12	16	25
75-79	16	4.8	10	<1	<1	5	7	8	11	13
80-84	14	5.0	6	2	3	4	7	9	10	11
85+	24	6.8	33	1	2	5	9	16	19	23
B. *Operated*										
65-69 YRS	29	6.2	22	1	2	5	7	14	16	20
70-74	24	7.4	25	2	2	6	9	14	20	22
75-79	19	7.6	12	3	4	7	10	13	15	16
80-84	5	8.2	30	4	4	5	12	17	17	17
85+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	6.4	26	2	2	5	8	11	15	28
70-74	108	7.4	51	2	2	5	9	15	19	44
75-79	109	7.8	33	2	3	6	10	15	19	31
80-84	100	8.4	32	2	3	7	11	16	22	66
85+	125	9.5	111	2	3	7	12	19	24	62
B. *Operated*										
65-69 YRS	67	9.4	141	2	2	6	10	16	27	70
70-74	52	7.4	34	1	2	6	9	13	22	32
75-79	33	9.1	76	1	2	6	11	22	27	42
80-84	11	12.5	156	3	4	8	13	28	47	49
85+	15	16.0	280	3	4	12	20	23	60	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.7	19	1	2	5	7	11	14	24
B. *Operated*	79	7.1	21	2	2	6	9	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	537	8.0	54	2	3	6	10	15	21	34
B. *Operated*	178	9.5	113	2	2	7	10	17	26	69
1. SINGLE DX	181	6.3	20	1	2	5	8	12	16	23
2. MULTIPLE DX	715	8.4	69	2	3	6	10	16	22	48
A. NOT OPERATED	639	7.6	49	2	2	6	9	15	20	32
B. OPERATED	257	8.7	85	2	2	7	10	16	23	67
TOTAL 65-69 YRS	215	7.2	61	2	2	5	8	14	18	42
70-74	208	7.2	41	2	2	6	9	13	19	36
75-79	177	7.8	37	1	3	6	10	15	19	32
80-84	130	8.3	41	3	3	7	11	15	22	59
85+	166	9.7	117	2	3	7	12	20	23	69
GRAND TOTAL	**896**	**7.9**	**60**	**2**	**2**	**6**	**9**	**15**	**21**	**42**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	169	6.2	13	2	2	6	8	10	13	18
70-74	131	6.8	19	2	2	5	9	12	15	24
75-79	84	6.8	14	2	2	6	10	12	13	16
80-84	43	6.0	12	1	2	5	8	11	13	14
85+	51	6.1	15	1	2	5	8	11	14	17
B. Operated										
65-69 YRS	10	7.3	21	1	1	7	10	14	17	17
70-74	2	8.0	50	3	3	8	13	13	13	13
75-79	1	5.0		5	5	5	5	5	5	5
80-84	3	10.7	22	7	7	9	14	16	16	16
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	846	7.6	20	2	3	7	10	13	17	23
70-74	781	8.2	29	3	3	7	10	15	17	29
75-79	667	8.4	30	2	3	7	11	15	18	27
80-84	520	9.1	48	2	3	7	11	16	20	32
85+	426	9.2	61	2	3	7	12	16	20	65
B. Operated										
65-69 YRS	87	12.4	60	4	6	10	16	21	29	41
70-74	60	14.5	156	4	5	11	16	26	43	63
75-79	56	13.6	70	4	5	12	17	23	28	44
80-84	29	13.7	92	3	5	10	18	26	31	46
85+	25	20.3	403	6	7	13	20	55	76	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	478	6.4	15	2	2	5	8	11	14	18
B. Operated	16	7.9	21	1	2	7	10	16	17	17
2. MULTIPLE DX										
A. Not Operated	3240	8.3	35	2	3	7	10	15	18	29
B. Operated	257	14.1	124	4	5	11	17	26	34	63
1. SINGLE DX	494	6.5	15	2	2	6	9	12	14	18
2. MULTIPLE DX	3497	8.8	43	2	3	7	11	16	19	33
A. NOT OPERATED	3718	8.1	32	2	3	7	10	14	18	28
B. OPERATED	273	13.7	120	4	5	11	16	24	32	63
TOTAL 65-69 YRS	1112	7.7	24	2	3	7	10	14	17	27
70-74	974	8.4	38	2	3	7	10	15	18	34
75-79	808	8.6	33	2	3	7	11	16	19	29
80-84	595	9.1	49	2	3	7	11	16	20	33
85+	502	9.4	79	2	3	8	12	16	21	70
GRAND TOTAL	**3991**	**8.5**	**40**	**2**	**3**	**7**	**11**	**15**	**18**	**32**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	110	4.8	10	1	1	4	7	9	10	16
70-74	76	5.6	21	1	2	5	7	11	11	28
75-79	41	5.9	18	2	2	4	7	12	15	18
80-84	27	6.4	21	1	1	5	9	13	15	20
85+	28	8.4	76	1	2	5	11	23	30	35
B. Operated										
65-69 YRS	13	7.2	34	<1	1	7	12	16	18	18
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	653	7.1	25	2	2	6	9	12	15	25
70-74	509	7.1	23	2	3	6	9	13	16	28
75-79	465	7.8	42	2	2	6	10	14	18	30
80-84	369	8.1	39	2	3	7	10	15	20	35
85+	341	9.1	60	2	3	7	11	18	24	40
B. Operated										
65-69 YRS	56	12.2	151	1	2	10	16	20	31	65
70-74	38	13.0	128	3	4	10	16	23	30	66
75-79	27	11.3	54	2	3	10	16	21	24	33
80-84	21	14.4	163	3	3	14	17	23	42	63
85+	23	12.0	34	2	5	13	16	20	21	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	282	5.7	22	1	2	4	7	11	13	28
B. Operated	15	7.1	33	<1	1	7	12	15	17	18
2. MULTIPLE DX										
A. Not Operated	2337	7.7	36	2	3	6	10	14	18	30
B. Operated	165	12.5	113	2	3	11	16	22	26	65
1. SINGLE DX	297	5.7	23	1	2	4	7	11	14	28
2. MULTIPLE DX	2502	8.0	42	2	3	6	10	15	19	32
A. NOT OPERATED	2619	7.5	35	2	2	6	9	14	17	30
B. OPERATED	180	12.0	109	1	3	10	16	21	25	65
TOTAL 65-69 YRS	832	7.1	34	2	2	6	9	13	16	26
70-74	624	7.3	31	2	3	6	9	13	17	30
75-79	534	7.9	42	2	2	6	10	15	18	30
80-84	417	8.3	45	2	3	7	10	15	21	35
85+	392	9.3	60	2	3	7	12	18	25	38
GRAND TOTAL	**2799**	**7.8**	**41**	**2**	**2**	**6**	**10**	**14**	**18**	**32**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	4.0	8	<1	<1	4	5	8	10	12
70-74	52	4.6	10	<1	1	4	6	9	11	14
75-79	39	5.4	17	<1	1	4	8	11	14	18
80-84	27	4.6	11	1	2	4	6	8	12	15
85+	25	4.0	4	<1	2	4	4	7	8	9
B. *Operated*										
65-69 YRS	214	4.9	9	1	2	4	6	9	11	16
70-74	142	5.3	11	2	2	4	7	9	10	18
75-79	70	5.8	13	2	2	5	8	11	13	17
80-84	21	5.9	8	2	2	6	7	11	11	12
85+	11	6.2	22	2	2	4	9	13	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	196	6.4	30	1	2	5	8	13	17	30
70-74	213	7.2	32	1	2	5	9	15	20	33
75-79	220	6.7	28	2	2	5	8	12	15	30
80-84	216	7.2	45	2	2	5	9	13	16	40
85+	250	8.4	64	2	2	6	10	17	22	40
B. *Operated*										
65-69 YRS	256	6.8	28	2	2	5	8	12	17	28
70-74	191	6.9	35	2	2	5	8	13	19	31
75-79	104	8.3	40	2	3	6	10	14	23	34
80-84	48	8.5	39	2	2	7	11	16	19	36
85+	26	9.9	33	2	3	9	13	19	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	4.5	10	<1	1	4	6	9	11	15
B. *Operated*	458	5.2	10	2	2	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1095	7.3	41	2	2	5	9	14	19	33
B. *Operated*	625	7.3	33	2	3	6	9	14	19	30
1. SINGLE DX	650	5.0	10	1	2	4	6	9	11	17
2. MULTIPLE DX	1720	7.3	38	2	2	6	9	14	19	33
A. NOT OPERATED	1287	6.9	37	1	2	5	8	13	18	33
B. OPERATED	1083	6.4	25	2	2	5	8	11	16	28
TOTAL 65-69 YRS	715	5.9	22	1	2	5	7	11	14	26
70-74	598	6.4	27	2	2	5	8	12	17	30
75-79	433	6.8	28	2	2	6	8	12	16	30
80-84	312	7.1	40	2	2	5	9	13	16	36
85+	312	8.1	57	2	2	6	10	16	22	36
GRAND TOTAL	**2370**	**6.7**	**32**	**2**	**2**	**5**	**8**	**12**	**17**	**29**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	2.2	4	1	1	2	2	4	7	10
70-74	56	2.6	5	1	1	2	3	5	6	14
75-79	45	3.2	17	1	1	2	4	6	7	27
80-84	36	3.5	16	1	1	2	4	7	9	23
85+	27	2.4	4	<1	1	2	3	5	8	8
B. *Operated*										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	2	4.0	18	1	1	4	7	7	7	7
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	529	5.2	32	1	1	4	6	11	15	25
70-74	556	5.8	33	1	1	4	7	13	16	30
75-79	542	7.1	62	1	2	5	9	14	18	32
80-84	442	7.3	74	1	2	5	9	17	22	49
85+	492	7.4	59	1	2	5	9	15	19	54
B. *Operated*										
65-69 YRS	200	8.2	155	1	1	4	9	19	29	70
70-74	171	7.5	101	1	1	4	9	16	22	41
75-79	185	9.1	119	1	1	6	11	21	31	58
80-84	125	9.8	136	1	2	6	12	25	35	99+
85+	140	8.6	71	1	1	6	13	22	31	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	2.7	9	1	1	2	3	5	7	16
B. *Operated*	5	4.0	8	1	1	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2561	6.5	52	1	1	5	8	13	18	33
B. *Operated*	821	8.5	118	1	1	5	11	20	31	79
1. SINGLE DX	231	2.8	9	1	1	2	3	6	7	16
2. MULTIPLE DX	3382	7.0	69	1	1	5	9	15	21	46
A. NOT OPERATED	2787	6.2	49	1	1	4	8	13	18	32
B. OPERATED	826	8.5	118	1	1	5	11	20	31	79
TOTAL 65-69 YRS	793	5.7	64	1	1	3	7	11	18	37
70-74	785	6.0	47	1	1	4	7	13	17	33
75-79	773	7.3	74	1	1	5	9	15	20	42
80-84	603	7.6	85	1	2	5	9	18	25	68
85+	659	7.4	60	1	2	5	10	16	21	64
GRAND TOTAL	**3613**	**6.7**	**66**	**1**	**1**	**4**	**8**	**14**	**20**	**43**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	4.4	30	1	1	2	5	12	17	26
70-74	38	4.4	16	<1	1	3	6	12	14	15
75-79	42	4.7	36	<1	1	2	6	11	15	34
80-84	29	7.8	107	<1	<1	4	10	17	23	53
85+	32	5.6	34	1	1	3	8	13	21	22
B. *Operated*										
65-69 YRS	36	12.1	117	2	3	8	14	31	40	46
70-74	31	15.0	126	7	8	12	16	29	62	99+
75-79	33	16.9	234	6	7	12	23	31	77	99+
80-84	31	15.3	88	2	7	12	19	31	34	37
85+	20	15.4	70	5	7	14	20	24	32	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	265	6.2	33	1	1	4	8	14	17	29
70-74	292	8.7	108	1	1	6	11	18	31	70
75-79	310	9.7	115	1	1	6	13	20	30	56
80-84	329	10.3	112	1	2	7	14	21	36	54
85+	388	10.3	115	1	2	7	14	24	32	97
B. *Operated*										
65-69 YRS	184	18.7	310	1	2	14	27	50	61	99+
70-74	197	19.4	317	1	2	13	27	42	60	90
75-79	220	19.7	277	2	3	15	28	44	53	84
80-84	206	20.5	313	2	3	16	27	45	60	86
85+	187	16.6	237	1	2	13	24	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	5.2	42	<1	1	2	7	13	16	32
B. *Operated*	151	14.8	132	4	6	12	17	29	40	99
2. MULTIPLE DX										
A. *Not Operated*	1584	9.2	101	1	2	6	12	20	29	56
B. *Operated*	994	19.0	292	2	3	14	26	45	57	99+
1. SINGLE DX	332	9.6	105	1	1	7	13	22	30	68
2. MULTIPLE DX	2578	13.0	197	1	2	8	17	31	45	85
A. NOT OPERATED	1765	8.8	97	1	1	6	12	19	28	53
B. OPERATED	1145	18.5	272	2	3	13	26	43	56	99+
TOTAL 65-69 YRS	525	10.8	171	1	1	6	14	28	41	97
70-74	558	12.5	205	1	2	8	16	31	42	84
75-79	605	13.4	202	1	2	8	18	33	44	78
80-84	595	14.0	203	1	2	10	18	32	45	77
85+	627	12.1	156	1	2	8	16	28	43	99+
GRAND TOTAL	**2910**	**12.6**	**188**	**1**	**2**	**8**	**16**	**30**	**43**	**85**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.1	44	2	2	2	4	17	20	20
70-74	6	2.8	4	1	1	2	4	6	6	6
75-79	5	3.0	5	2	2	2	4	7	7	7
80-84	4	3.8	8	1	1	3	6	7	7	7
85+	3	7.3	34	3	3	5	12	14	14	14
B. *Operated*										
65-69 YRS	12	5.1	4	3	3	5	6	9	9	9
70-74	4	24.0	423	5	5	19	37	53	53	53
75-79	3	3.7	1	3	3	3	5	5	5	5
80-84										
85+	3	6.7	30	3	3	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	7.3	31	1	2	6	9	14	19	28
70-74	92	7.7	47	2	3	6	9	15	18	44
75-79	73	9.0	79	2	3	7	10	16	18	60
80-84	56	11.4	80	2	3	9	14	25	30	41
85+	38	12.6	67	4	5	9	21	26	31	99+
B. *Operated*										
65-69 YRS	116	12.4	120	3	4	9	14	28	35	76
70-74	76	15.1	196	3	4	10	20	33	43	99
75-79	78	15.8	163	3	4	12	22	32	42	65
80-84	41	16.1	185	4	5	11	19	34	45	70
85+	36	11.8	80	3	4	9	16	21	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.2	19	1	1	2	5	7	15	20
B. *Operated*	22	8.5	122	3	3	5	9	18	34	53
2. MULTIPLE DX										
A. *Not Operated*	341	9.0	60	2	3	7	11	18	24	42
B. *Operated*	347	14.1	151	3	4	10	17	30	39	70
1. SINGLE DX	47	6.2	70	1	2	4	6	14	20	53
2. MULTIPLE DX	688	11.6	112	2	3	8	14	24	33	66
A. NOT OPERATED	366	8.7	59	2	2	7	11	17	23	41
B. OPERATED	369	13.8	151	3	4	10	17	30	39	70
TOTAL 65-69 YRS	217	9.9	85	2	3	7	12	20	30	63
70-74	178	11.1	133	2	3	7	14	24	37	83
75-79	159	12.0	131	2	3	8	15	27	34	66
80-84	101	13.0	127	2	3	10	16	27	37	61
85+	80	11.8	71	3	4	9	16	23	28	85
GRAND TOTAL	**735**	**11.3**	**111**	**2**	**3**	**8**	**14**	**24**	**33**	**64**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.2	13	1	1	2	4	9	12	12
70-74	5	8.2	38	1	1	12	13	14	14	14
75-79	7	2.0	2	1	1	1	3	5	5	5
80-84	2	9.0	18	6	6	9	12	12	12	12
85+	7	4.0	3	2	2	4	5	7	7	7
B. *Operated*										
65-69 YRS	17	8.8	48	2	3	8	9	13	26	33
70-74	10	6.8	13	1	2	6	9	12	14	14
75-79	6	9.0	6	6	6	8	12	12	12	12
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	7.7	172	1	2	5	8	16	20	91
70-74	53	6.9	38	1	2	5	8	17	21	25
75-79	37	6.4	28	1	2	5	8	12	21	22
80-84	49	9.7	64	2	2	7	13	22	26	33
85+	59	8.8	76	1	2	6	12	21	24	96
B. *Operated*										
65-69 YRS	98	18.1	345	3	5	13	19	39	76	99
70-74	91	19.5	223	3	6	14	29	41	54	65
75-79	61	19.5	201	4	6	15	27	41	52	59
80-84	57	19.9	385	2	4	13	26	50	74	99+
85+	38	17.8	202	3	4	13	24	36	53	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.3	16	1	1	3	5	12	12	14
B. *Operated*	35	8.5	30	2	4	8	10	13	15	33
2. MULTIPLE DX										
A. *Not Operated*	254	8.0	80	1	2	5	10	19	23	55
B. *Operated*	345	19.0	276	3	5	14	24	42	55	97
1. SINGLE DX	65	6.6	28	1	1	6	9	12	14	30
2. MULTIPLE DX	599	14.3	222	2	3	10	19	31	48	92
A. NOT OPERATED	284	7.6	75	1	2	5	9	19	22	48
B. OPERATED	380	18.0	262	3	5	13	23	39	54	94
TOTAL 65-69 YRS	180	13.2	274	1	2	9	16	26	47	96
70-74	159	14.2	180	2	2	10	20	33	44	56
75-79	111	13.5	166	1	2	10	17	32	43	56
80-84	109	15.0	255	2	3	11	20	32	51	99
85+	105	11.8	137	2	3	8	15	26	38	78
GRAND TOTAL	**664**	**13.6**	**208**	**2**	**2**	**9**	**16**	**30**	**47**	**88**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	1	29.0		29	29	29	29	29	29	29
85+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
65-69 YRS	29	3.7	8	1	1	3	5	7	11	11
70-74	15	2.9	2	<1	1	3	4	5	6	6
75-79	12	4.6	56	1	1	2	3	13	26	28
80-84	14	2.9	3	1	1	3	4	5	7	8
85+	8	5.1	28	1	1	3	6	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	6.0	56	1	1	3	8	16	26	27
70-74	8	5.9	18	1	1	5	9	12	13	13
75-79	6	4.2	9	<1	<1	4	6	8	8	8
80-84	3	4.7	40	1	1	1	9	12	12	12
85+	18	5.9	19	<1	1	4	9	13	15	15
B. *Operated*										
65-69 YRS	55	5.1	11	1	1	4	7	10	11	14
70-74	46	7.2	165	<1	1	3	7	11	25	76
75-79	48	7.2	70	1	1	5	8	15	21	52
80-84	39	6.2	30	1	1	4	9	15	17	23
85+	46	5.4	26	1	1	4	7	11	22	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	120	1	1	2	5	27	29	29
B. *Operated*	78	3.7	15	1	1	3	4	7	10	25
2. MULTIPLE DX										
A. *Not Operated*	46	5.6	26	1	1	4	8	12	14	27
B. *Operated*	234	6.2	59	1	1	4	8	13	17	56
1. SINGLE DX	84	3.9	22	1	1	3	4	7	11	29
2. MULTIPLE DX	280	6.1	54	1	1	4	8	12	17	51
A. NOT OPERATED	52	5.8	35	1	1	4	8	12	15	29
B. OPERATED	312	5.6	49	1	1	4	7	11	16	49
TOTAL 65-69 YRS	95	4.8	15	1	1	4	7	10	11	21
70-74	70	6.0	113	<1	1	3	7	10	17	70
75-79	68	6.3	61	1	1	4	8	15	21	48
80-84	57	5.7	35	1	1	3	8	14	17	29
85+	74	5.4	24	1	1	4	7	11	17	82
GRAND TOTAL	**364**	**5.6**	**47**	**1**	**1**	**4**	**7**	**11**	**16**	**45**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	2.1	2	<1	<1	1	3	4	6	6
70-74	10	1.7	2	<1	<1	1	2	4	5	5
75-79	10	2.1	5	<1	<1	1	2	6	8	8
80-84	14	3.0	7	<1	<1	2	4	6	10	11
85+	14	3.2	5	<1	1	2	5	7	7	7
B. Operated										
65-69 YRS	33	2.8	4	<1	<1	2	3	6	8	9
70-74	23	3.6	99	<1	<1	1	2	3	20	49
75-79	26	3.7	17	<1	<1	2	5	10	12	17
80-84	18	2.1	3	<1	<1	1	2	4	7	8
85+	25	3.6	10	<1	<1	3	5	8	10	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	142	5.4	66	1	1	3	6	12	19	44
70-74	156	4.8	34	<1	1	3	6	10	12	47
75-79	179	6.4	32	1	1	5	8	13	16	35
80-84	190	6.7	42	1	1	4	9	15	20	34
85+	261	7.1	55	1	1	5	10	14	18	42
B. Operated										
65-69 YRS	298	6.4	50	1	1	4	8	14	20	42
70-74	250	5.1	31	1	1	3	6	11	13	27
75-79	267	6.4	41	1	1	4	8	14	20	34
80-84	263	7.1	75	1	1	5	9	15	22	48
85+	307	7.3	63	1	1	5	9	15	22	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	2.5	4	<1	<1	2	3	5	7	11
B. Operated	125	3.2	25	<1	<1	2	3	6	9	25
2. MULTIPLE DX										
A. Not Operated	928	6.2	46	1	1	4	8	13	18	40
B. Operated	1385	6.5	53	1	1	4	8	14	20	42
1. SINGLE DX	186	2.9	18	<1	<1	2	3	6	9	16
2. MULTIPLE DX	2313	6.4	50	1	1	4	8	14	19	41
A. NOT OPERATED	989	6.0	45	1	1	4	7	13	17	40
B. OPERATED	1510	6.2	51	1	1	4	8	13	19	42
TOTAL 65-69 YRS	486	5.7	51	1	1	3	7	13	18	41
70-74	439	4.8	35	<1	1	3	6	10	13	41
75-79	482	6.2	36	1	1	4	8	13	17	33
80-84	485	6.6	59	1	1	4	8	15	21	39
85+	607	7.0	57	1	1	5	9	15	19	45
GRAND TOTAL	**2499**	**6.1**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**40**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.8	10	<1	<1	1	3	8	11	11
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	4	5.3	13	2	2	4	8	10	10	10
85+	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	14	4.2	8	<1	1	4	6	9	10	10
70-74	16	3.2	6	1	1	2	4	7	8	8
75-79	4	3.0	7	1	1	2	5	7	7	7
80-84	2	5.0	18	2	2	5	8	8	8	8
85+	8	5.8	12	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	26	8.1	132	<1	1	4	8	26	37	47
70-74	20	3.4	9	1	1	2	4	6	10	14
75-79	23	6.1	18	1	2	5	8	11	15	20
80-84	18	8.8	152	<1	1	5	7	17	40	55
85+	30	9.5	77	1	2	5	17	21	27	35
B. Operated										
65-69 YRS	38	9.2	72	1	2	7	12	18	27	41
70-74	37	9.6	67	2	3	7	13	22	30	31
75-79	22	11.4	167	1	2	7	13	36	44	49
80-84	19	9.3	46	1	2	8	13	16	24	30
85+	15	15.5	368	1	2	7	19	32	66	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.5	9	<1	<1	2	5	8	10	11
B. Operated	44	4.0	8	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. Not Operated	117	7.4	80	1	1	4	8	18	25	50
B. Operated	131	10.4	116	1	2	7	14	21	32	54
1. SINGLE DX	64	3.9	9	<1	1	3	6	9	10	11
2. MULTIPLE DX	248	9.0	101	1	2	6	11	19	31	49
A. NOT OPERATED	137	6.8	71	1	1	4	7	17	21	48
B. OPERATED	175	8.8	96	1	2	6	11	18	31	47
TOTAL 65-69 YRS	90	7.3	75	<1	1	5	9	17	27	45
70-74	74	6.4	46	1	1	4	8	14	22	31
75-79	51	8.1	88	1	2	5	10	14	33	49
80-84	43	8.5	85	1	2	6	10	16	22	55
85+	54	10.5	154	1	2	6	17	21	31	75
GRAND TOTAL	**312**	**7.9**	**86**	**1**	**1**	**5**	**10**	**18**	**27**	**48**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.1	5	<1	<1	2	4	7	8	8
70-74	16	2.5	4	<1	<1	2	3	6	7	7
75-79	11	3.2	8	<1	<1	3	4	8	10	10
80-84	10	5.9	29	1	1	4	7	15	17	17
85+	3	23.7	914	<1	<1	12	46	58	58	58
B. *Operated*										
65-69 YRS	168	2.5	12	<1	<1	1	3	4	8	25
7C 74	100	2.8	12	<1	1	2	3	5	6	22
75-79	61	2.3	3	<1	<1	2	3	5	6	8
80-84	32	3.3	11	<1	<1	2	4	8	10	15
85+	32	3.3	8	<1	1	8	4	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	4.4	14	1	1	3	5	10	12	18
70-74	49	6.4	32	2	2	5	7	12	16	37
75-79	36	6.9	27	3	3	5	9	16	20	23
80-84	43	6.7	29	1	1	6	9	12	14	31
85+	50	8.4	54	1	1	7	11	18	25	35
B. *Operated*										
65-69 YRS	289	4.2	35	1	1	2	4	9	12	30
70-74	197	5.1	50	1	1	3	6	11	17	43
75-79	112	5.5	52	<1	1	3	7	12	23	41
80-84	58	7.3	70	1	1	4	11	18	29	36
85+	79	9.2	135	1	1	6	11	15	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.5	61	<1	<1	2	5	8	13	54
B. *Operated*	393	2.7	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	227	6.6	33	1	2	5	8	12	18	32
B. *Operated*	735	5.4	57	1	1	3	6	12	18	41
1. SINGLE DX	452	2.9	17	<1	<1	2	3	6	8	17
2. MULTIPLE DX	962	5.7	52	1	1	3	7	12	18	40
A. NOT OPERATED	286	6.1	39	1	1	4	8	12	17	34
B. OPERATED	1128	4.5	43	<1	1	2	5	10	14	37
TOTAL 65-69 YRS	525	3.6	25	1	1	2	4	8	11	27
70-74	362	4.5	37	1	1	3	5	9	14	37
75-79	220	4.7	35	<1	1	3	5	10	16	30
80-84	143	6.1	44	1	1	4	8	13	18	34
85+	164	8.1	103	1	1	5	10	14	29	58
GRAND TOTAL	**1414**	**4.8**	**42**	**1**	**1**	**3**	**5**	**11**	**14**	**36**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.6	16	1	2	5	8	12	14	14
70-74	18	6.9	47	1	1	4	7	18	23	25
75-79	12	3.8	4	<1	1	3	5	7	7	7
80-84	10	9.6	84	<1	2	5	15	23	31	31
85+	10	6.3	23	<1	<1	5	10	13	15	15
B. *Operated*										
65-69 YRS	66	5.6	29	1	1	4	7	10	16	29
70-74	45	5.7	17	1	1	4	8	14	14	15
75-79	32	7.5	52	1	1	6	10	15	27	32
80-84	17	10.4	100	2	2	6	14	25	33	37
85+	19	10.5	101	1	2	8	11	26	36	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	6.9	48	1	2	5	8	13	18	46
70-74	74	9.4	103	3	4	7	11	17	20	70
75-79	72	12.5	160	2	3	9	15	25	35	75
80-84	50	10.9	81	2	3	8	16	24	30	44
85+	60	10.3	68	2	3	9	14	19	37	93
B. *Operated*										
65-69 YRS	131	12.0	126	1	2	9	17	27	36	70
70-74	134	12.6	153	2	3	9	15	25	43	61
75-79	108	16.7	242	2	3	13	22	44	60	99+
80-84	66	15.1	196	2	2	12	22	35	60	99+
85+	53	15.8	217	1	2	12	26	32	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.4	36	1	1	4	7	15	18	30
B. *Operated*	179	6.9	47	1	1	5	8	14	22	36
2. MULTIPLE DX										
A. *Not Operated*	318	10.0	97	2	3	8	13	18	26	65
B. *Operated*	492	14.0	180	2	2	10	18	31	49	99+
1. SINGLE DX	241	6.8	44	1	1	5	8	14	20	32
2. MULTIPLE DX	810	12.5	151	2	3	9	16	28	38	86
A. NOT OPERATED	380	9.4	89	2	2	7	12	18	25	56
B. OPERATED	671	12.1	154	1	2	8	16	29	39	85
TOTAL 65-69 YRS	271	9.0	88	1	2	6	11	20	29	51
70-74	271	10.2	116	2	2	7	13	20	25	60
75-79	224	13.4	190	2	2	9	16	29	47	85
80-84	143	12.7	140	2	2	9	17	31	37	99+
85+	142	12.1	132	1	2	9	15	29	37	99+
GRAND TOTAL	**1051**	**11.2**	**132**	**1**	**2**	**8**	**15**	**25**	**35**	**75**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		<1	<1	<1	2	2	2	2
70-74										
75-79	2	5.5	5	4	4	5	7	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	5.3	12	2	2	5	8	9	9	9
70-74	7	6.4	29	2	2	4	10	15	16	16
75-79	9	15.9	464	2	3	8	15	50	72	72
80-84	5	6.4	79	1	1	3	9	22	22	22
85+	7	8.7	35	3	3	5	15	17	17	17
B. *Operated*										
65-69 YRS	26	13.5	339	1	1	8	16	29	54	87
70-74	15	10.4	125	1	2	6	12	35	36	36
75-79	17	14.1	158	3	6	12	16	27	46	55
80-84	8	5.3	21	1	1	4	8	13	14	14
85+	6	12.0	290	3	3	4	12	43	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	7	<1	<1	2	5	7	7	7
B. *Operated*	5	4.8	16	1	1	4	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	31	9.6	166	1	2	5	12	17	22	72
B. *Operated*	72	12.0	210	1	2	7	14	29	45	80
1. SINGLE DX	10	3.9	11	<1	<1	3	6	9	11	11
2. MULTIPLE DX	103	11.2	196	1	2	6	13	24	39	79
A. NOT OPERATED	36	8.7	148	<1	1	5	11	17	21	72
B. OPERATED	77	11.5	200	1	1	6	13	29	42	78
TOTAL 65-69 YRS	33	11.6	282	<1	1	6	11	29	43	87
70-74	24	8.6	90	1	2	5	11	20	35	36
75-79	28	14.0	238	2	4	9	15	26	57	72
80-84	14	5.4	37	1	1	3	5	15	20	22
85+	14	9.9	131	3	3	5	12	20	40	46
GRAND TOTAL	**113**	**10.6**	**184**	**1**	**1**	**6**	**12**	**22**	**36**	**78**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	5.2	16	1	2	4	6	12	13	13
70-74	12	4.6	15	<1	1	4	5	11	14	15
75-79	7	8.4	40	<1	<1	10	12	17	18	18
80-84	5	9.4	50	2	2	8	15	19	19	19
85+	9	13.9	212	3	3	6	24	38	44	44
B. *Operated*										
65-69 YRS	43	5.8	54	1	2	3	6	12	15	46
70-74	30	6.3	44	2	2	4	7	14	21	32
75-79	19	9.4	32	2	2	9	13	18	20	21
80-84	15	9.1	79	<1	1	7	11	23	30	32
85+	13	9.4	48	2	2	6	13	22	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	11.1	95	2	3	8	15	25	35	40
70-74	61	10.8	169	1	2	6	15	24	29	80
75-79	73	12.5	119	2	3	10	18	24	32	62
80-84	65	12.2	92	2	3	10	17	23	29	50
85+	78	12.8	107	2	3	10	18	25	30	55
B. *Operated*										
65-69 YRS	103	8.6	67	1	2	6	12	21	24	40
70-74	94	10.1	62	2	3	8	15	20	27	74
75-79	80	12.4	119	1	2	10	17	29	33	49
80-84	47	22.1	370	3	4	16	28	46	71	88
85+	36	18.8	157	5	6	16	22	34	49	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	7.6	67	1	2	4	11	17	23	44
B. *Operated*	120	7.3	51	2	2	4	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	339	12.0	115	2	3	9	17	24	30	52
B. *Operated*	360	12.6	146	2	2	9	17	28	36	69
1. SINGLE DX	167	7.4	55	1	2	4	10	16	21	42
2. MULTIPLE DX	699	12.3	131	2	2	9	17	25	34	57
A. NOT OPERATED	386	11.4	111	2	2	8	16	24	29	51
B. OPERATED	480	11.3	128	2	2	8	15	24	33	57
TOTAL 65-69 YRS	222	8.5	73	1	2	5	12	21	25	42
70-74	197	9.4	92	2	2	6	13	20	28	67
75-79	179	11.9	107	2	2	10	17	25	30	49
80-84	132	15.3	212	2	3	11	19	32	42	74
85+	136	14.1	127	2	4	11	19	28	37	56
GRAND TOTAL	**866**	**11.3**	**120**	**2**	**2**	**8**	**16**	**24**	**32**	**54**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.4	29	1	1	4	11	14	14	14
70-74	5	3.0	1	2	2	3	3	4	4	4
75-79	4	4.3	8	1	1	4	6	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	5	6.6	26	2	2	6	10	14	14	14
70-74										
75-79	4	3.0	1	2	2	3	4	4	4	4
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	5.1	13	2	2	4	6	8	15	18
70-74	28	5.2	13	1	2	4	7	10	13	16
75-79	36	7.0	81	<1	1	4	7	15	28	45
80-84	21	4.7	11	1	2	4	7	12	48	99+
85+	38	6.6	84	1	1	4	7	12	21	54
B. *Operated*										
65-69 YRS	6	5.7	41	1	1	3	7	17	18	18
70-74	11	8.3	38	1	2	7	10	19	21	21
75-79	11	9.3	72	2	3	7	10	20	32	33
80-84	11	9.5	94	1	1	6	13	25	32	33
85+	6	14.0	205	2	2	8	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.4	12	1	1	3	5	10	13	14
B. *Operated*	10	5.3	16	2	2	4	8	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	153	5.9	46	1	2	4	6	11	18	54
B. *Operated*	45	9.2	79	1	2	7	11	21	32	33
1. SINGLE DX	26	4.7	13	1	2	3	6	10	14	14
2. MULTIPLE DX	198	6.6	55	1	2	4	7	13	21	50
A. NOT OPERATED	169	5.7	43	1	2	4	6	11	16	52
B. OPERATED	55	8.5	70	1	2	6	11	19	32	33
TOTAL 65-69 YRS	46	5.5	18	1	2	4	6	13	16	18
70-74	44	5.7	20	1	2	4	7	11	16	21
75-79	55	7.0	69	1	2	4	7	12	28	44
80-84	34	6.3	41	1	2	4	8	13	29	99+
85+	45	7.5	101	1	2	4	7	20	32	54
GRAND TOTAL	**224**	**6.4**	**51**	**1**	**2**	**4**	**7**	**13**	**20**	**47**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	162	3.5	10	<1	<1	2	4	7	10	15
70-74	158	3.9	8	<1	1	3	5	[illegible]	10	11
75-79	209	4.3	12	1	1	3	6	9	11	19
80-84	157	5.0	14	1	1	4	7	11	13	19
85+	216	4.9	14	1	1	4	7	11	13	18
B. *Operated*										
65-69 YRS	41	5.6	13	1	2	4	8	10	14	15
70-74	29	6.1	26	1	2	4	10	14	15	19
75-79	24	5.0	18	1	2	3	6	14	14	15
80-84	19	5.8	31	1	1	3	10	13	18	21
85+	17	9.3	56	1	2	6	12	18	27	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1162	6.3	32	1	1	5	8	13	16	23
70-74	1478	6.8	40	1	2	5	8	14	18	30
75-79	1655	7.5	46	1	2	5	10	16	20	32
80-84	1928	8.0	52	1	2	6	10	16	22	41
85+	2607	8.3	61	2	2	6	10	16	21	40
B. *Operated*										
65-69 YRS	210	10.0	103	1	2	7	12	23	33	46
70-74	216	11.8	131	2	2	8	15	27	37	66
75-79	225	14.0	208	2	3	10	18	31	45	90
80-84	213	13.4	124	2	3	10	18	26	34	57
85+	221	14.7	155	2	3	11	20	33	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	4.4	12	<1	1	3	6	9	11	17
B. *Operated*	130	6.1	26	1	2	4	8	14	15	23
2. MULTIPLE DX										
A. *Not Operated*	8830	7.5	50	1	2	6	10	15	19	35
B. *Operated*	1085	12.8	147	2	2	9	17	28	37	64
1. SINGLE DX	1032	4.6	14	<1	1	3	6	10	13	18
2. MULTIPLE DX	9915	8.1	63	1	2	6	10	16	22	41
A. NOT OPERATED	9732	7.3	47	1	2	5	9	14	19	33
B. OPERATED	1215	12.1	139	2	2	9	16	27	36	56
TOTAL 65-69 YRS	1575	6.5	42	1	1	5	8	14	17	33
70-74	1881	7.1	51	1	2	5	9	15	19	36
75-79	2113	7.9	65	1	2	5	10	16	21	42
80-84	2317	8.3	59	1	2	6	11	17	23	44
85+	3061	8.5	68	2	2	6	11	17	23	42
GRAND TOTAL	**10947**	**7.8**	**59**	**1**	**2**	**6**	**10**	**16**	**21**	**40**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	2	7.5	1	7	7	7	8	8	8	8
80-84										
85+										
B. *Operated*										
65-69 YRS	5	6.6	35	<1	<1	3	12	14	14	14
70-74	3	3.0	3	1	1	4	4	4	4	4
75-79										
80-84	2	4.5	25	1	1	4	8	8	8	8
85+	2	13.5	41	9	9	13	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	4.8	16	<1	1	4	5	12	14	14
70-74	3	8.0	9	5	5	8	10	11	11	11
75-79	5	12.2	203	3	3	7	17	37	37	37
80-84	3	2.7	1	2	2	2	4	4	4	4
85+	5	7.2	25	2	2	5	12	13	13	13
B. *Operated*										
65-69 YRS	20	8.4	104	1	1	4	11	20	34	43
70-74	9	14.4	307	2	2	7	18	43	57	57
75-79	8	11.9	60	3	4	9	19	23	23	23
80-84	8	18.8	482	2	3	12	22	56	69	69
85+	10	16.0	209	1	2	9	25	40	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*	12	6.5	32	<1	1	4	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*	24	7.0	56	1	2	4	9	13	21	37
B. *Operated*	55	12.8	202	1	2	8	16	27	42	68
1. SINGLE DX	14	6.6	27	<1	1	6	9	14	17	18
2. MULTIPLE DX	79	11.0	164	1	2	7	14	25	40	66
A. NOT OPERATED	26	7.0	51	1	2	5	8	13	19	37
B. OPERATED	67	11.6	177	1	1	7	16	25	41	67
TOTAL 65-69 YRS	33	7.2	72	<1	1	4	11	14	23	43
70-74	15	10.9	201	1	2	5	15	22	48	57
75-79	15	11.4	91	3	3	7	14	23	34	37
80-84	13	12.8	344	1	2	5	16	35	63	69
85+	17	13.1	142	1	2	9	18	36	40	41
GRAND TOTAL	**93**	**10.3**	**145**	**1**	**2**	**7**	**13**	**24**	**39**	**64**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	9.0		9	9	9	9	9	9	9
85+										
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	5.0		5	5	5	5	5	5	5
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	3	3.0	3	2	2	2	4	5	5	5
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	4	4.5	11	2	2	4	7	9	9	9
A. NOT OPERATED	1	9.0		9	9	9	9	9	9	9
B. OPERATED	5	2.4	2	1	1	2	3	5	5	5
TOTAL 65-69 YRS										
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	7.0	8	5	5	7	9	9	9	9
85+										
GRAND TOTAL	**6**	**3.5**	**9**	**1**	**1**	**2**	**5**	**9**	**9**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	1.4	1	<1	<1	1	2	2	3	5
70-74	122	1.8	2	<1	1	1	2	3	4	7
75-79	71	1.6	3	<1	1	1	2	3	4	11
80-84	55	2.0	5	<1	1	1	2	3	5	15
85+	72	1.9	4	<1	<1	1	2	4	5	12
B. *Operated*										
65-69 YRS	28	3.0	11	<1	1	2	3	8	12	14
70-74	28	4.4	118	1	1	1	2	7	17	58
75-79	20	3.3	6	<1	1	2	5	7	8	9
80-84	17	2.5	15	<1	<1	1	2	4	12	17
85+	11	2.7	6	1	1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	3.6	13	1	1	2	4	8	12	21
70-74	180	4.5	20	1	1	3	6	11	14	22
75-79	200	4.6	24	1	1	3	6	11	14	26
80-84	147	3.8	9	1	1	3	5	7	11	14
85+	179	5.1	33	1	1	3	6	12	15	23
B. *Operated*										
65-69 YRS	140	8.4	135	1	1	4	10	19	28	65
70-74	154	8.8	101	1	1	5	12	24	29	65
75-79	120	8.3	103	1	1	5	10	19	27	61
80-84	79	7.4	65	1	2	5	11	16	21	49
85+	79	7.9	69	1	2	5	10	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	1.7	2	<1	1	1	2	3	4	8
B. *Operated*	104	3.3	38	1	1	2	3	7	10	36
2. MULTIPLE DX										
A. *Not Operated*	885	4.3	21	1	1	3	5	10	14	21
B. *Operated*	572	8.3	100	1	1	5	11	19	27	59
1. SINGLE DX	537	2.0	10	<1	1	1	2	3	5	13
2. MULTIPLE DX	1457	5.9	55	1	1	3	7	14	19	36
A. NOT OPERATED	1318	3.5	16	1	1	2	4	8	12	19
B. OPERATED	676	7.5	94	1	1	4	9	18	25	58
TOTAL 65-69 YRS	460	4.5	54	1	1	2	5	10	17	35
70-74	484	5.2	54	1	1	2	6	13	18	41
75-79	411	5.1	48	1	1	3	6	12	17	33
80-84	298	4.3	27	1	1	3	5	11	14	23
85+	341	5.0	38	1	1	3	6	12	17	34
GRAND TOTAL	**1994**	**4.9**	**46**	**1**	**1**	**3**	**5**	**12**	**17**	**34**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.6	11	2	2	4	8	10	10	10
70-74	2	6.0	50	1	1	6	11	11	11	11
75-79	4	12.5	47	6	6	11	18	21	21	21
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	20	18.4	291	2	2	11	27	46	57	60
70-74	17	16.2	343	2	2	8	21	50	58	62
75-79	12	9.8	55	2	3	8	13	22	25	26
80-84	8	23.9	567	3	3	19	36	63	70	70
85+	8	25.3	185	4	6	25	33	44	47	47
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	11.8	71	2	4	9	18	26	29	32
70-74	34	12.1	45	3	5	11	15	21	25	30
75-79	24	13.7	59	4	4	13	17	25	30	32
80-84	21	14.9	55	2	5	15	20	25	27	28
85+	20	13.9	44	4	5	15	17	20	26	32
B. *Operated*										
65-69 YRS	94	23.6	330	2	5	21	38	55	99+	99+
70-74	75	25.3	442	4	5	20	39	68	98	99+
75-79	60	28.0	311	5	7	27	35	59	76	99+
80-84	49	35.0	475	10	11	32	53	79	99	99+
85+	44	31.2	340	7	12	26	44	58	65	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.7	31	1	2	6	10	16	20	21
B. *Operated*	65	17.8	288	2	3	11	26	47	55	69
2. MULTIPLE DX										
A. *Not Operated*	140	13.0	56	3	4	12	17	24	28	32
B. *Operated*	322	27.6	388	4	6	25	42	64	94	99+
1. SINGLE DX	78	16.1	258	2	2	10	22	40	53	68
2. MULTIPLE DX	462	23.1	332	4	5	19	32	56	76	99+
A. NOT OPERATED	153	12.5	56	3	4	11	17	23	28	32
B. OPERATED	387	25.9	384	3	5	23	39	60	80	99+
TOTAL 65-69 YRS	160	19.4	277	2	4	15	29	50	66	99+
70-74	128	20.3	350	3	4	14	29	57	74	99+
75-79	100	21.8	267	4	5	19	29	46	63	99+
80-84	79	28.1	443	3	6	24	42	71	84	99+
85+	73	25.4	296	5	7	21	34	51	61	78
GRAND TOTAL	**540**	**22.1**	**327**	**3**	**4**	**17**	**31**	**54**	**72**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	9.8	72	1	2	8	14	25	28	31
70-74	19	8.5	68	1	1	5	11	23	26	27
75-79	10	11.8	356	2	3	6	9	38	65	65
80-84	14	10.1	63	1	1	9	16	22	26	27
85+	9	6.0	10	2	2	6	9	10	10	10
B. *Operated*										
65-69 YRS	12	11.3	79	2	2	8	14	28	29	29
70-74	5	24.6	514	1	1	17	43	57	57	57
75-79	9	13.9	93	2	2	13	22	27	27	27
80-84	5	13.6	33	5	5	15	18	19	19	19
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	157	9.7	75	1	2	7	13	19	25	38
70-74	127	12.1	129	1	1	8	16	26	34	56
75-79	82	12.1	130	2	2	8	17	25	35	60
80-84	83	12.3	147	2	3	7	16	27	40	60
85+	78	14.5	204	2	2	11	20	30	42	99
B. *Operated*										
65-69 YRS	58	21.0	434	1	3	13	30	52	67	90
70-74	56	24.2	383	3	6	17	39	62	78	99+
75-79	54	23.4	254	4	6	20	36	43	63	98
80-84	27	25.9	203	7	9	23	35	47	51	60
85+	29	32.3	498	7	7	32	46	61	72	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	9.4	95	1	1	8	11	22	27	55
B. *Operated*	31	14.5	148	2	2	12	19	28	38	57
2. MULTIPLE DX										
A. *Not Operated*	527	11.8	129	1	2	8	16	25	34	58
B. *Operated*	224	24.4	364	3	5	19	36	54	70	99+
1. SINGLE DX	109	10.8	114	1	2	8	14	26	27	60
2. MULTIPLE DX	751	15.5	232	1	3	11	20	37	49	78
A. NOT OPERATED	605	11.5	125	1	2	8	16	25	33	58
B. OPERATED	255	23.2	347	2	4	18	35	53	65	99
TOTAL 65-69 YRS	253	12.4	178	1	2	8	16	27	38	70
70-74	207	15.3	232	1	2	11	20	39	55	87
75-79	155	16.1	210	2	3	12	23	37	44	70
80-84	129	14.9	175	2	3	11	19	35	46	60
85+	116	18.3	330	2	3	12	25	43	59	97
GRAND TOTAL	**860**	**14.9**	**219**	**1**	**2**	**10**	**19**	**35**	**48**	**78**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.6	10	2	2	3	6	10	10	10
70-74	6	20.0	1319	<1	1	6	7	85	94	94
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	3	5.0	12	3	3	3	8	9	9	9
85+	2	16.0	242	5	5	16	27	27	27	27
B. *Operated*										
65-69 YRS	11	2.1	2	<1	<1	2	3	4	5	5
70-74	7	16.6	692	2	2	3	23	63	72	72
75-79	2	26.5	685	8	8	26	45	45	45	45
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	7.5	44	2	2	6	10	14	24	30
70-74	40	10.2	52	2	3	8	12	22	27	29
75-79	33	14.0	179	2	3	11	19	59	99+	99+
80-84	44	12.7	174	2	3	9	18	27	31	78
85+	45	9.2	49	2	2	7	11	16	26	33
B. *Operated*										
65-69 YRS	43	16.1	342	1	2	10	21	47	56	85
70-74	27	14.3	316	1	2	8	23	51	72	99+
75-79	17	13.3	149	<1	1	10	21	35	36	37
80-84	11	13.2	53	3	5	13	20	49	93	99+
85+	6	14.7	226	1	1	11	17	40	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	11.0	462	1	2	5	7	22	67	94
B. *Operated*	22	8.9	310	<1	<1	3	4	34	56	72
2. MULTIPLE DX										
A. *Not Operated*	198	10.7	101	2	2	8	13	25	31	99+
B. *Operated*	104	14.8	260	1	2	10	21	42	54	99+
1. SINGLE DX	40	9.8	369	<1	1	3	6	28	58	94
2. MULTIPLE DX	302	12.1	159	2	2	9	15	29	47	99+
A. NOT OPERATED	216	10.7	129	2	2	7	13	26	31	99+
B. OPERATED	126	13.8	271	1	1	8	20	41	53	99+
TOTAL 65-69 YRS	95	10.6	198	1	2	5	13	26	43	75
70-74	80	12.9	275	1	2	8	13	29	59	98
75-79	54	13.9	176	2	2	10	20	43	86	99+
80-84	59	12.2	144	2	3	9	18	27	31	98
85+	54	9.9	72	2	2	7	12	20	30	43
GRAND TOTAL	**342**	**11.8**	**183**	**2**	**2**	**8**	**14**	**29**	**47**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.5	6	<1	1	3	5	7	8	9
70-74	28	3.9	15	<1	<1	2	5	10	12	16
75-79	25	5.9	40	1	1	3	7	17	19	26
80-84	33	5.0	8	1	2	5	7	8	11	12
85+	42	4.5	18	<1	1	4	5	12	14	18
B. *Operated*										
65-69 YRS	25	6.8	39	<1	1	5	10	16	20	22
70-74	18	6.8	70	2	2	4	7	16	29	36
75-79	6	3.7	9	1	1	3	5	9	9	9
80-84	9	9.9	75	2	2	7	14	24	26	26
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	6.4	30	1	2	5	8	12	16	29
70-74	249	6.9	34	1	1	6	9	13	18	30
75-79	283	7.9	36	1	2	6	10	16	21	29
80-84	253	8.0	49	2	2	6	10	15	21	34
85+	342	8.9	54	2	2	7	12	17	23	49
B. *Operated*										
65-69 YRS	68	13.4	271	1	2	8	17	29	58	99
70-74	79	16.3	287	1	2	10	23	39	61	95
75-79	47	13.7	159	2	2	10	23	32	47	99+
80-84	35	14.8	123	3	4	11	22	32	45	99+
85+	36	16.0	204	2	3	12	23	36	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.5	16	<1	1	4	6	9	13	18
B. *Operated*	60	6.8	50	1	1	4	8	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	1337	7.8	42	1	2	6	10	15	21	31
B. *Operated*	265	14.8	226	2	2	10	21	36	52	99+
1. SINGLE DX	224	5.1	26	<1	1	4	6	12	16	26
2. MULTIPLE DX	1602	8.9	80	1	2	6	11	19	26	54
A. NOT OPERATED	1501	7.4	41	1	2	6	9	15	20	30
B. OPERATED	325	13.3	203	1	2	9	18	32	46	99+
TOTAL 65-69 YRS	339	7.5	85	1	1	5	8	15	21	59
70-74	374	8.7	103	1	1	6	10	19	30	65
75-79	361	8.5	56	1	2	6	11	18	25	37
80-84	330	8.5	59	2	2	6	11	18	24	50
85+	422	9.1	68	1	2	7	12	18	24	51
GRAND TOTAL	**1826**	**8.5**	**75**	**1**	**2**	**6**	**10**	**18**	**24**	**50**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	99	4.1	20	1	1	3	4	8	11	28
70-74	78	4.0	20	1	1	3	5	7	10	28
75-79	67	4.9	16	1	1	4	6	10	12	22
80-84	60	5.1	22	1	1	4	6	10	14	27
85+	64	4.9	19	1	1	3	6	12	13	21
B. *Operated*										
65-69 YRS	3	6.3	20	2	2	6	10	11	11	11
70-74	6	11.2	109	1	1	10	21	24	24	24
75-79	6	8.8	69	3	3	5	10	23	25	25
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1205	7.0	47	1	2	5	9	14	19	40
70-74	1343	7.3	46	1	2	6	9	14	19	34
75-79	1185	7.7	50	2	2	6	9	14	19	36
80-84	929	7.7	56	2	2	6	9	14	19	35
85+	818	7.8	50	1	2	6	10	14	18	31
B. *Operated*										
65-69 YRS	119	14.5	182	3	3	11	18	30	38	74
70-74	114	15.7	188	3	4	12	20	32	41	73
75-79	120	15.2	139	3	5	13	20	28	40	91
80-84	88	16.8	181	3	5	13	21	38	43	90
85+	72	12.6	71	2	4	11	17	24	32	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	4.5	19	1	1	3	5	9	13	24
B. *Operated*	16	8.9	67	1	1	5	13	24	25	25
2. MULTIPLE DX										
A. *Not Operated*	5480	7.4	49	1	2	6	9	14	19	35
B. *Operated*	513	15.1	158	3	4	12	19	31	40	75
1. SINGLE DX	384	4.7	22	1	1	3	5	10	13	25
2. MULTIPLE DX	5993	8.1	63	1	2	6	10	16	22	40
A. NOT OPERATED	5848	7.3	48	1	2	5	9	14	18	34
B. OPERATED	529	14.9	156	3	4	12	19	31	39	75
TOTAL 65-69 YRS	1426	7.4	61	1	2	5	9	15	22	45
70-74	1541	7.8	61	1	2	6	9	16	21	38
75-79	1378	8.2	61	2	2	6	10	16	22	43
80-84	1078	8.3	71	2	2	6	10	16	23	42
85+	954	8.0	52	1	2	6	10	15	20	33
GRAND TOTAL	**6377**	**7.9**	**61**	**1**	**2**	**6**	**10**	**16**	**21**	**39**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	84	2.4	6	<1	1	2	3	5	7	13
70-74	67	2.2	4	<1	1	2	2	5	5	11
75-79	21	1.6	1	1	1	1	2	3	3	3
80-84	18	2.3	4	1	1	2	3	5	8	9
85+	25	2.2	2	<1	1	2	3	4	5	6
B. *Operated*										
65-69 YRS	4	2.8		2	2	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	238	4.8	39	1	1	3	5	9	21	37
70-74	166	4.6	30	1	1	3	5	9	15	23
75-79	141	4.7	44	1	1	3	6	9	12	29
80-84	105	6.4	52	1	1	4	8	13	22	39
85+	69	7.3	104	1	1	5	7	18	22	54
B. *Operated*										
65-69 YRS	15	16.5	132	2	2	14	28	31	36	37
70-74	14	13.7	139	2	2	10	21	34	36	37
75-79	11	14.5	157	1	1	10	28	32	33	33
80-84	15	23.1	572	1	2	15	33	60	78	84
85+	6	18.2	523	4	4	8	21	59	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.2	4	<1	1	2	3	5	6	11
B. *Operated*	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	719	5.2	46	1	1	3	6	10	17	40
B. *Operated*	61	17.3	278	1	2	11	29	35	52	82
1. SINGLE DX	219	2.2	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	780	6.1	75	1	1	3	7	13	23	46
A. NOT OPERATED	934	4.5	38	1	1	3	5	9	13	36
B. OPERATED	65	16.4	273	2	2	10	24	34	49	81
TOTAL 65-69 YRS	341	4.7	42	1	1	2	5	10	21	36
70-74	247	4.4	35	1	1	2	5	10	15	34
75-79	173	4.9	52	1	1	3	6	10	16	33
80-84	138	7.7	129	1	1	4	9	18	30	63
85+	100	6.7	111	1	1	3	6	15	21	59
GRAND TOTAL	**999**	**5.3**	**62**	**1**	**1**	**3**	**6**	**11**	**20**	**44**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	126	3.3	18	<1	1	2	3	6	10	27
70-74	137	3.9	12	1	1	3	5	8	10	18
75-79	114	3.8	8	1	1	3	5	8	9	13
80-84	79	4.4	12	1	1	3	6	9	11	19
85+	71	5.6	53	1	1	4	6	10	11	46
B. *Operated*										
65-69 YRS	6	3.2	5	1	1	3	5	6	6	6
70-74	8	16.9	310	2	2	10	28	46	48	48
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1074	5.8	24	1	1	5	7	12	14	27
70-74	1220	6.8	44	1	2	5	8	13	18	31
75-79	1115	6.7	35	1	2	5	8	13	16	32
80-84	895	7.5	55	1	2	6	9	14	18	42
85+	883	8.3	55	2	3	6	10	16	21	39
B. *Operated*										
65-69 YRS	142	14.2	199	2	2	10	19	34	51	99+
70-74	146	13.7	247	2	3	10	16	28	45	87
75-79	118	13.0	99	2	4	10	17	24	35	75
80-84	96	14.2	155	2	3	11	19	29	35	71
85+	62	17.1	258	2	3	13	22	39	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	4.0	18	1	1	3	5	8	10	22
B. *Operated*	21	8.2	159	1	1	4	7	26	44	48
2. MULTIPLE DX										
A. *Not Operated*	5187	7.0	43	1	2	5	9	13	17	33
B. *Operated*	564	14.1	189	2	3	10	18	30	44	88
1. SINGLE DX	548	4.2	24	1	1	3	5	8	11	27
2. MULTIPLE DX	5751	7.7	61	1	2	6	9	15	20	43
A. NOT OPERATED	5714	6.7	41	1	2	5	8	13	17	32
B. OPERATED	585	13.9	189	2	3	10	18	30	44	87
TOTAL 65-69 YRS	1348	6.4	50	1	1	5	8	13	18	39
70-74	1511	7.3	67	1	2	5	9	14	19	44
75-79	1350	7.0	42	1	2	5	9	14	19	36
80-84	1072	7.9	65	1	2	6	10	15	20	44
85+	1018	8.7	72	2	2	6	10	17	22	50
GRAND TOTAL	**6299**	**7.4**	**59**	**1**	**2**	**5**	**9**	**15**	**20**	**41**

Length of Stay Tables
Operation Groups

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	5.4	37	1	1	4	6	13	17	34
70-74	103	5.6	26	<1	1	4	7	12	16	25
75-79	80	6.5	43	<1	1	5	8	14	21	32
80-84	53	5.9	22	<1	1	4	8	13	15	19
85+	57	8.2	137	1	1	4	9	19	31	70
B. *Operated*										
65-69 YRS	1072	8.4	75	1	2	5	11	18	25	44
70-74	975	8.5	88	1	2	5	12	18	25	47
75-79	942	9.0	91	1	2	5	13	19	27	51
80-84	621	9.0	96	1	2	5	12	21	26	43
85+	477	8.2	83	1	2	5	10	19	26	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	380	8.0	60	1	1	6	11	17	24	37
70-74	406	8.2	64	1	2	6	11	17	25	41
75-79	409	8.5	83	1	2	6	11	18	27	61
80-84	295	8.2	52	1	2	6	11	16	22	33
85+	303	8.8	68	1	2	7	11	18	28	57
B. *Operated*										
65-69 YRS	3257	11.9	161	1	2	8	16	27	39	76
70-74	3104	12.3	161	1	2	8	16	28	39	65
75-79	2546	12.8	169	2	2	9	17	29	41	67
80-84	1683	13.1	182	2	2	8	18	31	41	78
85+	1301	12.6	165	2	2	9	17	29	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	6.2	48	<1	1	4	8	14	19	35
B. *Operated*	4087	8.6	66	1	2	5	12	19	25	47
2. MULTIPLE DX										
A. *Not Operated*	1793	8.3	66	1	2	6	11	17	25	47
C. *Operated*	11891	12.5	166	2	2	8	16	29	40	71
1. SINGLE DX	4461	8.4	83	1	2	5	12	19	25	46
2. MULTIPLE DX	13684	11.9	155	1	2	8	16	27	38	68
A. NOT OPERATED	2167	8.0	64	1	1	6	10	17	23	43
B. OPERATED	15978	11.5	149	1	2	8	15	26	36	66
TOTAL 65-69 YRS	4790	10.7	135	1	2	7	14	24	33	67
70-74	4588	11.0	138	1	2	7	15	25	35	61
75-79	3977	11.4	143	1	2	8	15	25	37	62
80-84	2652	11.5	149	1	2	7	15	26	35	69
85+	2138	11.0	137	1	2	7	14	25	35	67
GRAND TOTAL	**18145**	**11.1**	**140**	**1**	**2**	**7**	**15**	**25**	**35**	**64**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	274	3.5	5	1	1	3	5	6	7	11
70-74	241	3.6	5	1	1	3	5	6	8	12
75-79	163	3.8	5	1	1	4	5	7	8	12
80-84	74	4.1	7	1	2	4	5	7	9	15
85+	41	4.3	9	1	1	4	5	9	11	13
B. *Operated*										
65-69 YRS	111	5.0	38	1	1	3	5	9	11	34
70-74	85	4.8	13	1	1	4	6	11	12	16
75-79	54	5.5	18	1	2	5	7	11	15	20
80-84	38	6.6	45	1	1	4	8	14	20	35
85+	19	4.7	9	1	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	360	4.9	19	1	2	4	6	9	12	26
70-74	324	4.6	16	1	1	4	5	8	10	19
75-79	287	5.3	21	1	2	4	6	10	14	26
80-84	165	5.4	11	1	2	5	7	10	12	16
85+	124	5.8	23	1	2	5	6	12	15	26
B. *Operated*										
65-69 YRS	204	8.2	69	1	2	6	11	16	22	45
70-74	208	8.0	67	1	1	6	10	17	25	45
75-79	151	7.2	41	1	2	6	10	14	18	41
80-84	108	9.2	80	1	2	6	11	23	30	44
85+	63	10.8	119	1	2	8	14	24	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	3.7	6	1	1	3	5	7	8	12
B. *Operated*	307	5.2	26	1	1	4	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	1260	5.1	18	1	2	4	6	9	12	23
B. *Operated*	734	8.3	69	1	2	6	11	17	25	44
1. SINGLE DX	1100	4.1	12	1	1	3	5	8	9	16
2. MULTIPLE DX	1994	6.3	39	1	2	5	7	12	17	34
A. NOT OPERATED	2053	4.5	14	1	1	4	5	8	11	18
B. OPERATED	1041	7.4	59	1	2	5	9	15	22	42
TOTAL 65-69 YRS	949	5.2	31	1	1	4	6	10	14	27
70-74	858	5.2	28	1	1	4	6	10	14	31
75-79	655	5.4	23	1	1	4	7	11	14	26
80-84	385	6.3	36	1	2	5	7	12	18	33
85+	247	6.7	50	1	2	5	8	13	20	42
GRAND TOTAL	**3094**	**5.5**	**31**	**1**	**1**	**4**	**6**	**11**	**15**	**30**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	104	8.5	34	2	3	7	11	16	21	29
70-74	66	8.2	33	2	3	6	10	16	19	31
75-79	56	8.3	40	2	3	6	11	18	21	31
80-84	41	9.3	48	2	3	8	11	21	24	35
85+	22	7.8	27	2	3	7	9	14	20	24
B. *Operated*										
65-69 YRS	112	10.5	106	2	3	8	13	24	31	82
70-74	92	12.6	124	2	2	9	17	29	41	46
75-79	58	9.5	59	2	2	7	13	23	26	33
80-84	28	20.3	239	2	4	17	32	45	53	56
85+	18	12.7	99	3	3	9	17	27	37	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	378	9.8	56	2	3	8	12	18	25	42
70-74	280	10.7	89	3	3	8	14	20	27	42
75-79	217	10.2	46	2	3	8	14	18	24	36
80-84	127	11.3	113	3	4	8	14	21	27	71
85+	93	11.2	51	3	4	10	14	21	25	38
B. *Operated*										
65-69 YRS	421	17.0	219	3	4	12	23	39	47	78
70-74	327	17.8	234	4	5	12	24	41	54	83
75-79	216	18.1	213	3	4	14	25	42	50	99+
80-84	130	20.2	355	2	4	15	25	44	60	89
85+	88	21.5	301	3	6	15	28	51	59	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	8.4	36	2	3	7	11	17	21	32
B. *Operated*	308	12.0	121	2	2	8	17	27	38	54
2. MULTIPLE DX										
A. *Not Operated*	1095	10.4	69	3	3	8	13	19	26	42
B. *Operated*	1182	18.1	244	3	4	13	24	41	54	88
1. SINGLE DX	597	10.3	83	2	3	7	13	22	29	48
2. MULTIPLE DX	2277	14.4	175	3	4	10	18	30	43	74
A. NOT OPERATED	1384	10.0	63	2	3	8	12	18	25	40
B. OPERATED	1490	16.9	225	2	4	12	22	38	49	87
TOTAL 65-69 YRS	1015	12.7	140	2	3	9	15	28	39	68
70-74	765	13.8	163	3	4	10	17	30	42	72
75-79	547	13.0	129	2	3	10	17	27	37	67
80-84	326	15.4	233	2	4	10	19	31	48	85
85+	221	15.1	180	3	4	11	19	30	45	62
GRAND TOTAL	**2874**	**13.5**	**198**	**2**	**3**	**10**	**17**	**29**	**41**	**70**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	6.7	50	1	1	5	8	13	23	37
70-74	76	5.3	19	1	1	4	7	11	14	21
75-79	55	5.1	13	1	1	4	7	10	12	17
80-84	42	6.4	23	1	1	6	10	13	15	18
85+	27	5.3	18	1	1	4	8	11	14	18
B. *Operated*										
65-69 YRS	205	6.8	63	1	1	5	9	14	16	39
70-74	179	6.9	43	1	1	4	10	15	21	32
75-79	130	8.0	61	1	1	5	12	19	24	35
80-84	90	7.0	50	1	1	5	9	16	21	35
85+	49	8.0	96	1	2	5	9	17	21	64
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	431	7.9	55	1	2	6	10	16	19	40
70-74	431	7.6	41	1	2	6	10	15	19	32
75-79	334	9.0	83	1	2	7	11	18	24	45
80-84	225	8.8	64	1	2	7	11	18	27	44
85+	143	9.6	75	1	2	7	13	19	25	64
B. *Operated*										
65-69 YRS	810	15.0	238	1	2	10	20	36	50	84
70-74	726	13.5	186	1	2	9	18	33	44	85
75-79	518	13.8	209	1	2	9	18	31	45	72
80-84	314	12.5	184	1	2	9	16	27	37	73
85+	198	15.3	212	2	2	11	20	35	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	5.9	28	1	1	4	8	12	15	28
B. *Operated*	653	7.2	58	1	1	5	9	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	1564	8.3	61	1	2	6	11	17	21	40
B. *Operated*	2566	14.1	209	1	2	9	19	33	45	79
1. SINGLE DX	947	6.8	49	1	1	5	9	15	19	33
2. MULTIPLE DX	4130	11.9	161	1	2	8	15	27	38	70
A. NOT OPERATED	1858	7.9	56	1	2	6	10	16	21	40
B. OPERATED	3219	12.7	186	1	2	8	16	29	41	73
TOTAL 65-69 YRS	1540	11.4	166	1	2	7	14	26	38	70
70-74	1412	10.4	125	1	2	7	14	23	34	63
75-79	1037	11.1	147	1	2	7	14	23	34	66
80-84	671	10.2	121	1	2	7	13	22	32	60
85+	417	11.8	150	1	2	8	16	25	38	67
GRAND TOTAL	**5077**	**10.9**	**144**	**1**	**2**	**7**	**14**	**24**	**35**	**67**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.1	5	1	1	1	2	6	7	7
70-74	4	3.0	3	1	1	3	4	5	5	5
75-79	4	5.5	23	1	1	5	9	11	11	11
80-84	3	8.3	86	2	2	4	15	19	19	19
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	5.9	64	1	1	4	7	11	18	47
70-74	54	4.3	10	1	1	4	7	8	11	14
75-79	34	4.0	22	1	1	3	4	9	12	25
80-84	26	5.6	15	1	2	5	7	11	13	15
85+	23	3.1	6	1	1	2	4	6	9	11
B. *Operated*										
65-69 YRS	24	11.0	187	2	3	8	10	23	39	69
70-74	12	15.8	305	2	2	11	18	44	59	62
75-79	17	11.9	346	1	2	5	11	27	61	78
80-84	5	20.2	307	2	2	14	36	43	43	43
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.0	20	1	1	2	5	9	15	19
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	180	4.7	26	1	1	3	6	11	12	25
B. *Operated*	58	13.0	261	2	2	8	13	32	54	77
1. SINGLE DX	21	4.0	19	1	1	2	5	9	15	19
2. MULTIPLE DX	238	6.7	95	1	1	4	7	12	22	63
A. NOT OPERATED	200	4.6	25	1	1	3	6	11	12	25
B. OPERATED	59	12.9	258	2	2	8	13	32	53	77
TOTAL 65-69 YRS	75	7.2	103	1	1	5	9	12	24	63
70-74	70	6.2	75	1	1	4	7	12	16	57
75-79	55	6.5	130	1	1	3	6	12	24	76
80-84	34	8.0	81	1	2	5	11	15	31	43
85+	25	3.1	6	1	1	2	4	6	9	11
GRAND TOTAL	**259**	**6.5**	**89**	**1**	**1**	**4**	**7**	**12**	**21**	**61**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	2.0	1	<1	<1	2	3	3	3	3
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	8	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	2.5	1	<1	<1	3	3	3	3	3
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	13	2.0	2	<1	<1	2	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	6	2.5	2	<1	<1	3	3	4	4	4
1. SINGLE DX	14	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX	7	2.4	1	<1	<1	3	3	4	4	4
A. NOT OPERATED	2	2.0		2	2	2	2	2	2	2
B. OPERATED	19	2.2	2	<1	<1	2	3	4	5	6
TOTAL 65-69 YRS	10	2.2	1	<1	<1	2	3	3	3	3
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85+	9	2.0	3	<1	<1	1	2	5	6	6
GRAND TOTAL	**21**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	5	3.0	9	1	1	2	4	8	8	8
75-79	5	3.2	4	1	1	3	4	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	6.3	85	<1	<1	2	11	20	20	20
B. *Operated*										
65-69 YRS	337	3.3	11	<1	1	3	4	5	7	14
70-74	261	3.5	8	<1	1	3	4	6	9	16
75-79	173	3.8	7	1	1	3	5	7	9	14
80-84	124	4.7	15	1	2	4	6	10	12	21
85+	84	5.9	24	1	2	4	8	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	1.3		<1	<1	1	2	2	2	2
70-74	6	1.8	1	1	1	2	2	3	3	3
75-79	13	2.5	3	1	1	2	3	5	6	6
80-84	6	5.8	21	2	2	4	10	13	13	13
85+	5	3.4	19	<1	<1	1	5	11	11	11
B. *Operated*										
65-69 YRS	226	5.4	33	1	2	4	6	11	18	29
70-74	186	6.6	68	1	2	4	7	12	23	44
75-79	169	7.7	52	2	2	5	9	15	20	43
80-84	119	9.1	105	2	2	6	10	21	29	51
85+	111	9.1	72	1	2	7	12	19	23	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.4	21	<1	1	2	3	7	15	20
B. *Operated*	979	3.8	12	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	34	2.9	9	<1	1	2	3	6	11	13
B. *Operated*	811	7.2	62	1	2	5	8	16	22	42
1. SINGLE DX	997	3.8	12	<1	1	3	5	7	10	17
2. MULTIPLE DX	845	7.0	61	1	2	4	8	16	22	41
A. NOT OPERATED	52	3.1	13	<1	1	2	3	7	11	20
B. OPERATED	1790	5.4	38	1	1	3	6	11	16	33
TOTAL 65-69 YRS	570	4.1	21	<1	1	3	4	7	11	26
70-74	458	4.7	35	1	1	3	5	9	13	30
75-79	360	5.6	32	1	2	4	7	11	15	32
80-84	250	6.8	62	2	2	4	8	14	22	39
85+	204	7.6	53	1	2	5	10	16	20	49
GRAND TOTAL	**1842**	**5.3**	**37**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.8	1	1	1	3	3	4	4	4
70-74	3	1.3		1	1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	158	2.0	6	1	1	1	2	3	5	13
70-74	134	1.6	4	1	1	1	1	3	4	13
75-79	107	1.4	2	<1	<1	1	1	2	3	9
80-84	42	1.4	1	<1	1	1	1	2	3	8
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	52	5.3	61	<1	<1	2	6	16	23	41
70-74	18	5.2	18	<1	<1	4	7	13	15	15
75-79	20	7.7	65	1	1	5	10	23	25	25
80-84	16	4.2	41	<1	<1	1	5	8	21	26
85+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.1	1	1	1	2	3	4	4	4
B. *Operated*	5	3.0	4	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	443	1.7	4	1	1	1	2	3	4	12
B. *Operated*	107	5.6	51	<1	<1	3	6	15	23	33
1. SINGLE DX	15	2.4	2	<1	1	2	3	5	5	5
2. MULTIPLE DX	550	2.4	16	<1	1	1	2	4	9	23
A. NOT OPERATED	453	1.7	4	1	1	1	2	3	4	12
B. OPERATED	112	5.5	49	<1	<1	3	6	15	23	32
TOTAL 65-69 YRS	217	2.8	21	<1	<1	1	3	5	11	24
70-74	156	2.1	7	1	1	1	2	4	8	14
75-79	129	2.4	17	<1	1	1	2	4	7	25
80-84	59	2.2	13	<1	<1	1	2	3	8	24
85+	4	2.5	6	1	1	2	4	6	6	6
GRAND TOTAL	**565**	**2.4**	**15**	**<1**	**1**	**1**	**2**	**4**	**8**	**23**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	631	3.1	31	<1	<1	1	3	6	11	23
70-74	446	4.2	60	<1	<1	2	4	8	16	48
75-79	329	4.3	52	<1	<1	2	5	10	17	53
80-84	204	6.0	137	<1	1	2	6	13	20	90
85+	145	8.4	202	<1	1	2	12	32	79	99+
B. *Operated*										
65-69 YRS	792	4.6	22	1	1	2	7	11	13	19
70-74	602	4.6	23	<1	1	2	7	11	13	18
75-79	444	4.3	22	<1	1	2	6	11	13	20
80-84	257	4.5	21	1	1	2	6	11	14	21
85+	145	4.4	23	<1	1	2	5	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10763	4.3	41	1	1	3	5	8	13	37
70-74	7626	5.1	58	1	1	3	5	10	18	46
75-79	4694	6.3	82	1	1	3	6	15	25	50
80-84	2135	7.6	106	1	1	4	8	19	29	56
85+	1238	10.0	171	1	1	5	12	24	40	98
B. *Operated*										
65-69 YRS	3795	6.7	82	1	1	3	8	15	22	50
70-74	3210	6.9	93	1	1	3	9	15	26	52
75-79	2196	7.3	89	1	1	4	10	16	24	51
80-84	1144	7.6	94	1	1	4	10	16	24	52
85+	611	7.4	74	1	1	4	11	19	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1755	4.4	71	<1	<1	2	4	10	18	79
B. *Operated*	2240	4.5	22	<1	1	2	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	26456	5.4	67	1	1	3	5	11	20	48
B. *Operated*	10956	7.0	88	1	1	3	9	16	24	51
1. SINGLE DX	3995	4.5	43	<1	1	2	5	11	14	35
2. MULTIPLE DX	37412	5.9	73	1	1	3	6	13	21	49
A. NOT OPERATED	28211	5.4	67	1	1	3	5	11	20	48
B. OPERATED	13196	6.6	77	1	1	3	9	14	21	47
TOTAL 65-69 YRS	15981	4.9	51	1	1	3	5	10	16	40
70-74	11884	5.5	66	1	1	3	6	12	19	46
75-79	7663	6.4	80	1	1	3	7	15	24	49
80-84	3740	7.3	99	1	1	4	8	17	26	55
85+	2139	8.8	138	1	1	4	11	22	36	97
GRAND TOTAL	**41407**	**5.8**	**71**	**1**	**1**	**3**	**6**	**13**	**21**	**48**

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	97475	5.9	34	1	2	4	8	13	16	27
70-74	83336	6.1	39	1	2	4	8	13	17	29
75-79	64723	6.4	44	1	2	4	8	14	19	31
80-84	40489	6.7	52	1	2	4	9	15	20	34
85+	28297	7.6	64	1	2	5	11	17	22	39
2. MULTIPLE DX										
65-69 YRS	367396	10.1	96	2	2	7	13	21	28	54
70-74	363311	10.7	104	2	2	8	14	22	30	57
75-79	313948	11.3	112	2	2	8	14	23	32	59
80-84	221716	12.0	122	2	3	9	15	25	34	64
85+	180939	12.7	129	2	3	10	16	26	35	69
TOT. SINGLE DX	314320	6.3	43	1	2	4	8	14	18	31
" MULTIPLE DX	1447310	11.1	110	2	2	8	14	23	31	59
TOTAL 65-69 YRS	464871	9.2	86	2	2	7	12	19	26	50
70-74	446647	9.8	95	2	2	7	13	20	28	53
75-79	378671	10.5	104	2	2	8	14	22	30	56
80-84	262205	11.2	115	2	2	8	15	23	32	60
85+	209236	12.0	124	2	2	9	15	25	34	65
GRAND TOTAL	**1761630**	**10.3**	**102**	**2**	**2**	**7**	**13**	**21**	**29**	**56**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	208	16.0	124	5	7	13	19	30	39	69
70-74	185	16.4	154	5	7	13	19	29	41	71
75-79	98	18.3	215	4	7	14	24	35	48	93
80-84	60	14.3	104	4	6	12	16	27	31	65
85+	22	14.4	72	6	7	13	16	27	35	36
2. MULTIPLE DX										
65-69 YRS	662	25.8	325	7	9	21	35	56	70	99+
70-74	545	26.0	303	7	9	22	34	52	68	99+
75-79	408	29.0	406	7	9	24	40	61	73	99
80-84	228	26.6	322	8	9	23	35	55	80	99+
85+	139	24.8	252	7	9	22	32	50	56	86
TOT. SINGLE DX	573	16.3	146	5	7	13	19	30	39	74
" MULTIPLE DX	1982	26.6	332	7	9	22	35	56	70	99+
TOTAL 65-69 YRS	870	23.4	295	6	8	18	31	51	65	99+
70-74	730	23.6	283	6	8	19	30	48	64	92
75-79	506	27.0	387	7	8	22	36	58	71	99
80-84	288	24.1	302	6	8	20	31	51	74	99+
85+	161	23.4	240	7	9	20	30	48	56	85
GRAND TOTAL	2555	24.3	308	6	8	19	32	52	67	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	84	16.1	194	5	6	11	19	32	48	98
70-74	58	15.9	140	6	7	11	20	30	44	64
75-79	56	22.3	346	7	7	17	28	35	58	98
80-84	29	15.3	82	6	6	11	20	32	35	37
85+	16	17.6	70	6	7	17	22	25	35	40
2. MULTIPLE DX										
65-69 YRS	223	27.2	394	7	8	21	37	58	80	99+
70-74	202	27.9	372	7	8	24	40	58	79	99+
75-79	198	24.5	289	6	7	20	36	50	61	99+
80-84	144	24.3	249	8	10	20	30	45	60	89
85+	75	26.3	295	7	11	23	35	48	77	99+
TOT. SINGLE DX	243	17.5	200	6	7	13	22	32	46	96
" MULTIPLE DX	842	26.1	332	6	8	21	36	55	74	99+
TOTAL 65-69 YRS	307	24.2	363	6	8	18	33	55	78	99+
70-74	260	25.2	345	7	8	20	35	56	69	99+
75-79	254	24.0	302	6	7	19	32	49	59	99+
80-84	173	22.8	233	7	9	18	29	43	57	87
85+	91	24.8	266	7	10	21	33	45	74	99+
GRAND TOTAL	1085	24.2	315	6	8	19	33	51	66	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	17	7.2	28	<1	1	6	9	17	19	19
70-74	3	9.0	31	3	3	10	13	14	14	14
75-79	8	13.8	103	6	6	11	15	31	37	37
80-84	2	7.5	13	5	5	7	10	10	10	10
85+										
2. MULTIPLE DX										
65-69 YRS	15	17.5	291	4	6	12	19	31	62	73
70-74	20	21.8	375	4	6	17	31	35	63	90
75-79	7	13.0	85	4	5	11	17	29	31	31
80-84	8	22.3	349	4	4	18	32	51	59	59
85+	3	16.7	408	5	5	5	31	40	40	40
TOT. SINGLE DX	30	9.2	51	1	3	7	12	17	19	37
" MULTIPLE DX	53	19.2	299	4	5	12	26	34	56	89
TOTAL 65-69 YRS	32	12.1	173	1	3	9	14	21	30	73
70-74	23	20.1	347	4	5	14	29	34	55	90
75-79	15	13.4	88	4	6	11	16	31	35	37
80-84	10	19.3	312	4	4	12	32	46	59	59
85+	3	16.7	408	5	5	5	31	40	40	40
GRAND TOTAL	83	15.6	231	3	4	10	20	33	38	84

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	34	12.8	69	3	4	10	18	24	30	38
70-74	40	14.6	98	3	6	13	17	22	29	62
75-79	31	13.5	32	5	6	13	19	21	22	26
80-84	16	15.6	170	3	4	11	19	36	45	49
85+	5	20.6	78	11	11	20	24	35	35	35
2. MULTIPLE DX										
65-69 YRS	135	27.8	320	7	9	25	38	61	73	99+
70-74	159	26.1	299	8	9	22	36	51	74	99+
75-79	170	28.4	273	8	11	25	39	53	66	99+
80-84	72	33.1	353	9	12	32	43	59	72	99+
85+	21	27.0	150	10	13	23	35	45	51	53
TOT. SINGLE DX	126	14.2	82	4	5	12	18	23	32	52
" MULTIPLE DX	557	28.2	301	8	9	25	38	55	68	99+
TOTAL 65-69 YRS	169	24.8	306	5	7	21	34	58	68	99+
70-74	199	23.8	280	7	9	20	32	50	65	99+
75-79	201	26.1	265	7	9	22	35	51	63	99+
80-84	88	30.0	364	8	8	27	42	53	65	99
85+	26	25.7	140	10	12	23	35	42	51	53
GRAND TOTAL	683	25.6	290	7	8	21	35	51	64	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	10.1	31	3	4	8	14	17	21	24
70-74	19	14.7	239	2	3	9	14	47	49	50
75-79	11	16.4	351	2	2	8	26	50	51	51
80-84	5	12.8	48	8	8	10	15	25	25	25
85+										
2. MULTIPLE DX										
65-69 YRS	100	21.7	317	3	5	16	31	55	98	99+
70-74	78	19.7	174	3	4	17	29	43	50	99+
75-79	63	24.1	366	3	4	20	34	61	91	99+
80-84	22	26.3	420	5	7	23	41	92	99+	99+
85+	18	26.8	386	6	9	26	31	46	74	91
TOT. SINGLE DX	57	13.1	162	2	3	9	14	31	49	51
" MULTIPLE DX	281	22.3	302	3	5	18	31	53	90	99+
TOTAL 65-69 YRS	122	19.6	285	3	5	14	26	52	79	99+
70-74	97	18.7	188	3	4	16	28	45	49	99+
75-79	74	23.0	367	2	4	17	33	60	81	99+
80-84	27	23.8	375	6	7	21	40	79	99+	99+
85+	18	26.8	387	6	9	26	31	46	74	91
GRAND TOTAL	**338**	**20.8**	**289**	**3**	**4**	**16**	**29**	**50**	**68**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	376	11.3	40	5	6	10	14	18	22	30
70-74	259	13.1	82	5	6	11	16	21	28	59
75-79	176	13.4	56	5	6	11	17	24	31	38
80-84	41	15.1	68	5	6	12	19	28	34	35
85+	19	18.7	66	8	10	17	22	30	36	40
2. MULTIPLE DX										
65-69 YRS	1006	17.8	170	6	7	14	21	33	44	85
70-74	844	19.1	166	7	8	15	24	35	47	71
75-79	519	20.3	173	7	9	17	26	40	50	81
80-84	204	23.4	201	9	10	20	31	44	57	99+
85+	76	23.8	185	10	11	21	29	39	50	73
TOT. SINGLE DX	871	12.6	60	5	6	10	15	21	27	40
" MULTIPLE DX	2649	19.3	175	7	8	15	24	36	47	81
TOTAL 65-69 YRS	1382	16.0	144	6	7	13	19	29	39	79
70-74	1103	17.7	153	6	7	14	21	33	44	70
75-79	695	18.5	153	6	7	15	23	35	44	77
80-84	245	22.0	189	7	9	19	28	42	50	99+
85+	95	22.8	164	10	11	20	28	38	44	73
GRAND TOTAL	**3520**	**17.6**	**155**	**6**	**7**	**14**	**22**	**33**	**44**	**76**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	71	10.1	99	2	2	6	15	21	29	52
70-74	45	10.0	187	1	2	5	13	18	34	83
75-79	25	10.8	66	2	2	11	16	21	26	33
80-84	14	9.6	190	1	1	4	10	37	44	46
85+	7	13.0	168	2	2	4	26	29	30	30
2. MULTIPLE DX										
65-69 YRS	234	19.1	273	2	4	15	24	40	57	96
70-74	177	18.9	248	2	3	14	26	41	49	84
75-79	129	23.6	305	4	6	19	33	52	57	73
80-84	58	25.0	412	3	4	18	43	59	69	77
85+	31	32.3	512	3	6	31	52	67	69	77
TOT. SINGLE DX	162	10.3	127	1	2	6	15	23	31	52
" MULTIPLE DX	629	21.2	307	2	4	16	29	48	61	83
TOTAL 65-69 YRS	305	17.0	247	2	3	13	22	37	53	90
70-74	222	17.1	248	2	2	13	23	38	49	84
75-79	154	21.5	288	2	4	16	28	48	56	72
80-84	72	22.0	403	2	3	17	32	50	67	76
85+	38	28.7	500	2	3	27	42	65	69	77
GRAND TOTAL	**791**	**18.9**	**289**	**2**	**3**	**14**	**25**	**44**	**56**	**82**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	288	3.1	7	<1	1	2	3	5	8	14
70-74	160	4.0	19	1	2	3	5	7	10	16
75-79	97	3.6	10	1	2	3	4	7	9	20
80-84	35	4.4	12	2	2	3	6	10	12	16
85+	25	7.1	31	1	1	6	9	16	18	25
2. MULTIPLE DX										
65-69 YRS	263	8.0	141	2	2	4	9	16	26	93
70-74	202	7.6	108	1	2	4	8	17	24	59
75-79	107	8.3	113	1	2	5	10	20	26	61
80-84	54	8.5	62	1	2	6	10	20	27	35
85+	27	8.0	41	1	2	7	12	18	21	24
TOT. SINGLE DX	605	3.7	13	1	1	3	4	7	10	16
" MULTIPLE DX	653	8.0	116	1	2	4	9	17	26	68
TOTAL 65-69 YRS	551	5.5	77	1	2	3	5	11	16	65
70-74	362	6.0	72	1	2	3	7	13	18	49
75-79	204	6.1	70	1	2	3	6	12	22	44
80-84	89	6.9	47	2	2	4	9	14	21	35
85+	52	7.6	36	1	2	6	10	16	21	25
GRAND TOTAL	**1258**	**5.9**	**71**	**1**	**2**	**3**	**6**	**12**	**18**	**51**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	913	2.4	2	<1	1	2	3	4	5	9
70-74	713	2.6	8	<1	1	2	3	4	6	14
75-79	535	2.4	3	<1	1	2	3	4	4	11
80-84	290	2.3	2	<1	<1	2	3	4	5	10
85+	160	2.8	7	1	1	2	3	4	7	17
2. MULTIPLE DX										
65-69 YRS	1000	4.6	26	1	1	3	5	11	15	28
70-74	839	5.0	30	1	1	3	5	11	17	28
75-79	607	4.9	37	1	1	3	5	11	16	30
80-84	308	6.0	52	1	2	3	6	15	23	36
85+	171	5.7	31	1	2	3	7	13	19	26
TOT. SINGLE DX	2611	2.4	5	<1	1	2	3	4	5	11
" MULTIPLE DX	2925	5.0	33	1	1	3	5	11	17	29
TOTAL 65-69 YRS	1913	3.6	16	<1	1	2	4	7	11	21
70-74	1552	3.9	21	<1	1	2	4	8	12	23
75-79	1142	3.8	23	1	1	2	4	8	12	23
80-84	598	4.2	32	<1	1	2	4	9	15	29
85+	331	4.3	22	1	1	3	4	10	15	25
GRAND TOTAL	5536	3.8	21	<1	1	2	4	8	12	25

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	12.6	137	4	4	9	15	21	45	57
70-74	33	11.5	50	2	4	10	16	23	25	26
75-79	28	11.3	42	1	3	10	15	20	22	28
80-84	22	11.5	53	5	6	9	12	19	30	37
85+	5	9.8	121	2	2	5	14	29	29	29
2. MULTIPLE DX										
65-69 YRS	241	16.9	144	5	6	13	21	32	42	62
70-74	271	16.6	119	6	7	13	21	31	36	62
75-79	213	17.7	193	6	7	14	21	31	41	85
80-84	147	19.7	201	6	7	15	25	42	53	81
85+	67	15.9	63	6	8	14	19	28	30	90
TOT. SINGLE DX	118	11.7	72	2	4	10	15	22	26	49
" MULTIPLE DX	939	17.3	152	6	7	14	22	32	41	77
TOTAL 65-69 YRS	271	16.4	145	5	6	13	20	31	42	60
70-74	304	16.0	114	5	6	13	21	30	34	60
75-79	241	16.9	180	5	7	13	21	30	39	82
80-84	169	18.6	190	6	7	14	24	38	52	78
85+	72	15.5	68	5	6	14	19	28	30	88
GRAND TOTAL	1057	16.7	146	5	6	13	21	31	40	72

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	6.7	42	2	2	4	8	14	24	28
70-74	12	3.5	6	1	1	3	4	7	10	10
75-79	13	7.8	35	2	2	7	10	18	19	19
80-84	8	7.3	24	3	3	6	10	15	17	17
85+	8	6.3	22	2	2	5	7	14	17	17
2. MULTIPLE DX										
65-69 YRS	103	11.2	95	2	3	10	15	20	24	57
70-74	82	11.9	104	2	2	9	16	25	32	52
75-79	69	13.4	135	2	3	10	19	23	42	94
80-84	36	11.0	128	1	2	8	15	19	39	55
85+	17	11.9	94	1	2	9	16	28	33	35
TOT. SINGLE DX	57	6.3	29	2	2	4	8	15	18	27
" MULTIPLE DX	307	11.9	110	2	3	9	16	22	33	63
TOTAL 65-69 YRS	119	10.6	90	2	3	8	15	20	25	51
70-74	94	10.8	100	2	2	8	14	23	30	50
75-79	82	12.5	123	2	3	10	17	22	41	91
80-84	44	10.3	111	1	2	8	13	18	29	55
85+	25	10.1	77	1	2	8	13	24	30	35
GRAND TOTAL	364	11.0	101	2	2	9	15	22	29	56

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	435	4.7	5	3	3	4	5	7	8	13
70-74	271	4.8	6	2	3	4	5	7	9	17
75-79	133	5.4	10	3	3	5	6	9	11	18
80-84	58	5.9	21	2	3	5	7	10	12	32
85+	12	7.6	19	3	3	6	10	14	17	18
2. MULTIPLE DX										
65-69 YRS	552	7.7	60	3	3	5	9	14	20	42
70-74	447	8.9	81	3	3	6	10	17	23	56
75-79	282	10.3	121	3	3	6	11	21	31	65
80-84	120	13.8	223	3	4	8	15	33	46	75
85+	66	15.1	221	4	5	10	18	28	48	85
TOT. SINGLE DX	909	5.0	8	2	3	4	5	7	9	16
" MULTIPLE DX	1467	9.4	103	3	3	6	10	18	27	57
TOTAL 65-69 YRS	987	6.4	39	3	3	5	7	11	15	32
70-74	718	7.4	57	3	3	5	8	14	19	42
75-79	415	8.7	91	3	3	6	9	18	25	58
80-84	178	11.3	171	3	4	6	11	27	42	74
85+	78	14.0	198	4	4	9	17	26	47	80
GRAND TOTAL	**2376**	**7.7**	**71**	**3**	**3**	**5**	**8**	**15**	**21**	**48**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	73	4.7	8	2	2	4	5	7	10	19
70-74	55	5.6	28	2	2	4	6	10	13	38
75-79	36	6.7	56	2	2	5	7	15	23	40
80-84	23	5.8	22	2	2	4	7	16	17	18
85+	4	4.8	8	3	3	4	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	269	10.3	127	3	4	6	11	22	34	75
70-74	218	11.7	113	3	4	8	15	27	35	77
75-79	133	12.9	133	3	4	9	17	25	36	84
80-84	60	14.1	140	2	4	10	19	32	37	58
85+	31	19.0	134	6	7	16	23	40	44	44
TOT. SINGLE DX	191	5.5	25	2	2	4	6	9	14	34
" MULTIPLE DX	711	11.9	129	3	4	8	15	26	36	71
TOTAL 65-69 YRS	342	9.1	108	3	3	5	10	20	30	67
70-74	273	10.5	102	2	3	7	12	26	35	65
75-79	169	11.6	123	2	3	8	15	24	35	77
80-84	83	11.8	121	2	3	8	16	25	35	56
85+	35	17.4	141	3	5	15	21	39	43	44
GRAND TOTAL	**902**	**10.6**	**114**	**2**	**3**	**7**	**13**	**24**	**35**	**63**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	13.4	159	3	4	10	14	25	28	76
70-74	22	10.4	25	4	5	9	12	17	21	26
75-79	8	13.0	18	9	9	11	17	19	20	20
80-84										
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	133	19.1	224	6	7	14	24	38	55	99+
70-74	77	16.8	189	5	6	13	20	28	41	83
75-79	39	19.6	81	4	8	18	27	32	33	34
80-84	15	21.5	237	3	8	19	35	40	50	53
85+	7	20.3	203	8	8	16	30	44	46	46
TOT. SINGLE DX	67	12.3	97	4	5	10	14	20	26	68
" MULTIPLE DX	271	18.7	193	5	7	15	25	34	49	96
TOTAL 65-69 YRS	169	17.9	215	5	7	13	23	35	52	99
70-74	99	15.4	160	4	6	11	18	27	35	76
75-79	47	18.5	77	5	9	17	26	32	33	34
80-84	15	21.5	238	3	8	19	35	40	50	53
85+	8	18.9	190	8	8	13	25	42	46	46
GRAND TOTAL	**338**	**17.4**	**180**	**5**	**7**	**13**	**23**	**33**	**46**	**92**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	100	2.0	2	<1	<1	2	2	3	4	11
70-74	97	1.9	1	<1	<1	2	2	3	4	8
75-79	101	2.6	4	<1	<1	2	3	5	8	56
80-84	48	2.5	2	<1	<1	2	3	5	6	9
85+	40	2.1	2	<1	<1	2	2	3	6	9
2. MULTIPLE DX										
65-69 YRS	183	5.0	48	<1	1	3	5	11	16	35
70-74	147	5.5	49	<1	1	2	7	14	20	36
75-79	155	6.0	55	1	1	3	7	14	22	33
80-84	119	5.6	56	<1	1	2	6	15	21	44
85+	116	7.3	102	1	1	4	9	15	20	60
TOT. SINGLE DX	386	2.2	3	<1	<1	2	2	4	5	11
" MULTIPLE DX	720	5.8	60	<1	1	3	7	14	20	38
TOTAL 65-69 YRS	283	4.0	34	<1	<1	2	4	10	13	30
70-74	244	4.1	34	<1	<1	2	4	10	15	32
75-79	256	4.6	38	<1	1	2	5	10	16	33
80-84	167	4.7	43	<1	1	2	5	10	19	41
85+	156	5.9	81	<1	1	3	8	14	17	46
GRAND TOTAL	**1106**	**4.5**	**43**	**<1**	**1**	**2**	**5**	**11**	**15**	**33**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	341	2.0	1	<1	<1	2	2	3	4	9
70-74	324	1.9	1	<1	<1	2	2	3	4	7
75-79	274	2.2	7	<1	<1	2	2	3	4	20
80-84	207	2.0	1	<1	1	2	2	3	4	6
85+	178	1.8		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	503	4.2	40	1	1	2	3	9	16	29
70-74	535	5.0	75	1	1	2	5	12	18	45
75-79	448	4.7	52	1	1	2	4	11	18	36
80-84	381	5.2	69	1	1	3	5	11	19	41
85+	333	6.1	69	1	1	3	7	16	22	72
TOT. SINGLE DX	1324	2.0	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	2200	5.0	61	1	1	2	5	12	19	45
TOTAL 65-69 YRS	844	3.3	26	<1	1	2	3	5	11	27
70-74	859	3.9	50	<1	1	2	3	8	14	35
75-79	722	3.8	37	<1	1	2	3	7	14	31
80-84	588	4.1	48	<1	1	2	4	8	14	32
85+	511	4.6	50	<1	1	2	4	12	17	52
GRAND TOTAL	**3524**	**3.8**	**41**	**<1**	**1**	**2**	**3**	**8**	**14**	**34**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	86	2.6	4	1	1	2	3	4	4	14
70-74	80	2.5	1	1	1	2	3	3	4	7
75-79	76	2.4		1	2	2	3	3	4	5
80-84	42	2.6	1	1	2	2	3	4	5	6
85+	26	2.7	5	1	1	2	3	3	6	14
2. MULTIPLE DX										
65-69 YRS	86	3.0	4	1	2	2	3	5	8	12
70-74	121	3.0	3	1	2	3	3	5	6	12
75-79	113	2.9	3	1	2	2	3	4	6	13
80-84	88	4.2	27	1	2	3	4	8	11	34
85+	49	4.3	101	1	2	3	3	4	9	72
TOT. SINGLE DX	310	2.5	2	1	1	2	3	4	4	7
" MULTIPLE DX	457	3.3	19	1	2	2	3	5	8	14
TOTAL 65-69 YRS	172	2.8	4	1	1	2	3	4	6	13
70-74	201	2.8	2	1	2	2	3	4	5	10
75-79	189	2.7	3	1	2	2	3	4	5	11
80-84	130	3.7	20	2	2	2	3	6	10	33
85+	75	3.8	68	1	2	2	3	4	8	57
GRAND TOTAL	**767**	**3.0**	**12**	**1**	**2**	**2**	**3**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	18	2.7	7	<1	<1	2	3	5	9	12
70-74	18	3.2	15	<1	<1	1	3	10	12	14
75-79	9	1.7		<1	<1	2	2	2	2	2
80-84	10	4.8	41	1	1	2	3	15	22	22
85+	5	5.6	26	2	2	3	9	14	14	14
2. MULTIPLE DX										
65-69 YRS	21	6.6	98	<1	1	3	6	19	33	42
70-74	36	5.3	83	<1	1	2	6	9	31	42
75-79	24	3.4	8	1	1	2	4	8	10	11
80-84	14	5.6	38	<1	1	2	5	16	19	20
85+	16	8.4	63	1	2	4	16	25	74	99+
TOT. SINGLE DX	60	3.3	16	<1	<1	2	3	9	13	21
" MULTIPLE DX	111	5.6	62	1	1	3	6	15	25	64
TOTAL 65-69 YRS	39	4.8	59	<1	<1	2	5	11	20	42
70-74	54	4.6	61	<1	<1	2	5	10	13	42
75-79	33	2.9	6	<1	1	2	3	7	10	11
80-84	24	5.3	38	1	1	2	5	16	21	22
85+	21	7.8	54	1	2	4	14	22	56	99+
GRAND TOTAL	**171**	**4.8**	**47**	**<1**	**1**	**2**	**5**	**12**	**20**	**42**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	139	3.5	3	1	2	3	4	6	7	12
70-74	172	3.5	3	1	2	3	4	6	7	10
75-79	173	3.6	3	1	1	3	4	6	7	12
80-84	114	3.6	2	1	2	3	4	6	7	9
85+	73	3.6	3	1	2	3	4	6	8	8
2. MULTIPLE DX										
65-69 YRS	250	4.0	4	2	2	4	5	6	7	15
70-74	385	4.5	14	1	2	4	5	8	9	24
75-79	327	4.8	22	2	2	4	5	7	10	24
80-84	223	5.2	29	1	2	4	5	8	12	33
85+	126	5.0	15	2	2	4	6	10	14	20
TOT. SINGLE DX	671	3.6	4	1	2	3	4	6	7	10
" MULTIPLE DX	1311	4.6	18	1	2	4	5	7	10	23
TOTAL 65-69 YRS	389	3.8	4	1	2	3	5	6	7	14
70-74	557	4.2	12	1	2	3	5	7	9	19
75-79	500	4.4	17	1	2	4	5	7	9	20
80-84	337	4.6	21	1	2	4	5	8	10	30
85+	199	4.5	11	2	2	4	5	8	12	19
GRAND TOTAL	**1982**	**4.3**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**19**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	2.4	5	<1	<1	1	2	7	9	11
70-74	64	2.1	3	<1	<1	2	2	3	4	13
75-79	45	2.1	2	<1	<1	2	2	4	6	8
80-84	40	3.4	15	<1	1	2	4	6	11	22
85+	25	2.8	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
65-69 YRS	82	4.0	11	1	1	3	5	8	12	17
70-74	110	4.0	30	<1	1	2	3	8	19	30
75-79	87	5.1	48	<1	1	2	6	13	16	41
80-84	55	4.9	31	1	1	3	5	11	16	32
85+	52	5.5	43	1	1	3	6	16	20	32
TOT. SINGLE DX	242	2.5	6	<1	<1	2	3	4	7	14
" MULTIPLE DX	386	4.6	32	1	1	2	5	10	16	29
TOTAL 65-69 YRS	150	3.3	9	<1	<1	2	4	8	9	16
70-74	174	3.3	21	<1	1	2	3	6	10	25
75-79	132	4.1	35	<1	<1	2	4	10	15	26
80-84	95	4.2	25	1	1	3	4	11	15	28
85+	77	4.6	31	1	1	3	4	11	19	30
GRAND TOTAL	**628**	**3.8**	**23**	**<1**	**1**	**2**	**4**	**8**	**13**	**24**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	253	2.9	3	<1	1	2	3	5	6	10
70-74	245	3.0	3	<1	1	2	4	5	7	10
75-79	191	3.0	3	1	1	3	3	5	7	10
80-84	119	2.7	3	<1	1	2	3	5	6	10
85+	50	3.1	8	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
65-69 YRS	262	5.0	42	1	1	3	6	9	15	35
70-74	278	4.7	40	1	1	3	5	10	13	41
75-79	271	4.4	17	1	1	3	5	9	12	22
80-84	160	4.7	15	1	2	3	6	9	12	21
85+	92	4.5	23	1	1	3	5	9	12	30
TOT. SINGLE DX	858	2.9	4	<1	1	2	3	5	7	10
" MULTIPLE DX	1063	4.7	30	1	1	3	5	9	13	28
TOTAL 65-69 YRS	515	4.0	24	1	1	3	4	7	10	26
70-74	523	3.9	24	1	1	3	4	7	10	20
75-79	462	3.8	12	1	1	3	4	8	10	16
80-84	279	3.8	11	1	1	3	5	7	10	18
85+	142	4.0	18	1	1	3	4	8	11	23
GRAND TOTAL	**1921**	**3.9**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	157	2.5	3	1	1	2	3	4	6	11
70-74	157	2.5	3	<1	1	2	3	4	6	12
75-79	125	3.2	8	1	1	2	4	6	7	19
80-84	79	2.5	3	<1	<1	2	3	5	7	9
85+	40	3.9	11	1	1	3	5	7	11	17
2. MULTIPLE DX										
65-69 YRS	202	4.8	45	1	1	3	6	11	13	55
70-74	237	4.1	15	1	1	3	5	9	12	20
75-79	230	6.0	70	1	1	3	7	13	17	43
80-84	185	5.1	33	1	1	3	6	11	17	26
85+	119	7.6	107	1	2	4	8	18	31	57
TOT. SINGLE DX	558	2.8	5	<1	1	2	3	5	7	12
" MULTIPLE DX	973	5.3	50	1	1	3	6	11	16	39
TOTAL 65-69 YRS	359	3.8	28	1	1	2	4	8	11	29
70-74	394	3.5	12	1	1	2	4	8	10	16
75-79	355	5.0	50	1	1	3	6	10	15	35
80-84	264	4.3	26	1	1	3	5	9	13	25
85+	159	6.7	86	1	1	4	7	13	27	52
GRAND TOTAL	**1531**	**4.4**	**35**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4468	2.4	2	1	2	2	3	3	4	6
70-74	5777	2.4	1	1	2	2	3	3	4	5
75-79	6080	2.4	1	1	2	2	3	3	4	6
80-84	4635	2.5	1	1	2	2	3	3	4	7
85+	3159	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
65-69 YRS	5026	3.2	11	2	2	2	3	5	7	16
70-74	6446	3.2	13	2	2	2	3	5	7	19
75-79	6976	3.3	15	2	2	2	3	5	7	19
80-84	5438	3.3	13	2	2	3	3	5	8	17
85+	4034	3.8	27	2	2	3	4	6	10	27
TOT. SINGLE DX	24119	2.4	1	1	2	2	3	3	4	6
" MULTIPLE DX	27920	3.3	16	2	2	2	3	5	8	20
TOTAL 65-69 YRS	9494	2.8	8	1	2	2	3	4	5	13
70-74	12223	2.8	8	1	2	2	3	4	5	13
75-79	13056	2.9	9	1	2	2	3	4	5	14
80-84	10073	2.9	8	1	2	2	3	4	6	14
85+	7193	3.2	16	2	2	2	3	5	7	19
GRAND TOTAL	**52039**	**2.9**	**9**	**1**	**2**	**2**	**3**	**4**	**5**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6751	2.1		1	1	2	2	3	3	5
70-74	8360	2.1		1	1	2	2	3	3	5
75-79	8790	2.1		1	1	2	2	3	3	5
80-84	6113	2.2		1	1	2	2	3	4	5
85+	3907	2.2		1	1	2	2	3	4	6
2. MULTIPLE DX										
65-69 YRS	6178	2.7	10	1	2	2	3	4	5	14
70-74	8009	2.7	6	1	2	2	3	4	5	13
75-79	8520	2.7	6	1	2	2	3	4	5	14
80-84	6234	2.9	11	1	2	2	3	4	6	16
85+	4294	3.0	11	1	2	2	3	5	7	17
TOT. SINGLE DX	33921	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	33235	2.8	9	1	2	2	3	4	6	15
TOTAL 65-69 YRS	12929	2.4	5	1	1	2	2	3	4	10
70-74	16369	2.4	4	1	1	2	2	3	4	9
75-79	17310	2.4	4	1	1	2	2	3	4	10
80-84	12347	2.5	6	1	1	2	3	3	5	12
85+	8201	2.6	7	1	1	2	3	4	5	13
GRAND TOTAL	**67156**	**2.4**	**5**	**1**	**1**	**2**	**2**	**3**	**4**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	954	2.2	1	1	1	2	2	3	4	5
70-74	1103	2.1		1	1	2	2	3	4	5
75-79	1090	2.2		1	1	2	2	3	4	5
80-84	753	2.3	1	1	1	2	3	3	4	5
85+	398	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
65-69 YRS	864	2.6	4	1	1	2	3	4	5	12
70-74	1097	2.8	6	1	2	2	3	4	6	13
75-79	1170	2.8	5	1	1	2	3	4	6	15
80-84	766	3.1	19	1	2	2	3	4	6	18
85+	478	3.5	25	1	1	2	3	5	9	24
TOT. SINGLE DX	4298	2.2	1	1	1	2	2	3	4	5
" MULTIPLE DX	4375	2.9	10	1	2	2	3	4	6	16
TOTAL 65-69 YRS	1818	2.4	3	1	1	2	3	3	4	9
70-74	2200	2.5	3	1	1	2	3	3	4	10
75-79	2260	2.5	3	1	1	2	3	4	5	10
80-84	1519	2.7	10	1	2	2	3	4	4	12
85+	876	3.0	15	1	1	2	3	4	6	20
GRAND TOTAL	**8673**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	605	4.4	6	1	2	4	5	8	9	14
70-74	439	4.5	6	2	2	4	5	7	9	14
75-79	290	4.7	5	2	2	4	6	8	9	13
80-84	144	4.5	3	2	2	4	6	7	8	10
85+	60	4.7	3	2	3	4	6	7	8	10
2. MULTIPLE DX										
65-69 YRS	842	5.2	18	2	2	4	6	9	10	19
70-74	651	5.3	10	2	2	5	6	9	11	18
75-79	440	5.8	15	2	2	5	7	10	14	22
80-84	218	6.2	20	2	3	5	7	11	15	25
85+	99	6.4	25	1	2	5	8	11	15	32
TOT. SINGLE DX	1538	4.5	6	1	2	4	6	7	9	13
" MULTIPLE DX	2250	5.5	16	2	2	5	7	9	12	20
TOTAL 65-69 YRS	1447	4.9	14	1	2	4	6	8	10	16
70-74	1090	5.0	9	2	2	4	6	8	10	17
75-79	730	5.4	12	2	2	5	6	9	12	19
80-84	362	5.6	14	2	2	5	7	9	13	21
85+	159	5.7	18	1	2	5	7	10	13	25
GRAND TOTAL	**3788**	**5.1**	**12**	**2**	**2**	**4**	**6**	**8**	**11**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	130	3.0	5	<1	1	2	3	6	8	13
70-74	132	2.9	6	<1	1	2	3	5	7	15
75-79	125	3.1	5	<1	1	2	3	7	10	11
80-84	82	3.0	4	<1	1	2	4	5	7	14
85+	40	3.0	4	<1	1	2	4	5	8	11
2. MULTIPLE DX										
65-69 YRS	346	4.8	29	1	2	3	6	9	13	31
70-74	347	4.5	22	1	2	3	5	7	11	24
75-79	270	4.5	17	1	1	3	5	9	12	27
80-84	167	4.7	35	1	2	3	5	9	15	27
85+	97	6.4	56	1	2	3	7	15	21	39
TOT. SINGLE DX	509	3.0	6	<1	1	2	3	6	8	12
" MULTIPLE DX	1227	4.8	28	1	2	3	5	9	13	28
TOTAL 65-69 YRS	476	4.4	23	1	1	3	5	8	12	28
70-74	479	4.0	19	1	1	3	5	7	9	23
75-79	395	4.0	14	1	1	3	5	8	11	22
80-84	249	4.2	26	1	1	3	4	8	12	27
85+	137	5.4	44	1	1	3	6	13	18	37
GRAND TOTAL	1736	4.2	22	1	1	3	5	8	12	25

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	72	2.0	1	1	1	2	2	2	3	8
70-74	43	1.8		<1	<1	2	2	3	3	4
75-79	27	2.0		1	1	2	2	3	3	4
80-84	12	1.9		1	1	2	2	3	3	3
85+	9	1.8		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	75	2.1		1	1	2	2	3	4	5
70-74	56	2.9	9	1	2	2	3	4	8	20
75-79	41	2.0		1	1	2	2	3	4	5
80-84	17	3.5	29	1	1	2	2	6	18	24
85+	12	1.9		1	1	2	2	3	4	4
TOT. SINGLE DX	163	1.9	1	<1	1	2	2	3	3	4
" MULTIPLE DX	201	2.4	6	1	1	2	2	3	5	17
TOTAL 65-69 YRS	147	2.0	1	1	1	2	2	3	4	5
70-74	99	2.4	6	<1	1	2	2	3	4	18
75-79	68	2.0	1	1	1	2	2	3	4	5
80-84	29	2.9	18	1	1	2	2	4	7	24
85+	21	1.9	1	<1	1	2	2	3	4	4
GRAND TOTAL	364	2.2	4	1	1	2	2	3	4	9

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	4	3.0	4	2	2	2	4	6	6	6
70-74	4	2.8		2	2	3	3	3	3	3
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	3	6.7	65	2	2	2	13	16	16	16
85+	2	6.0	50	1	1	6	11	11	11	11
TOT. SINGLE DX	4	2.8	1	2	2	3	3	4	4	4
" MULTIPLE DX	16	3.8	16	1	1	2	3	10	14	16
TOTAL 65-69 YRS	4	3.0	4	2	2	2	4	6	6	6
70-74	6	2.8	1	2	2	3	3	4	4	4
75-79	4	2.3	1	1	1	2	3	3	3	3
80-84	4	5.5	49	2	2	2	9	16	16	16
85+	2	6.0	50	1	1	6	11	11	11	11
GRAND TOTAL	20	3.6	13	1	1	2	3	8	13	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	3.3	7	1	2	3	4	7	8	16
70-74	125	3.2	6	1	1	2	4	6	8	15
75-79	81	3.3	5	1	2	3	4	6	7	16
80-84	74	3.2	7	1	1	3	3	5	9	16
85+	46	3.3	3	1	2	3	4	5	8	9
2. MULTIPLE DX										
65-69 YRS	185	4.6	16	1	2	3	5	10	14	21
70-74	202	5.8	66	1	1	3	6	12	19	61
75-79	178	6.8	75	1	2	4	8	14	21	53
80-84	133	5.6	33	1	2	4	7	13	16	34
85+	125	7.8	114	1	2	4	9	17	25	73
TOT. SINGLE DX	430	3.3	6	1	2	3	4	6	8	15
" MULTIPLE DX	823	6.0	60	1	2	4	7	13	19	46
TOTAL 65-69 YRS	289	4.1	14	1	2	3	4	8	12	20
70-74	327	4.8	45	1	1	3	5	10	14	46
75-79	259	5.7	56	1	2	3	7	11	18	51
80-84	207	4.8	25	1	1	3	5	11	14	28
85+	171	6.6	88	1	2	4	7	15	21	64
GRAND TOTAL	1253	5.1	43	1	2	3	5	10	15	34

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	118	2.7	7	<1	<1	2	3	5	8	18
70-74	85	2.1	2	<1	<1	2	2	4	5	8
75-79	73	3.2	15	<1	<1	2	3	6	10	25
80-84	51	3.1	12	<1	<1	2	3	5	8	21
85+	56	3.6	15	<1	<1	2	4	8	13	19
2. MULTIPLE DX										
65-69 YRS	185	6.4	55	1	1	3	8	14	22	40
70-74	175	8.2	134	1	1	3	8	22	33	63
75-79	194	8.3	95	1	1	5	11	19	35	99+
80-84	143	8.7	120	1	2	5	10	20	31	53
85+	171	9.6	97	2	2	7	13	21	26	73
TOT. SINGLE DX	383	2.8	10	<1	<1	2	3	5	8	18
" MULTIPLE DX	868	8.2	100	1	1	5	10	19	29	59
TOTAL 65-69 YRS	303	5.0	40	<1	1	3	6	12	19	32
70-74	260	6.2	99	<1	1	2	6	16	25	59
75-79	267	6.9	79	1	1	3	9	17	32	90
80-84	194	7.3	98	<1	1	4	8	16	26	50
85+	227	8.1	84	1	2	5	11	18	25	61
GRAND TOTAL	**1251**	**6.6**	**78**	**<1**	**1**	**3**	**8**	**16**	**24**	**51**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	238	2.3	1	1	1	2	3	3	4	5
70-74	119	2.3	1	1	1	2	3	4	4	7
75-79	71	2.4	1	1	1	2	3	4	5	6
80-84	22	2.2		1	1	2	3	4	4	4
85+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	123	2.7	1	1	1	2	3	4	5	9
70-74	73	3.1	13	1	1	3	3	4	5	27
75-79	44	3.1	4	1	1	2	4	8	9	9
80-84	12	2.6	1	1	1	3	3	4	5	5
85+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	454	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	253	2.9	6	1	1	3	3	4	5	9
TOTAL 65-69 YRS	361	2.5	2	1	1	2	3	4	4	7
70-74	192	2.6	6	1	1	2	3	4	4	8
75-79	115	2.7	3	1	1	2	3	4	6	9
80-84	34	2.3	1	1	1	2	3	3	4	5
85+	5	2.8	1	2	2	3	3	4	4	4
GRAND TOTAL	**707**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	193	2.0		1	1	2	2	3	3	4
70-74	97	2.0	1	<1	1	2	2	3	3	9
75-79	44	2.1	1	1	1	2	2	3	4	8
80-84	16	2.3		1	1	2	3	3	3	3
85+	8	2.8	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	262	2.5	1	1	1	2	3	4	5	10
70-74	131	2.5	3	1	1	2	3	4	5	11
75-79	61	2.9	5	1	1	2	3	5	8	14
80-84	21	3.2	7	1	2	2	3	5	10	14
85+	14	3.0	3	<1	1	2	4	5	7	7
TOT. SINGLE DX	358	2.1	1	1	1	2	2	3	4	6
" MULTIPLE DX	489	2.6	3	1	1	2	3	4	5	11
TOTAL 65-69 YRS	455	2.3	1	1	1	2	3	3	4	7
70-74	228	2.3	3	1	1	2	2	3	5	10
75-79	105	2.6	4	1	1	2	3	4	6	12
80-84	37	2.8	5	1	2	2	3	4	6	14
85+	22	2.9	2	1	1	2	4	5	6	7
GRAND TOTAL	**847**	**2.4**	**2**	**1**	**1**	**2**	**3**	**3**	**5**	**10**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	41	1.7	1	<1	<1	1	2	3	4	5
70-74	34	2.9	26	<1	<1	1	2	5	13	28
75-79	18	1.8		<1	1	2	2	3	4	4
80-84	9	2.2	2	1	1	2	2	5	6	6
85+	13	1.5	1	<1	<1	1	2	14	81	99+
2. MULTIPLE DX										
65-69 YRS	85	5.8	52	1	1	2	7	17	23	32
70-74	90	8.2	125	<1	1	3	10	23	32	56
75-79	52	7.9	136	<1	1	3	11	17	25	74
80-84	35	7.9	54	<1	1	6	11	19	24	31
85+	18	6.8	43	1	1	5	9	13	22	28
TOT. SINGLE DX	115	2.1	9	<1	<1	1	2	4	5	52
" MULTIPLE DX	280	7.3	91	<1	1	3	10	19	27	42
TOTAL 65-69 YRS	126	4.5	39	<1	1	2	4	13	19	30
70-74	124	6.7	104	<1	<1	2	8	19	30	50
75-79	70	6.4	108	<1	1	2	8	15	21	65
80-84	44	6.8	49	<1	1	4	9	17	21	31
85+	31	4.5	32	<1	<1	2	7	12	26	99+
GRAND TOTAL	**395**	**5.8**	**73**	**<1**	**1**	**2**	**7**	**15**	**25**	**41**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	3.2	3	1	2	3	4	6	8	10
70-74	52	3.3	7	1	1	3	4	5	8	16
75-79	25	3.0	1	1	2	3	3	5	5	6
80-84	5	2.6	1	1	1	3	3	4	4	4
85+	5	8.6	186	2	2	3	11	33	33	33
2. MULTIPLE DX										
65-69 YRS	174	4.3	31	1	2	3	4	6	12	32
70-74	99	5.9	88	2	2	3	4	12	23	57
75-79	59	6.8	74	1	2	3	6	22	30	37
80-84	28	8.3	127	2	2	4	9	19	29	57
85+	13	4.4	10	1	1	3	6	9	11	12
TOT. SINGLE DX	156	3.4	10	1	2	3	3	6	8	16
" MULTIPLE DX	373	5.4	61	1	2	3	5	11	20	48
TOTAL 65-69 YRS	243	4.0	24	1	2	3	4	6	9	32
70-74	151	5.0	62	1	2	3	4	10	16	52
75-79	84	5.7	55	1	2	3	5	14	26	35
80-84	33	7.4	112	2	2	3	7	17	25	57
85+	18	5.6	55	1	1	3	5	11	25	33
GRAND TOTAL	**529**	**4.8**	**47**	**1**	**2**	**3**	**4**	**8**	**15**	**37**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	122	2.9	4	1	1	2	3	5	8	12
70-74	52	3.1	6	1	1	3	3	5	8	15
75-79	28	3.0	7	1	1	2	3	6	9	13
80-84	9	2.6	2	1	1	2	3	5	6	6
85+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	103	5.1	96	1	1	3	5	9	16	56
70-74	73	4.9	25	1	1	3	6	10	13	31
75-79	38	4.5	16	1	1	3	7	9	12	21
80-84	13	8.8	265	1	2	3	7	21	54	62
85+	7	5.9	35	2	2	4	6	16	19	19
TOT. SINGLE DX	214	3.0	5	1	1	2	3	6	8	13
" MULTIPLE DX	234	5.2	68	1	1	3	6	10	15	38
TOTAL 65-69 YRS	225	3.9	48	1	1	3	4	7	10	20
70-74	125	4.2	19	1	1	3	5	10	12	25
75-79	66	3.9	13	1	1	3	5	9	10	20
80-84	22	6.2	162	1	1	3	6	10	31	62
85+	10	5.2	26	2	2	4	6	13	19	19
GRAND TOTAL	**448**	**4.1**	**39**	**1**	**1**	**3**	**4**	**8**	**12**	**22**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	51	2.4	1	1	1	2	3	4	4	6
70-74	27	2.9	5	1	1	2	3	4	6	14
75-79	14	3.2	8	1	1	2	3	9	10	10
80-84	4	2.8	1	2	2	3	3	4	4	4
85+	4	4.0	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	192	4.0	15	1	1	3	4	7	14	20
70-74	102	3.5	5	1	2	3	4	6	8	14
75-79	58	6.1	95	1	2	3	5	11	19	60
80-84	16	4.4	20	2	2	3	4	9	17	20
85+	3	7.0	61	2	2	3	13	16	16	16
TOT. SINGLE DX	100	2.7	4	1	1	2	3	4	5	12
" MULTIPLE DX	371	4.2	26	1	2	3	4	7	13	21
TOTAL 65-69 YRS	243	3.6	13	1	1	3	4	6	12	19
70-74	129	3.4	6	1	2	3	4	5	8	14
75-79	72	5.5	79	1	1	3	5	10	15	57
80-84	20	4.1	17	2	2	3	4	7	14	20
85+	7	5.3	24	2	2	3	5	14	16	16
GRAND TOTAL	**471**	**3.9**	**22**	**1**	**1**	**3**	**4**	**6**	**11**	**21**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	127	2.3	2	1	1	2	3	4	5	8
70-74	75	2.5	1	1	1	2	3	4	5	8
75-79	44	2.7	6	1	1	2	3	4	8	16
80-84	15	3.5	9	1	1	3	4	7	11	13
85+	11	3.1	6	1	1	2	4	7	9	9
2. MULTIPLE DX										
65-69 YRS	508	3.2	5	1	1	3	4	6	8	13
70-74	286	4.0	13	1	1	3	4	8	12	20
75-79	148	5.4	80	1	2	3	5	9	15	39
80-84	67	6.1	34	1	2	4	8	14	20	28
85+	56	7.0	67	1	2	4	8	18	27	40
TOT. SINGLE DX	272	2.5	3	1	1	2	3	4	6	9
" MULTIPLE DX	1065	4.1	24	1	1	3	4	8	11	23
TOTAL 65-69 YRS	635	3.0	5	1	1	2	4	5	7	12
70-74	361	3.7	11	1	1	3	4	7	11	19
75-79	192	4.8	65	1	1	3	5	9	14	34
80-84	82	5.6	31	1	2	4	7	13	18	28
85+	67	6.4	59	1	1	4	6	16	22	39
GRAND TOTAL	**1337**	**3.8**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	249	2.5	6	<1	<1	2	3	4	5	15
70-74	205	2.5	7	<1	1	2	3	4	6	17
75-79	171	2.9	6	<1	1	2	3	5	8	14
80-84	113	2.7	3	<1	1	2	3	5	6	10
85+	80	3.0	8	<1	1	2	3	5	10	16
2. MULTIPLE DX										
65-69 YRS	534	4.5	27	1	1	3	5	10	15	29
70-74	424	5.6	66	1	1	3	6	13	19	44
75-79	379	6.0	49	1	1	4	7	14	18	45
80-84	242	8.5	147	1	2	5	9	18	31	98
85+	210	8.7	89	2	2	6	11	19	26	73
TOT. SINGLE DX	818	2.7	7	<1	1	2	3	5	7	14
" MULTIPLE DX	1789	6.1	67	1	1	3	7	14	20	46
TOTAL 65-69 YRS	783	3.8	22	<1	1	2	4	8	12	28
70-74	629	4.6	49	1	1	3	4	10	15	39
75-79	550	5.0	38	1	1	3	6	11	15	35
80-84	355	6.7	109	1	1	3	8	15	24	80
85+	290	7.1	73	1	2	4	10	16	23	57
GRAND TOTAL	**2607**	**5.0**	**51**	**1**	**1**	**3**	**5**	**11**	**17**	**38**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	135	4.4	8	1	1	4	6	8	9	15
70-74	111	4.4	7	1	1	4	6	8	10	14
75-79	65	3.9	7	1	1	3	5	7	10	14
80-84	38	4.2	5	<1	1	4	6	7	8	11
85+	40	3.1	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
65-69 YRS	363	6.4	38	1	2	5	8	12	17	36
70-74	354	6.7	42	1	2	5	8	14	19	29
75-79	286	7.9	86	2	2	6	8	15	23	39
80-84	170	7.2	85	1	2	5	8	14	18	57
85+	166	8.0	71	1	2	6	9	17	22	46
TOT. SINGLE DX	389	4.2	8	1	1	4	5	7	9	14
" MULTIPLE DX	1339	7.1	60	1	2	5	8	14	19	39
TOTAL 65-69 YRS	498	5.9	31	1	2	5	7	11	15	28
70-74	465	6.2	35	1	2	4	8	12	16	28
75-79	351	7.2	74	1	2	5	8	14	21	36
80-84	208	6.7	72	1	2	5	7	12	18	48
85+	206	7.0	62	1	1	5	8	14	20	41
GRAND TOTAL	**1728**	**6.5**	**50**	**1**	**2**	**5**	**7**	**12**	**17**	**35**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	107	3.0	2	1	1	3	4	5	6	10
70-74	79	3.9	17	1	2	3	4	6	10	28
75-79	36	3.6	11	1	1	3	4	9	13	16
80-84	17	5.3	41	2	2	3	5	15	23	26
85+	4	4.0	7	2	2	3	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	219	5.6	32	2	2	4	6	12	17	25
70-74	140	5.0	23	1	2	3	5	11	16	24
75-79	88	5.2	20	1	1	3	6	13	16	20
80-84	35	8.7	177	2	2	3	10	20	32	72
85+	14	9.1	178	1	2	4	7	22	45	52
TOT. SINGLE DX	243	3.5	12	1	1	3	4	5	9	18
" MULTIPLE DX	496	5.7	43	1	2	4	6	13	18	27
TOTAL 65-69 YRS	326	4.7	25	1	2	3	5	9	14	23
70-74	219	4.6	21	1	2	3	5	10	14	25
75-79	124	4.7	18	1	1	3	5	11	16	19
80-84	52	7.6	133	2	2	3	7	19	26	71
85+	18	8.0	142	1	2	4	7	18	39	52
GRAND TOTAL	**739**	**5.0**	**33**	**1**	**2**	**3**	**5**	**11**	**15**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	97	3.6	11	1	1	2	4	7	12	18
70-74	69	4.3	37	1	1	3	4	7	11	42
75-79	46	4.3	16	1	2	3	5	9	12	23
80-84	18	5.8	137	<1	<1	3	4	8	35	52
85+	12	3.1	1	2	2	3	4	5	6	6
2. MULTIPLE DX										
65-69 YRS	231	7.2	107	1	1	4	9	16	21	61
70-74	159	7.5	68	1	1	4	10	22	28	93
75-79	134	8.2	73	2	2	5	11	17	20	47
80-84	63	9.0	44	1	2	7	13	19	23	26
85+	29	9.1	44	1	2	8	13	17	24	28
TOT. SINGLE DX	242	4.1	28	1	1	3	4	7	11	25
" MULTIPLE DX	616	7.8	81	1	2	4	10	18	24	51
TOTAL 65-69 YRS	328	6.1	82	1	1	3	7	14	19	52
70-74	228	6.5	61	1	1	4	7	17	25	58
75-79	180	7.2	61	1	2	4	9	16	20	44
80-84	81	8.2	65	1	2	5	11	18	23	44
85+	41	7.3	40	1	2	5	11	15	20	28
GRAND TOTAL	**858**	**6.7**	**68**	**1**	**1**	**4**	**8**	**16**	**22**	**48**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	2.1	1	<1	1	2	2	3	4	8
70-74	72	2.4	3	1	1	2	2	4	5	12
75-79	63	2.4	2	1	1	2	3	4	6	8
80-84	35	2.0		1	1	2	2	3	3	5
85+	32	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
65-69 YRS	785	6.3	79	1	2	3	7	15	24	45
70-74	663	6.4	70	1	2	3	7	16	23	51
75-79	524	7.3	98	1	2	3	9	17	29	52
80-84	375	8.8	124	1	2	4	12	22	33	63
85+	345	8.3	121	2	2	4	11	19	34	99+
TOT. SINGLE DX	300	2.3	2	1	1	2	2	3	5	9
" MULTIPLE DX	2692	7.1	93	1	2	3	9	17	27	57
TOTAL 65-69 YRS	883	5.9	72	1	1	3	6	14	21	44
70-74	735	6.0	65	1	2	3	7	16	22	49
75-79	587	6.8	90	1	2	3	8	16	25	49
80-84	410	8.2	117	1	2	3	10	20	31	63
85+	377	7.8	113	1	2	4	11	18	33	96
GRAND TOTAL	**2992**	**6.6**	**86**	**1**	**2**	**3**	**8**	**16**	**24**	**55**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	3.1	1	2	2	3	4	5	5	5
70-74	5	3.2	8	1	1	3	4	8	8	8
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	6	2.3	5	1	1	2	2	7	7	7
70-74	5	4.4	29	1	1	2	6	14	14	14
75-79	9	6.6	66	<1	<1	4	7	21	26	26
80-84	5	17.6	1178	2	2	2	22	79	79	79
85+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX	15	2.8	3	<1	1	3	3	5	7	8
" MULTIPLE DX	26	7.7	247	<1	1	2	5	16	37	79
TOTAL 65-69 YRS	13	2.8	3	1	1	2	3	5	7	7
70-74	10	3.8	17	1	1	2	3	11	14	14
75-79	9	6.6	66	<1	<1	4	7	21	26	26
80-84	6	14.8	989	<1	<1	2	3	71	79	79
85+	3	6.3	70	1	1	2	12	16	16	16
GRAND TOTAL	**41**	**5.9**	**161**	**<1**	**1**	**2**	**4**	**13**	**20**	**79**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	84	3.0	2	1	1	3	4	5	6	9
70-74	39	3.3	8	1	1	3	4	6	10	16
75-79	22	3.8	5	1	1	3	5	8	8	8
80-84	3	3.0	1	2	2	3	4	4	4	4
85+	8	3.5	10	<1	<1	3	4	9	11	11
2. MULTIPLE DX										
65-69 YRS	144	5.2	39	1	2	3	6	10	15	40
70-74	86	6.5	74	1	2	3	8	17	23	49
75-79	71	6.2	44	1	2	3	7	16	19	33
80-84	43	5.1	27	1	2	3	5	14	18	21
85+	12	7.5	86	2	2	4	8	21	32	34
TOT. SINGLE DX	156	3.2	5	1	1	3	4	5	8	12
" MULTIPLE DX	356	5.8	49	1	2	3	6	14	19	40
TOTAL 65-69 YRS	228	4.4	27	1	2	3	4	8	13	36
70-74	125	5.5	56	1	1	3	5	12	19	48
75-79	93	5.6	36	1	2	3	7	15	18	33
80-84	46	5.0	26	1	2	3	4	14	17	21
85+	20	5.9	58	1	2	3	7	13	24	34
GRAND TOTAL	**512**	**5.0**	**37**	**1**	**2**	**3**	**5**	**11**	**16**	**34**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	379	4.1	9	1	2	4	5	7	9	15
70-74	307	4.0	6	2	2	3	5	7	9	16
75-79	192	3.9	4	2	2	3	5	6	7	12
80-84	103	4.9	11	2	2	4	6	9	12	19
85+	46	5.5	13	2	2	5	7	10	12	22
2. MULTIPLE DX										
65-69 YRS	430	6.1	43	2	2	4	7	11	17	42
70-74	343	6.7	50	2	2	4	7	15	20	42
75-79	283	7.7	77	2	2	5	9	14	20	55
80-84	154	9.0	115	2	2	5	10	19	31	59
85+	126	9.9	71	2	3	7	13	19	30	42
TOT. SINGLE DX	1027	4.2	8	2	2	4	5	7	9	15
" MULTIPLE DX	1336	7.3	65	2	2	5	8	15	21	43
TOTAL 65-69 YRS	809	5.2	28	2	2	4	5	9	12	28
70-74	650	5.5	32	2	2	4	6	10	16	30
75-79	475	6.1	52	2	2	4	7	11	17	36
80-84	257	7.4	78	2	2	5	8	15	23	46
85+	172	8.7	60	2	3	7	11	18	22	40
GRAND TOTAL	**2363**	**5.9**	**42**	**2**	**2**	**4**	**6**	**11**	**17**	**35**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	4.1	11	1	1	3	5	10	11	11
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	3.6	8	1	1	3	6	8	8	8
70-74	3	4.3	16	2	2	2	7	9	9	9
75-79	6	9.2	105	1	1	4	14	27	28	28
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	10.0	162	1	1	10	19	19	19	19
TOT. SINGLE DX	10	3.7	9	1	1	3	4	8	11	11
" MULTIPLE DX	19	6.1	51	1	1	3	8	17	24	28
TOTAL 65-69 YRS	14	3.9	9	1	1	3	6	8	10	11
70-74	5	3.6	10	1	1	2	5	9	9	9
75-79	7	8.3	93	1	1	4	12	25	28	28
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	10.0	162	1	1	10	19	19	19	19
GRAND TOTAL	**29**	**5.3**	**37**	**1**	**1**	**3**	**6**	**13**	**19**	**28**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	337	4.1	24	<1	1	2	5	9	13	28
70-74	273	4.9	44	<1	1	2	5	11	17	39
75-79	193	3.9	20	<1	1	2	5	8	10	24
80-84	134	4.2	15	<1	1	3	5	9	13	20
85+	64	5.3	24	1	1	3	7	14	16	22
2. MULTIPLE DX										
65-69 YRS	691	8.8	115	1	2	5	11	21	29	61
70-74	534	9.1	145	1	2	5	11	20	35	67
75-79	431	9.3	138	1	2	5	11	21	39	67
80-84	291	9.2	93	2	2	6	11	21	29	46
85+	232	9.5	90	2	2	7	13	20	28	59
TOT. SINGLE DX	1001	4.4	28	<1	1	3	5	9	14	27
MULTIPLE DX	2179	9.1	122	1	2	5	11	20	31	62
TOTAL 65-69 YRS	1028	7.3	90	1	1	4	9	17	24	56
70-74	807	7.7	115	1	1	4	9	17	30	61
75-79	624	7.6	109	1	1	4	9	16	29	63
80-84	425	7.6	75	1	2	5	9	18	26	41
85+	296	8.6	79	1	2	6	12	18	24	57
GRAND TOTAL	**3180**	**7.6**	**97**	**1**	**1**	**4**	**9**	**17**	**26**	**56**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	2.4	2	1	1	2	3	4	5	9
70-74	21	2.3	5	<1	1	2	2	4	8	12
75-79	16	2.8	6	1	1	2	3	5	9	11
80-84	4	1.8		1	1	2	2	2	2	2
85+	9	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	38	5.1	15	1	1	4	8	13	15	99+
70-74	22	7.4	81	1	1	4	7	21	30	37
75-79	15	8.9	110	1	2	4	10	23	35	39
80-84	4	5.8	30	1	1	4	10	13	13	13
85+	3	4.7	5	2	2	6	6	6	6	6
TOT. SINGLE DX	78	2.3	4	1	1	2	2	4	5	12
" MULTIPLE DX	82	6.4	51	1	2	4	8	15	24	80
TOTAL 65-69 YRS	66	3.9	12	1	1	3	5	10	14	86
70-74	43	4.9	50	1	1	2	4	13	21	37
75-79	31	5.8	65	1	1	2	6	14	23	39
80-84	8	3.8	18	1	1	2	5	11	13	13
85+	12	2.5	3	1	1	2	2	6	6	6
GRAND TOTAL	160	4.4	32	1	1	2	5	10	15	39

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	1.3		1	1	1	2	2	2	2
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84	3	1.7		1	1	2	2	2	2	2
85+	8	1.6		1	1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	5	1.2		1	1	1	2	2	2	2
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84	3	2.0	3	1	1	1	3	4	4	4
85+	7	1.9		1	1	2	2	3	3	3
TOT. SINGLE DX	19	1.5		1	1	1	2	2	3	3
" MULTIPLE DX	19	1.8	2	1	1	1	2	4	6	7
TOTAL 65-69 YRS	12	1.3		1	1	1	2	2	2	2
70-74	2	1.0		1	1	1	1	1	1	1
75-79	3	3.3	10	1	1	2	6	7	7	7
80-84	6	1.8	1	1	1	2	2	4	4	4
85+	15	1.7	1	1	1	2	2	3	3	3
GRAND TOTAL	38	1.7	1	1	1	1	2	3	4	7

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS										
70-74	2	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
TOT. SINGLE DX	5	1.4	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	2	1.0		1	1	1	1	1	1	1
TOTAL 65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	7	1.3	1	<1	<1	1	1	3	3	3

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	4.4	66	1	1	3	5	8	11	40
70-74	80	3.9	8	1	1	2	5	9	10	12
75-79	57	4.6	15	1	1	4	6	8	13	20
80-84	37	5.0	13	1	2	3	7	10	12	15
85+	11	6.9	37	1	1	5	11	16	21	21
2. MULTIPLE DX										
65-69 YRS	270	10.2	146	2	2	6	13	22	43	76
70-74	212	9.8	137	1	2	6	13	23	35	68
75-79	137	10.7	159	1	2	7	13	22	43	77
80-84	65	10.7	184	1	2	7	12	21	27	84
85+	42	18.4	339	1	2	11	25	52	59	71
TOT. SINGLE DX	321	4.5	36	1	1	3	6	9	11	20
" MULTIPLE DX	726	10.7	164	1	2	6	13	24	42	75
TOTAL 65-69 YRS	406	8.2	127	1	1	4	10	19	33	69
70-74	292	8.2	109	1	1	4	10	19	28	55
75-79	194	8.9	125	1	2	5	10	21	31	69
80-84	102	8.6	129	1	2	5	10	17	23	73
85+	53	16.0	297	1	2	9	23	45	56	71
GRAND TOTAL	1047	8.8	133	1	2	5	11	20	32	64

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see *Appendix*)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	58	3.8	6	1	1	3	5	7	10	11
70-74	48	3.5	3	1	1	3	5	7	8	8
75-79	30	2.9	4	1	1	3	4	5	6	11
80-84	21	3.5	15	<1	<1	2	5	6	12	19
85+	15	2.8	4	1	1	2	4	5	7	8
2. MULTIPLE DX										
65-69 YRS	173	5.5	15	1	2	4	7	10	15	23
70-74	185	6.6	50	1	1	5	8	12	20	41
75-79	135	7.0	52	1	2	4	9	14	21	40
80-84	106	7.5	82	1	2	5	7	18	29	78
85+	109	6.5	53	1	2	4	8	13	15	48
TOT. SINGLE DX	172	3.5	6	1	1	3	5	6	8	11
" MULTIPLE DX	710	6.5	49	1	2	5	8	13	19	42
TOTAL 65-69 YRS	231	5.0	14	1	2	4	6	10	13	22
70-74	233	6.0	43	1	1	4	7	10	17	40
75-79	165	6.3	46	1	2	4	8	13	19	38
80-84	129	6.9	74	1	1	5	7	16	22	70
85+	124	6.0	49	1	1	4	7	13	15	45
GRAND TOTAL	882	5.9	41	1	1	4	7	12	17	40

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	579	2.1	6	<1	1	2	2	3	4	15
70-74	388	2.4	14	<1	1	2	2	3	6	24
75-79	221	2.0	1	<1	1	2	2	3	4	7
80-84	79	2.4	3	<1	1	2	2	3	5	12
85+	35	3.0	8	1	1	2	3	6	11	13
2. MULTIPLE DX										
65-69 YRS	711	5.0	52	1	1	2	4	12	20	33
70-74	500	5.6	81	1	1	2	6	13	21	45
75-79	305	6.0	79	1	1	2	6	17	23	39
80-84	122	7.6	99	1	1	3	10	22	29	45
85+	42	10.9	303	1	2	3	13	42	68	99+
TOT. SINGLE DX	1302	2.2	8	<1	1	2	2	3	5	15
" MULTIPLE DX	1680	5.7	76	1	1	2	5	14	23	46
TOTAL 65-69 YRS	1290	3.7	34	<1	1	2	3	9	14	29
70-74	888	4.2	55	1	1	2	3	9	16	40
75-79	526	4.3	50	1	1	2	3	10	19	31
80-84	201	5.5	68	1	1	2	4	15	26	41
85+	77	7.3	183	1	1	2	6	18	47	94
GRAND TOTAL	2982	4.2	49	1	1	2	3	10	16	38

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	8.4	62	1	1	7	13	20	22	33
70-74	33	8.1	62	1	1	6	11	19	25	34
75-79	10	8.5	89	1	1	6	10	23	33	33
80-84	7	8.0	53	2	2	7	9	20	23	23
85+	3	11.0	81	2	2	11	18	20	20	20
2. MULTIPLE DX										
65-69 YRS	103	16.0	264	1	2	12	21	36	51	78
70-74	79	19.7	335	2	2	15	28	51	68	99+
75-79	40	14.0	251	1	2	8	19	33	41	83
80-84	17	19.5	316	2	3	18	23	31	62	79
85+	5	18.0	609	4	4	9	22	62	62	62
TOT. SINGLE DX	114	8.4	62	1	1	6	12	20	23	34
" MULTIPLE DX	244	17.2	295	2	2	13	23	43	62	87
TOTAL 65-69 YRS	164	13.2	202	1	2	10	18	29	45	74
70-74	112	16.2	282	1	2	12	23	43	65	99+
75-79	50	12.9	222	1	2	7	15	32	39	83
80-84	24	16.1	262	2	2	12	22	29	45	79
85+	8	15.4	385	2	3	9	15	49	62	62
GRAND TOTAL	358	14.4	237	1	2	10	20	32	47	83

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	62	16.5	43	9	10	15	20	27	30	36
70-74	44	18.5	96	9	11	16	23	25	35	62
75-79	27	20.9	124	11	12	19	22	34	41	62
80-84	14	20.1	149	9	11	17	20	38	52	56
85+	4	11.0	8	8	8	11	13	14	14	14
2. MULTIPLE DX										
65-69 YRS	154	24.9	263	10	12	20	29	46	56	91
70-74	121	23.2	196	10	12	19	27	45	74	99+
75-79	74	25.2	192	11	12	22	34	52	89	99+
80-84	23	30.1	477	11	13	22	41	62	79	92
85+	6	22.3	11	18	18	22	25	27	27	27
TOT. SINGLE DX	151	18.1	84	9	11	16	20	29	34	62
" MULTIPLE DX	378	24.7	237	10	12	20	30	49	72	99+
TOTAL 65-69 YRS	216	22.5	214	10	11	18	26	38	51	86
70-74	165	21.9	173	10	11	18	25	43	62	99+
75-79	101	24.0	176	11	12	21	31	49	73	99+
80-84	37	26.4	370	9	12	20	33	58	67	92
85+	10	17.8	43	8	8	19	23	26	27	27
GRAND TOTAL	529	22.8	202	10	11	19	27	43	58	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	9.7	50	4	4	7	14	21	22	22
70-74	4	11.3	35	3	3	12	15	17	17	17
75-79										
80-84	1	61.0		61	61	61	61	61	61	61
85+										
2. MULTIPLE DX										
65-69 YRS	75	39.2	718	3	6	40	73	94	99+	99+
70-74	53	37.3	621	5	7	39	59	91	99+	99+
75-79	49	28.9	427	7	7	29	50	99+	99+	99+
80-84	15	34.1	477	7	8	46	59	99+	99+	99+
85+	14	31.9	480	8	9	28	57	73	93	99+
TOT. SINGLE DX	11	14.9	270	3	3	12	16	38	59	61
" MULTIPLE DX	206	35.4	598	5	8	35	59	99	99+	99+
TOTAL 65-69 YRS	81	37.0	729	3	5	36	68	93	99+	99+
70-74	57	35.5	624	4	6	36	57	88	99+	99+
75-79	49	28.9	427	7	7	29	50	99+	99+	99+
80-84	16	35.8	491	7	8	53	61	99+	99+	99+
85+	14	31.9	481	8	9	28	57	73	93	99+
GRAND TOTAL	217	34.4	600	4	7	33	59	98	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	10.0	200	1	1	4	10	30	43	67
70-74	42	8.6	206	1	1	3	7	29	40	71
75-79	22	9.5	167	1	1	7	13	35	71	99+
80-84	16	4.3	40	<1	1	2	3	11	21	26
85+	5	8.8	63	1	1	7	16	19	19	19
2. MULTIPLE DX										
65-69 YRS	430	33.5	735	2	2	34	63	99	99+	99+
70-74	322	31.8	615	2	2	32	53	96	99+	99+
75-79	232	33.7	621	2	4	34	55	86	99+	99+
80-84	111	38.8	702	2	3	39	66	95	99+	99+
85+	67	39.7	537	5	8	41	57	81	99	99+
TOT. SINGLE DX	142	8.8	174	1	1	3	9	28	40	73
" MULTIPLE DX	1162	33.9	668	2	3	34	59	94	99+	99+
TOTAL 65-69 YRS	487	30.7	729	1	2	31	57	94	99+	99+
70-74	364	29.1	622	2	2	29	50	92	99+	99+
75-79	254	31.6	628	2	3	31	53	85	99+	99+
80-84	127	34.5	751	1	2	34	62	93	99+	99+
85+	72	37.5	565	3	6	38	55	79	96	99+
GRAND TOTAL	1304	31.2	675	2	2	31	55	90	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	639	7.5	68	1	2	5	9	16	20	43
70-74	528	7.6	51	1	2	6	10	16	21	33
75-79	352	7.3	47	1	2	5	10	14	19	38
80-84	173	7.7	45	1	2	6	11	16	21	34
85+	52	12.0	122	2	3	8	16	26	40	51
2. MULTIPLE DX										
65-69 YRS	3561	12.4	115	2	3	10	16	25	32	59
70-74	3218	13.1	128	2	3	10	17	26	34	62
75-79	2313	13.9	128	2	3	11	18	27	37	62
80-84	1209	14.3	129	2	3	12	18	28	36	66
85+	577	15.8	167	2	4	12	20	31	40	70
TOT. SINGLE DX	1744	7.7	59	1	2	6	10	16	21	39
" MULTIPLE DX	10878	13.3	127	2	3	10	17	27	35	62
TOTAL 65-69 YRS	4200	11.7	111	2	2	9	15	24	32	57
70-74	3746	12.3	121	2	2	10	16	24	33	59
75-79	2665	13.0	123	2	3	10	17	26	35	61
80-84	1382	13.4	124	2	3	11	18	28	35	63
85+	629	15.5	164	2	4	12	20	30	40	69
GRAND TOTAL	12622	12.5	121	2	3	10	16	25	34	60

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	9.0		9	9	54	99+	99+	99+	99+
70-74	2	12.0	18	9	9	12	15	15	15	15
75-79										
80-84	3	40.7	1605	10	10	26	71	86	86	86
85+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX										
" MULTIPLE DX	7	24.4	773	9	9	15	56	96	99+	99+
TOTAL 65-69 YRS	1	9.0		9	9	54	99+	99+	99+	99+
70-74	2	12.0	18	9	9	12	15	15	15	15
75-79										
80-84	3	40.7	1605	10	10	26	71	86	86	86
85+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	7	24.4	773	9	9	15	56	96	99+	99+

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	377	11.0	60	2	3	9	15	20	27	39
70-74	316	10.5	55	1	1	10	14	20	25	32
75-79	178	10.5	77	1	1	9	15	22	29	46
80-84	62	9.8	89	1	2	7	12	19	29	48
85+	23	8.4	37	1	1	8	13	21	46	99+
2. MULTIPLE DX										
65-69 YRS	1776	15.6	134	3	4	13	20	30	38	59
70-74	1511	15.9	154	2	4	13	21	30	41	64
75-79	957	16.2	151	2	3	13	22	32	41	63
80-84	422	16.6	157	2	4	14	22	32	42	71
85+	147	15.6	168	3	3	12	20	35	44	90
TOT. SINGLE DX	956	10.6	63	1	2	9	14	21	26	42
" MULTIPLE DX	4813	15.9	147	2	4	13	21	31	40	62
TOTAL 65-69 YRS	2153	14.8	124	2	4	12	19	29	36	57
70-74	1827	15.0	141	2	3	12	19	29	38	62
75-79	1135	15.3	144	2	3	12	21	31	40	59
80-84	484	15.8	153	2	3	13	21	31	42	65
85+	170	14.6	157	2	3	12	19	34	44	98
GRAND TOTAL	**5769**	**15.0**	**137**	**2**	**3**	**12**	**20**	**29**	**38**	**61**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	246	14.5	40	8	8	13	17	23	26	37
70-74	150	15.1	42	8	9	13	19	23	29	35
75-79	77	14.8	38	7	8	14	17	24	26	35
80-84	27	16.4	38	9	9	17	19	23	29	34
85+	9	12.8	14	9	9	13	14	19	21	21
2. MULTIPLE DX										
65-69 YRS	903	18.8	100	8	9	16	23	31	39	63
70-74	715	20.4	146	8	10	18	24	35	45	78
75-79	316	19.6	129	8	9	17	23	34	45	90
80-84	92	19.8	81	10	11	18	24	31	41	51
85+	25	21.0	150	9	10	18	26	33	51	57
TOT. SINGLE DX	509	14.8	40	8	8	13	18	23	28	36
" MULTIPLE DX	2051	19.5	121	8	9	17	24	32	42	71
TOTAL 65-69 YRS	1149	17.8	91	8	9	16	22	29	36	56
70-74	865	19.5	132	8	9	17	24	32	42	74
75-79	393	18.6	115	8	9	16	23	31	41	81
80-84	119	19.1	73	9	10	17	23	30	37	47
85+	34	18.8	126	9	9	16	21	33	46	57
GRAND TOTAL	**2560**	**18.6**	**109**	**8**	**9**	**16**	**23**	**31**	**38**	**66**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	469	7.1	51	1	1	5	10	15	20	34
70-74	415	7.0	40	1	1	5	10	16	19	30
75-79	254	8.0	53	1	2	6	10	20	23	35
80-84	127	9.3	104	1	1	6	13	20	26	60
85+	53	12.1	98	2	2	9	15	26	39	42
2. MULTIPLE DX										
65-69 YRS	2765	12.6	136	2	2	10	16	26	36	65
70-74	2549	13.3	146	2	3	10	17	28	37	67
75-79	1856	13.9	136	2	3	11	18	29	39	66
80-84	1054	15.9	158	2	4	13	21	33	41	74
85+	585	17.4	153	3	5	15	23	34	46	75
TOT. SINGLE DX	1318	7.6	56	1	1	5	10	17	22	37
" MULTIPLE DX	8809	13.8	145	2	3	11	18	29	39	67
TOTAL 65-69 YRS	3234	11.8	128	2	2	9	15	25	34	62
70-74	2964	12.4	136	2	2	9	16	26	36	65
75-79	2110	13.2	130	2	3	10	18	28	37	64
80-84	1181	15.1	157	2	3	12	20	32	40	72
85+	638	16.9	151	3	4	15	22	33	44	70
GRAND TOTAL	**10127**	**13.0**	**138**	**2**	**2**	**10**	**17**	**28**	**37**	**65**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	12.9	120	1	2	12	16	27	37	49
70-74	12	6.9	28	2	2	5	9	17	17	17
75-79	10	10.7	115	1	1	6	21	27	33	33
80-84	5	11.2	54	4	4	8	18	21	21	21
85+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	121	13.6	145	2	3	10	18	31	42	74
70-74	106	14.8	207	2	3	10	19	28	37	83
75-79	67	15.6	266	3	3	11	17	34	55	88
80-84	41	16.3	219	2	3	13	22	38	45	73
85+	33	14.8	120	3	4	11	23	28	50	99+
TOT. SINGLE DX	58	10.9	93	1	2	8	16	22	31	48
" MULTIPLE DX	368	14.7	190	2	3	11	20	31	43	88
TOTAL 65-69 YRS	150	13.5	140	2	3	10	17	31	41	64
70-74	118	14.0	195	2	3	10	17	28	36	81
75-79	77	14.9	248	2	3	10	17	33	52	85
80-84	46	15.8	203	2	3	12	21	34	45	73
85+	35	14.3	118	2	3	11	22	28	47	99+
GRAND TOTAL	**426**	**14.2**	**179**	**2**	**3**	**10**	**18**	**30**	**42**	**78**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	165	10.8	57	3	4	9	14	22	25	39
70-74	101	9.8	52	2	3	9	13	18	20	41
75-79	59	11.3	110	3	3	7	14	30	37	44
80-84	36	12.0	74	3	4	10	16	21	30	42
85+	19	16.1	347	2	3	11	20	23	59	88
2. MULTIPLE DX										
65-69 YRS	1161	14.5	142	4	5	11	18	30	41	83
70-74	1046	15.7	159	4	4	12	21	33	43	77
75-79	742	16.8	175	4	5	13	22	34	46	74
80-84	448	16.7	167	4	5	13	22	34	44	87
85+	343	17.6	161	4	5	14	24	36	49	69
TOT. SINGLE DX	380	11.0	81	3	3	9	14	21	26	43
" MULTIPLE DX	3740	15.8	160	4	5	12	20	32	43	77
TOTAL 65-69 YRS	1326	14.0	133	3	4	11	17	28	39	74
70-74	1147	15.2	153	3	4	11	20	31	43	73
75-79	801	16.4	173	4	5	13	22	34	45	73
80-84	484	16.4	162	4	5	13	21	33	43	87
85+	362	17.6	171	4	5	14	23	36	49	85
GRAND TOTAL	**4120**	**15.4**	**154**	**4**	**5**	**12**	**20**	**31**	**42**	**74**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	175	8.7	56	1	2	7	12	19	23	36
70-74	145	10.1	120	1	2	6	13	25	35	48
75-79	75	9.5	54	1	2	9	16	18	20	35
80-84	45	10.0	102	2	2	7	14	20	23	60
85+	39	8.6	36	1	2	7	14	17	19	24
2. MULTIPLE DX										
65-69 YRS	1031	13.7	130	2	3	11	18	29	37	57
70-74	906	15.0	190	2	3	11	20	32	43	86
75-79	637	15.0	167	2	3	12	19	31	44	65
80-84	381	16.1	158	3	4	13	21	34	41	59
85+	252	16.5	196	2	4	12	21	34	50	80
TOT. SINGLE DX	479	9.4	78	1	2	7	13	20	25	43
" MULTIPLE DX	3207	14.9	164	2	3	12	19	31	41	72
TOTAL 65-69 YRS	1206	13.0	123	2	2	10	18	28	35	53
70-74	1051	14.3	183	2	3	10	19	31	42	84
75-79	712	14.4	158	2	3	11	18	30	41	63
80-84	426	15.5	156	3	3	12	20	33	40	59
85+	291	15.5	182	2	4	12	20	32	45	80
GRAND TOTAL	**3686**	**14.1**	**156**	**2**	**3**	**11**	**19**	**30**	**39**	**66**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	129	13.9	22	9	9	13	16	19	22	33
70-74	79	16.3	40	10	11	13	20	27	29	35
75-79	27	19.6	62	10	11	18	27	31	33	36
80-84	6	14.2	41	9	9	11	17	25	26	26
85+	3	16.7	22	13	13	15	20	22	22	22
2. MULTIPLE DX										
65-69 YRS	906	20.1	145	9	10	17	23	35	45	84
70-74	703	22.0	172	9	11	18	27	41	52	99+
75-79	389	24.1	219	9	11	20	29	41	52	90
80-84	112	26.5	187	11	12	24	34	45	56	69
85+	23	23.8	363	8	12	15	31	47	67	93
TOT. SINGLE DX	244	15.3	36	9	10	13	18	25	29	36
" MULTIPLE DX	2133	21.8	175	9	11	18	26	39	51	88
TOTAL 65-69 YRS	1035	19.3	134	9	10	16	22	33	43	81
70-74	782	21.4	162	9	11	17	26	39	50	98
75-79	416	23.8	210	9	11	20	29	41	51	89
80-84	118	25.8	187	10	11	22	34	44	56	68
85+	26	23.0	327	8	13	15	28	44	61	93
GRAND TOTAL	**2377**	**21.2**	**165**	**9**	**11**	**17**	**25**	**38**	**49**	**85**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	809	12.7	24	8	8	11	14	18	22	34
70-74	371	13.6	23	8	9	12	15	19	23	32
75-79	116	15.6	41	8	9	14	19	24	29	39
80-84	20	15.1	33	8	9	14	19	22	26	30
85+	2	26.0	392	12	12	26	40	40	40	40
2. MULTIPLE DX										
65-69 YRS	5771	16.3	96	8	9	14	18	26	33	60
70-74	3490	17.8	104	9	9	15	21	30	39	64
75-79	1277	19.6	127	9	10	16	23	33	41	69
80-84	202	21.8	154	9	10	18	26	37	45	72
85+	16	21.6	189	9	9	16	33	40	50	55
TOT. SINGLE DX	1318	13.3	27	8	9	12	15	19	23	34
" MULTIPLE DX	10756	17.3	106	8	9	14	20	29	37	64
TOTAL 65-69 YRS	6580	15.9	89	8	9	13	18	26	32	58
70-74	3861	17.4	98	9	9	15	20	29	37	62
75-79	1393	19.3	121	9	10	16	23	33	41	67
80-84	222	21.2	147	9	10	18	26	36	43	69
85+	18	22.1	192	9	9	16	34	40	49	55
GRAND TOTAL	**12074**	**16.8**	**99**	**8**	**9**	**14**	**19**	**28**	**36**	**60**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2291	3.1	9	1	1	2	3	6	10	15
70-74	1080	3.5	14	1	1	2	3	8	11	19
75-79	336	3.6	12	1	1	2	4	7	11	19
80-84	70	6.3	44	1	1	3	9	18	21	27
85+	17	6.4	34	1	1	2	11	14	17	19
2. MULTIPLE DX										
65-69 YRS	11158	5.7	38	1	2	3	8	13	17	28
70-74	6579	6.5	45	1	2	4	9	15	19	32
75-79	2496	7.6	62	1	2	5	10	17	22	40
80-84	533	10.1	104	2	2	7	13	22	29	59
85+	134	11.0	95	2	2	9	16	22	31	60
TOT. SINGLE DX	3794	3.3	12	1	1	2	3	7	10	18
" MULTIPLE DX	20900	6.3	47	1	2	3	9	14	19	32
TOTAL 65-69 YRS	13449	5.3	35	1	2	3	7	12	16	27
70-74	7659	6.0	43	1	2	3	8	14	18	31
75-79	2832	7.1	58	1	2	4	10	16	21	37
80-84	603	9.6	99	2	2	7	13	21	28	57
85+	151	10.5	90	2	2	8	15	22	30	53
GRAND TOTAL	**24694**	**5.9**	**43**	**1**	**2**	**3**	**8**	**14**	**18**	**31**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	499	6.3	28	1	2	5	8	13	15	30
70-74	612	6.3	25	2	2	5	8	12	16	27
75-79	739	6.0	20	2	2	5	8	12	15	21
80-84	602	6.3	23	2	2	5	8	12	15	25
85+	540	6.6	28	2	2	5	9	13	18	27
2. MULTIPLE DX										
65-69 YRS	3480	12.2	90	3	4	10	16	23	30	50
70-74	4900	12.2	89	3	4	10	16	23	30	51
75-79	5732	12.6	96	3	4	10	16	24	30	54
80-84	4817	12.7	100	3	4	10	16	24	32	52
85+	4212	13.1	108	3	4	11	17	24	32	60
TOT. SINGLE DX	2992	6.3	25	2	2	5	8	12	15	25
" MULTIPLE DX	23141	12.6	97	3	4	10	16	24	31	54
TOTAL 65-69 YRS	3979	11.5	87	2	3	9	15	22	29	48
70-74	5512	11.6	86	2	3	9	15	22	29	49
75-79	6471	11.9	93	2	3	9	15	23	29	51
80-84	5419	12.0	96	3	3	10	15	23	30	51
85+	4752	12.3	104	2	3	10	16	23	31	58
GRAND TOTAL	**26133**	**11.9**	**93**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	181	6.0	21	2	2	4	8	12	16	22
70-74	89	5.8	35	2	2	4	6	14	18	32
75-79	33	6.6	25	2	2	4	8	16	17	18
80-84	7	13.9	250	3	3	11	15	42	48	48
85+	4	15.8	114	6	6	16	25	25	25	25
2. MULTIPLE DX										
65-69 YRS	847	10.0	94	2	2	7	13	21	30	55
70-74	491	11.3	116	2	3	8	14	22	32	55
75-79	239	13.6	154	3	3	10	18	29	37	76
80-84	70	18.0	177	2	4	15	27	34	41	69
85+	24	23.6	229	4	4	19	34	47	51	52
TOT. SINGLE DX	314	6.3	33	2	2	4	8	14	18	26
" MULTIPLE DX	1671	11.4	120	2	3	8	14	25	34	56
TOTAL 65-69 YRS	1028	9.3	84	2	2	6	12	19	29	53
70-74	580	10.4	108	2	2	7	14	22	29	53
75-79	272	12.7	144	3	3	9	16	23	34	72
80-84	77	17.6	182	2	4	14	25	34	44	68
85+	28	22.5	216	4	5	19	31	46	51	52
GRAND TOTAL	**1985**	**10.6**	**110**	**2**	**3**	**7**	**14**	**23**	**31**	**54**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	316	4.5	34	1	1	2	5	11	15	33
70-74	273	4.7	32	1	1	2	6	11	16	24
75-79	170	5.2	35	1	1	3	7	11	18	30
80-84	94	5.6	44	1	1	3	6	16	22	31
85+	80	7.5	50	1	1	6	10	17	21	37
2. MULTIPLE DX										
65-69 YRS	2117	11.3	107	1	2	9	15	23	29	52
70-74	2109	12.6	127	2	2	10	16	26	34	59
75-79	1914	13.6	135	2	3	10	18	29	37	65
80-84	1488	14.6	132	2	3	12	19	29	36	59
85+	1544	15.5	148	2	4	13	20	30	37	69
TOT. SINGLE DX	933	5.1	37	1	1	2	6	11	17	29
" MULTIPLE DX	9172	13.3	131	2	3	10	18	27	35	60
TOTAL 65-69 YRS	2433	10.4	103	1	2	8	14	22	29	51
70-74	2382	11.7	123	1	2	9	15	25	33	57
75-79	2084	12.9	132	2	2	10	17	28	36	62
80-84	1582	14.1	132	2	3	12	19	28	36	59
85+	1624	15.1	147	2	3	12	20	30	36	66
GRAND TOTAL	**10105**	**12.5**	**128**	**1**	**2**	**10**	**17**	**26**	**34**	**58**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	364	5.3	13	2	2	4	6	9	13	21
70-74	196	5.4	14	2	2	4	6	10	15	20
75-79	95	8.0	72	2	3	5	9	17	22	53
80-84	30	9.5	62	2	3	7	13	22	25	32
85+	7	10.9	86	3	3	5	16	26	28	28
2. MULTIPLE DX										
65-69 YRS	402	8.8	78	2	3	6	10	18	26	49
70-74	276	9.3	83	2	3	6	11	20	27	66
75-79	156	12.5	126	3	4	8	18	26	35	67
80-84	70	14.3	113	3	4	12	18	26	37	50
85+	28	18.1	327	4	4	12	22	32	45	96
TOT. SINGLE DX	692	5.9	26	2	2	4	7	11	16	25
" MULTIPLE DX	932	10.3	102	2	3	7	13	22	29	58
TOTAL 65-69 YRS	766	7.1	50	2	3	5	8	15	20	40
70-74	472	7.7	58	2	3	5	9	16	22	38
75-79	251	10.8	111	3	3	7	15	22	30	58
80-84	100	12.9	102	3	3	10	17	24	33	48
85+	35	16.7	284	4	4	11	22	29	37	96
GRAND TOTAL	**1624**	**8.4**	**74**	**2**	**3**	**5**	**9**	**18**	**23**	**45**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	538	11.8	51	4	6	10	14	19	22	44
70-74	426	11.7	52	4	5	11	14	18	23	32
75-79	268	12.9	64	3	5	12	15	21	27	47
80-84	111	13.8	64	3	6	13	17	22	26	51
85+	43	18.2	164	5	7	15	24	30	36	80
2. MULTIPLE DX										
65-69 YRS	3551	17.4	161	5	7	14	21	33	44	82
70-74	3129	18.6	188	6	7	15	22	36	49	80
75-79	2023	19.9	199	7	8	16	24	40	52	95
80-84	882	22.1	222	6	9	17	28	42	56	78
85+	468	22.5	201	8	10	19	28	40	54	88
TOT. SINGLE DX	1386	12.3	60	4	6	11	15	20	25	44
" MULTIPLE DX	10053	18.9	187	6	8	15	23	37	49	85
TOTAL 65-69 YRS	4089	16.6	150	5	7	13	19	31	42	79
70-74	3555	17.7	177	5	7	14	21	34	47	78
75-79	2291	19.1	189	6	8	15	23	38	50	92
80-84	993	21.2	211	6	8	17	27	41	54	77
85+	511	22.1	200	8	10	18	27	39	52	88
GRAND TOTAL	**11439**	**18.1**	**176**	**5**	**7**	**14**	**22**	**35**	**47**	**81**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	1	15.0		15	15	15	15	15	15	15
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	11	20.5	181	10	10	15	25	40	55	56
70-74	7	21.0	171	10	10	18	21	43	49	49
75-79	2	27.0	18	24	24	27	30	30	30	30
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	15.5	145	7	7	15	24	24	24	24
TOT. SINGLE DX	2	15.0		15	15	15	15	15	15	15
" MULTIPLE DX	23	20.1	152	7	9	18	24	34	51	56
TOTAL 65-69 YRS	12	20.0	167	10	11	15	24	37	53	56
70-74	8	20.3	152	10	10	17	21	41	49	49
75-79	2	27.0	18	24	24	27	30	30	30	30
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	15.5	145	7	7	15	24	24	24	24
GRAND TOTAL	**25**	**19.7**	**141**	**7**	**10**	**17**	**24**	**30**	**51**	**56**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	6.6	31	1	2	5	8	16	17	25
70-74	26	7.1	26	2	2	6	10	13	19	22
75-79	14	5.4	26	1	1	4	5	12	18	20
80-84	7	10.0	79	1	1	12	14	23	25	25
85+	4	5.3	7	3	3	5	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	1394	8.6	67	1	2	6	10	18	25	42
70-74	1119	9.3	94	2	2	7	12	19	28	57
75-79	741	9.8	110	2	2	6	12	20	31	58
80-84	300	10.4	105	1	2	7	14	23	33	52
85+	83	12.4	215	1	2	8	14	27	46	78
TOT. SINGLE DX	86	6.8	32	1	2	5	10	15	18	25
" MULTIPLE DX	3637	9.3	92	2	2	7	11	19	28	55
TOTAL 65-69 YRS	1429	8.6	67	1	2	6	10	18	25	42
70-74	1145	9.3	93	2	2	7	12	19	28	57
75-79	755	9.7	109	2	2	6	12	20	31	57
80-84	307	10.4	104	1	2	7	14	23	32	51
85+	87	12.1	208	2	2	8	13	26	45	77
GRAND TOTAL	**3723**	**9.3**	**90**	**2**	**2**	**6**	**11**	**19**	**28**	**54**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1888	8.7	35	2	3	7	11	16	19	30
70-74	1596	8.7	35	2	3	7	11	15	19	32
75-79	1067	8.8	34	2	3	8	11	15	19	31
80-84	468	9.7	52	2	3	8	13	18	23	40
85+	177	9.8	41	2	3	9	13	17	20	37
2. MULTIPLE DX										
65-69 YRS	9630	13.6	144	3	4	10	16	27	38	74
70-74	9192	14.2	152	3	4	11	18	28	38	73
75-79	6364	14.8	148	3	4	11	19	30	40	75
80-84	3014	16.5	184	3	5	13	21	33	45	85
85+	1552	17.4	207	3	5	14	22	36	51	88
TOT. SINGLE DX	5196	8.8	37	2	3	7	11	16	19	32
" MULTIPLE DX	29752	14.5	157	3	4	11	18	29	40	76
TOTAL 65-69 YRS	11518	12.8	130	3	4	10	15	25	35	69
70-74	10788	13.4	139	3	4	10	16	26	36	69
75-79	7431	13.9	137	3	4	11	18	28	37	71
80-84	3482	15.6	172	3	4	12	19	32	43	81
85+	1729	16.6	196	3	4	13	21	34	49	86
GRAND TOTAL	34948	13.7	143	3	4	10	17	27	37	72

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	424	6.3	36	1	1	5	8	13	17	26
70-74	343	6.5	33	1	1	5	9	14	17	31
75-79	195	8.3	70	1	2	6	10	18	26	46
80-84	96	6.5	34	1	1	5	10	14	18	29
85+	65	8.6	71	1	1	6	12	18	25	43
2. MULTIPLE DX										
65-69 YRS	1358	11.0	102	2	2	8	14	23	30	54
70-74	1204	11.3	110	2	2	9	15	23	33	51
75-79	771	12.5	130	2	2	9	16	26	37	58
80-84	449	12.3	118	2	3	10	16	25	30	50
85+	301	13.7	175	2	3	10	17	28	38	70
TOT. SINGLE DX	1123	6.9	44	1	1	5	9	15	18	34
" MULTIPLE DX	4083	11.7	118	2	2	9	15	24	33	56
TOTAL 65-69 YRS	1782	9.9	91	1	2	8	13	20	28	51
70-74	1547	10.2	97	1	2	8	13	21	29	50
75-79	966	11.6	121	2	2	9	15	25	34	55
80-84	545	11.3	108	2	2	9	16	24	29	48
85+	366	12.8	161	2	2	9	16	27	35	69
GRAND TOTAL	5206	10.7	106	1	2	8	14	23	30	52

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	113	9.2	36	3	4	8	11	18	23	30
70-74	72	9.3	54	2	3	8	10	20	26	87
75-79	29	9.2	108	2	2	6	11	22	30	51
80-84	15	6.4	24	<1	1	5	9	14	18	18
85+	5	14.4	255	3	3	10	20	42	42	42
2. MULTIPLE DX										
65-69 YRS	351	11.5	98	3	4	9	14	21	30	52
70-74	328	13.0	135	3	4	9	16	25	36	72
75-79	177	14.5	152	4	5	10	19	29	43	72
80-84	89	12.9	89	3	4	11	16	24	30	48
85+	40	15.8	249	3	5	10	16	33	46	87
TOT. SINGLE DX	238	9.1	54	2	3	8	10	18	24	43
" MULTIPLE DX	985	12.8	127	3	4	9	15	26	35	66
TOTAL 65-69 YRS	464	10.9	84	3	4	9	13	20	28	46
70-74	400	12.3	123	3	4	9	14	24	36	76
75-79	206	13.7	149	3	4	9	18	29	41	72
80-84	108	11.8	84	2	3	9	15	21	28	48
85+	45	15.7	245	3	4	10	16	36	44	87
GRAND TOTAL	1223	12.1	115	3	4	9	14	24	32	63

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	18.0	328	3	3	13	32	42	42	42
70-74	3	6.0	37	2	2	3	10	13	13	13
75-79	2	13.5	41	9	9	13	18	18	18	18
80-84										
85+										
TOT. SINGLE DX	2	6.5	41	2	2	6	11	11	11	11
" MULTIPLE DX	9	13.0	169	2	2	9	19	34	42	42
TOTAL 65-69 YRS	5	16.6	256	3	3	11	27	42	42	42
70-74	4	5.0	29	2	2	3	8	13	13	13
75-79	2	13.5	41	9	9	13	18	18	18	18
80-84										
85+										
GRAND TOTAL	11	11.8	146	2	2	9	17	30	41	42

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX										
" MULTIPLE DX	1	13.0		13	13	13	13	13	13	13
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	1	13.0		13	13	13	13	13	13	13

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	387	8.5	52	1	2	7	10	19	24	34
70-74	387	9.7	90	1	2	7	12	18	30	50
75-79	330	9.1	49	2	2	7	11	19	22	31
80-84	191	10.3	85	2	3	8	12	19	25	52
85+	144	9.3	54	2	3	7	11	18	23	43
2. MULTIPLE DX										
65-69 YRS	3649	13.6	135	3	4	10	17	27	36	64
70-74	4151	13.4	116	3	4	11	16	26	34	65
75-79	3976	14.3	131	3	4	11	17	28	35	61
80-84	3058	14.7	146	3	5	11	18	28	38	74
85+	2297	15.2	158	4	5	12	18	29	41	83
TOT. SINGLE DX	1439	9.3	67	2	2	7	11	19	25	41
" MULTIPLE DX	17131	14.1	135	3	4	11	17	28	38	67
TOTAL 65-69 YRS	4036	13.1	130	3	4	10	16	26	35	62
70-74	4538	13.1	116	3	4	10	16	26	34	64
75-79	4306	13.9	127	3	4	11	17	27	37	59
80-84	3249	14.4	144	3	4	11	18	28	38	73
85+	2441	14.9	155	3	5	11	18	28	41	82
GRAND TOTAL	18570	13.8	132	3	4	11	17	27	37	65

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	11.0	180	1	2	6	14	23	29	82
70-74	44	11.4	183	1	2	6	17	26	40	69
75-79	72	6.9	19	1	2	6	10	13	16	18
80-84	11	11.3	71	2	3	9	16	24	30	31
85+	7	8.4	39	2	2	5	15	16	16	16
2. MULTIPLE DX										
65-69 YRS	847	16.0	240	2	3	11	22	38	50	70
70-74	629	17.2	231	2	4	12	24	39	54	99+
75-79	480	18.6	236	3	4	14	26	39	57	93
80-84	254	20.3	241	4	6	16	28	41	57	89
85+	201	20.9	168	6	8	18	28	40	49	81
TOT. SINGLE DX	150	10.6	143	1	2	6	14	22	29	69
" MULTIPLE DX	2411	17.7	234	2	4	13	24	39	53	85
TOTAL 65-69 YRS	913	15.7	237	2	2	10	21	37	50	70
70-74	673	16.8	230	2	3	12	24	38	51	99+
75-79	552	18.1	233	3	4	14	25	39	56	90
80-84	265	19.6	238	4	6	16	27	41	57	88
85+	208	20.5	169	5	7	18	28	39	48	78
GRAND TOTAL	2561	17.3	231	2	3	13	24	39	52	84

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	271	7.2	98	1	1	4	9	15	23	48
70-74	231	5.7	44	<1	<1	3	6	13	19	39
75-79	192	6.8	36	1	1	5	9	14	21	35
80-84	96	6.3	42	<1	1	4	8	16	22	32
85+	75	7.7	54	1	2	5	10	17	21	39
2. MULTIPLE DX										
65-69 YRS	1751	10.3	117	1	2	7	12	22	30	60
70-74	1668	10.9	131	2	2	8	14	24	33	66
75-79	1474	11.5	135	2	3	8	15	25	35	74
80-84	1024	12.1	151	2	3	9	15	26	39	75
85+	758	12.3	119	3	3	9	16	25	34	50
TOT. SINGLE DX	865	6.6	60	<1	1	4	9	15	20	42
" MULTIPLE DX	6675	11.2	131	2	2	8	14	24	34	66
TOTAL 65-69 YRS	2022	9.9	116	1	2	7	12	21	30	60
70-74	1899	10.3	124	1	2	7	13	23	31	63
75-79	1666	11.0	126	1	2	8	14	24	32	72
80-84	1120	11.6	145	1	2	8	15	25	37	73
85+	833	11.9	115	2	3	9	16	25	33	50
GRAND TOTAL	7540	10.7	125	1	2	8	13	23	32	65

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	8.8	1	8	8	9	9	10	10	10
70-74	4	16.5	156	8	8	11	24	35	35	35
75-79	3	12.0	21	8	8	11	15	17	17	17
80-84										
85+	3	7.0	49	2	2	4	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	40	21.7	194	8	10	17	26	36	54	76
70-74	52	20.8	217	7	7	17	27	37	43	90
75-79	31	23.5	331	5	9	17	30	63	76	99+
80-84	33	25.6	403	6	8	21	35	57	91	99+
85+	23	24.3	346	7	9	18	25	59	73	78
TOT. SINGLE DX	14	11.3	62	2	4	9	13	19	31	35
" MULTIPLE DX	179	22.8	279	7	8	18	28	47	64	99
TOTAL 65-69 YRS	44	20.5	191	8	9	16	26	35	54	76
70-74	56	20.5	211	7	7	17	27	36	42	89
75-79	34	22.5	313	6	8	17	29	62	74	99+
80-84	33	25.6	403	6	8	21	35	57	91	99+
85+	26	22.3	341	4	6	18	23	53	72	78
GRAND TOTAL	**193**	**22.0**	**272**	**7**	**8**	**17**	**28**	**44**	**62**	**99**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	23	13.4	94	4	5	10	15	25	37	45
70-74	27	13.4	49	5	5	13	19	24	26	26
75-79	25	17.8	369	3	4	13	28	41	96	99+
80-84	22	14.3	153	2	3	12	20	28	39	56
85+	25	12.3	88	1	1	10	20	23	29	37
2. MULTIPLE DX										
65-69 YRS	356	25.3	457	4	6	18	35	64	87	99+
70-74	459	26.0	387	5	7	20	36	59	71	99+
75-79	499	26.2	322	6	8	23	37	59	75	99+
80-84	532	24.8	313	5	7	21	35	56	74	99+
85+	662	24.3	328	5	7	20	34	53	75	99+
TOT. SINGLE DX	122	14.2	149	2	3	12	20	28	34	96
" MULTIPLE DX	2508	25.2	353	5	7	21	35	57	75	99+
TOTAL 65-69 YRS	379	24.6	443	4	6	18	35	63	84	99+
70-74	486	25.3	376	5	7	20	35	57	70	99+
75-79	524	25.8	328	5	7	22	36	58	75	99+
80-84	554	24.4	311	5	7	21	33	55	72	99+
85+	687	23.9	325	4	6	20	33	52	74	99+
GRAND TOTAL	**2630**	**24.7**	**349**	**5**	**7**	**20**	**35**	**56**	**74**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	279	6.2	20	<1	1	5	8	12	15	22
70-74	238	7.2	41	<1	1	6	9	14	17	27
75-79	201	6.9	29	<1	1	6	9	13	18	27
80-84	143	7.5	46	1	2	5	10	14	18	35
85+	84	9.4	49	2	3	8	11	17	24	37
2. MULTIPLE DX										
65-69 YRS	2969	10.5	74	2	3	8	13	19	26	47
70-74	3207	10.9	79	2	3	9	13	20	27	49
75-79	2981	11.6	79	3	4	9	14	22	28	50
80-84	2124	12.3	89	3	4	10	15	23	30	52
85+	1437	13.1	113	3	4	10	16	24	32	63
TOT. SINGLE DX	945	7.1	35	<1	1	6	9	14	17	28
" MULTIPLE DX	12718	11.4	85	3	4	9	14	21	28	51
TOTAL 65-69 YRS	3248	10.1	72	2	3	8	12	19	25	46
70-74	3445	10.6	77	2	3	9	13	20	27	48
75-79	3182	11.3	78	3	4	9	14	21	28	49
80-84	2267	12.0	88	3	4	10	15	23	30	52
85+	1521	12.9	110	3	4	10	16	24	32	63
GRAND TOTAL	**13663**	**11.1**	**82**	**2**	**4**	**9**	**14**	**21**	**28**	**50**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	163	14.6	37	8	9	13	17	24	26	39
70-74	144	16.1	58	8	9	15	19	24	32	39
75-79	83	16.6	65	10	10	15	20	26	29	55
80-84	49	18.2	102	8	10	16	22	28	30	72
85+	27	20.8	83	10	10	20	25	32	37	47
2. MULTIPLE DX										
65-69 YRS	837	20.9	174	9	10	17	25	38	49	80
70-74	686	22.7	180	9	10	19	28	40	51	99
75-79	612	23.5	179	10	11	19	28	44	54	76
80-84	411	25.8	215	11	12	22	32	45	61	99+
85+	239	27.7	222	10	13	25	36	50	61	99+
TOT. SINGLE DX	466	16.1	61	8	9	14	19	25	29	41
" MULTIPLE DX	2785	23.3	191	9	11	19	28	42	54	91
TOTAL 65-69 YRS	1000	19.9	157	9	10	16	24	35	44	78
70-74	830	21.6	166	9	10	18	26	38	49	93
75-79	695	22.7	171	10	11	19	27	43	52	74
80-84	460	25.0	209	10	12	21	30	44	60	98
85+	266	27.0	213	10	12	24	34	48	59	99+
GRAND TOTAL	**3251**	**22.2**	**179**	**9**	**10**	**19**	**27**	**40**	**51**	**87**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	18.1	51	11	11	15	23	29	34	35
70-74	16	20.5	267	8	9	16	23	28	62	77
75-79	13	23.5	113	12	14	20	26	35	49	51
80-84	4	30.8	131	21	21	28	39	46	46	46
85+	2	18.0	50	13	13	18	23	23	23	23
2. MULTIPLE DX										
65-69 YRS	185	26.1	240	11	13	21	32	54	64	93
70-74	130	28.2	288	12	14	23	33	59	67	94
75-79	105	28.8	220	13	14	26	35	51	85	99+
80-84	52	26.4	160	12	15	23	32	48	59	99
85+	12	25.3	149	10	11	21	33	44	50	51
TOT. SINGLE DX	66	20.5	124	9	11	17	24	33	38	73
" MULTIPLE DX	484	27.3	238	12	13	23	33	52	67	99+
TOTAL 65-69 YRS	216	24.9	221	11	13	20	29	50	62	87
70-74	146	27.4	290	11	13	22	31	59	68	93
75-79	118	28.2	210	13	15	26	34	50	78	99+
80-84	56	26.7	157	12	15	23	33	47	58	98
85+	14	24.3	137	10	12	21	29	42	49	51
GRAND TOTAL	**550**	**26.5**	**229**	**11**	**13**	**22**	**32**	**50**	**65**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	47	11.2	13	7	7	11	13	16	17	24
70-74	33	14.2	44	7	8	13	17	24	26	38
75-79	24	14.2	28	8	9	13	17	21	26	30
80-84	13	11.3	13	7	7	11	13	18	18	18
85+	6	16.0	64	10	10	12	19	30	31	31
2. MULTIPLE DX										
65-69 YRS	219	18.3	133	8	8	15	21	33	43	72
70-74	201	19.9	149	8	9	17	24	34	45	79
75-79	161	22.1	211	9	10	18	27	40	50	85
80-84	95	23.4	174	10	12	20	29	43	49	94
85+	59	23.7	219	10	12	20	26	45	70	98
TOT. SINGLE DX	123	12.9	29	7	7	12	15	18	24	33
" MULTIPLE DX	735	20.6	170	8	9	17	25	37	48	85
TOTAL 65-69 YRS	266	17.0	119	7	8	14	20	31	40	70
70-74	234	19.1	138	8	9	16	23	34	42	69
75-79	185	21.1	195	9	10	17	24	37	48	85
80-84	108	21.9	171	9	10	18	28	39	49	93
85+	65	23.0	209	10	11	19	26	39	70	96
GRAND TOTAL	**858**	**19.5**	**157**	**8**	**9**	**16**	**23**	**35**	**45**	**83**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	112	11.3	25	6	6	10	13	17	22	30
70-74	107	12.8	78	6	6	10	14	22	27	58
75-79	85	14.2	118	6	7	12	14	25	32	72
80-84	54	14.8	70	5	7	12	18	26	34	44
85+	43	16.8	77	6	8	14	21	31	34	39
2. MULTIPLE DX										
65-69 YRS	710	18.6	191	7	7	14	23	37	48	90
70-74	671	20.4	212	7	8	16	25	41	56	96
75-79	597	21.3	212	7	8	17	26	41	49	78
80-84	455	24.1	243	9	9	20	30	44	57	97
85+	374	22.3	204	8	10	18	27	43	51	76
TOT. SINGLE DX	401	13.4	73	6	7	11	15	23	30	41
" MULTIPLE DX	2807	21.0	214	7	8	17	26	41	53	88
TOTAL 65-69 YRS	822	17.7	175	7	7	13	22	34	46	84
70-74	778	19.4	201	7	8	15	23	39	55	90
75-79	682	20.4	206	7	8	16	25	39	48	78
80-84	509	23.1	233	8	9	19	29	43	56	96
85+	417	21.7	194	8	10	17	27	41	50	73
GRAND TOTAL	**3208**	**20.1**	**203**	**7**	**8**	**16**	**25**	**39**	**51**	**83**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	740	3.8	22	<1	1	2	4	9	12	23
70-74	661	4.3	22	<1	1	2	6	10	14	23
75-79	440	5.2	45	<1	1	2	7	12	16	40
80-84	239	5.8	50	1	1	3	8	14	21	32
85+	138	8.7	88	1	1	5	12	21	31	41
2. MULTIPLE DX										
65-69 YRS	3986	9.5	85	1	2	7	12	20	27	49
70-74	4035	9.7	86	1	2	8	12	20	27	49
75-79	3607	10.3	93	1	2	8	14	21	28	51
80-84	2372	11.6	111	2	2	9	15	23	31	55
85+	1514	12.7	104	2	3	10	16	25	33	52
TOT. SINGLE DX	2218	4.8	36	<1	1	2	6	11	16	29
" MULTIPLE DX	15514	10.4	95	1	2	8	13	21	29	51
TOTAL 65-69 YRS	4726	8.6	80	1	1	6	11	18	25	48
70-74	4696	9.0	81	1	1	7	12	19	26	47
75-79	4047	9.8	91	1	2	7	13	20	27	50
80-84	2611	11.1	109	1	2	8	14	22	30	54
85+	1652	12.4	104	2	3	10	16	25	33	51
GRAND TOTAL	**17732**	**9.7**	**91**	**1**	**2**	**7**	**13**	**20**	**27**	**49**

598: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	56	15.6	119	7	8	12	17	25	38	73
70-74	63	14.1	38	7	8	12	17	23	27	32
75-79	45	13.8	50	7	8	12	16	22	24	49
80-84	38	20.8	190	6	8	18	23	39	57	66
85+	35	18.7	186	8	9	14	22	30	44	81
2. MULTIPLE DX										
65-69 YRS	578	22.8	260	9	10	18	28	48	66	99+
70-74	637	21.2	197	8	9	17	26	43	54	99+
75-79	527	22.7	203	8	10	19	29	43	55	99+
80-84	410	22.0	191	8	10	18	28	43	58	99+
85+	336	22.6	224	9	10	18	28	43	57	80
TOT. SINGLE DX	237	16.2	111	7	8	14	18	25	34	67
" MULTIPLE DX	2488	22.2	216	8	10	18	28	44	59	99+
TOTAL 65-69 YRS	634	22.1	252	8	9	17	26	45	64	99+
70-74	700	20.6	187	8	9	17	25	42	54	99+
75-79	572	22.0	197	8	9	18	28	43	54	99+
80-84	448	21.9	191	8	10	18	28	42	58	99+
85+	371	22.2	221	9	10	18	27	42	55	81
GRAND TOTAL	**2725**	**21.7**	**210**	**8**	**9**	**17**	**26**	**43**	**57**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	925	13.5	34	8	9	12	15	20	23	35
70-74	808	14.0	35	8	9	12	16	21	24	35
75-79	670	14.6	52	8	9	13	16	21	26	50
80-84	372	16.2	54	9	10	14	18	25	28	50
85+	206	17.4	107	8	10	15	20	28	31	75
2. MULTIPLE DX										
65-69 YRS	4764	18.0	121	8	9	15	21	30	39	70
70-74	5088	19.0	126	9	10	16	22	32	42	74
75-79	4659	20.4	139	9	10	17	24	35	45	73
80-84	3115	22.2	156	10	11	19	26	39	49	83
85+	2107	23.8	169	10	12	21	29	41	51	94
TOT. SINGLE DX	2981	14.5	48	8	9	13	16	21	26	43
" MULTIPLE DX	19733	20.1	141	9	10	17	24	35	45	78
TOTAL 65-69 YRS	5689	17.3	110	8	9	14	20	29	37	67
70-74	5896	18.3	117	9	10	15	21	31	39	70
75-79	5329	19.7	132	9	10	16	23	33	44	70
80-84	3487	21.5	149	10	11	18	26	38	49	81
85+	2313	23.2	167	10	11	20	28	40	50	92
GRAND TOTAL	**22714**	**19.4**	**132**	**9**	**10**	**16**	**23**	**33**	**43**	**74**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	35	11.9	49	6	7	10	13	20	22	44
70-74	35	13.4	53	6	7	12	15	20	24	47
75-79	34	15.7	49	8	9	13	19	26	29	39
80-84	16	16.3	48	8	9	15	19	30	31	31
85+	13	23.5	399	8	8	15	28	62	70	72
2. MULTIPLE DX										
65-69 YRS	231	21.1	238	7	8	17	25	42	59	91
70-74	242	22.3	255	8	9	17	24	45	55	88
75-79	203	23.1	240	8	10	18	29	46	56	78
80-84	170	21.8	165	8	10	19	28	38	61	99+
85+	162	24.3	185	9	11	21	30	45	58	96
TOT. SINGLE DX	133	14.9	92	7	8	12	17	23	31	61
" MULTIPLE DX	1008	22.4	222	8	9	18	27	43	58	89
TOTAL 65-69 YRS	266	19.9	223	7	8	16	23	38	57	89
70-74	277	21.2	238	8	9	17	24	44	54	87
75-79	237	22.0	219	8	9	17	27	42	55	75
80-84	186	21.3	157	8	10	18	27	37	59	99+
85+	175	24.2	199	8	11	21	30	46	60	92
GRAND TOTAL	**1141**	**21.5**	**213**	**8**	**9**	**17**	**26**	**41**	**57**	**88**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	266	9.6	17	4	5	9	12	14	16	23
70-74	227	9.8	15	4	6	10	12	14	16	25
75-79	143	10.7	45	4	6	9	13	16	19	36
80-84	97	11.4	92	3	5	10	13	18	19	64
85+	65	11.8	33	3	4	11	15	21	23	27
2. MULTIPLE DX										
65-69 YRS	1092	15.2	129	6	7	12	17	27	38	68
70-74	1022	15.5	137	5	7	12	17	29	40	76
75-79	818	15.5	111	6	7	13	17	28	37	70
80-84	522	18.7	171	6	8	14	23	37	47	85
85+	319	18.9	194	5	7	15	23	38	49	85
TOT. SINGLE DX	798	10.3	33	4	5	10	12	16	18	28
" MULTIPLE DX	3773	16.2	141	6	7	13	19	31	41	76
TOTAL 65-69 YRS	1358	14.1	112	5	6	11	16	26	35	64
70-74	1249	14.4	120	5	6	11	16	25	38	62
75-79	961	14.8	105	6	7	12	17	26	37	67
80-84	619	17.6	166	6	7	14	21	34	45	84
85+	384	17.7	175	4	6	14	21	37	46	81
GRAND TOTAL	**4571**	**15.1**	**127**	**5**	**7**	**12**	**17**	**28**	**38**	**70**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	46	14.2	53	7	7	13	16	22	29	45
70-74	67	17.1	125	7	7	14	20	30	44	60
75-79	46	18.5	214	7	9	15	19	32	44	98
80-84	34	18.9	69	8	10	18	23	30	37	41
85+	27	26.8	427	8	9	20	33	53	79	83
2. MULTIPLE DX										
65-69 YRS	517	23.4	248	9	10	19	28	45	67	99+
70-74	615	23.4	202	8	11	20	29	44	57	99+
75-79	538	27.5	254	10	12	24	35	52	69	99+
80-84	411	25.9	227	9	12	22	33	49	65	99+
85+	331	26.3	229	10	12	23	33	53	63	99+
TOT. SINGLE DX	220	18.3	167	7	8	15	21	31	46	79
" MULTIPLE DX	2412	25.1	234	9	11	21	32	48	64	99+
TOTAL 65-69 YRS	563	22.7	239	8	10	18	27	45	65	99+
70-74	682	22.8	198	8	10	19	28	43	55	98
75-79	584	26.8	256	10	12	23	34	51	68	99+
80-84	445	25.4	219	9	11	21	32	47	64	99+
85+	358	26.3	243	10	11	23	33	53	64	99+
GRAND TOTAL	**2632**	**24.6**	**232**	**9**	**11**	**20**	**30**	**47**	**62**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	404	6.9	12	3	3	6	9	11	14	20
70-74	259	7.4	14	3	4	7	9	12	15	22
75-79	123	8.5	19	3	4	8	10	14	16	23
80-84	64	9.2	14	4	5	9	12	14	15	22
85+	54	9.2	32	3	3	8	12	17	23	25
2. MULTIPLE DX										
65-69 YRS	702	12.6	112	4	5	10	15	23	32	59
70-74	497	12.7	90	4	5	10	15	23	31	58
75-79	377	13.1	68	5	6	11	16	22	26	60
80-84	247	15.7	138	5	6	13	18	26	36	71
85+	166	15.5	94	5	6	13	19	27	36	50
TOT. SINGLE DX	904	7.6	16	3	3	7	9	13	15	22
" MULTIPLE DX	1989	13.4	101	4	5	11	16	24	32	59
TOTAL 65-69 YRS	1106	10.6	84	3	4	8	12	19	26	54
70-74	756	10.9	71	4	4	9	13	20	25	55
75-79	500	12.0	60	4	5	10	14	21	25	46
80-84	311	14.4	120	4	6	12	17	24	33	69
85+	220	14.0	86	4	5	11	17	26	33	49
GRAND TOTAL	**2893**	**11.6**	**82**	**4**	**4**	**9**	**14**	**21**	**26**	**53**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	5	8.0	9	4	4	8	11	11	11	11
75-79	5	15.0	106	4	4	14	25	26	26	26
80-84										
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	11	14.2	65	7	7	9	19	27	32	32
70-74	4	13.0	130	3	3	10	21	29	29	29
75-79	8	16.1	52	7	8	15	22	26	26	26
80-84	8	14.1	49	7	7	12	20	24	25	25
85+	8	17.9	126	7	8	16	18	36	44	44
TOT. SINGLE DX	11	11.9	60	4	4	11	15	25	26	26
" MULTIPLE DX	39	15.2	72	7	7	13	19	26	31	44
TOTAL 65-69 YRS	11	14.2	65	7	7	9	19	27	32	32
70-74	9	10.2	61	3	3	8	12	23	29	29
75-79	13	15.7	66	4	6	14	25	26	26	26
80-84	8	14.1	50	7	7	12	20	24	25	25
85+	9	17.7	111	7	8	16	17	34	44	44
GRAND TOTAL	**50**	**14.5**	**70**	**4**	**6**	**13**	**19**	**26**	**29**	**44**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	10.1	23	5	5	10	13	17	18	18
70-74	7	12.4	3	10	10	12	14	15	15	15
75-79	4	9.0		8	8	9	10	10	10	10
80-84	1	8.0		8	8	8	8	8	8	8
85+	4	14.0	35	7	7	14	18	21	21	21
2. MULTIPLE DX										
65-69 YRS	18	18.0	83	5	7	17	22	28	37	43
70-74	10	15.0	35	7	8	13	20	23	25	25
75-79	7	33.3	781	7	9	24	38	82	92	92
80-84	5	23.6	52	17	17	21	29	34	34	34
85+	7	24.4	37	18	18	23	27	34	36	36
TOT. SINGLE DX	23	11.2	16	5	6	11	14	16	19	21
" MULTIPLE DX	47	21.2	106	7	8	19	25	33	42	92
TOTAL 65-69 YRS	25	15.8	78	5	6	16	19	28	32	43
70-74	17	13.9	23	8	9	13	16	21	24	25
75-79	11	24.5	619	7	8	18	27	62	89	92
80-84	6	21.0	82	8	9	19	28	33	34	34
85+	11	20.6	60	7	10	21	24	31	36	36
GRAND TOTAL	**70**	**17.9**	**151**	**6**	**7**	**16**	**22**	**28**	**36**	**82**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	289	4.9	36	1	1	3	6	9	12	35
70-74	257	5.0	26	1	1	3	6	10	14	27
75-79	220	5.0	30	1	2	3	6	10	15	31
80-84	155	6.5	36	1	2	5	8	13	20	35
85+	107	7.5	69	2	2	5	9	16	23	46
2. MULTIPLE DX										
65-69 YRS	935	9.1	78	2	2	6	11	19	27	47
70-74	940	9.5	85	2	2	7	12	20	28	46
75-79	847	10.8	118	2	2	7	14	23	32	55
80-84	666	12.2	130	2	3	9	15	25	34	68
85+	543	12.7	108	2	3	10	17	25	34	53
TOT. SINGLE DX	1028	5.5	37	1	2	4	6	11	16	32
" MULTIPLE DX	3931	10.6	104	2	2	8	13	23	31	53
TOTAL 65-69 YRS	1224	8.1	72	1	2	5	10	18	24	43
70-74	1197	8.5	76	1	2	6	11	18	26	45
75-79	1067	9.6	106	1	2	6	12	21	30	55
80-84	821	11.1	117	2	2	8	14	24	33	63
85+	650	11.9	106	2	3	9	16	24	33	53
GRAND TOTAL	**4959**	**9.5**	**94**	**2**	**2**	**6**	**12**	**21**	**28**	**51**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	4.6	14	1	1	4	5	10	13	21
70-74	36	4.1	7	2	2	3	4	7	9	16
75-79	16	5.8	11	2	3	5	7	12	14	14
80-84	7	8.9	80	1	1	5	12	24	27	27
85+	7	7.3	16	4	4	6	7	14	16	16
2. MULTIPLE DX										
65-69 YRS	132	11.2	110	2	3	7	14	28	33	51
70-74	129	10.8	150	1	2	6	12	32	35	60
75-79	63	10.5	96	2	3	7	14	24	27	57
80-84	28	11.6	81	3	4	8	15	25	28	41
85+	19	10.2	41	2	3	11	13	58	99+	99+
TOT. SINGLE DX	127	5.0	16	1	2	4	6	10	14	23
" MULTIPLE DX	371	11.0	116	2	3	7	14	27	34	60
TOTAL 65-69 YRS	193	9.1	90	2	2	6	11	22	30	46
70-74	165	9.3	127	1	2	5	10	23	34	57
75-79	79	9.8	83	2	3	7	11	22	26	53
80-84	35	11.1	80	2	3	8	15	25	27	41
85+	26	9.4	35	2	4	9	13	26	99+	99+
GRAND TOTAL	**498**	**9.4**	**97**	**2**	**2**	**6**	**11**	**23**	**32**	**56**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	252	15.4	51	8	9	14	18	22	27	33
70-74	224	14.8	40	7	9	14	18	22	24	36
75-79	199	17.3	79	7	9	15	20	29	34	53
80-84	81	18.7	137	6	8	16	21	35	40	70
85+	40	17.9	56	7	9	17	21	29	34	40
2. MULTIPLE DX										
65-69 YRS	1064	20.0	108	9	11	17	24	33	38	65
70-74	1030	20.8	126	10	11	18	25	34	42	67
75-79	846	22.0	146	10	11	19	26	38	46	78
80-84	507	23.0	143	10	12	20	27	38	45	86
85+	298	24.1	164	9	11	21	30	42	51	74
TOT. SINGLE DX	796	16.2	66	7	9	15	19	24	30	46
" MULTIPLE DX	3745	21.4	133	10	11	19	26	36	44	71
TOTAL 65-69 YRS	1316	19.1	100	9	10	17	22	31	37	61
70-74	1254	19.8	116	9	10	17	23	32	40	62
75-79	1045	21.1	137	9	11	18	25	36	44	71
80-84	588	22.4	145	10	11	20	27	37	45	81
85+	338	23.3	155	8	11	20	29	40	50	72
GRAND TOTAL	**4541**	**20.5**	**125**	**9**	**10**	**18**	**24**	**34**	**42**	**68**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	834	5.4	22	<1	1	4	7	10	14	24
70-74	732	5.8	33	<1	1	5	7	11	15	32
75-79	601	6.1	32	1	1	5	8	12	15	27
80-84	341	6.1	23	1	2	5	8	12	15	22
85+	217	7.1	41	<1	1	6	9	13	19	45
2. MULTIPLE DX										
65-69 YRS	7096	9.0	60	2	3	7	11	17	23	40
70-74	7347	9.5	70	2	3	7	11	18	24	47
75-79	6485	10.0	74	2	3	8	12	19	26	45
80-84	4526	11.0	81	2	3	9	14	21	28	51
85+	3373	11.7	95	3	4	9	14	22	28	56
TOT. SINGLE DX	2725	5.9	29	1	1	5	8	11	15	28
" MULTIPLE DX	28827	10.0	75	2	3	8	12	19	25	47
TOTAL 65-69 YRS	7930	8.6	57	1	2	7	11	16	22	39
70-74	8079	9.1	69	2	2	7	11	17	24	45
75-79	7086	9.7	73	2	3	8	12	18	25	44
80-84	4867	10.7	79	2	3	8	14	21	27	50
85+	3590	11.4	94	2	3	9	14	21	28	56
GRAND TOTAL	31552	9.6	72	2	3	7	12	18	25	46

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	140	3.5	5	1	2	3	4	5	8	11
70-74	78	4.1	5	1	2	4	6	7	8	14
75-79	39	4.4	12	1	2	4	5	7	11	20
80-84	11	6.3	36	2	2	3	7	18	20	20
85+	10	3.8	2	1	1	4	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	299	6.3	54	2	2	4	6	11	17	39
70-74	163	7.0	73	2	2	5	7	12	20	44
75-79	87	8.6	142	2	3	5	8	16	32	67
80-84	33	10.0	145	3	2	4	10	30	44	49
85+	25	10.8	92	1	2	8	14	27	34	40
TOT. SINGLE DX	278	3.9	8	1	2	3	5	7	8	19
" MULTIPLE DX	607	7.2	79	2	3	5	7	14	19	49
TOTAL 65-69 YRS	439	5.4	40	2	2	4	6	10	14	33
70-74	241	6.0	53	2	2	4	6	10	15	41
75-79	126	7.3	105	2	2	4	7	13	21	59
80-84	44	9.1	119	3	3	4	9	21	35	49
85+	35	8.8	76	1	2	5	13	14	31	40
GRAND TOTAL	885	6.2	59	2	2	4	6	11	17	45

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	85	4.1	4	1	2	4	5	7	9	11
70-74	48	4.2	4	2	2	4	5	6	10	11
75-79	31	3.2	3	1	1	3	4	6	7	9
80-84	25	4.9	12	1	2	4	6	8	11	18
85+	11	5.8	14	2	2	5	7	12	14	14
2. MULTIPLE DX										
65-69 YRS	281	5.4	17	2	2	4	6	9	12	24
70-74	217	6.7	49	2	2	5	8	11	19	29
75-79	132	7.4	41	2	3	5	9	14	18	37
80-84	77	7.5	32	2	2	6	9	16	17	30
85+	57	9.7	78	2	2	8	13	19	23	51
TOT. SINGLE DX	200	4.2	6	1	2	4	5	7	9	13
" MULTIPLE DX	764	6.7	38	2	2	5	8	13	18	30
TOTAL 65-69 YRS	366	5.1	15	2	2	4	6	9	11	21
70-74	265	6.3	42	2	2	5	7	11	17	28
75-79	163	6.6	37	2	2	5	7	12	17	36
80-84	102	6.8	29	2	2	5	8	15	17	29
85+	68	9.1	66	2	2	7	12	18	21	49
GRAND TOTAL	964	6.1	32	2	2	5	7	11	17	28

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	246	4.7	5	2	2	4	6	7	9	14
70-74	152	4.7	4	2	2	4	6	8	9	10
75-79	75	5.6	6	2	3	5	7	9	11	12
80-84	26	5.1	9	2	2	4	7	9	11	14
85+	19	6.9	29	1	2	5	8	14	20	24
2. MULTIPLE DX										
65-69 YRS	1653	6.8	27	3	3	6	8	11	14	26
70-74	1084	7.3	38	3	3	6	8	12	17	30
75-79	632	8.3	59	3	3	6	10	15	19	35
80-84	294	9.5	54	3	4	7	11	18	26	41
85+	130	11.8	72	3	4	9	14	22	34	59
TOT. SINGLE DX	518	5.0	7	2	2	4	6	8	9	14
" MULTIPLE DX	3793	7.6	41	3	3	6	9	13	18	33
TOTAL 65-69 YRS	1899	6.5	25	2	3	5	7	11	14	25
70-74	1236	7.0	35	2	3	5	8	12	16	30
75-79	707	8.0	55	3	3	6	9	15	18	33
80-84	320	9.1	52	2	3	7	11	17	22	40
85+	149	11.1	69	3	4	9	14	22	29	49
GRAND TOTAL	4311	7.2	37	3	3	6	8	13	17	31

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	134	3.9	9	1	1	3	4	7	9	15
70-74	84	4.2	7	1	1	4	5	9	10	13
75-79	59	5.3	15	1	2	4	7	11	15	16
80-84	39	6.1	33	1	2	5	8	10	13	36
85+	21	6.0	19	1	1	6	8	11	16	19
2. MULTIPLE DX										
65-69 YRS	303	8.4	106	2	2	5	9	18	25	61
70-74	274	8.5	78	2	3	6	10	16	25	62
75-79	184	10.5	136	2	3	6	13	20	29	70
80-84	120	10.2	89	2	3	8	12	20	29	51
85+	125	12.7	114	3	4	9	17	25	36	75
TOT. SINGLE DX	337	4.6	14	1	1	4	6	9	11	17
" MULTIPLE DX	1006	9.6	105	2	3	6	11	20	28	66
TOTAL 65-69 YRS	437	7.0	81	1	2	4	7	14	22	50
70-74	358	7.5	65	2	2	5	9	14	21	53
75-79	243	9.3	112	1	2	6	11	19	26	70
80-84	159	9.2	78	2	3	7	11	19	25	42
85+	146	11.7	106	3	3	8	15	24	34	68
GRAND TOTAL	**1343**	**8.3**	**87**	**2**	**2**	**5**	**10**	**18**	**24**	**54**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	7.2	30	3	3	6	9	16	17	17
70-74	7	8.9	47	2	2	6	13	20	21	21
75-79	6	16.0	182	2	3	11	26	37	38	38
80-84	2	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	45	19.0	215	1	4	17	25	37	46	69
70-74	57	21.7	199	3	5	20	28	38	49	66
75-79	25	18.9	186	2	3	17	29	35	41	53
80-84	26	22.4	269	1	2	21	32	43	55	69
85+	14	18.1	158	5	6	16	24	39	45	47
TOT. SINGLE DX	21	9.8	87	2	2	8	14	23	31	38
" MULTIPLE DX	167	20.4	207	2	4	19	29	38	48	68
TOTAL 65-69 YRS	51	17.6	208	1	3	16	23	35	41	69
70-74	64	20.3	198	3	4	19	28	35	47	66
75-79	31	18.3	181	2	3	15	29	36	38	53
80-84	28	20.9	278	1	2	20	31	42	53	69
85+	14	18.1	158	5	6	16	24	39	45	47
GRAND TOTAL	**188**	**19.2**	**204**	**2**	**3**	**17**	**28**	**37**	**45**	**68**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	239	5.4	38	1	1	3	7	13	18	27
70-74	205	5.9	40	1	1	3	9	13	18	29
75-79	92	8.0	74	1	1	4	12	20	25	42
80-84	41	9.1	82	1	2	7	11	17	19	56
85+	17	13.3	224	1	1	9	16	31	50	60
2. MULTIPLE DX										
65-69 YRS	1616	12.3	114	1	2	10	16	25	32	55
70-74	1413	13.1	124	2	2	11	17	25	34	62
75-79	927	14.8	122	2	3	12	20	29	35	57
80-84	453	15.2	154	2	3	12	20	31	41	62
85+	225	16.9	141	3	5	14	22	32	42	57
TOT. SINGLE DX	594	6.4	55	1	1	3	10	15	20	37
" MULTIPLE DX	4634	13.5	126	2	2	11	18	27	35	59
TOTAL 65-69 YRS	1855	11.4	110	1	2	9	15	24	31	53
70-74	1618	12.2	120	1	2	10	16	24	32	59
75-79	1019	14.2	122	2	2	12	19	28	35	55
80-84	494	14.7	151	2	3	11	19	30	41	61
85+	242	16.6	147	3	4	14	22	32	42	59
GRAND TOTAL	**5228**	**12.7**	**123**	**1**	**2**	**10**	**17**	**26**	**34**	**57**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2687	8.4	12	5	5	8	10	13	15	21
70-74	1877	9.3	18	5	6	8	11	14	17	25
75-79	1104	10.1	22	5	6	9	12	16	18	27
80-84	496	11.4	25	6	6	10	14	18	21	29
85+	279	12.7	36	6	7	11	16	21	23	29
2. MULTIPLE DX										
65-69 YRS	8366	12.4	63	5	6	10	15	21	26	45
70-74	7317	13.8	78	6	7	11	16	23	29	52
75-79	5343	15.3	87	6	7	13	18	26	32	56
80-84	3228	17.6	110	7	8	15	21	30	39	62
85+	2018	19.3	132	8	9	17	23	34	44	90
TOT. SINGLE DX	6443	9.4	19	5	5	8	11	15	18	25
" MULTIPLE DX	26272	14.5	88	6	7	12	17	25	32	56
TOTAL 65-69 YRS	11053	11.4	54	5	6	9	13	19	24	42
70-74	9194	12.8	69	5	6	11	15	22	28	48
75-79	6447	14.4	80	6	7	12	17	24	31	53
80-84	3724	16.8	104	7	8	14	20	29	37	59
85+	2297	18.5	125	7	9	16	22	32	42	84
GRAND TOTAL	**32715**	**13.5**	**79**	**6**	**6**	**11**	**16**	**23**	**30**	**51**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	11.9	77	1	2	11	17	22	25	48
70-74	134	11.7	59	2	3	11	16	22	28	33
75-79	115	12.5	56	2	3	13	17	21	25	37
80-84	69	15.8	166	2	3	14	21	25	30	87
85+	64	12.4	76	2	3	12	16	21	26	48
2. MULTIPLE DX										
65-69 YRS	654	17.9	140	3	5	16	23	34	42	65
70-74	745	19.2	169	4	7	16	24	34	46	80
75-79	702	19.3	144	4	7	17	24	35	41	62
80-84	564	21.3	190	5	8	18	27	40	50	82
85+	457	20.4	147	4	8	18	25	36	47	87
TOT. SINGLE DX	496	12.6	81	2	3	12	17	22	26	39
" MULTIPLE DX	3122	19.5	159	4	7	17	25	35	45	76
TOTAL 65-69 YRS	768	17.0	135	3	4	15	22	31	41	62
70-74	879	18.1	160	3	5	16	23	32	44	76
75-79	817	18.4	137	3	6	16	23	33	40	57
80-84	633	20.7	191	4	8	18	26	40	49	83
85+	521	19.4	146	3	7	17	24	33	45	80
GRAND TOTAL	**3618**	**18.6**	**154**	**3**	**6**	**16**	**23**	**34**	**43**	**73**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	145	9.7	115	1	2	6	12	22	34	50
70-74	116	10.2	86	1	2	7	15	23	29	45
75-79	79	8.0	73	1	1	5	12	20	25	83
80-84	54	5.4	14	1	2	4	8	11	13	18
85+	41	10.1	107	1	1	7	14	21	29	53
2. MULTIPLE DX										
65-69 YRS	687	17.2	231	2	3	13	23	39	52	99+
70-74	726	16.2	227	2	3	12	21	34	50	87
75-79	484	16.0	190	2	3	12	20	34	45	81
80-84	319	15.7	146	2	3	13	21	31	42	56
85+	214	16.7	228	2	3	13	21	33	49	94
TOT. SINGLE DX	435	9.0	89	1	2	6	12	21	29	50
" MULTIPLE DX	2430	16.4	210	2	3	12	22	35	49	88
TOTAL 65-69 YRS	832	15.9	219	2	2	11	22	37	49	99+
70-74	842	15.4	212	2	2	11	20	33	46	84
75-79	563	14.8	182	2	3	12	18	31	45	83
80-84	373	14.2	140	2	3	11	19	29	41	56
85+	255	15.6	215	2	3	12	19	31	49	92
GRAND TOTAL	**2865**	**15.3**	**199**	**2**	**2**	**11**	**20**	**33**	**46**	**85**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1127	5.0	25	1	1	4	6	10	14	22
70-74	1002	5.4	32	<1	1	4	7	11	14	26
75-79	810	5.4	24	1	1	4	7	11	15	25
80-84	519	6.4	44	1	1	4	8	14	17	32
85+	384	6.9	30	1	2	5	9	14	16	25
2. MULTIPLE DX										
65-69 YRS	7652	8.0	50	2	2	6	10	15	21	37
70-74	8598	8.5	58	2	2	7	10	16	22	40
75-79	8029	9.1	65	2	3	7	11	17	24	42
80-84	6183	9.8	78	2	3	7	12	19	26	51
85+	4896	10.4	79	2	3	8	13	20	27	51
TOT. SINGLE DX	3842	5.6	30	1	1	4	7	11	15	25
" MULTIPLE DX	35358	9.0	66	2	3	7	11	17	23	43
TOTAL 65-69 YRS	8779	7.6	48	1	2	6	9	15	20	36
70-74	9600	8.2	57	2	2	6	10	16	21	39
75-79	8839	8.8	63	2	2	7	11	17	23	41
80-84	6702	9.5	77	2	3	7	12	18	25	50
85+	5280	10.2	77	2	3	8	13	19	26	49
GRAND TOTAL	**39200**	**8.7**	**63**	**2**	**2**	**7**	**11**	**17**	**23**	**42**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4187	3.9	3	[illegible]	2	4	5	6	7	10
70-74	3336	4.2	4	2	2	4	5	6	8	11
75-79	2267	4.5	4	2	2	4	5	7	8	12
80-84	1151	4.9	7	2	2	4	6	8	9	14
85+	605	5.3	11	2	2	5	6	8	11	18
2. MULTIPLE DX										
65-69 YRS	5246	5.8	22	2	2	5	7	10	14	[illegible]
70-74	4853	6.3	28	2	3	5	7	12	16	[illegible]
75-79	4023	7.0	34	2	3	5	8	13	17	[illegible]
80-84	2329	8.1	45	2	3	6	9	15	21	37
85+	1538	9.6	66	3	3	7	12	18	24	41
TOT. SINGLE DX	11546	4.3	5	2	2	4	5	7	8	12
" MULTIPLE DX	17989	6.8	35	2	3	5	8	13	17	32
TOTAL 65-69 YRS	9433	5.0	15	2	2	4	6	8	11	20
70-74	8189	5.4	20	2	2	4	6	9	13	23
75-79	6290	6.1	25	2	3	5	7	11	15	28
80-84	3480	7.0	35	2	3	5	8	13	18	32
85+	2143	8.4	54	2	3	6	10	16	22	39
GRAND TOTAL	**29535**	**5.8**	**25**	**2**	**2**	**5**	**7**	**10**	**14**	**27**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	553	4.5	3	2	2	4	6	7	8	11
70-74	381	4.8	4	2	2	5	6	8	9	11
75-79	294	4.9	4	2	3	5	6	8	9	14
80-84	143	5.4	5	2	3	5	6	9	10	13
85+	74	6.1	8	2	3	6	8	10	11	17
2. MULTIPLE DX										
65-69 YRS	811	6.0	11	2	3	5	7	10	13	20
70-74	726	6.9	28	2	3	5	8	12	16	29
75-79	524	7.8	35	3	3	6	9	13	18	33
80-84	319	8.1	28	3	3	7	9	14	18	32
85+	196	10.2	63	3	3	8	13	18	24	44
TOT. SINGLE DX	1445	4.8	5	2	2	4	6	8	9	12
" MULTIPLE DX	2576	7.2	29	3	3	6	8	13	16	28
TOTAL 65-69 YRS	1364	5.4	9	2	3	5	6	9	11	17
70-74	1107	6.2	21	2	3	5	7	10	13	26
75-79	818	6.8	27	3	3	5	8	12	14	27
80-84	462	7.3	23	3	3	6	9	12	16	28
85+	270	9.1	52	3	3	8	11	17	20	42
GRAND TOTAL	**4021**	**6.3**	**21**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	187	4.6	7	1	2	4	6	7	9	17
70-74	158	4.9	11	2	2	4	6	8	9	16
75-79	154	5.5	9	2	2	5	7	10	12	15
80-84	104	6.3	17	3	3	6	8	10	15	26
85+	94	7.5	43	3	3	6	9	11	19	42
2. MULTIPLE DX										
65-69 YRS	262	7.3	35	2	3	6	8	14	17	38
70-74	326	8.8	56	2	3	6	10	18	23	39
75-79	349	9.5	65	3	3	7	12	19	23	36
80-84	268	11.4	106	3	4	9	13	22	28	67
85+	236	12.4	82	3	4	10	16	23	34	66
TOT. SINGLE DX	697	5.5	16	2	2	5	7	9	11	22
" MULTIPLE DX	1441	9.8	71	3	3	7	12	18	24	44
TOTAL 65-69 YRS	449	6.2	26	2	2	5	7	12	16	27
70-74	484	7.5	45	2	3	5	9	15	20	37
75-79	503	8.3	52	2	3	6	10	16	21	33
80-84	372	10.0	87	3	3	7	11	18	26	51
85+	330	11.0	76	3	3	9	14	21	32	52
GRAND TOTAL	**2138**	**8.4**	**57**	**2**	**3**	**6**	**10**	**16**	**22**	**41**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	217	4.4	6	1	2	4	5	8	9	13
70-74	123	4.7	11	1	2	4	6	8	11	21
75-79	72	4.8	5	2	2	4	6	8	8	13
80-84	37	6.8	28	2	2	6	8	10	17	31
85+	24	7.9	65	3	3	5	8	15	24	42
2. MULTIPLE DX										
65-69 YRS	462	7.7	45	2	3	6	9	15	20	44
70-74	371	9.5	73	2	3	7	12	18	26	63
75-79	226	9.1	54	2	3	7	11	17	24	36
80-84	133	11.5	87	3	4	9	16	22	31	44
85+	84	13.9	106	4	5	11	18	31	38	83
TOT. SINGLE DX	473	4.9	13	1	2	4	6	8	10	19
" MULTIPLE DX	1276	9.3	66	2	3	7	11	18	25	48
TOTAL 65-69 YRS	679	6.6	36	2	2	5	8	12	18	41
70-74	494	8.3	62	2	3	6	10	17	22	44
75-79	298	8.1	46	2	3	6	10	15	21	34
80-84	170	10.4	78	3	3	8	12	19	29	38
85+	108	12.6	103	3	4	9	15	30	38	72
GRAND TOTAL	**1749**	**8.1**	**56**	**2**	**3**	**6**	**10**	**16**	**22**	**43**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	770	6.2	10	2	3	6	8	10	12	19
70-74	561	6.1	8	2	3	6	8	10	11	17
75-79	316	6.9	13	3	3	6	8	11	14	21
80-84	142	6.8	13	2	3	6	8	11	15	19
85+	76	7.3	10	2	3	7	9	12	14	16
2. MULTIPLE DX										
65-69 YRS	1524	9.5	43	3	4	8	11	18	22	36
70-74	1310	9.9	50	3	4	8	12	18	22	38
75-79	888	10.5	61	3	4	9	13	19	25	40
80-84	431	11.3	61	3	5	9	14	20	27	57
85+	251	12.8	84	4	5	11	17	26	35	98
TOT. SINGLE DX	1865	6.4	11	2	3	6	8	10	12	19
" MULTIPLE DX	4404	10.2	54	3	4	8	12	19	24	40
TOTAL 65-69 YRS	2294	8.4	35	3	3	7	10	15	20	30
70-74	1871	8.8	41	3	4	7	11	16	20	35
75-79	1204	9.6	51	3	4	8	11	17	22	36
80-84	573	10.2	53	3	4	8	12	19	23	49
85+	327	11.5	73	3	4	9	14	23	30	69
GRAND TOTAL	**6269**	**9.0**	**44**	**3**	**4**	**7**	**11**	**16**	**21**	**37**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	8.6	17	3	4	8	10	14	17	25
70-74	39	10.1	19	2	5	10	13	16	18	22
75-79	30	11.7	51	4	5	10	14	18	25	41
80-84	16	15.8	71	5	6	15	20	30	33	34
85+	7	9.6	30	2	3	8	15	17	17	17
2. MULTIPLE DX										
65-69 YRS	281	13.1	59	5	7	11	15	21	28	46
70-74	260	15.4	140	6	7	12	18	27	38	96
75-79	160	17.1	134	7	8	14	20	32	52	99+
80-84	91	20.5	208	6	7	16	25	45	52	62
85+	62	20.3	133	8	9	17	25	34	40	65
TOT. SINGLE DX	141	10.5	36	4	5	9	12	18	21	35
" MULTIPLE DX	854	15.9	125	6	7	13	18	29	40	72
TOTAL 65-69 YRS	330	12.4	56	5	6	10	15	20	26	45
70-74	299	14.7	127	6	7	12	17	25	35	94
75-79	190	16.2	125	6	8	14	19	28	47	99+
80-84	107	19.8	190	6	7	16	23	42	52	60
85+	69	19.2	133	7	8	17	22	34	38	64
GRAND TOTAL	**995**	**15.1**	**116**	**5**	**7**	**12**	**17**	**26**	**39**	**67**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	286	8.4	90	1	2	6	10	17	22	60
70-74	218	9.7	77	1	2	8	13	21	28	44
75-79	125	11.2	91	2	2	9	14	21	30	50
80-84	59	12.4	93	2	2	11	16	26	34	44
85+	40	8.1	40	1	2	6	11	20	21	24
2. MULTIPLE DX										
65-69 YRS	1752	13.8	141	2	3	11	18	27	37	60
70-74	1465	14.7	145	2	4	12	19	30	38	68
75-79	1112	15.6	166	2	3	13	20	31	41	74
80-84	650	17.1	209	3	4	13	22	36	43	84
85+	449	16.5	153	3	4	14	21	34	40	65
TOT. SINGLE DX	728	9.6	86	1	2	7	13	20	27	47
" MULTIPLE DX	5428	15.0	158	2	3	12	19	31	40	67
TOTAL 65-69 YRS	2038	13.1	138	2	3	10	17	26	36	60
70-74	1683	14.1	139	2	3	11	18	29	37	67
75-79	1237	15.2	160	2	3	12	20	31	40	68
80-84	709	16.7	201	3	4	13	22	35	43	76
85+	489	15.8	149	2	4	13	21	33	39	60
GRAND TOTAL	**6156**	**14.4**	**152**	**2**	**3**	**11**	**19**	**30**	**38**	**65**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	162	12.9	64	4	6	11	16	24	32	40
70-74	110	12.8	64	4	6	11	15	25	32	69
75-79	89	14.6	120	4	6	12	18	27	31	71
80-84	43	14.3	98	2	4	11	17	31	36	39
85+	38	16.2	100	4	6	14	19	30	32	55
2. MULTIPLE DX										
65-69 YRS	780	18.1	167	6	7	14	22	33	45	76
70-74	760	19.4	165	6	8	16	24	35	44	84
75-79	559	21.3	202	6	8	18	27	41	51	88
80-84	384	22.3	211	7	9	18	27	39	55	82
85+	267	21.0	160	7	9	18	26	36	47	81
TOT. SINGLE DX	442	13.6	82	4	6	11	17	27	32	49
" MULTIPLE DX	2750	20.0	181	7	8	17	25	37	47	82
TOTAL 65-69 YRS	942	17.2	153	6	7	13	21	32	42	73
70-74	870	18.6	157	6	7	15	23	34	43	83
75-79	648	20.4	196	6	8	17	26	40	50	87
80-84	427	21.5	206	7	8	17	27	37	55	78
85+	305	20.4	155	7	8	17	25	34	46	76
GRAND TOTAL	**3192**	**19.1**	**172**	**6**	**7**	**16**	**24**	**35**	**46**	**77**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	3.2	9	<1	1	2	3	8	12	12
70-74	17	3.4	14	<1	<1	2	3	8	14	16
75-79	6	5.3	52	<1	<1	3	4	18	20	20
80-84	5	4.6	22	2	2	3	6	13	13	13
85+	9	6.6	28	2	2	4	9	15	18	18
2. MULTIPLE DX										
65-69 YRS	96	9.1	76	1	2	6	14	22	27	39
70-74	64	10.3	79	1	2	9	14	21	27	45
75-79	59	11.7	117	1	2	9	18	24	35	48
80-84	29	18.6	278	3	4	13	24	42	46	75
85+	14	15.6	565	1	2	10	12	34	81	95
TOT. SINGLE DX	67	4.0	18	<1	1	2	4	10	13	20
" MULTIPLE DX	262	11.4	140	1	2	8	15	23	34	48
TOTAL 65-69 YRS	126	7.7	66	1	1	4	11	18	24	37
70-74	81	8.8	73	1	1	6	13	21	24	43
75-79	65	11.1	114	1	2	8	17	23	34	48
80-84	34	16.5	264	2	3	12	19	41	44	75
85+	23	12.1	365	1	2	9	12	20	51	95
GRAND TOTAL	**329**	**9.9**	**124**	**1**	**2**	**7**	**13**	**22**	**32**	**48**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	257	10.4	26	3	5	10	13	16	19	28
70-74	228	11.6	43	4	6	10	14	19	23	41
75-79	147	12.8	44	5	6	11	16	19	24	41
80-84	81	13.2	44	5	7	12	16	21	24	43
85+	65	14.1	55	6	8	12	17	24	29	40
2. MULTIPLE DX										
65-69 YRS	1130	17.4	161	4	7	14	22	34	44	71
70-74	1056	18.3	170	5	7	15	23	35	43	75
75-79	935	18.8	156	6	8	15	23	33	46	79
80-84	578	20.3	203	8	9	16	23	33	53	86
85+	457	21.2	181	7	9	18	26	39	50	75
TOT. SINGLE DX	778	11.8	41	4	6	10	14	19	23	37
" MULTIPLE DX	4156	18.8	172	6	7	15	23	34	46	78
TOTAL 65-69 YRS	1387	16.1	144	4	6	12	20	31	41	69
70-74	1284	17.1	155	5	7	14	21	32	41	71
75-79	1082	18.0	146	6	8	15	22	32	43	78
80-84	659	19.4	189	7	9	16	22	32	49	86
85+	522	20.3	171	7	9	17	25	38	48	75
GRAND TOTAL	**4934**	**17.7**	**158**	**5**	**7**	**14**	**22**	**32**	**43**	**75**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	164	12.5	35	7	8	11	14	17	24	42
70-74	119	12.6	27	7	8	11	15	19	21	35
75-79	79	15.2	38	8	9	14	18	25	28	35
80-84	43	15.0	63	8	9	12	17	24	36	40
85+	18	13.4	22	7	8	13	17	18	23	26
2. MULTIPLE DX										
65-69 YRS	750	17.7	153	7	8	14	21	32	40	78
70-74	688	17.5	112	8	9	14	21	30	38	60
75-79	487	19.2	127	8	9	16	24	32	43	78
80-84	260	20.6	130	9	10	18	25	35	43	63
85+	122	22.9	183	9	10	19	29	47	59	99+
TOT. SINGLE DX	423	13.3	37	7	8	12	16	20	25	38
" MULTIPLE DX	2307	18.6	137	8	9	15	22	32	42	73
TOTAL 65-69 YRS	914	16.8	136	7	8	13	19	30	39	77
70-74	807	16.8	103	8	8	14	20	28	37	56
75-79	566	18.6	117	8	9	16	23	31	41	73
80-84	303	19.8	124	9	9	17	24	34	41	63
85+	140	21.7	173	8	9	18	27	42	57	99+
GRAND TOTAL	**2730**	**17.7**	**125**	**8**	**8**	**14**	**21**	**31**	**40**	**68**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	255	9.1	40	1	2	8	11	15	21	34
70-74	169	9.7	65	1	2	9	11	16	21	47
75-79	87	10.6	65	1	1	9	14	19	24	43
80-84	34	6.3	20	1	2	5	9	12	16	19
85+	15	8.8	46	1	1	8	11	21	22	23
2. MULTIPLE DX										
65-69 YRS	895	13.2	109	2	3	11	17	25	33	56
70-74	733	15.3	145	2	4	12	19	29	36	66
75-79	460	16.3	165	2	4	13	21	31	42	78
80-84	247	17.1	168	3	5	14	21	33	44	71
85+	111	16.6	204	2	3	14	21	30	49	72
TOT. SINGLE DX	560	9.3	52	1	2	8	11	17	22	37
" MULTIPLE DX	2446	15.0	143	2	4	12	19	29	37	66
TOTAL 65-69 YRS	1150	12.3	97	2	3	10	15	23	31	53
70-74	902	14.2	135	2	3	11	17	28	35	61
75-79	547	15.4	154	2	4	12	19	29	39	72
80-84	281	15.8	163	2	3	13	19	32	42	67
85+	126	15.7	191	2	3	13	20	29	41	70
GRAND TOTAL	**3006**	**13.9**	**131**	**2**	**3**	**11**	**17**	**27**	**35**	**62**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	289	9.4	21	3	4	9	11	16	18	26
70-74	156	9.1	17	2	4	8	11	15	17	21
75-79	82	10.9	25	4	6	10	13	17	19	30
80-84	29	9.8	25	1	4	11	13	15	16	26
85+	9	11.8	29	3	4	12	16	18	19	19
2. MULTIPLE DX										
65-69 YRS	528	12.5	61	3	5	11	15	22	27	37
70-74	468	13.4	80	3	5	11	16	22	28	50
75-79	280	14.4	118	4	6	12	17	26	33	64
80-84	124	15.5	183	3	5	12	17	33	49	72
85+	48	18.9	220	3	5	15	25	42	49	72
TOT. SINGLE DX	565	9.6	22	3	4	9	12	16	18	26
" MULTIPLE DX	1448	13.7	96	3	5	11	16	24	31	56
TOTAL 65-69 YRS	817	11.4	50	3	5	10	14	20	25	35
70-74	624	12.3	68	3	5	10	15	21	26	47
75-79	362	13.6	99	4	6	11	16	24	31	60
80-84	153	14.4	158	2	5	11	15	27	45	70
85+	57	17.8	196	3	5	15	20	40	47	71
GRAND TOTAL	**2013**	**12.5**	**78**	**3**	**5**	**10**	**15**	**21**	**28**	**50**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	20	13.9	65	3	5	12	18	24	32	38
70-74	15	14.4	22	6	8	14	18	21	21	21
75-79	8	13.4	10	9	10	13	15	18	19	19
80-84	6	14.7	70	5	5	14	20	26	27	27
85+	2	17.5	145	9	9	17	26	26	26	26
2. MULTIPLE DX										
65-69 YRS	108	21.9	180	10	11	17	24	38	52	78
70-74	95	22.5	191	10	11	19	25	40	58	91
75-79	74	25.4	269	8	10	20	32	47	60	83
80-84	40	21.5	173	6	8	20	29	48	50	99+
85+	10	19.4	69	6	9	18	24	32	33	33
TOT. SINGLE DX	51	14.2	43	5	7	13	18	22	26	38
" MULTIPLE DX	327	22.8	200	8	10	19	27	42	53	83
TOTAL 65-69 YRS	128	20.7	171	9	10	17	24	37	47	76
70-74	110	21.4	176	8	11	18	24	37	48	88
75-79	82	24.2	257	8	10	18	30	47	59	82
80-84	46	20.6	163	5	8	19	28	46	49	99+
85+	12	19.1	70	6	8	18	25	32	33	33
GRAND TOTAL	**378**	**21.6**	**187**	**8**	**9**	**18**	**25**	**39**	**50**	**82**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	270	5.0	11	1	2	4	7	9	12	17
70-74	169	5.4	12	2	2	4	7	10	12	16
75-79	102	5.3	12	2	2	4	6	11	13	16
80-84	48	7.4	36	2	2	6	10	15	18	32
85+	13	7.2	38	1	2	6	8	14	24	26
2. MULTIPLE DX										
65-69 YRS	540	8.2	61	2	2	6	10	14	20	43
70-74	390	8.7	51	2	3	7	11	17	25	39
75-79	229	10.0	56	2	3	7	14	20	25	34
80-84	115	12.7	137	2	3	9	17	27	36	62
85+	53	12.2	161	2	3	9	14	21	28	75
TOT. SINGLE DX	602	5.4	15	2	2	4	7	10	13	18
" MULTIPLE DX	1327	9.2	70	2	3	7	12	18	25	44
TOTAL 65-69 YRS	810	7.1	47	2	2	5	9	13	17	33
70-74	559	7.7	42	2	2	6	10	15	20	32
75-79	331	8.6	47	2	2	6	12	18	23	32
80-84	163	11.2	113	2	2	8	14	24	32	55
85+	66	11.2	140	2	3	8	13	21	27	72
GRAND TOTAL	**1929**	**8.0**	**56**	**2**	**2**	**6**	**10**	**16**	**21**	**37**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1591	4.0	14	1	1	3	5	9	11	17
70-74	1359	4.0	14	1	1	3	5	9	11	19
75-79	1005	4.5	18	1	1	3	6	10	12	21
80-84	617	4.7	21	1	1	3	6	10	13	23
85+	373	5.3	28	1	1	4	7	11	16	24
2. MULTIPLE DX										
65-69 YRS	6874	8.3	82	1	2	6	11	18	25	47
70-74	7239	9.0	91	1	2	6	11	20	27	50
75-79	6440	10.0	102	1	2	7	13	21	30	54
80-84	4545	11.5	119	2	2	8	15	24	34	65
85+	3537	12.2	130	2	2	9	16	25	34	76
TOT. SINGLE DX	4945	4.3	17	1	1	3	6	9	12	20
" MULTIPLE DX	28635	9.9	103	1	2	7	13	21	29	57
TOTAL 65-69 YRS	8465	7.5	72	1	1	5	9	16	23	44
70-74	8598	8.2	83	1	1	5	10	18	26	47
75-79	7445	9.3	95	1	2	7	12	20	28	52
80-84	5162	10.6	112	1	2	8	14	23	32	61
85+	3910	11.5	125	2	2	9	15	24	33	72
GRAND TOTAL	**33580**	**9.0**	**94**	**1**	**2**	**6**	**12**	**20**	**28**	**53**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1573	3.8	12	1	1	3	5	7	9	13
70-74	1567	4.1	10	1	1	3	5	7	10	16
75-79	1336	4.3	16	1	2	3	5	8	10	20
80-84	852	4.7	13	1	2	4	6	9	11	18
85+	562	5.4	16	2	2	4	7	10	13	22
2. MULTIPLE DX										
65-69 YRS	3206	6.5	56	1	2	4	7	13	18	37
70-74	3672	6.7	45	1	2	5	8	14	19	35
75-79	3430	7.7	68	2	2	5	9	16	23	41
80-84	2376	8.5	69	2	2	6	10	18	24	42
85+	1892	10.0	87	2	3	7	12	20	28	49
TOT. SINGLE DX	5890	4.3	14	1	2	3	5	8	10	18
" MULTIPLE DX	14576	7.6	64	2	2	5	9	16	22	40
TOTAL 65-69 YRS	4779	5.6	43	1	2	4	6	11	15	32
70-74	5239	5.9	37	1	2	4	7	12	17	32
75-79	4766	6.7	56	1	2	4	8	14	20	37
80-84	3228	7.5	57	2	2	5	9	15	22	39
85+	2454	8.9	75	2	2	6	11	19	25	44
GRAND TOTAL	**20466**	**6.6**	**52**	**1**	**2**	**4**	**8**	**14**	**19**	**37**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	475	5.5	34	1	2	4	9	15	19	25
70-74	420	6.8	42	1	2	4	10	15	21	28
75-79	296	7.4	43	1	2	5	11	17	19	26
80-84	176	7.5	40	1	2	5	11	18	21	26
85+	119	6.8	41	1	2	5	9	14	18	32
2. MULTIPLE DX										
65-69 YRS	1498	11.3	134	2	2	8	15	25	34	64
70-74	1639	12.2	147	2	2	9	15	26	34	64
75-79	1529	13.1	161	2	3	9	17	28	40	69
80-84	1066	13.7	137	2	3	10	18	29	40	62
85+	795	13.6	166	2	3	10	17	28	39	88
TOT. SINGLE DX	1486	6.9	40	1	2	4	10	16	20	26
" MULTIPLE DX	6527	12.6	149	2	2	9	16	27	37	68
TOTAL 65-69 YRS	1973	10.2	115	1	2	7	13	22	30	54
70-74	2059	11.1	131	2	2	8	14	24	31	60
75-79	1825	12.2	146	2	2	9	16	26	36	64
80-84	1242	12.8	128	2	3	10	17	28	36	61
85+	914	12.8	156	2	3	9	16	26	38	82
GRAND TOTAL	**8013**	**11.6**	**134**	**2**	**2**	**8**	**15**	**25**	**34**	**62**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	2.2	1	1	1	2	3	4	4	4
70-74	9	2.2	3	<1	<1	2	2	5	7	7
75-79	8	3.5	4	1	1	3	5	7	7	7
80-84	3	7.0	13	3	3	9	9	10	10	10
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	52	7.2	74	1	1	4	10	15	23	43
70-74	50	6.3	33	<1	2	5	8	14	17	30
75-79	29	7.4	20	2	2	6	11	14	15	18
80-84	30	8.4	48	2	2	6	13	18	19	30
85+	15	11.5	100	3	5	8	13	18	37	44
TOT. SINGLE DX	35	2.9	5	<1	1	2	3	7	8	10
" MULTIPLE DX	184	7.5	51	1	2	5	10	16	18	42
TOTAL 65-69 YRS	54	6.1	63	1	1	3	6	14	19	42
70-74	59	5.7	31	<1	1	4	7	13	17	29
75-79	47	6.7	20	1	1	7	9	13	15	18
80-84	33	8.3	45	2	2	7	12	17	19	30
85+	16	10.9	98	3	3	8	13	18	36	44
GRAND TOTAL	**219**	**6.8**	**46**	**1**	**2**	**4**	**9**	**15**	**18**	**40**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	115	4.1	9	1	2	3	6	7	10	19
70-74	122	4.3	11	1	1	3	5	9	12	16
75-79	94	4.6	14	1	1	4	5	8	12	21
80-84	50	4.0	7	1	2	3	5	6	7	16
85+	37	5.0	21	1	1	4	6	8	12	27
2. MULTIPLE DX										
65-69 YRS	288	7.2	66	1	2	4	9	15	23	42
70-74	311	6.7	36	2	2	5	8	14	19	30
75-79	247	8.3	67	2	2	5	10	21	26	38
80-84	181	8.4	75	2	2	5	10	22	28	42
85+	116	10.7	95	2	2	7	15	26	32	43
TOT. SINGLE DX	418	4.3	12	1	1	3	5	8	11	18
" MULTIPLE DX	1143	7.8	64	2	2	5	9	18	25	42
TOTAL 65-69 YRS	403	6.3	52	1	2	4	8	12	19	40
70-74	433	6.0	31	1	2	4	7	13	17	28
75-79	341	7.3	55	1	2	5	9	16	24	33
80-84	231	7.4	64	2	2	5	9	15	27	39
85+	153	9.3	83	2	2	6	12	22	29	42
GRAND TOTAL	**1561**	**6.9**	**53**	**1**	**2**	**4**	**8**	**15**	**23**	**36**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	164	3.5	8	1	1	3	5	7	9	16
70-74	162	3.6	10	1	1	2	4	8	11	19
75-79	108	4.4	27	<1	1	3	5	8	11	31
80-84	59	3.7	8	1	1	3	4	9	11	91
85+	57	3.9	13	1	1	3	5	8	12	18
2. MULTIPLE DX										
65-69 YRS	1186	8.1	67	1	2	6	10	17	24	43
70-74	1297	8.4	84	1	2	6	10	17	25	53
75-79	1189	9.8	92	1	2	7	13	21	28	53
80-84	848	10.3	88	2	2	8	14	20	28	52
85+	655	11.5	104	2	3	9	16	24	30	51
TOT. SINGLE DX	550	3.8	13	1	1	3	5	8	10	18
" MULTIPLE DX	5175	9.4	87	1	2	7	12	19	27	50
TOTAL 65-69 YRS	1350	7.6	62	1	2	5	10	16	22	42
70-74	1459	7.9	79	1	2	5	10	17	23	50
75-79	1297	9.4	89	1	2	7	12	20	27	52
80-84	907	9.9	86	2	2	7	13	20	27	52
85+	712	10.9	101	2	2	8	15	23	30	51
GRAND TOTAL	**5725**	**8.8**	**82**	**1**	**2**	**6**	**11**	**19**	**26**	**48**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	173	4.1	15	1	2	3	5	8	10	16
70-74	156	4.3	13	1	1	4	5	8	11	18
75-79	138	4.3	8	1	2	4	5	7	9	19
80-84	59	4.0	5	1	2	3	5	8	9	11
85+	26	5.4	13	2	3	4	7	11	14	16
2. MULTIPLE DX										
65-69 YRS	480	6.4	38	2	2	4	8	13	17	31
70-74	554	7.5	74	1	2	5	9	15	21	61
75-79	515	7.3	54	2	2	5	9	15	22	35
80-84	309	7.7	38	2	2	6	10	15	19	42
85+	210	10.7	142	2	3	7	12	22	35	74
TOT. SINGLE DX	552	4.3	12	1	2	3	5	8	10	17
" MULTIPLE DX	2068	7.5	64	2	2	5	9	15	21	42
TOTAL 65-69 YRS	653	5.8	33	2	2	4	7	12	15	29
70-74	710	6.8	62	1	2	4	8	15	19	46
75-79	653	6.6	46	1	2	5	8	13	18	34
80-84	368	7.1	35	2	2	5	9	14	19	40
85+	236	10.1	131	2	3	7	11	20	34	69
GRAND TOTAL	**2620**	**6.9**	**55**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	157	8.9	9	5	6	8	10	12	14	22
70-74	102	8.8	9	5	6	8	10	13	15	20
75-79	65	9.8	10	6	6	9	11	14	16	20
80-84	23	8.9	7	5	5	8	10	13	14	15
85+	11	11.8	14	8	8	11	13	18	20	20
2. MULTIPLE DX										
65-69 YRS	402	10.6	36	5	6	9	12	17	21	35
70-74	270	11.2	29	5	6	10	13	18	21	32
75-79	187	11.7	59	6	7	10	13	19	24	68
80-84	79	12.1	43	5	6	10	15	19	26	40
85+	31	16.0	99	5	7	12	19	31	36	47
TOT. SINGLE DX	358	9.1	10	5	6	9	10	13	15	20
" MULTIPLE DX	969	11.3	42	5	6	9	13	18	24	36
TOTAL 65-69 YRS	559	10.1	30	5	6	9	11	16	19	34
70-74	372	10.6	25	5	6	9	13	17	20	31
75-79	252	11.2	47	6	6	10	12	18	22	33
80-84	102	11.4	37	5	6	10	13	17	21	37
85+	42	14.9	80	6	7	12	17	26	35	47
GRAND TOTAL	**1327**	**10.7**	**35**	**5**	**6**	**9**	**12**	**17**	**20**	**34**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	77	8.2	23	3	4	8	9	13	16	32
70-74	69	7.4	6	4	4	7	9	11	12	15
75-79	37	8.9	18	4	4	8	10	16	16	22
80-84	17	8.8	11	3	5	9	10	13	16	17
85+	6	12.7	21	7	7	12	15	19	20	20
2. MULTIPLE DX										
65-69 YRS	135	8.9	30	4	4	7	10	15	20	36
70-74	123	9.3	18	4	5	8	11	15	17	25
75-79	108	11.0	50	4	5	9	14	21	24	36
80-84	34	11.8	70	4	6	10	13	18	46	99+
85+	20	11.6	35	5	6	10	14	20	24	27
TOT. SINGLE DX	206	8.2	17	4	4	8	10	13	16	21
" MULTIPLE DX	420	9.9	36	4	5	8	12	17	22	37
TOTAL 65-69 YRS	212	8.7	28	3	4	8	10	14	19	36
70-74	192	8.6	15	4	5	8	10	13	15	23
75-79	145	10.4	43	4	4	8	13	18	24	35
80-84	51	10.8	52	4	5	10	12	17	23	99
85+	26	11.8	31	6	6	10	15	20	22	27
GRAND TOTAL	**626**	**9.4**	**30**	**4**	**4**	**8**	**11**	**16**	**20**	**35**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	4.8	20	1	1	4	7	9	15	20
70-74	5	3.2	3	1	1	3	4	6	6	6
75-79	10	4.5	9	2	2	3	8	9	10	10
80-84	5	1.8		1	1	2	2	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	89	12.0	182	1	2	7	16	25	38	73
70-74	61	10.8	73	1	2	9	16	24	27	39
75-79	60	15.7	217	2	3	13	18	31	40	76
80-84	38	16.1	210	2	5	12	20	30	36	82
85+	29	12.7	99	3	4	10	17	25	37	44
TOT. SINGLE DX	40	4.1	13	1	1	3	6	8	9	20
" MULTIPLE DX	277	13.1	163	2	2	10	18	27	36	76
TOTAL 65-69 YRS	108	10.7	161	1	2	6	15	24	34	64
70-74	66	10.2	72	1	2	8	15	23	26	38
75-79	70	14.1	203	2	2	10	18	29	38	76
80-84	43	14.4	207	1	2	12	20	30	36	82
85+	30	12.3	100	2	3	9	17	24	37	44
GRAND TOTAL	**317**	**12.0**	**153**	**1**	**2**	**8**	**17**	**25**	**34**	**76**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	8.7	51	1	2	7	10	22	25	26
70-74	6	5.8	9	<1	<1	7	8	9	9	9
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	51	15.0	190	1	3	12	19	23	32	77
70-74	34	14.5	88	2	3	12	22	28	30	36
75-79	40	15.8	186	3	3	10	18	41	44	47
80-84	23	11.7	143	3	4	8	15	22	36	59
85+	16	9.6	141	1	2	6	8	22	41	49
TOT. SINGLE DX	25	8.0	37	1	2	7	9	15	23	26
" MULTIPLE DX	164	14.1	157	2	3	10	19	28	41	68
TOTAL 65-69 YRS	66	13.6	165	1	2	10	18	22	27	76
70-74	40	13.2	86	2	3	10	20	27	29	36
75-79	41	15.7	182	3	4	11	18	41	44	47
80-84	25	11.2	135	2	4	8	14	22	32	59
85+	17	9.5	133	1	2	5	8	21	40	49
GRAND TOTAL	**189**	**13.3**	**145**	**2**	**3**	**9**	**18**	**26**	**40**	**65**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3984	6.3	6	3	4	6	7	9	11	15
70-74	3762	6.5	8	4	4	6	8	10	11	18
75-79	2660	7.1	15	4	4	6	8	11	13	20
80-84	1405	7.8	23	4	4	7	9	12	15	24
85+	694	8.7	24	4	5	8	10	14	18	30
2. MULTIPLE DX										
65-69 YRS	11411	9.0	41	4	4	7	10	16	21	35
70-74	12850	9.8	57	4	4	8	11	18	23	42
75-79	10803	10.9	76	4	5	8	13	20	26	50
80-84	6892	12.2	87	4	5	9	15	23	30	58
85+	4328	14.1	104	5	5	11	17	27	34	58
TOT. SINGLE DX	12505	6.8	12	4	4	6	8	10	12	19
" MULTIPLE DX	46284	10.6	69	4	5	8	12	20	26	47
TOTAL 65-69 YRS	15395	8.3	34	4	4	7	9	14	19	32
70-74	16612	9.1	48	4	4	7	10	16	21	39
75-79	13463	10.1	67	4	5	8	12	13	24	46
80-84	8297	11.5	80	4	5	9	14	21	28	54
85+	5022	13.4	97	5	5	10	16	26	34	54
GRAND TOTAL	**58789**	**9.8**	**60**	**4**	**4**	**7**	**11**	**18**	**24**	**44**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	430	11.7	22	6	7	11	14	17	21	26
70-74	348	11.1	16	6	7	11	13	16	19	25
75-79	181	11.7	22	6	7	11	14	18	20	30
80-84	80	12.0	17	6	7	11	15	17	21	23
85+	37	12.8	19	6	8	12	16	20	22	23
2. MULTIPLE DX										
65-69 YRS	1217	13.9	55	7	8	12	16	22	27	46
70-74	1201	14.1	55	6	8	12	16	22	27	48
75-79	877	15.5	72	7	8	13	18	26	34	52
80-84	475	16.7	101	7	8	14	20	27	36	64
85+	275	16.7	124	7	9	16	22	32	43	81
TOT. SINGLE DX	1076	11.6	20	6	7	11	14	17	20	25
" MULTIPLE DX	4045	14.9	71	7	8	13	17	24	31	52
TOTAL 65-69 YRS	1647	13.3	48	6	8	12	16	21	25	42
70-74	1549	13.4	48	6	8	12	16	21	26	45
75-79	1058	14.8	66	7	8	13	17	24	33	51
80-84	555	16.0	92	7	8	14	19	26	35	61
85+	312	18.0	116	7	9	16	21	31	40	80
GRAND TOTAL	**5121**	**14.2**	**62**	**6**	**8**	**12**	**17**	**23**	**29**	**49**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	990	2.9	7	1	1	2	3	5	8	14
70-74	800	3.2	8	1	1	2	3	6	9	16
75-79	493	3.4	8	1	1	2	4	6	9	17
80-84	204	3.7	7	1	2	3	4	8	9	12
85+	75	3.8	12	<1	1	3	4	7	8	22
2. MULTIPLE DX										
65-69 YRS	1536	5.9	43	1	2	3	7	13	19	31
70-74	1499	6.9	53	1	2	4	9	16	20	38
75-79	1225	7.8	66	1	2	5	10	17	23	39
80-84	679	9.0	69	2	2	7	12	19	25	41
85+	351	10.4	76	2	2	8	14	22	30	98
TOT. SINGLE DX	2562	3.2	8	1	1	2	3	6	8	15
" MULTIPLE DX	5290	7.3	59	1	2	4	10	17	22	39
TOTAL 65-69 YRS	2526	4.7	31	1	1	3	5	11	15	27
70-74	2299	5.6	41	1	1	3	7	13	18	34
75-79	1718	6.6	54	1	2	4	8	15	20	35
80-84	883	7.8	60	1	2	5	10	17	23	37
85+	426	9.2	72	2	2	7	12	21	27	69
GRAND TOTAL	**7852**	**6.0**	**46**	**1**	**1**	**3**	**7**	**14**	**19**	**34**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	4.6	12	1	2	3	5	10	11	18
70-74	59	4.5	35	1	1	3	5	9	12	40
75-79	22	2.9	2	<1	1	3	4	5	5	5
80-84	15	4.5	3	2	3	4	5	8	9	9
85+	7	7.6	40	3	3	5	11	18	20	20
2. MULTIPLE DX										
65-69 YRS	156	7.7	53	2	2	5	10	18	25	39
70-74	133	9.3	127	2	2	5	11	19	40	56
75-79	102	8.5	51	2	2	7	11	16	20	39
80-84	58	10.5	150	2	2	6	12	21	27	76
85+	39	16.1	249	2	3	11	20	37	50	77
TOT. SINGLE DX	169	4.5	20	1	1	3	5	9	11	21
" MULTIPLE DX	488	9.3	104	2	2	6	12	20	30	53
TOTAL 65-69 YRS	222	6.8	43	2	2	4	8	17	22	38
70-74	192	7.8	104	1	2	4	8	17	31	53
75-79	124	7.5	47	1	2	5	9	15	18	39
80-84	73	9.2	126	2	2	6	11	20	25	71
85+	46	14.8	225	3	3	11	20	30	49	77
GRAND TOTAL	**657**	**8.0**	**87**	**1**	**2**	**5**	**10**	**18**	**25**	**52**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	225	4.2	13	1	2	3	4	9	12	21
70-74	217	4.5	12	1	2	3	5	9	12	19
75-79	189	4.2	9	1	2	3	5	9	11	15
80-84	95	5.9	32	1	2	3	9	13	16	29
85+	49	7.1	65	1	2	4	8	16	25	39
2. MULTIPLE DX										
65-69 YRS	663	8.7	77	2	2	6	11	18	24	43
70-74	821	9.2	89	2	2	6	11	20	25	48
75-79	799	9.6	95	2	2	6	13	21	27	49
80-84	497	11.5	141	2	3	8	15	23	33	65
85+	266	11.2	95	2	2	9	15	24	28	53
TOT. SINGLE DX	775	4.7	18	1	2	3	5	10	13	23
" MULTIPLE DX	3046	9.8	98	2	2	7	12	21	27	51
TOTAL 65-69 YRS	888	7.6	65	2	2	4	10	16	22	41
70-74	1038	8.2	77	2	2	5	10	18	23	45
75-79	988	8.6	84	2	2	5	11	19	25	46
80-84	592	10.6	128	2	2	7	14	22	31	61
85+	315	10.5	93	2	2	8	14	24	28	46
GRAND TOTAL	**3821**	**8.7**	**86**	**2**	**2**	**5**	**11**	**19**	**25**	**46**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74	3	2.7		2	2	3	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS										
70-74	2	6.5	41	2	2	6	11	11	11	11
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	2	3.5	5	2	2	3	5	5	5	5
TOT. SINGLE DX	9	2.0	1	<1	<1	2	3	3	3	3
" MULTIPLE DX	5	4.8	14	2	2	4	6	11	11	11
TOTAL 65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74	5	4.2	15	2	2	3	5	11	11	11
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	3	2.7	4	1	1	2	4	5	5	5
GRAND TOTAL	**14**	**3.0**	**7**	**<1**	**1**	**2**	**3**	**6**	**10**	**11**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	3.3		2	2	3	4	5	5	5
70-74	5	4.4	6	1	1	5	6	7	7	7
75-79	7	5.0	24	2	2	4	4	14	16	16
80-84	4	5.5	13	2	2	5	8	10	10	10
85+										
2. MULTIPLE DX										
65-69 YRS	29	9.0	86	1	2	7	12	16	21	50
70-74	18	6.9	41	2	2	4	9	14	23	28
75-79	11	6.3	18	3	3	5	7	12	17	18
80-84	8	8.0	16	2	2	9	11	13	13	13
85+	7	8.7	19	4	4	9	10	16	17	17
TOT. SINGLE DX	25	4.4	10	1	2	3	5	7	11	16
" MULTIPLE DX	73	7.9	50	2	2	6	10	14	18	45
TOTAL 65-69 YRS	38	7.7	72	1	2	5	10	14	19	50
70-74	23	6.4	35	1	2	5	9	12	20	28
75-79	18	5.8	20	2	2	4	7	14	17	18
80-84	12	7.2	15	2	2	8	10	12	13	13
85+	7	8.7	19	4	4	9	10	16	17	17
GRAND TOTAL	**98**	**7.0**	**42**	**2**	**2**	**5**	**9**	**14**	**17**	**39**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	6.9	3	5	5	6	9	9	9	9
70-74	15	6.3	3	3	5	6	8	9	9	9
75-79	4	9.3	65	3	3	6	14	21	21	21
80-84	5	8.4	12	5	5	8	10	14	14	14
85+										
2. MULTIPLE DX										
65-69 YRS	40	9.6	47	2	3	8	12	18	21	39
70-74	36	10.0	66	5	5	8	10	16	30	44
75-79	29	9.9	29	4	5	8	12	16	23	26
80-84	19	8.9	30	3	4	7	12	17	22	24
85+	7	14.0	44	5	6	13	15	25	27	27
TOT. SINGLE DX	31	7.1	12	3	5	6	8	9	14	21
" MULTIPLE DX	131	9.9	46	3	5	8	12	17	23	40
TOTAL 65-69 YRS	47	9.2	41	2	4	8	10	16	21	39
70-74	51	8.9	50	5	5	7	9	14	20	44
75-79	33	9.8	32	3	4	8	12	18	23	26
80-84	24	8.8	26	3	4	7	11	15	20	24
85+	7	14.0	45	5	6	13	15	25	27	27
GRAND TOTAL	**162**	**9.4**	**40**	**3**	**5**	**8**	**11**	**16**	**21**	**39**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	327	3.2	2	1	2	3	4	5	6	11
70-74	215	3.2	3	1	2	3	4	5	6	10
75-79	99	3.2	3	1	2	3	4	5	6	12
80-84	34	3.8	7	2	2	3	4	6	10	15
85+	11	3.8	7	1	1	2	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	462	4.7	16	1	2	4	5	9	12	20
70-74	328	5.0	13	1	2	4	6	10	13	20
75-79	197	6.2	64	2	2	4	6	12	17	39
80-84	80	7.0	57	2	2	5	8	13	18	44
85+	35	8.4	43	2	2	6	11	20	22	28
TOT. SINGLE DX	686	3.2	3	1	2	3	4	5	6	11
" MULTIPLE DX	1102	5.3	29	2	2	4	6	10	14	23
TOTAL 65-69 YRS	789	4.1	11	1	2	3	5	7	11	18
70-74	543	4.3	10	1	2	3	5	8	11	18
75-79	296	5.2	46	2	2	4	5	10	13	33
80-84	114	6.1	45	2	2	4	7	12	15	43
85+	46	7.3	38	1	2	5	9	19	21	28
GRAND TOTAL	**1788**	**4.5**	**20**	**1**	**2**	**3**	**5**	**8**	**12**	**20**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	64	2.2	2	<1	1	2	2	4	6	10
70-74	65	2.1	1	<1	1	2	2	3	4	8
75-79	36	2.1		<1	1	2	3	3	4	5
80-84	20	2.4	2	<1	<1	2	3	4	6	8
85+	13	2.6	1	2	2	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	245	4.8	30	1	1	3	6	11	15	30
70-74	213	5.6	46	1	2	3	7	13	16	37
75-79	146	6.0	34	1	2	4	8	13	19	27
80-84	109	6.5	45	1	2	4	8	15	21	33
85+	77	9.5	117	1	2	7	13	20	27	67
TOT. SINGLE DX	288	2.1	1	<1	1	2	2	3	4	8
" MULTIPLE DX	1012	6.0	52	1	2	3	7	14	18	35
TOTAL 65-69 YRS	411	4.1	24	1	1	2	4	9	13	29
70-74	363	4.5	34	1	1	2	5	9	15	29
75-79	233	5.5	55	1	1	3	6	13	17	42
80-84	170	6.1	46	1	2	3	7	13	21	33
85+	123	8.2	97	1	2	4	11	16	26	50
GRAND TOTAL	**1300**	**5.1**	**44**	**1**	**1**	**3**	**6**	**12**	**16**	**33**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	180	4.7	5	2	2	4	6	8	9	12
70-74	100	4.8	9	1	2	4	6	9	11	16
75-79	59	4.4	3	2	2	4	5	7	8	9
80-84	26	6.7	49	1	2	4	8	15	20	35
85+	6	3.7	5	1	1	3	4	8	8	8
2. MULTIPLE DX										
65-69 YRS	371	5.8	28	2	2	5	7	10	15	28
70-74	220	6.7	38	2	2	5	8	12	16	34
75-79	119	8.6	81	2	2	5	10	18	25	48
80-84	54	9.6	97	2	2	7	12	20	28	60
85+	24	11.2	43	3	4	11	14	22	25	27
TOT. SINGLE DX	371	4.8	9	2	2	4	6	8	10	16
" MULTIPLE DX	788	6.9	47	2	2	5	8	13	18	39
TOTAL 65-69 YRS	551	5.4	21	2	2	4	6	9	12	24
70-74	320	6.1	31	2	2	5	8	11	15	30
75-79	178	7.2	59	2	2	5	8	15	20	43
80-84	80	8.6	83	2	2	6	10	16	26	53
85+	30	9.7	44	2	3	9	13	19	24	27
GRAND TOTAL	**1159**	**6.2**	**36**	**2**	**2**	**5**	**7**	**11**	**16**	**32**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	27	10.7	42	5	6	9	12	18	28	31
70-74	11	8.3	8	5	5	8	9	13	14	14
75-79	16	12.3	37	6	7	10	14	24	26	26
80-84	11	13.5	40	7	7	11	18	23	26	26
85+	3	11.3	2	10	10	11	12	13	13	13
2. MULTIPLE DX										
65-69 YRS	75	13.9	102	4	6	10	17	25	32	59
70-74	76	15.9	150	6	7	12	18	27	44	67
75-79	55	15.8	81	7	8	14	18	27	30	53
80-84	41	19.1	108	6	9	18	23	29	42	56
85+	22	18.5	134	3	4	17	25	33	44	48
TOT. SINGLE DX	68	11.1	35	6	6	9	13	19	26	30
" MULTIPLE DX	269	16.0	117	5	7	14	19	28	37	62
TOTAL 65-69 YRS	102	13.0	88	4	6	10	16	24	31	54
70-74	87	14.9	139	5	7	12	17	26	39	67
75-79	71	15.0	73	7	8	14	17	26	28	52
80-84	52	17.9	99	7	8	17	22	28	34	56
85+	25	17.7	124	4	4	14	25	30	43	48
GRAND TOTAL	**337**	**15.0**	**104**	**5**	**7**	**12**	**18**	**27**	**32**	**57**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	46	7.8	6	5	5	7	8	12	13	18
70-74	25	9.8	41	4	4	8	11	22	25	28
75-79	20	10.3	24	6	6	8	11	18	22	24
80-84	13	12.4	31	6	7	12	16	22	22	22
85+	8	10.6	22	5	6	10	11	18	21	21
2. MULTIPLE DX										
65-69 YRS	176	16.4	108	6	7	13	21	33	37	52
70-74	145	15.4	79	6	7	12	20	27	34	44
75-79	108	15.8	119	7	7	13	19	29	37	60
80-84	69	15.8	78	5	8	13	19	30	34	48
85+	36	18.0	104	8	8	15	22	30	44	48
TOT. SINGLE DX	112	9.4	23	5	5	8	11	16	22	26
" MULTIPLE DX	534	16.0	98	6	7	13	20	30	36	48
TOTAL 65-69 YRS	222	14.6	99	5	6	11	19	30	36	48
70-74	170	14.6	78	5	6	11	18	26	32	44
75-79	128	15.0	108	6	7	12	18	27	36	54
80-84	82	15.3	72	6	7	13	19	28	32	46
85+	44	16.6	97	7	8	14	21	29	40	48
GRAND TOTAL	**646**	**14.9**	**91**	**6**	**6**	**12**	**19**	**28**	**35**	**47**

662: Bilateral oophcrectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	63	9.0	12	5	5	8	11	14	15	23
70-74	31	9.2	24	5	5	8	10	13	21	29
75-79	23	11.0	32	5	6	9	12	20	23	27
80-84	15	8.8	3	7	7	8	10	11	13	14
85+	4	12.3	29	5	5	13	16	18	18	18
2. MULTIPLE DX										
65-69 YRS	302	13.4	76	5	6	10	17	23	29	43
70-74	234	14.4	82	5	7	12	17	26	32	51
75-79	147	15.5	107	7	7	13	18	28	36	56
80-84	89	17.7	98	8	9	15	21	30	36	87
85+	48	16.9	61	6	7	16	21	27	34	35
TOT. SINGLE DX	136	9.4	18	5	6	8	11	14	19	27
" MULTIPLE DX	820	14.7	87	6	7	12	18	26	33	52
TOTAL 65-69 YRS	365	12.6	68	5	6	10	16	22	28	38
70-74	265	13.8	79	5	6	11	17	24	31	50
75-79	170	14.9	99	6	7	12	18	26	35	55
80-84	104	16.4	94	7	8	14	20	29	34	82
85+	52	16.6	60	6	7	16	21	26	34	35
GRAND TOTAL	**956**	**14.0**	**81**	**5**	**6**	**11**	**17**	**25**	**32**	**50**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	5	11.8	41	4	4	9	18	19	19	19
70-74	5	13.0	160	2	2	8	20	34	34	34
75-79	3	18.0	97	10	10	15	25	29	29	29
80-84	4	10.0	27	6	6	9	14	17	17	17
85+	3	10.7	12	7	7	11	13	14	14	14
TOT. SINGLE DX	2	4.0	18	1	1	4	7	7	7	7
" MULTIPLE DX	20	12.5	65	3	5	10	16	24	31	34
TOTAL 65-69 YRS	6	11.0	37	4	4	9	18	19	19	19
70-74	6	11.0	152	1	1	7	15	32	34	34
75-79	3	18.0	97	10	10	15	25	29	29	29
80-84	4	10.0	27	6	6	9	14	17	17	17
85+	3	10.7	12	7	7	11	13	14	14	14
GRAND TOTAL	**22**	**11.7**	**66**	**2**	**3**	**10**	**15**	**22**	**31**	**34**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	2	8.0	2	7	7	8	9	9	9	9
75-79										
80-84	1	12.0		12	12	12	12	12	12	12
85+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	7	15.1	419	3	3	10	11	51	61	61
70-74	2	6.5	25	3	3	6	10	10	10	10
75-79	5	22.8	301	4	4	31	37	38	38	38
80-84	2	14.5	61	9	9	14	20	20	20	20
85+	2	8.0	50	3	3	8	13	13	13	13
TOT. SINGLE DX	5	7.6	9	5	5	7	10	12	12	12
" MULTIPLE DX	18	15.4	259	3	3	10	20	38	52	61
TOTAL 65-69 YRS	7	15.1	420	3	3	10	11	51	61	61
70-74	4	7.3	10	3	3	8	9	10	10	10
75-79	5	22.8	302	4	4	31	37	38	38	38
80-84	3	13.7	32	9	9	12	18	20	20	20
85+	4	6.5	20	3	3	5	9	13	13	13
GRAND TOTAL	23	13.7	213	3	3	9	13	37	46	61

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	70	2.6	2	<1	1	2	3	4	7	10
70-74	35	2.1	1	<1	1	2	3	4	4	9
75-79	21	3.0	7	<1	1	2	4	5	6	8
80-84	20	2.5		<1	1	2	3	3	4	5
85+	10	3.5	4	<1	1	3	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	117	4.6	40	1	1	3	6	9	17	36
70-74	73	5.0	40	1	1	3	5	10	21	35
75-79	52	6.4	62	1	2	3	8	12	20	42
80-84	28	6.4	29	1	2	5	10	15	18	21
85+	17	7.6	81	1	3	4	10	16	31	37
TOT. SINGLE DX	156	2.6	2	<1	1	2	3	4	5	9
" MULTIPLE DX	287	5.4	46	1	1	3	6	12	19	37
TOTAL 65-69 YRS	187	3.9	27	1	1	2	4	7	11	29
70-74	108	4.1	29	1	1	3	4	8	11	32
75-79	73	5.4	47	1	2	3	5	12	18	40
80-84	48	4.8	21	1	2	3	6	11	15	21
85+	27	6.1	56	1	1	3	7	12	22	37
GRAND TOTAL	443	4.4	32	1	1	3	4	9	14	35

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	161	3.9	12	1	1	2	5	9	11	17
70-74	124	4.1	14	1	2	3	6	8	10	19
75-79	80	3.8	7	1	1	3	5	8	10	12
80-84	40	5.2	16	<1	1	4	7	11	14	17
85+	13	5.8	24	<1	2	4	7	12	18	20
2. MULTIPLE DX										
65-69 YRS	473	5.6	30	1	2	4	7	11	16	31
70-74	376	6.3	32	1	2	5	8	13	18	32
75-79	289	7.3	66	1	2	4	9	15	24	45
80-84	173	7.9	76	2	2	6	10	14	22	54
85+	109	11.3	170	2	2	8	13	22	33	74
TOT. SINGLE DX	418	4.1	13	1	1	2	6	9	11	17
" MULTIPLE DX	1420	6.8	57	1	2	5	8	14	20	41
TOTAL 65-69 YRS	634	5.2	27	1	1	3	7	11	14	28
70-74	500	5.7	29	1	2	4	7	12	16	31
75-79	369	6.5	56	1	2	4	8	13	22	42
80-84	213	7.4	66	1	2	6	9	13	20	48
85+	122	10.7	158	2	2	7	12	22	32	71
GRAND TOTAL	1838	6.2	48	1	2	4	8	12	18	37

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	7.5	5	6	6	7	9	9	9	9
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	4	4.8	12	1	1	4	7	9	9	9
" MULTIPLE DX	3	12.0	48	8	8	8	17	20	20	20
TOTAL 65-69 YRS	3	7.7	2	6	6	8	9	9	9	9
70-74										
75-79	2	5.5	13	3	3	5	8	8	8	8
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	**7**	**7.9**	**37**	**1**	**1**	**8**	**9**	**18**	**20**	**20**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	3.5	18	<1	1	2	3	9	16	18
70-74	15	3.9	16	1	2	2	5	8	15	17
75-79	6	4.8	16	2	2	3	4	12	13	13
80-84	7	2.9	2	2	2	2	3	5	6	6
85+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	88	6.7	99	<1	1	3	9	14	17	63
70-74	86	8.0	90	1	2	4	11	20	27	51
75-79	51	12.5	115	2	2	11	16	29	41	42
80-84	29	10.1	95	2	2	5	16	24	32	38
85+	30	10.2	67	1	2	9	15	17	31	36
TOT. SINGLE DX	52	3.8	15	1	1	2	4	7	14	18
" MULTIPLE DX	284	8.9	99	1	2	5	12	20	29	46
TOTAL 65-69 YRS	110	6.1	85	<1	1	3	8	14	16	53
70-74	101	7.4	82	1	2	3	10	18	23	50
75-79	57	11.7	110	2	2	10	14	28	40	42
80-84	36	8.7	85	2	2	4	12	22	30	38
85+	32	9.9	65	1	2	8	14	17	30	36
GRAND TOTAL	**336**	**8.1**	**89**	**1**	**2**	**4**	**11**	**17**	**26**	**43**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	520	8.3	9	5	6	8	9	11	14	22
70-74	351	8.8	13	5	6	8	10	13	16	23
75-79	190	8.9	10	6	6	8	10	13	16	21
80-84	76	10.6	24	5	6	9	12	16	21	30
85+	35	12.0	118	5	6	9	12	21	26	68
2. MULTIPLE DX										
65-69 YRS	2559	10.6	42	6	6	9	12	17	22	39
70-74	1662	11.2	44	6	6	9	13	19	23	37
75-79	1018	12.9	63	6	7	10	15	22	28	47
80-84	483	14.2	87	6	7	11	16	24	32	52
85+	222	14.0	66	6	7	11	18	25	33	45
TOT. SINGLE DX	1172	8.8	16	5	6	8	10	13	16	25
" MULTIPLE DX	5944	11.6	53	6	6	9	13	20	25	42
TOTAL 65-69 YRS	3079	10.2	38	6	6	8	11	16	22	35
70-74	2013	10.8	40	6	6	9	12	18	23	35
75-79	1208	12.3	57	6	7	10	14	21	26	45
80-84	559	13.7	80	6	7	11	16	23	31	51
85+	257	13.8	74	6	7	11	17	25	33	49
GRAND TOTAL	**7116**	**11.1**	**48**	**6**	**6**	**9**	**13**	**19**	**23**	**40**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	418	7.6	4	5	5	7	8	11	12	15
70-74	298	8.1	6	5	6	8	9	11	13	18
75-79	214	8.0	7	5	5	7	9	11	13	20
80-84	59	8.7	15	5	5	8	10	12	13	30
85+	19	8.2	4	5	6	8	9	11	12	13
2. MULTIPLE DX										
65-69 YRS	1577	8.6	15	5	6	8	10	12	15	22
70-74	1232	9.0	15	5	6	8	10	13	15	26
75-79	790	9.7	33	5	6	8	10	14	17	29
80-84	297	11.1	33	5	6	10	13	18	22	35
85+	119	11.3	53	5	6	9	12	19	23	50
TOT. SINGLE DX	1008	7.9	7	5	5	8	9	11	12	18
" MULTIPLE DX	4015	9.2	22	5	6	8	10	14	16	27
TOTAL 65-69 YRS	1995	8.4	13	5	6	8	9	12	14	21
70-74	1530	8.8	14	5	6	8	10	13	15	25
75-79	1004	9.3	29	5	6	8	10	14	17	26
80-84	356	10.7	31	5	6	9	12	17	22	34
85+	138	10.9	48	5	6	9	12	18	22	49
GRAND TOTAL	**5023**	**9.0**	**19**	**5**	**6**	**8**	**10**	**13**	**16**	**26**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	18	13.9	40	8	9	11	16	24	29	31
70-74	14	15.4	45	8	9	14	17	23	31	34
75-79	4	14.0	27	9	9	14	18	19	19	19
80-84	2	17.0	200	7	7	17	27	27	27	27
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	49	22.8	299	9	9	17	25	48	67	79
70-74	33	24.4	249	8	9	20	32	44	65	69
75-79	27	21.4	152	10	11	17	30	43	63	99+
80-84	13	20.6	118	11	13	16	24	34	48	51
85+	6	10.8	25	5	5	9	17	17	17	17
TOT. SINGLE DX	39	14.7	42	8	9	14	17	25	29	34
" MULTIPLE DX	128	22.1	227	9	9	17	27	44	61	83
TOTAL 65-69 YRS	67	20.4	244	8	9	15	23	42	62	78
70-74	47	21.7	204	8	9	17	26	41	48	69
75-79	31	20.5	142	9	10	17	29	41	58	99+
80-84	15	20.1	117	8	10	16	26	30	46	51
85+	7	11.7	27	5	5	10	17	17	17	17
GRAND TOTAL	167	20.4	194	8	9	16	24	39	52	78

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	854	2.2	2	<1	<1	2	2	4	5	9
70-74	578	2.5	4	<1	1	2	2	4	6	11
75-79	355	3.0	25	<1	1	2	3	5	8	18
80-84	153	2.7	5	1	1	2	3	5	8	12
85+	114	3.3	7	1	1	2	4	6	8	17
2. MULTIPLE DX										
65-69 YRS	1926	4.3	37	<1	1	2	4	10	14	32
70-74	1518	4.6	36	1	1	2	5	10	14	32
75-79	976	5.2	52	1	1	3	6	12	18	33
80-84	543	6.4	69	1	2	3	8	14	22	49
85+	340	7.2	62	1	2	5	9	16	20	43
TOT. SINGLE DX	2054	2.5	8	<1	1	2	3	4	6	11
" MULTIPLE DX	5303	4.9	46	1	1	2	5	11	16	33
TOTAL 65-69 YRS	2780	3.7	28	<1	1	2	3	8	12	26
70-74	2096	4.0	29	<1	1	2	4	9	12	26
75-79	1331	4.6	46	1	1	2	5	10	15	32
80-84	696	5.6	57	1	1	3	6	13	18	43
85+	454	6.2	51	1	2	4	8	14	18	28
GRAND TOTAL	7357	4.3	36	<1	1	2	4	9	14	30

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	3	6.0	37	2	2	3	10	13	13	13
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	14	5.6	15	1	1	6	8	11	13	13
70-74	10	5.3	11	<1	<1	5	8	9	10	10
75-79	3	11.7	90	2	2	16	60	99+	99+	99+
80-84	3	11.3	56	7	7	7	17	20	20	20
85+	7	14.9	407	3	3	6	16	51	59	59
TOT. SINGLE DX	6	4.8	20	2	2	3	7	12	13	13
" MULTIPLE DX	37	8.2	100	1	1	7	9	20	44	99+
TOTAL 65-69 YRS	15	5.3	15	1	1	5	8	11	12	13
70-74	13	5.5	15	<1	1	4	8	11	13	13
75-79	4	9.3	84	2	2	12	41	99+	99+	99+
80-84	3	11.3	56	7	7	7	17	20	20	20
85+	8	13.9	357	3	3	6	13	47	59	59
GRAND TOTAL	**43**	**7.7**	**89**	**1**	**1**	**6**	**9**	**19**	**32**	**99+**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	9.0	2	8	8	9	10	10	10	10
70-74	3	17.3	262	7	7	9	29	36	36	36
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+	3	8.3	6	6	6	8	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	7	8.7	4	6	6	9	10	11	11	11
70-74	13	10.2	24	3	5	9	12	19	20	20
75-79	8	10.8	53	3	4	8	15	23	24	24
80-84	3	13.3	102	7	7	8	21	25	25	25
85+	2	11.5	1	11	11	11	12	12	12	12
TOT. SINGLE DX	9	11.6	86	6	6	9	10	26	36	36
" MULTIPLE DX	33	10.4	29	4	6	9	12	20	23	25
TOTAL 65-69 YRS	9	8.8	3	6	6	9	10	11	11	11
70-74	16	11.5	63	4	5	9	12	20	31	36
75-79	9	10.6	47	3	4	8	12	22	24	24
80-84	3	13.3	102	7	7	8	21	25	25	25
85+	5	9.6	6	6	6	11	11	12	12	12
GRAND TOTAL	**42**	**10.6**	**40**	**4**	**6**	**9**	**11**	**20**	**24**	**36**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	46	4.3	5	1	2	4	4	7	10	12
70-74	27	4.0	4	2	2	4	5	6	9	11
75-79	17	4.0	2	2	2	4	5	7	8	8
80-84	9	5.2	8	2	2	5	6	10	11	11
85+	5	4.8	3	3	3	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	82	4.6	16	1	2	3	4	9	13	24
70-74	69	4.1	6	2	2	3	4	6	8	17
75-79	33	4.7	18	2	2	4	4	6	18	21
80-84	34	4.4	3	2	3	4	5	8	8	8
85+	20	6.0	18	2	3	5	6	11	16	21
TOT. SINGLE DX	104	4.3	5	2	2	4	5	7	9	12
" MULTIPLE DX	238	4.5	12	2	2	4	4	8	11	21
TOTAL 65-69 YRS	128	4.5	12	1	2	4	4	9	12	23
70-74	96	4.1	6	2	2	3	4	6	9	16
75-79	50	4.5	13	2	2	4	4	7	8	21
80-84	43	4.5	4	2	2	4	5	8	8	11
85+	25	5.7	16	2	3	4	6	10	14	21
GRAND TOTAL	**342**	**4.5**	**10**	**2**	**2**	**4**	**4**	**8**	**10**	**21**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	505	6.7	5	3	4	6	8	10	12	14
70-74	373	7.0	6	4	4	7	8	10	11	15
75-79	200	7.3	8	4	4	7	8	10	13	18
80-84	70	7.9	13	4	5	7	9	12	16	24
85+	27	9.7	58	4	5	8	10	14	21	45
2. MULTIPLE DX										
65-69 YRS	1092	8.2	13	4	5	7	9	13	15	21
70-74	777	8.2	16	4	5	7	9	13	15	21
75-79	518	9.2	26	4	5	8	11	15	18	26
80-84	229	9.6	29	4	5	8	11	15	19	31
85+	62	9.2	30	4	5	8	11	15	18	38
TOT. SINGLE DX	1175	7.0	8	4	4	7	8	10	12	16
" MULTIPLE DX	2678	8.6	19	4	5	8	10	14	16	23
TOTAL 65-69 YRS	1597	7.7	11	4	4	7	9	12	14	20
70-74	1150	7.8	14	4	4	7	9	12	14	20
75-79	718	8.7	22	4	5	8	10	14	17	25
80-84	299	9.2	27	4	5	8	11	14	18	30
85+	89	9.3	38	4	5	8	10	15	17	43
GRAND TOTAL	**3853**	**8.1**	**16**	**4**	**5**	**7**	**9**	**12**	**15**	**22**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	44	6.9	25	2	3	6	8	10	11	36
70-74	32	6.2	17	1	2	6	8	10	15	21
75-79	16	6.4	9	2	3	6	7	10	13	15
80-84	9	9.0	24	2	3	8	11	17	18	18
85+	4	8.0	46	3	3	5	12	18	18	18
2. MULTIPLE DX										
65-69 YRS	102	9.6	86	2	4	8	10	18	22	58
70-74	70	8.7	51	2	3	8	10	14	16	89
75-79	54	10.2	38	2	4	9	13	18	25	97
80-84	16	8.6	15	3	4	8	13	15	70	99+
85+	18	14.7	74	4	5	13	21	26	32	34
TOT. SINGLE DX	105	6.8	21	2	2	6	8	10	15	28
" MULTIPLE DX	260	9.8	63	2	4	8	12	18	24	97
TOTAL 65-69 YRS	146	8.8	69	2	3	7	9	15	20	39
70-74	102	7.9	42	2	2	7	9	14	16	71
75-79	70	9.3	34	2	4	8	12	16	21	87
80-84	25	8.8	18	2	4	8	13	15	34	99+
85+	22	13.5	74	4	4	12	20	24	30	34
GRAND TOTAL	**365**	**8.9**	**53**	**2**	**3**	**7**	**10**	**16**	**21**	**74**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	105	5.3	66	<1	1	4	6	9	11	49
70-74	113	5.3	15	2	2	5	7	9	11	24
75-79	77	5.5	10	2	2	5	7	10	12	17
80-84	36	6.4	37	2	2	5	7	10	18	35
85+	24	5.0	13	1	2	4	7	8	13	17
2. MULTIPLE DX										
65-69 YRS	386	8.2	81	2	2	6	9	15	22	49
70-74	323	8.8	93	2	2	6	9	21	29	64
75-79	296	9.6	95	2	2	7	10	21	32	57
80-84	190	11.9	178	2	3	8	14	24	36	96
85+	112	10.6	136	2	2	8	11	25	51	99+
TOT. SINGLE DX	355	5.4	31	1	2	4	7	9	12	24
" MULTIPLE DX	1307	9.4	108	2	2	7	10	19	31	73
TOTAL 65-69 YRS	491	7.6	80	1	2	6	8	13	20	49
70-74	436	7.9	76	2	2	6	9	16	27	60
75-79	373	8.8	81	2	2	6	9	17	27	51
80-84	226	11.0	160	2	3	7	13	22	35	92
85+	136	9.6	119	2	2	7	10	21	41	99+
GRAND TOTAL	**1662**	**8.5**	**94**	**2**	**2**	**6**	**9**	**17**	**27**	**62**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	2.9	4	<1	1	2	4	5	8	11
70-74	66	3.8	26	1	1	3	3	7	12	29
75-79	62	3.0	4	1	1	2	4	6	8	11
80-84	28	3.6	10	1	2	3	4	6	11	17
85+	23	3.1	4	<1	1	3	4	5	8	11
2. MULTIPLE DX										
65-69 YRS	163	7.6	126	1	1	4	9	14	24	79
70-74	173	7.0	82	1	2	4	8	18	24	69
75-79	140	7.3	58	2	2	5	9	14	20	40
80-84	109	11.5	144	2	2	8	15	25	37	85
85+	97	11.9	135	2	2	8	15	28	41	80
TOT. SINGLE DX	260	3.3	11	1	1	2	4	6	8	17
" MULTIPLE DX	682	8.6	109	1	2	5	10	20	27	70
TOTAL 65-69 YRS	244	6.0	91	1	1	3	7	12	17	58
70-74	239	6.1	69	1	1	3	6	17	22	54
75-79	202	6.0	46	1	2	4	7	11	16	35
80-84	137	9.9	127	2	2	6	13	23	33	78
85+	120	10.2	122	2	2	6	13	26	34	71
GRAND TOTAL	**942**	**7.1**	**88**	**1**	**2**	**4**	**8**	**16**	**25**	**59**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	10.1	88	1	2	7	15	27	30	31
70-74	35	7.8	48	2	2	4	11	20	24	25
75-79	22	12.0	138	2	3	7	18	26	36	50
80-84	24	9.2	74	2	3	6	10	21	30	39
85+	13	11.2	44	2	4	9	15	20	25	26
2. MULTIPLE DX										
65-69 YRS	71	16.3	188	3	4	11	22	31	45	75
70-74	63	18.5	174	4	5	17	25	35	48	60
75-79	60	16.2	82	4	5	14	23	31	33	93
80-84	60	16.3	122	4	5	14	22	34	37	46
85+	21	18.5	253	3	6	17	21	28	55	79
TOT. SINGLE DX	113	9.7	77	2	2	6	13	23	26	43
" MULTIPLE DX	275	16.9	151	3	4	15	23	32	39	74
TOTAL 65-69 YRS	90	15.0	173	2	3	10	21	30	41	70
70-74	98	14.7	155	2	3	11	21	30	39	60
75-79	82	15.1	100	3	4	12	22	30	33	83
80-84	84	14.3	118	3	4	10	20	32	37	44
85+	34	15.7	183	2	4	15	19	24	34	79
GRAND TOTAL	**388**	**14.8**	**140**	**2**	**3**	**11**	**21**	**30**	**37**	**60**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	4.1	5	2	2	3	5	8	9	9
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	21	6.4	74	<1	1	3	6	13	27	40
70-74	20	7.7	26	2	3	6	10	13	19	24
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	4	23.8	1041	5	5	9	41	72	72	72
85+	6	12.3	57	4	4	9	19	23	24	24
TOT. SINGLE DX	9	3.6	6	<1	1	3	4	7	9	9
" MULTIPLE DX	53	8.9	125	1	2	6	10	17	24	71
TOTAL 65-69 YRS	28	5.9	57	<1	1	3	6	11	19	40
70-74	22	7.1	27	1	2	6	9	13	18	24
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	4	23.8	1041	5	5	9	41	72	72	72
85+	6	12.3	57	4	4	9	19	23	24	24
GRAND TOTAL	**62**	**8.1**	**111**	**1**	**2**	**5**	**9**	**15**	**24**	**68**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	9.4	34	3	4	7	13	19	20	20
70-74	7	4.1	6	1	1	4	5	8	9	9
75-79	9	7.9	21	1	1	10	11	13	14	14
80-84	6	16.8	376	1	1	7	34	47	48	48
85+	4	11.0	88	5	5	7	16	25	25	25
TOT. SINGLE DX	2	12.0	98	5	5	12	19	19	19	19
" MULTIPLE DX	35	9.4	94	1	2	7	11	20	32	48
TOTAL 65-69 YRS	10	9.0	32	3	4	7	11	19	20	20
70-74	7	4.1	7	1	1	4	5	8	9	9
75-79	10	9.0	31	1	1	10	11	16	19	19
80-84	6	16.8	377	1	1	7	34	47	48	48
85+	4	11.0	88	5	5	7	16	25	25	25
GRAND TOTAL	**37**	**9.6**	**92**	**1**	**2**	**7**	**11**	**20**	**31**	**48**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	5.9	25	<1	1	4	8	13	17	20
70-74	32	7.8	54	2	2	6	11	15	22	37
75-79	19	6.5	27	1	2	6	9	13	18	21
80-84	12	12.5	49	3	3	14	15	20	27	28
85+	6	15.0	449	2	2	7	15	53	57	57
2. MULTIPLE DX										
65-69 YRS	104	11.2	150	2	2	6	16	26	36	85
70-74	83	9.7	123	1	2	6	14	20	27	66
75-79	64	11.0	171	2	2	7	14	28	36	75
80-84	26	13.9	226	2	2	10	16	51	68	99+
85+	19	12.7	68	2	3	13	20	25	27	27
TOT. SINGLE DX	104	7.9	64	1	2	5	11	15	20	46
" MULTIPLE DX	296	11.1	148	2	2	8	15	26	35	81
TOTAL 65-69 YRS	139	9.9	124	1	2	6	14	24	34	75
70-74	115	9.2	104	2	2	6	12	20	24	52
75-79	83	10.0	141	2	2	6	12	22	33	67
80-84	38	13.4	168	2	3	12	16	29	59	99+
85+	25	13.2	146	2	2	11	18	26	34	57
GRAND TOTAL	**400**	**10.2**	**128**	**2**	**2**	**7**	**14**	**22**	**33**	**76**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	41	3.4	3	1	1	3	5	6	7	9
70-74	29	4.6	13	2	2	3	6	9	10	19
75-79	7	5.7	9	3	3	4	9	10	10	10
80-84	2	4.0	2	3	3	4	5	5	5	5
85+	4	3.3	4	1	1	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	72	6.4	40	2	2	4	7	15	22	29
70-74	29	4.7	61	2	2	3	4	5	9	45
75-79	25	10.2	204	2	2	5	10	24	48	64
80-84	4	22.5	541	6	6	13	35	57	57	57
85+	4	7.3	5	4	4	8	9	9	9	9
TOT. SINGLE DX	83	4.0	8	1	2	3	5	8	9	16
" MULTIPLE DX	134	7.3	94	2	2	4	8	14	26	58
TOTAL 65-69 YRS	113	5.3	29	1	2	3	6	12	18	28
70-74	58	4.6	37	2	2	3	5	8	9	43
75-79	32	9.2	164	2	2	5	10	17	41	64
80-84	6	16.3	417	3	3	9	14	53	57	57
85+	8	5.3	9	1	1	5	8	9	9	9
GRAND TOTAL	**217**	**6.0**	**64**	**2**	**2**	**4**	**6**	**12**	**18**	**49**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	3.4	1	2	2	3	5	5	5	5
70-74	7	4.6	11	1	1	3	6	10	11	11
75-79	5	5.6	13	2	2	5	8	11	11	11
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	4	3.5	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	26	9.2	78	1	2	6	14	20	25	40
70-74	23	10.7	75	2	3	9	12	22	34	36
75-79	22	12.9	157	1	2	11	18	29	45	49
80-84	25	11.6	84	2	3	9	14	21	35	40
85+	17	20.6	652	2	3	10	23	65	82	90
TOT. SINGLE DX	25	4.1	7	1	2	3	5	7	11	11
" MULTIPLE DX	113	12.5	186	2	3	9	14	23	40	76
TOTAL 65-69 YRS	33	7.9	67	1	2	5	9	20	21	40
70-74	30	9.3	66	1	3	7	12	17	33	36
75-79	27	11.6	138	1	2	9	14	22	44	49
80-84	27	11.0	84	2	3	9	13	21	34	40
85+	21	17.3	569	2	2	8	17	60	78	90
GRAND TOTAL	**138**	**11.0**	**164**	**2**	**2**	**7**	**13**	**21**	**38**	**71**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	5.0	22	1	2	4	5	10	16	23
70-74	15	3.3	3	1	2	3	4	5	7	8
75-79	16	5.5	18	<1	1	5	6	14	14	14
80-84	6	4.3	10	1	1	4	5	10	10	10
85+	3	7.0	49	2	2	4	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	77	11.6	114	2	2	8	14	31	35	51
70-74	46	11.0	91	3	3	7	17	28	50	99+
75-79	57	12.6	140	2	4	10	14	23	29	70
80-84	33	10.6	74	2	2	9	16	22	29	37
85+	23	13.6	65	3	4	12	20	23	28	33
TOT. SINGLE DX	65	4.8	17	1	2	4	5	10	14	22
" MULTIPLE DX	236	11.8	105	2	3	9	16	25	34	74
TOTAL 65-69 YRS	102	10.0	100	2	2	7	12	24	33	47
70-74	61	9.1	80	2	2	6	14	27	37	99+
75-79	73	11.0	122	1	3	9	13	22	26	67
80-84	39	9.7	69	1	2	8	14	21	27	37
85+	26	12.8	66	3	4	11	19	23	27	33
GRAND TOTAL	301	10.2	94	2	2	7	14	23	31	63

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	3.6	6	1	2	3	4	7	10	11
70-74	10	1.9		<1	<1	2	3	3	3	3
75-79	10	6.2	103	2	2	3	4	20	35	35
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	33	6.0	28	2	2	5	8	10	14	30
70-74	17	9.2	138	1	2	5	10	23	40	48
75-79	15	9.3	144	1	2	3	16	20	39	45
80-84	15	13.7	117	2	3	11	22	28	35	38
85+	6	6.5	43	2	2	3	11	17	18	18
TOT. SINGLE DX	48	3.7	25	1	1	3	4	5	10	35
" MULTIPLE DX	86	8.6	90	2	2	5	11	21	28	47
TOTAL 65-69 YRS	58	5.0	20	1	2	4	6	10	11	29
70-74	27	6.5	99	<1	1	3	7	17	28	48
75-79	25	8.1	125	1	2	3	7	20	37	45
80-84	17	12.3	118	1	2	10	21	27	34	38
85+	7	5.9	39	2	2	3	9	17	18	18
GRAND TOTAL	134	6.9	72	1	2	3	8	18	24	48

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	217	6.8	34	1	2	6	8	11	16	33
70-74	108	8.0	38	2	2	6	10	15	18	36
75-79	71	9.4	89	2	2	7	11	16	26	57
80-84	20	8.9	33	1	2	7	14	17	19	21
85+	24	13.0	148	3	4	10	18	21	34	62
2. MULTIPLE DX										
65-69 YRS	429	10.2	114	2	2	7	12	21	35	71
70-74	245	12.3	160	2	3	8	15	27	36	78
75-79	115	14.2	196	2	3	9	17	43	49	58
80-84	83	18.7	236	3	5	14	25	43	52	91
85+	60	20.1	318	3	5	16	23	35	52	98
TOT. SINGLE DX	440	7.9	52	2	2	6	9	15	18	42
" MULTIPLE DX	932	12.6	170	2	3	8	16	30	43	74
TOTAL 65-69 YRS	646	9.1	90	2	2	6	10	18	30	65
70-74	353	10.9	127	2	3	7	13	23	33	69
75-79	186	12.4	160	2	3	8	15	30	45	58
80-84	103	16.8	211	3	4	13	22	38	47	85
85+	84	18.0	278	3	4	15	21	34	46	96
GRAND TOTAL	1372	11.1	137	2	3	7	13	23	37	68

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	438	4.1	4	2	2	4	5	7	8	11
70-74	270	4.0	4	1	2	4	5	6	7	14
75-79	143	5.1	14	2	2	4	6	8	10	25
80-84	56	4.2	4	1	2	4	5	7	8	9
85+	18	4.6	6	1	2	4	6	8	9	10
2. MULTIPLE DX										
65-69 YRS	2008	4.8	9	2	2	4	5	8	9	17
70-74	1252	5.3	24	2	2	4	6	8	11	24
75-79	626	6.2	43	2	2	5	7	11	13	34
80-84	232	7.2	57	2	3	5	8	15	20	30
85+	66	8.0	56	2	3	6	8	16	27	38
TOT. SINGLE DX	925	4.2	6	2	2	4	5	7	8	12
" MULTIPLE DX	4184	5.3	23	2	2	4	6	8	11	24
TOTAL 65-69 YRS	2446	4.6	9	2	2	4	5	7	9	16
70-74	1522	5.1	21	2	2	4	6	8	10	22
75-79	769	6.0	38	2	2	5	7	10	13	33
80-84	288	6.6	49	2	2	5	7	13	18	29
85+	84	7.2	48	2	2	5	8	13	22	38
GRAND TOTAL	5109	5.1	20	2	2	4	6	8	10	23

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	696	5.8	44	1	1	4	6	11	19	36
70-74	450	6.4	53	1	2	4	8	13	23	35
75-79	271	7.5	79	1	2	4	8	16	26	51
80-84	101	8.6	108	<1	1	4	12	19	23	59
85+	75	8.0	76	1	1	4	11	20	31	37
2. MULTIPLE DX										
65-69 YRS	1607	11.9	179	1	2	7	16	30	41	85
70-74	1332	13.4	219	2	2	8	18	32	46	84
75-79	877	15.4	239	2	3	10	21	36	48	80
80-84	515	16.3	250	2	3	11	21	39	53	99+
85+	283	18.0	227	2	3	14	24	38	54	97
TOT. SINGLE DX	1593	6.5	59	1	1	4	8	14	22	38
" MULTIPLE DX	4614	13.8	217	2	2	9	19	33	46	85
TOTAL 65-69 YRS	2303	10.0	147	1	2	5	12	26	36	76
70-74	1782	11.6	187	1	2	6	15	29	40	73
75-79	1148	13.5	213	2	2	8	18	33	46	79
80-84	616	15.0	236	2	2	10	19	36	48	97
85+	358	15.9	212	2	2	12	22	35	47	89
GRAND TOTAL	**6207**	**12.0**	**187**	**1**	**2**	**7**	**16**	**30**	**42**	**80**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	166	11.3	61	2	3	10	15	20	28	38
70-74	152	12.2	52	2	4	11	16	21	27	38
75-79	157	14.2	96	3	5	12	18	25	30	53
80-84	146	14.9	72	5	7	14	17	23	29	45
85+	191	16.0	87	5	6	15	20	27	32	61
2. MULTIPLE DX										
65-69 YRS	370	15.9	171	3	4	13	19	33	50	97
70-74	413	17.4	165	4	6	15	21	32	42	83
75-79	447	18.9	173	6	8	16	22	37	55	99+
80-84	481	20.5	208	7	8	17	24	38	56	95
85+	587	20.5	196	8	9	17	25	39	50	98
TOT. SINGLE DX	812	13.8	77	3	5	13	17	24	30	49
" MULTIPLE DX	2298	18.9	188	5	7	16	23	36	50	97
TOTAL 65-69 YRS	536	14.5	142	2	4	12	18	29	39	86
70-74	565	16.0	141	3	5	14	20	29	37	75
75-79	604	17.7	158	5	7	15	21	33	49	99+
80-84	627	19.2	183	6	8	15	23	34	44	92
85+	778	19.4	173	6	8	16	23	34	46	95
GRAND TOTAL	**3110**	**17.6**	**164**	**4**	**6**	**15**	**21**	**32**	**44**	**88**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	468	4.0	20	<1	1	3	4	7	11	29
70-74	389	4.7	27	<1	1	3	5	10	15	27
75-79	279	5.6	34	1	1	4	7	12	15	36
80-84	214	7.5	61	1	2	5	9	18	21	33
85+	183	8.4	43	2	2	7	12	17	22	30
2. MULTIPLE DX										
65-69 YRS	524	9.5	127	2	2	5	12	23	36	65
70-74	557	12.4	205	2	2	7	17	30	45	81
75-79	468	13.7	199	2	3	9	18	32	47	73
80-84	382	14.5	207	2	3	9	20	31	44	75
85+	431	14.7	162	2	3	12	19	31	44	92
TOT. SINGLE DX	1533	5.5	36	1	1	3	6	12	17	29
" MULTIPLE DX	2362	12.8	183	2	2	8	17	30	43	79
TOTAL 65-69 YRS	992	6.9	85	1	2	4	7	16	26	49
70-74	946	9.2	146	1	2	5	11	22	32	65
75-79	747	10.6	153	1	2	6	13	25	37	67
80-84	596	12.0	166	2	2	7	17	26	37	69
85+	614	12.9	135	2	3	10	16	27	36	77
GRAND TOTAL	**3895**	**9.9**	**138**	**1**	**2**	**5**	**13**	**23**	**33**	**65**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	99	13.8	72	6	7	12	16	20	26	59
70-74	142	13.7	48	6	6	13	16	22	30	99+
75-79	189	15.2	86	6	7	14	18	23	28	78
80-84	219	16.6	85	7	9	15	19	26	33	70
85+	287	16.6	85	7	9	15	18	26	38	63
2. MULTIPLE DX										
65-69 YRS	287	18.7	147	6	8	15	23	35	46	81
70-74	370	20.0	188	8	9	16	22	35	55	99+
75-79	573	19.8	137	8	10	16	24	34	48	66
80-84	669	20.1	170	8	9	17	24	40	53	99+
85+	968	20.2	171	8	9	17	23	37	50	92
TOT. SINGLE DX	936	15.6	80	6	8	14	18	23	33	67
" MULTIPLE DX	2867	19.9	164	8	9	16	23	37	51	94
TOTAL 65-69 YRS	386	17.5	133	6	8	14	20	31	43	72
70-74	512	18.2	157	7	9	15	21	32	50	99+
75-79	762	18.6	129	8	9	16	22	32	44	69
80-84	888	19.3	152	7	9	16	22	35	50	99+
85+	1255	19.4	154	8	9	16	22	35	47	88
GRAND TOTAL	**3803**	**18.9**	**147**	**7**	**9**	**16**	**22**	**33**	**47**	**88**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	679	14.9	59	7	8	13	18	22	28	45
70-74	816	15.5	65	7	8	14	18	24	29	48
75-79	1167	16.1	66	7	9	15	19	25	31	48
80-84	1290	17.3	80	8	10	15	20	26	34	59
85+	1871	17.3	83	8	9	15	20	27	35	63
2. MULTIPLE DX										
65-69 YRS	1735	20.0	158	8	9	17	24	36	50	85
70-74	2692	21.1	176	8	10	17	25	39	52	99
75-79	3718	21.6	183	8	10	18	26	40	53	98
80-84	4588	21.9	185	8	10	18	26	39	55	98
85+	6693	21.5	181	8	10	18	25	40	55	99+
TOT. SINGLE DX	5823	16.5	75	7	9	15	19	25	32	57
" MULTIPLE DX	19426	21.4	180	8	10	18	25	39	54	99+
TOTAL 65-69 YRS	2414	18.6	136	7	9	16	22	32	44	80
70-74	3508	19.8	156	8	9	16	23	35	47	85
75-79	4885	20.3	161	8	10	17	24	36	48	90
80-84	5878	20.9	166	8	10	17	24	36	50	92
85+	8564	20.6	163	8	10	17	24	37	51	99+
GRAND TOTAL	**25249**	**20.3**	**160**	**8**	**10**	**17**	**24**	**36**	**49**	**95**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	12.5	114	2	3	10	13	37	46	99+
70-74	35	14.1	140	1	2	12	18	29	45	50
75-79	48	15.4	203	2	2	12	17	33	42	68
80-84	49	19.1	230	3	5	15	25	43	56	68
85+	56	16.3	136	3	5	14	20	29	43	55
2. MULTIPLE DX										
65-69 YRS	87	28.1	513	6	6	20	41	59	85	99
70-74	95	22.0	295	5	6	17	31	46	63	93
75-79	117	27.7	426	6	7	22	42	71	99	99+
80-84	117	23.3	367	5	7	17	30	53	78	99+
85+	179	22.9	343	4	6	17	30	50	73	99
TOT. SINGLE DX	216	15.9	172	2	3	12	20	34	45	68
" MULTIPLE DX	595	24.5	385	5	7	18	33	55	80	99+
TOTAL 65-69 YRS	115	24.3	460	4	6	16	36	56	84	99+
70-74	130	19.8	264	3	5	15	28	45	51	88
75-79	165	24.1	391	2	6	18	35	62	84	99+
80-84	166	22.1	329	4	6	16	28	47	69	99
85+	235	21.3	302	4	6	15	27	46	62	96
GRAND TOTAL	**811**	**22.2**	**343**	**4**	**6**	**16**	**30**	**51**	**72**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	207	4.2	13	1	1	3	5	10	12	16
70-74	165	4.6	43	1	1	3	5	10	15	23
75-79	144	5.0	34	1	1	3	5	10	16	31
80-84	65	6.5	44	1	1	4	8	15	19	36
85+	54	7.9	115	1	1	4	10	15	20	68
2. MULTIPLE DX										
65-69 YRS	199	10.0	140	1	1	6	13	24	30	58
70-74	186	10.5	118	1	2	7	13	24	36	54
75-79	171	11.1	118	2	2	9	13	27	40	91
80-84	122	14.0	183	2	2	10	20	29	44	80
85+	99	15.8	201	2	3	12	20	37	48	65
TOT. SINGLE DX	635	5.0	39	1	1	3	6	12	15	28
" MULTIPLE DX	777	11.7	148	1	2	8	15	27	40	60
TOTAL 65-69 YRS	406	7.0	84	1	1	4	8	15	24	56
70-74	351	7.7	91	1	1	4	9	17	25	53
75-79	315	8.3	89	1	2	5	10	20	29	56
80-84	187	11.4	148	1	2	7	16	27	39	68
85+	153	13.0	184	1	2	8	16	32	46	69
GRAND TOTAL	**1412**	**8.7**	**110**	**1**	**1**	**5**	**11**	**21**	**30**	**58**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	922	6.8	23	2	2	5	9	13	16	24
70-74	717	7.8	41	2	3	6	9	14	18	36
75-79	495	8.7	50	2	3	7	11	16	21	31
80-84	233	8.8	41	2	3	7	11	17	22	30
85+	168	9.9	73	2	3	8	12	19	25	52
2. MULTIPLE DX										
65-69 YRS	1377	11.3	101	3	3	8	14	22	31	57
70-74	1197	12.7	127	3	4	10	15	25	35	73
75-79	935	13.5	122	3	4	11	17	27	35	60
80-84	607	15.3	179	3	4	12	19	32	46	96
85+	466	17.3	199	4	5	13	22	35	47	86
TOT. SINGLE DX	2535	7.9	40	2	3	6	10	15	19	30
" MULTIPLE DX	4582	13.3	136	3	4	10	16	27	37	72
TOTAL 65-69 YRS	2299	9.5	75	2	3	7	12	18	26	49
70-74	1914	10.9	101	3	3	8	13	22	29	61
75-79	1430	11.9	103	2	3	9	15	23	31	57
80-84	840	13.5	150	3	4	10	17	27	38	79
85+	634	15.3	177	3	4	11	19	30	42	82
GRAND TOTAL	**7117**	**11.3**	**108**	**2**	**3**	**8**	**14**	**23**	**31**	**60**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	764	4.0	17	1	1	2	5	9	12	20
70-74	634	4.6	32	1	1	3	5	9	14	27
75-79	501	4.8	21	1	1	3	6	10	13	23
80-84	336	5.0	22	1	1	4	6	10	14	22
85+	258	5.5	38	1	1	4	6	11	14	35
2. MULTIPLE DX										
65-69 YRS	1006	9.5	131	1	2	6	11	21	31	67
70-74	1080	9.3	109	1	2	6	12	20	28	62
75-79	1065	10.4	125	1	2	7	13	22	31	69
80-84	832	11.4	140	1	2	8	15	25	35	79
85+	819	12.2	170	2	3	8	14	26	43	82
TOT. SINGLE DX	2493	4.6	25	1	1	3	6	10	13	24
" MULTIPLE DX	4802	10.4	134	1	2	7	13	23	33	70
TOTAL 65-69 YRS	1770	7.1	89	1	1	4	8	15	23	55
70-74	1714	7.5	87	1	1	5	9	17	24	52
75-79	1566	8.6	99	1	1	6	11	19	26	58
80-84	1168	9.5	114	1	2	6	12	22	32	62
85+	1077	10.6	147	1	2	7	13	23	37	74
GRAND TOTAL	**7295**	**8.4**	**105**	**1**	**1**	**5**	**10**	**19**	**27**	**60**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	164	4.8	41	<1	1	2	5	13	18	30
70-74	168	5.5	44	1	1	3	6	15	21	29
75-79	135	5.9	51	1	1	3	6	17	22	33
80-84	120	6.1	65	1	1	2	8	18	24	41
85+	86	7.0	67	1	1	4	8	18	28	36
2. MULTIPLE DX										
65-69 YRS	245	8.8	126	1	1	4	10	25	32	56
70-74	225	9.2	135	1	1	5	12	21	33	67
75-79	225	11.2	160	1	2	8	14	29	41	78
80-84	192	12.1	168	1	1	7	17	32	43	62
85+	186	8.7	74	1	2	6	11	20	22	41
TOT. SINGLE DX	673	5.7	52	1	1	3	6	16	23	33
" MULTIPLE DX	1073	9.9	135	1	1	6	12	24	35	60
TOTAL 65-69 YRS	409	7.2	97	1	1	3	8	19	29	53
70-74	393	7.6	100	1	1	4	10	19	26	56
75-79	360	9.2	126	1	1	5	11	22	35	63
80-84	312	9.8	137	1	1	5	13	25	37	59
85+	272	8.1	72	1	1	5	10	20	24	37
GRAND TOTAL	**1746**	**8.3**	**108**	**1**	**1**	**4**	**10**	**21**	**30**	**55**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	7.8	64	1	2	5	8	17	25	44
70-74	25	11.4	92	2	2	8	15	23	33	40
75-79	26	12.2	95	2	3	11	15	20	38	44
80-84	14	13.2	49	2	4	15	18	22	24	24
85+	25	15.0	98	2	5	12	20	27	33	47
2. MULTIPLE DX										
65-69 YRS	61	10.5	79	3	4	8	13	16	33	47
70-74	55	11.4	91	2	2	9	16	25	30	47
75-79	73	16.6	130	3	4	15	21	33	41	56
80-84	64	17.6	157	2	3	15	24	35	45	54
85+	47	19.3	254	4	5	15	22	40	51	92
TOT. SINGLE DX	143	11.0	84	2	2	8	15	22	28	45
" MULTIPLE DX	300	15.0	148	2	3	13	20	30	43	54
TOTAL 65-69 YRS	114	9.2	74	2	3	6	11	16	27	46
70-74	80	11.4	91	2	2	8	16	24	30	46
75-79	99	15.5	124	3	3	13	20	31	40	55
80-84	78	16.8	140	2	3	15	22	33	44	54
85+	72	17.8	202	3	5	15	21	29	47	83
GRAND TOTAL	**443**	**13.7**	**131**	**2**	**3**	**11**	**18**	**27**	**37**	**51**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	186	8.6	94	1	2	5	11	21	31	50
70-74	122	12.6	298	1	2	5	14	38	57	90
75-79	103	13.7	216	1	2	8	18	31	47	71
80-84	57	14.2	235	1	2	10	18	33	38	93
85+	38	14.0	196	2	2	10	19	27	40	74
2. MULTIPLE DX										
65-69 YRS	406	14.2	226	2	2	10	19	40	56	99+
70-74	311	16.5	249	2	3	11	25	46	59	99+
75-79	289	20.7	309	2	4	16	29	49	59	96
80-84	183	21.7	269	3	4	18	31	46	52	90
85+	118	21.4	313	3	4	17	28	49	65	87
TOT. SINGLE DX	506	11.6	196	1	2	6	15	28	41	76
" MULTIPLE DX	1307	17.9	273	2	3	13	26	45	59	99+
TOTAL 65-69 YRS	592	12.4	192	2	2	7	16	33	49	99+
70-74	433	15.4	266	2	2	9	23	44	59	99+
75-79	392	18.8	294	2	3	14	26	45	58	89
80-84	240	19.9	270	2	3	16	28	43	50	97
85+	156	19.6	294	2	3	15	25	45	63	81
GRAND TOTAL	**1813**	**16.1**	**259**	**2**	**2**	**11**	**23**	**42**	**54**	**99+**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	838	11.2	43	3	5	10	14	19	23	35
70-74	419	12.1	48	4	5	11	16	21	26	33
75-79	204	14.5	77	4	6	13	19	23	30	58
80-84	59	14.0	53	5	6	13	17	26	30	37
85+	26	12.4	52	4	5	11	17	23	27	28
2. MULTIPLE DX										
65-69 YRS	1544	15.6	100	5	6	13	19	27	35	54
70-74	1049	17.6	151	6	7	14	22	32	42	71
75-79	620	18.5	145	6	8	15	23	33	42	59
80-84	227	21.7	209	6	9	17	28	40	58	80
85+	65	24.1	236	6	9	21	32	46	57	97
TOT. SINGLE DX	1546	12.0	51	4	5	10	15	21	25	36
" MULTIPLE DX	3505	17.3	137	5	7	14	21	31	40	66
TOTAL 65-69 YRS	2382	14.1	85	4	6	12	17	24	31	49
70-74	1468	16.0	128	5	6	13	20	29	38	67
75-79	824	17.5	131	5	7	15	22	32	40	59
80-84	286	20.1	187	6	8	16	26	35	48	75
85+	91	20.8	211	5	6	17	28	43	53	91
GRAND TOTAL	**5051**	**15.7**	**117**	**5**	**6**	**13**	**19**	**28**	**36**	**60**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	392	3.4	9	1	1	3	4	6	7	14
70-74	214	3.4	6	1	1	3	4	7	8	13
75-79	94	3.9	12	1	1	3	5	8	11	21
80-84	40	3.7	4	1	1	3	5	6	8	10
85+	9	3.9	10	2	2	3	4	9	12	12
2. MULTIPLE DX										
65-69 YRS	1158	4.1	21	1	1	3	5	8	11	22
70-74	741	4.3	15	1	1	3	5	8	12	23
75-79	413	4.8	22	1	1	3	6	9	14	22
80-84	145	6.3	46	1	1	4	8	14	21	31
85+	43	5.4	20	1	2	4	8	13	15	20
TOT. SINGLE DX	749	3.4	9	1	1	3	4	6	8	13
" MULTIPLE DX	2500	4.4	22	1	1	3	5	9	12	23
TOTAL 65-69 YRS	1550	3.9	19	1	1	3	4	7	10	22
70-74	955	4.1	13	1	1	3	5	8	11	21
75-79	507	4.6	21	1	1	3	6	9	13	22
80-84	185	5.7	39	1	1	4	6	12	19	30
85+	52	5.2	19	2	2	3	6	12	14	20
GRAND TOTAL	**3249**	**4.2**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	497	3.9	20	1	1	3	4	7	12	24
70-74	310	4.0	24	1	1	3	4	8	11	25
75-79	160	4.7	27	1	1	3	5	12	15	23
80-84	68	5.7	48	1	1	4	8	11	12	46
85+	43	7.5	118	<1	1	3	9	18	23	64
2. MULTIPLE DX										
65-69 YRS	855	7.2	99	1	2	3	8	18	28	50
70-74	619	8.4	121	1	2	4	10	24	32	91
75-79	405	9.9	147	1	2	4	12	24	41	65
80-84	196	10.6	127	2	2	7	14	27	35	99+
85+	94	14.5	210	1	2	11	20	37	46	67
TOT. SINGLE DX	1078	4.3	29	1	1	3	5	9	13	26
" MULTIPLE DX	2169	8.7	125	1	2	4	10	22	34	62
TOTAL 65-69 YRS	1352	6.0	73	1	1	3	6	14	22	46
70-74	929	6.9	93	1	1	3	8	16	28	62
75-79	565	8.5	119	1	2	4	10	22	34	60
80-84	264	9.4	112	1	2	6	11	24	33	97
85+	137	12.3	191	1	1	7	17	27	45	65
GRAND TOTAL	**3247**	**7.2**	**97**	**1**	**1**	**4**	**8**	**18**	**28**	**54**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	62	11.6	51	4	5	10	14	17	27	40
70-74	30	13.3	176	5	5	10	14	20	49	68
75-79	14	11.0	16	7	7	10	14	17	20	21
80-84	1	32.0		32	32	32	32	32	32	32
85+	4	10.3	33	5	5	9	15	17	17	17
2. MULTIPLE DX										
65-69 YRS	145	19.6	247	5	6	14	26	41	54	99+
70-74	106	23.4	314	5	6	19	31	52	70	99+
75-79	45	23.1	222	8	10	19	31	47	61	99+
80-84	18	20.7	150	6	9	18	33	45	76	99+
85+	9	24.8	142	9	10	22	32	42	46	46
TOT. SINGLE DX	111	12.1	82	5	5	10	14	19	29	56
" MULTIPLE DX	323	21.5	258	5	7	17	30	45	64	99+
TOTAL 65-69 YRS	207	17.2	201	5	6	12	22	38	42	99
70-74	136	21.1	300	5	6	16	27	49	68	99+
75-79	59	20.3	200	7	8	16	25	43	53	98
80-84	19	21.3	149	6	9	19	34	44	73	99+
85+	13	20.3	152	5	6	17	29	38	44	46
GRAND TOTAL	**434**	**19.1**	**230**	**5**	**6**	**14**	**24**	**41**	**53**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	237	5.2	46	1	1	3	6	9	14	34
70-74	156	4.4	18	<1	1	3	5	10	13	22
75-79	87	5.2	18	1	1	4	7	12	13	20
80-84	37	5.8	33	1	1	3	7	16	18	26
85+	16	8.2	85	<1	2	4	10	27	29	29
2. MULTIPLE DX										
65-69 YRS	375	7.7	90	2	2	5	8	16	23	67
70-74	266	7.9	67	2	2	5	10	17	21	42
75-79	187	8.7	88	1	2	5	11	20	32	43
80-84	84	11.7	158	2	2	7	16	27	41	57
85+	32	10.7	98	1	2	7	15	22	24	48
TOT. SINGLE DX	533	5.1	34	1	1	3	6	10	16	28
" MULTIPLE DX	944	8.4	91	2	2	5	10	19	25	51
TOTAL 65-69 YRS	612	6.7	75	1	2	4	7	13	20	57
70-74	422	6.6	52	1	2	4	8	15	19	38
75-79	274	7.6	69	1	2	5	9	18	24	37
80-84	121	9.9	127	1	2	6	13	23	35	55
85+	48	9.9	94	1	2	5	15	22	28	48
GRAND TOTAL	1477	7.2	73	1	2	4	8	16	22	48

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1378	14.1	29	8	9	13	16	19	24	32
70-74	1362	14.8	32	8	9	14	17	21	24	36
75-79	1122	15.8	42	9	10	15	18	23	27	42
80-84	593	15.8	38	9	10	15	18	23	27	36
85+	275	17.6	69	9	10	15	20	30	35	48
2. MULTIPLE DX										
65-69 YRS	2335	17.5	86	9	10	15	20	27	35	61
70-74	2628	18.4	98	9	10	16	21	30	38	63
75-79	2336	19.4	102	9	11	17	22	31	40	67
80-84	1444	21.0	138	10	11	17	24	33	44	89
85+	913	21.9	155	10	12	18	26	36	48	78
TOT. SINGLE DX	4730	15.1	38	8	9	14	17	22	26	37
" MULTIPLE DX	9656	19.1	110	9	10	16	22	31	39	68
TOTAL 65-69 YRS	3713	16.2	68	8	9	14	18	25	31	55
70-74	3990	17.2	79	9	10	15	19	26	34	58
75-79	3458	18.2	86	9	10	16	20	28	37	62
80-84	2037	19.5	115	9	11	16	22	32	39	77
85+	1188	20.9	139	10	11	17	25	34	44	76
GRAND TOTAL	14386	17.8	90	9	10	16	20	28	36	62

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	440	14.2	46	7	8	13	16	20	24	38
70-74	581	15.5	61	7	9	14	18	23	27	38
75-79	749	16.4	55	8	10	15	19	25	29	50
80-84	821	16.8	50	9	10	16	20	26	31	46
85+	983	17.0	68	8	10	15	20	26	32	54
2. MULTIPLE DX										
65-69 YRS	1074	19.2	139	8	10	16	22	32	43	84
70-74	1689	19.7	119	9	10	17	23	33	44	69
75-79	2514	20.6	151	9	10	17	24	36	48	99+
80-84	2643	21.5	150	9	11	18	25	38	49	99
85+	3404	21.4	155	9	11	18	26	36	49	92
TOT. SINGLE DX	3574	16.2	58	8	9	15	19	25	29	48
" MULTIPLE DX	11324	20.8	148	9	10	18	24	36	47	92
TOTAL 65-69 YRS	1514	17.8	118	8	9	15	20	29	37	79
70-74	2270	18.6	108	8	10	16	21	30	39	66
75-79	3263	19.7	133	8	10	17	23	33	44	92
80-84	3464	20.4	131	9	11	17	24	35	45	85
85+	4387	20.4	140	9	10	17	24	34	46	87
GRAND TOTAL	14898	19.7	130	9	10	17	23	33	44	84

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1226	14.3	36	6	8	14	17	21	25	34
70-74	1250	14.7	37	7	8	14	17	21	24	35
75-79	985	15.9	39	8	9	15	19	23	27	38
80-84	467	16.3	42	7	9	16	19	24	29	35
85+	130	17.4	47	8	10	16	20	26	32	39
2. MULTIPLE DX										
65-69 YRS	2010	16.6	82	5	8	15	19	26	33	53
70-74	2170	16.9	76	7	9	15	19	26	32	53
75-79	1885	18.5	97	8	10	16	21	29	37	62
80-84	946	19.8	100	9	11	18	24	32	39	59
85+	298	21.3	150	8	11	18	24	34	47	74
TOT. SINGLE DX	4058	15.1	40	7	9	15	18	22	26	35
" MULTIPLE DX	7309	17.8	92	8	9	16	21	28	35	59
TOTAL 65-69 YRS	3236	15.7	67	6	8	15	18	24	30	48
70-74	3420	16.1	63	7	9	15	19	24	30	47
75-79	2870	17.6	79	8	10	16	20	27	34	57
80-84	1413	18.7	84	9	10	17	22	30	35	57
85+	428	20.1	122	8	11	17	23	32	42	70
GRAND TOTAL	11367	16.8	75	7	9	15	19	26	32	52

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	463	5.1	14	2	2	4	6	9	12	20
70-74	276	6.2	25	2	2	4	8	12	15	26
75-79	132	6.4	31	1	2	4	8	14	18	29
80-84	56	6.4	15	1	2	6	8	12	15	17
85+	32	8.4	49	1	2	6	12	19	21	32
2. MULTIPLE DX										
65-69 YRS	769	6.7	46	2	2	5	7	12	17	41
70-74	565	8.1	77	2	2	5	9	17	22	40
75-79	299	9.2	56	2	3	7	11	21	27	33
80-84	129	9.1	47	2	3	7	12	18	23	36
85+	40	10.9	40	2	3	10	15	19	23	28
TOT. SINGLE DX	959	5.8	22	2	2	4	7	11	15	24
" MULTIPLE DX	1802	7.8	59	2	2	5	9	16	22	39
TOTAL 65-69 YRS	1232	6.1	35	2	2	4	7	11	16	35
70-74	841	7.4	61	2	2	5	9	15	20	39
75-79	431	8.4	51	1	2	6	11	19	24	32
80-84	185	8.3	39	2	3	7	11	17	20	33
85+	72	9.8	46	2	3	8	14	19	23	31
GRAND TOTAL	**2761**	**7.1**	**47**	**2**	**2**	**5**	**8**	**15**	**19**	**33**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	189	3.1	16	<1	<1	2	3	6	10	18
70-74	105	3.3	10	<1	<1	2	4	7	9	16
75-79	58	3.4	9	<1	<1	2	4	9	10	12
80-84	26	6.5	48	1	1	3	9	13	26	28
85+	11	6.6	46	1	1	3	10	19	20	20
2. MULTIPLE DX										
65-69 YRS	235	10.1	151	1	2	5	12	27	40	63
70-74	184	9.8	115	1	2	6	13	24	32	70
75-79	123	10.6	110	1	2	6	16	30	38	99+
80-84	79	13.9	182	2	2	9	21	32	64	99+
85+	51	18.0	269	2	3	12	24	42	48	80
TOT. SINGLE DX	389	3.5	17	<1	<1	2	4	8	12	21
" MULTIPLE DX	672	11.1	151	1	2	6	16	28	40	99+
TOTAL 65-69 YRS	424	7.0	103	<1	1	3	7	17	29	53
70-74	289	7.4	87	<1	1	4	9	18	26	56
75-79	181	8.3	89	<1	1	5	12	25	33	99+
80-84	105	12.0	159	2	2	8	19	28	56	99+
85+	62	16.0	248	2	2	11	21	41	45	77
GRAND TOTAL	**1061**	**8.3**	**115**	**<1**	**1**	**4**	**11**	**23**	**33**	**72**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	353	3.5	16	<1	<1	2	4	6	12	25
70-74	214	4.4	26	<1	1	3	5	10	15	26
75-79	136	5.0	47	<1	<1	3	6	10	14	37
80-84	56	4.9	18	<1	1	3	6	11	13	23
85+	32	4.7	16	<1	1	4	6	11	12	19
2. MULTIPLE DX										
65-69 YRS	529	9.3	111	1	2	6	12	20	29	59
70-74	395	10.5	129	1	2	6	14	25	34	59
75-79	285	13.5	200	2	2	8	18	33	43	69
80-84	171	13.5	236	2	2	7	17	37	48	78
85+	97	12.4	121	2	2	10	15	28	34	55
TOT. SINGLE DX	791	4.1	25	<1	<1	2	5	9	14	26
" MULTIPLE DX	1477	11.1	151	1	2	7	14	26	36	62
TOTAL 65-69 YRS	882	7.0	82	<1	1	3	9	17	23	49
70-74	609	8.3	102	1	1	4	10	21	29	52
75-79	421	10.7	167	<1	1	6	13	28	38	64
80-84	227	11.4	196	1	2	5	14	28	45	63
85+	129	10.5	106	1	2	8	13	25	32	51
GRAND TOTAL	**2268**	**8.7**	**118**	**<1**	**1**	**4**	**11**	**21**	**31**	**56**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	427	2.3	1	<1	1	2	3	4	5	7
70-74	276	2.3	2	<1	1	2	3	3	5	8
75-79	156	2.3	1	1	1	2	3	4	4	7
80-84	32	2.1	1	<1	1	2	2	4	4	5
85+	12	2.1	1	<1	<1	2	2	4	6	6
2. MULTIPLE DX										
65-69 YRS	307	3.7	22	1	1	2	4	7	11	20
70-74	203	4.1	25	1	1	3	4	10	13	25
75-79	122	4.5	40	1	1	3	4	10	19	99+
80-84	55	4.9	23	1	2	3	6	12	14	26
85+	13	8.4	139	1	1	5	9	51	89	99+
TOT. SINGLE DX	903	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	700	4.1	29	1	1	3	4	9	13	42
TOTAL 65-69 YRS	734	2.8	11	<1	1	2	3	5	7	15
70-74	479	3.1	13	<1	1	2	3	5	8	18
75-79	278	3.2	19	1	1	2	3	5	9	43
80-84	87	3.9	17	1	1	2	4	10	13	23
85+	25	5.4	81	<1	1	3	6	12	57	99+
GRAND TOTAL	**1603**	**3.1**	**14**	**1**	**1**	**2**	**3**	**5**	**9**	**20**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	78	2.0	1	<1	<1	2	3	3	4	7
70-74	48	2.3	1	<1	1	2	3	4	4	9
75-79	19	2.0	1	<1	1	2	3	4	5	5
80-84	14	2.4	2	<1	1	2	3	4	6	7
85+	5	2.4	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	126	4.2	51	1	1	2	4	8	12	45
70-74	87	3.7	15	1	1	3	4	7	13	22
75-79	55	3.6	22	<1	1	3	4	5	11	32
80-84	25	4.2	20	<1	1	3	5	7	12	24
85+	14	5.6	20	2	2	4	8	13	15	16
TOT. SINGLE DX	164	2.1	2	<1	1	2	3	4	4	7
" MULTIPLE DX	307	4.0	32	1	1	3	4	7	13	29
TOTAL 65-69 YRS	204	3.4	33	<1	1	2	3	5	9	33
70-74	135	3.2	11	1	1	2	4	5	8	21
75-79	74	3.2	18	<1	1	2	4	5	7	28
80-84	39	3.5	15	<1	1	3	4	7	8	24
85+	19	4.7	17	1	1	3	6	11	15	16
GRAND TOTAL	471	3.4	22	1	1	2	3	5	9	25

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	293	4.4	9	1	2	4	5	9	10	17
70-74	183	4.4	10	<1	1	4	6	8	10	20
75-79	91	6.0	42	1	2	4	7	11	17	41
80-84	37	6.4	75	<1	<1	5	6	12	24	48
85+	13	6.2	31	2	2	4	9	12	20	22
2. MULTIPLE DX										
65-69 YRS	383	7.5	71	1	2	5	8	15	22	61
70-74	270	7.9	91	2	2	5	9	16	27	54
75-79	169	9.6	116	2	2	6	10	22	28	58
80-84	54	9.4	98	1	2	7	11	18	26	56
85+	42	16.8	311	2	3	11	22	42	61	70
TOT. SINGLE DX	617	4.8	20	1	2	4	6	9	11	22
" MULTIPLE DX	918	8.6	102	2	2	6	9	18	27	61
TOTAL 65-69 YRS	676	6.2	47	1	2	4	7	12	17	38
70-74	453	6.5	62	1	2	4	7	11	19	45
75-79	260	8.3	93	2	2	5	9	18	26	56
80-84	91	8.2	90	<1	1	5	10	17	25	53
85+	55	14.3	264	2	2	8	20	35	52	70
GRAND TOTAL	1535	7.0	72	1	2	5	8	14	22	55

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	106	5.0	22	1	2	4	5	9	12	29
70-74	85	6.0	21	1	2	5	8	10	16	25
75-79	41	5.5	10	1	1	5	7	10	12	15
80-84	19	6.4	16	2	3	5	7	13	16	17
85+	12	11.0	94	1	2	8	19	25	28	29
2. MULTIPLE DX										
65-69 YRS	156	9.1	104	1	2	6	11	19	27	70
70-74	95	11.0	166	2	3	7	12	24	47	59
75-79	72	13.3	220	2	3	8	16	41	56	95
80-84	29	10.9	110	3	3	8	13	22	28	54
85+	17	17.6	344	5	6	13	18	34	67	83
TOT. SINGLE DX	263	5.8	24	1	2	4	7	11	16	28
" MULTIPLE DX	369	10.9	157	2	3	7	13	23	43	77
TOTAL 65-69 YRS	262	7.4	75	1	2	5	9	15	23	62
70-74	180	8.6	104	2	2	6	9	17	29	58
75-79	113	10.5	158	1	3	6	13	22	42	87
80-84	48	9.1	77	3	3	6	11	18	23	54
85+	29	14.9	245	2	3	11	19	27	38	83
GRAND TOTAL	632	8.8	108	2	2	6	10	18	27	61

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	3.4	104	<1	1	2	3	4	6	73
70-74	39	3.3	24	<1	1	2	3	7	9	31
75-79	22	3.0	6	1	1	2	4	7	9	10
80-84	12	3.3	9	1	1	2	4	9	10	10
85+	9	5.2	31	2	2	2	6	15	16	16
2. MULTIPLE DX										
65-69 YRS	120	9.1	176	1	1	3	9	27	32	64
70-74	96	8.8	136	1	2	4	10	24	40	51
75-79	62	8.7	125	1	1	3	11	25	30	54
80-84	40	11.4	202	1	1	5	15	30	39	68
85+	35	10.7	150	1	2	6	12	28	31	61
TOT. SINGLE DX	143	3.4	55	1	1	2	3	6	9	34
" MULTIPLE DX	353	9.4	156	1	1	4	11	26	35	55
TOTAL 65-69 YRS	181	7.2	159	1	1	3	6	19	31	72
70-74	135	7.2	110	1	1	3	8	18	36	50
75-79	84	7.2	100	1	1	3	8	21	26	53
80-84	52	9.5	168	1	1	3	12	28	35	67
85+	44	9.6	130	1	2	5	12	26	31	61
GRAND TOTAL	496	7.6	134	1	1	3	8	21	31	54

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	3.6	6	1	1	3	5	7	7	7
70-74	4	4.5	7	2	2	4	6	8	8	8
75-79	1	9.0		9	9	9	9	9	9	9
80-84	2	5.5	5	4	4	5	7	7	7	7
85+										
2. MULTIPLE DX										
65-69 YRS	19	27.1	378	5	8	19	37	61	66	67
70-74	16	27.4	361	3	4	27	42	56	57	57
75-79	25	18.1	159	6	8	15	24	43	66	99+
80-84	9	22.8	172	9	9	23	28	43	51	51
85+	18	18.5	203	4	5	16	22	45	54	54
TOT. SINGLE DX	12	4.7	7	1	2	4	7	8	9	9
" MULTIPLE DX	87	22.3	261	4	6	17	29	52	57	87
TOTAL 65-69 YRS	24	22.2	392	2	3	16	32	57	66	67
70-74	20	22.9	375	2	3	23	33	54	57	57
75-79	26	17.7	156	6	8	15	24	42	63	99+
80-84	11	19.6	187	4	6	17	27	38	50	51
85+	18	18.5	204	4	5	16	22	45	54	54
GRAND TOTAL	**99**	**20.2**	**264**	**3**	**4**	**16**	**27**	**51**	**57**	**83**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	70	10.1	144	1	2	5	13	25	41	56
70-74	56	11.5	196	2	2	5	15	38	44	58
75-79	47	8.6	140	1	2	6	10	17	20	78
80-84	35	11.6	99	1	2	8	16	28	32	36
85+	38	11.0	107	2	3	8	10	31	36	41
2. MULTIPLE DX										
65-69 YRS	714	21.2	307	3	5	16	28	48	62	92
70-74	705	21.6	280	3	4	18	30	45	58	83
75-79	558	19.3	247	3	4	15	27	41	52	92
80-84	363	21.0	280	3	4	16	28	46	59	99+
85+	332	21.6	302	4	5	17	29	46	71	99+
TOT. SINGLE DX	246	10.5	142	2	2	6	13	26	37	57
" MULTIPLE DX	2672	20.9	284	3	5	16	28	46	60	98
TOTAL 65-69 YRS	784	20.2	302	2	4	15	27	47	60	90
70-74	761	20.9	281	2	4	17	29	45	58	80
75-79	605	18.5	247	3	3	15	25	40	51	90
80-84	398	20.1	271	3	4	16	28	44	57	99+
85+	370	20.5	292	3	5	16	28	43	68	99+
GRAND TOTAL	**2918**	**20.1**	**280**	**3**	**4**	**15**	**28**	**44**	**58**	**93**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	17.0	121	4	5	15	21	29	40	55
70-74	37	18.7	125	8	9	16	22	45	79	99+
75-79	39	25.2	286	6	8	22	32	45	64	78
80-84	30	20.8	333	5	6	15	28	44	55	84
85+	33	16.4	85	3	5	15	20	32	33	42
2. MULTIPLE DX										
65-69 YRS	747	29.9	367	9	11	25	41	64	78	99+
70-74	851	30.2	337	9	12	26	41	61	73	99+
75-79	762	30.7	383	9	11	25	42	66	81	99+
80-84	533	29.6	382	8	10	24	39	63	81	99+
85+	461	24.8	283	7	9	20	33	47	67	99+
TOT. SINGLE DX	167	19.9	198	5	7	16	25	40	54	97
" MULTIPLE DX	3354	29.4	358	9	11	24	40	62	78	99+
TOTAL 65-69 YRS	775	29.5	364	9	11	25	41	63	77	99+
70-74	888	29.7	334	9	11	25	40	60	73	99+
75-79	801	30.4	380	8	11	25	41	66	80	99+
80-84	563	29.2	384	8	10	24	38	62	80	99+
85+	494	24.2	275	7	9	20	32	47	66	99+
GRAND TOTAL	**3521**	**29.0**	**354**	**8**	**10**	**24**	**39**	**62**	**77**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	15.7	117	4	5	15	20	34	51	99+
70-74	28	18.5	212	5	6	13	22	38	57	62
75-79	36	17.8	117	5	6	16	23	34	42	46
80-84	39	18.6	263	4	6	17	23	33	40	97
85+	53	14.6	106	6	6	11	18	25	31	58
2. MULTIPLE DX										
65-69 YRS	554	27.5	358	8	10	23	37	64	92	99+
70-74	709	28.0	371	8	9	23	38	63	82	99+
75-79	771	25.9	311	8	10	21	35	56	75	99+
80-84	750	23.8	269	7	9	20	32	51	71	99+
85+	1061	20.7	226	6	8	16	27	47	62	99+
TOT. SINGLE DX	187	16.8	158	4	6	14	20	32	44	84
" MULTIPLE DX	3845	24.7	305	7	9	20	33	56	76	99+
TOTAL 65-69 YRS	585	26.9	353	8	9	22	36	63	89	99+
70-74	737	27.6	368	7	9	22	38	63	80	99+
75-79	807	25.5	305	7	9	21	35	55	75	99+
80-84	789	23.6	270	7	8	20	32	50	70	99+
85+	1114	20.4	222	6	7	16	26	46	61	99+
GRAND TOTAL	**4032**	**24.3**	**301**	**7**	**8**	**19**	**33**	**55**	**75**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	15.9	147	2	4	14	26	36	38	38
70-74	9	21.1	244	8	9	17	24	46	60	60
75-79	4	15.5	30	10	10	15	20	22	22	22
80-84	10	23.1	325	3	4	19	36	49	61	61
85+	2	22.0	162	13	13	22	31	31	31	31
2. MULTIPLE DX										
65-69 YRS	217	30.0	351	8	10	27	40	65	83	99+
70-74	210	29.4	336	8	11	25	40	57	79	99+
75-79	188	28.5	305	6	9	24	42	55	64	99+
80-84	107	30.0	457	7	10	25	41	69	84	99+
85+	77	22.7	240	5	8	18	34	52	93	99+
TOT. SINGLE DX	38	19.3	197	3	5	15	25	37	51	61
" MULTIPLE DX	799	28.8	343	7	10	25	40	57	78	99+
TOTAL 65-69 YRS	230	29.2	350	7	9	27	40	62	81	99+
70-74	219	29.0	334	8	11	25	39	57	77	99+
75-79	192	28.3	303	6	9	24	41	54	64	99+
80-84	117	29.4	447	6	9	24	40	68	84	99+
85+	79	22.6	237	5	8	18	33	51	91	99+
GRAND TOTAL	**837**	**28.3**	**340**	**7**	**9**	**24**	**39**	**57**	**76**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	5.8	4	4	4	6	7	8	8	8
70-74	4	14.5	193	2	2	14	26	28	28	28
75-79	1	29.0		29	29	29	29	29	29	29
80-84	2	9.0	128	1	1	9	17	17	17	17
85+	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	5	2.8	3	1	1	2	4	5	5	5
" MULTIPLE DX	12	11.7	110	1	2	7	21	28	29	29
TOTAL 65-69 YRS	7	4.0	7	1	1	4	6	8	8	8
70-74	5	12.6	163	2	2	5	26	28	28	28
75-79	2	16.5	313	4	4	16	29	29	29	29
80-84	2	9.0	128	1	1	9	17	17	17	17
85+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**17**	**9.1**	**94**	**1**	**1**	**4**	**13**	**27**	**29**	**29**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	6.9	33	<1	1	5	11	16	18	23
70-74	40	8.8	47	1	1	7	14	20	21	23
75-79	28	12.1	90	2	3	9	16	26	34	34
80-84	22	11.4	67	3	5	9	14	26	30	35
85+	18	7.9	36	1	3	6	8	19	22	23
2. MULTIPLE DX										
65-69 YRS	150	17.0	279	2	3	11	22	43	60	99+
70-74	145	15.0	166	2	3	11	21	35	46	99+
75-79	101	19.3	283	4	5	14	24	43	53	83
80-84	58	14.6	126	4	5	12	19	33	42	96
85+	61	15.8	155	3	5	11	20	29	40	68
TOT. SINGLE DX	141	9.3	57	1	2	7	14	21	24	34
" MULTIPLE DX	515	16.5	218	2	4	12	21	38	51	99
TOTAL 65-69 YRS	183	15.2	250	2	3	10	19	42	55	97
70-74	185	13.6	147	1	2	11	19	31	39	90
75-79	129	17.7	250	3	4	12	23	38	50	74
80-84	80	13.7	111	4	5	11	18	28	37	87
85+	79	14.0	139	3	4	10	20	26	35	65
GRAND TOTAL	**656**	**14.9**	**192**	**2**	**3**	**11**	**20**	**34**	**47**	**89**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	4	20.5	321	6	6	16	34	44	44	44
75-79	1	24.0		24	24	24	24	24	24	24
80-84										
85+	2	13.0	32	9	9	13	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	8	10.8	70	4	4	7	16	24	25	25
70-74	5	19.8	397	6	6	12	25	55	55	55
75-79	7	14.3	31	9	10	12	15	24	26	26
80-84	7	22.6	808	5	5	11	23	73	85	85
85+	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	9	15.6	181	3	4	9	24	36	44	44
" MULTIPLE DX	28	16.3	287	4	5	12	15	27	58	85
TOTAL 65-69 YRS	10	9.4	63	3	3	6	9	24	25	25
70-74	9	20.1	320	6	6	12	30	51	55	55
75-79	8	15.5	38	9	10	13	20	25	26	26
80-84	7	22.6	809	5	5	11	23	73	85	85
85+	3	12.7	16	9	9	12	16	17	17	17
GRAND TOTAL	**37**	**16.1**	**256**	**4**	**5**	**12**	**18**	**27**	**51**	**85**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1365	2.7	3	<1	1	2	3	5	7	11
70-74	955	3.1	10	<1	1	2	3	6	9	14
75-79	625	3.6	12	<1	1	2	4	8	11	17
80-84	306	3.9	10	1	1	3	5	8	11	15
85+	177	4.4	21	1	1	3	6	9	11	21
2. MULTIPLE DX										
65-69 YRS	1904	6.2	58	1	2	3	7	13	19	42
70-74	1619	7.2	79	1	2	4	9	16	24	42
75-79	1266	8.1	90	1	2	5	10	17	26	48
80-84	676	9.2	104	2	2	6	11	20	27	70
85+	508	10.2	124	2	2	7	13	22	30	70
TOT. SINGLE DX	3428	3.2	9	<1	1	2	3	7	[illegible]	14
" MULTIPLE DX	5973	7.6	83	1	2	4	9	17	24	48
TOTAL 65-69 YRS	3269	4.7	39	1	1	3	5	10	15	34
70-74	2574	5.7	58	1	2	3	7	13	19	36
75-79	1891	6.6	69	1	2	4	8	15	20	42
80-84	982	7.6	81	1	2	5	9	17	22	54
85+	685	8.7	104	1	2	6	11	19	28	57
GRAND TOTAL	**9401**	**6.0**	**61**	**1**	**2**	**3**	**7**	**13**	**19**	**40**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	107	5.3	11	1	2	5	7	10	12	16
70-74	103	5.7	19	1	2	5	8	10	14	24
75-79	98	7.3	31	2	2	6	8	12	16	34
80-84	138	6.9	10	2	3	7	9	12	13	16
85+	120	6.9	10	2	3	7	9	11	13	15
2. MULTIPLE DX										
65-69 YRS	267	9.1	81	2	3	6	11	19	27	46
70-74	257	10.9	123	2	3	8	12	23	29	66
75-79	254	10.9	75	3	4	8	13	19	28	50
80-84	275	10.7	90	3	4	8	13	19	26	55
85+	301	10.8	64	4	4	9	12	18	28	51
TOT. SINGLE DX	566	6.5	16	2	2	6	8	11	13	21
" MULTIPLE DX	1354	10.5	87	3	3	8	12	19	28	52
TOTAL 65-69 YRS	374	8.0	65	2	2	6	9	16	23	35
70-74	360	9.4	99	2	2	7	11	18	26	62
75-79	352	9.9	65	2	3	8	12	17	25	48
80-84	413	9.4	67	3	4	7	11	16	21	47
85+	421	9.7	52	3	4	8	11	16	22	44
GRAND TOTAL	**1920**	**9.3**	**69**	**2**	**3**	**7**	**11**	**17**	**24**	**48**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1168	7.7	11	4	5	7	9	11	13	16
70-74	955	8.0	9	4	5	8	9	11	14	19
75-79	596	8.1	10	4	5	8	9	12	14	21
80-84	333	8.6	15	4	5	8	10	13	14	24
85+	141	8.2	11	4	5	8	10	14	15	18
2. MULTIPLE DX										
65-69 YRS	2174	9.9	40	4	5	8	11	16	20	36
70-74	2018	10.3	42	5	5	9	12	16	21	39
75-79	1546	10.8	48	5	5	9	12	18	23	42
80-84	865	11.5	51	5	6	10	13	19	24	42
85+	426	11.9	72	5	5	10	14	20	26	55
TOT. SINGLE DX	3193	8.0	11	4	5	8	9	12	14	19
" MULTIPLE DX	7029	10.5	47	5	5	9	12	17	21	40
TOTAL 65-69 YRS	3342	9.1	32	4	5	8	10	14	17	30
70-74	2973	9.6	33	4	5	8	11	15	18	33
75-79	2142	10.1	40	4	5	9	11	16	20	38
80-84	1198	10.7	43	5	5	9	12	17	21	39
85+	567	11.0	60	4	5	9	13	18	23	47
GRAND TOTAL	**10222**	**9.7**	**37**	**4**	**5**	**8**	**11**	**15**	**19**	**35**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380
and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	115	3.8	6	1	2	3	5	6	8	16
70-74	57	3.6	5	1	2	3	4	7	8	14
75-79	44	3.5	3	1	1	3	4	6	7	10
80-84	20	3.9	7	<1	1	3	5	6	10	13
85+	12	5.8	59	2	2	4	5	13	28	30
2. MULTIPLE DX										
65-69 YRS	247	5.0	10	2	2	4	6	9	11	17
70-74	132	5.7	32	1	2	4	6	10	16	36
75-79	62	8.0	98	1	2	5	8	20	29	56
80-84	29	5.4	19	1	2	4	6	14	15	18
85+	22	12.9	171	1	1	10	16	25	43	60
TOT. SINGLE DX	248	3.8	8	1	2	3	5	6	8	16
" MULTIPLE DX	492	6.0	38	2	2	4	7	11	16	36
TOTAL 65-69 YRS	362	4.6	9	2	2	4	6	9	11	17
70-74	189	5.0	25	1	2	4	5	10	12	32
75-79	106	6.1	64	1	2	4	6	10	21	47
80-84	49	4.8	14	1	1	4	6	11	14	18
85+	34	10.4	141	1	2	6	14	23	32	60
GRAND TOTAL	740	5.2	29	1	2	4	6	9	14	30

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	4.3	9	1	1	4	5	8	12	13
70-74	11	3.2		2	2	3	4	5	5	5
75-79	10	9.3	231	<1	<1	3	5	36	48	48
80-84	4	3.8	13	1	1	2	6	9	9	9
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	31	6.9	62	1	1	5	8	13	16	43
70-74	23	9.3	54	2	3	6	14	21	25	29
75-79	10	19.2	718	2	2	7	13	69	74	74
80-84	7	7.7	52	2	2	7	9	20	23	23
85+	3	5.3	17	2	2	4	8	10	10	10
TOT. SINGLE DX	41	5.0	63	1	1	3	4	8	18	48
" MULTIPLE DX	74	9.3	152	2	2	6	11	17	28	72
TOTAL 65-69 YRS	45	6.1	47	1	1	4	7	12	16	43
70-74	34	7.3	45	2	2	5	8	16	22	29
75-79	20	14.3	476	<1	1	5	12	56	69	74
80-84	11	6.3	39	1	1	4	8	15	22	23
85+	5	4.0	12	2	2	2	5	10	10	10
GRAND TOTAL	115	7.8	124	1	2	4	8	16	24	68

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	860	3.9	31	<1	<1	2	4	8	13	29
70-74	616	4.6	61	<1	<1	2	5	9	14	37
75-79	461	4.2	28	<1	<1	2	5	9	13	28
80-84	305	5.0	39	<1	1	3	6	12	18	33
85+	259	5.3	43	<1	<1	3	6	14	20	30
2. MULTIPLE DX										
65-69 YRS	2370	9.5	115	1	2	6	11	21	32	58
70-74	2271	10.1	113	1	2	7	12	21	30	65
75-79	1883	11.5	141	2	2	8	14	26	35	74
80-84	1358	12.2	152	2	2	9	15	26	42	83
85+	1357	12.3	133	2	2	9	16	27	37	91
TOT. SINGLE DX	2501	4.4	41	<1	<1	2	5	10	15	32
" MULTIPLE DX	9239	10.8	130	1	2	8	13	24	34	69
TOTAL 65-69 YRS	3230	8.0	99	<1	1	5	10	18	28	53
70-74	2887	8.9	107	1	1	6	11	20	29	57
75-79	2344	10.0	128	1	2	7	13	24	32	64
80-84	1663	10.9	140	1	2	8	14	24	36	75
85+	1616	11.2	126	1	2	8	14	24	35	78
GRAND TOTAL	11740	9.5	117	1	1	6	12	21	31	62

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	727	7.6	84	<1	1	4	9	17	25	51
70-74	623	8.1	97	<1	1	5	9	18	29	47
75-79	442	8.6	99	1	1	5	11	20	30	47
80-84	353	9.4	119	1	1	6	12	22	33	56
85+	318	9.3	107	1	2	6	12	20	28	72
2. MULTIPLE DX										
65-69 YRS	3348	14.4	224	1	2	10	19	35	49	90
70-74	3312	15.5	253	2	2	10	20	37	54	99+
75-79	2992	16.0	247	2	3	11	21	38	56	99+
80-84	2478	16.8	247	2	3	12	23	40	55	99+
85+	2580	16.3	242	2	3	12	21	38	56	99+
TOT. SINGLE DX	2463	8.4	99	1	1	5	10	19	28	54
" MULTIPLE DX	14710	15.7	243	2	2	11	21	38	54	99+
TOTAL 65-69 YRS	4075	13.2	206	1	2	9	17	33	46	84
70-74	3935	14.3	236	1	2	9	19	35	50	95
75-79	3434	15.1	235	2	2	10	20	36	53	99+
80-84	2831	15.8	237	2	2	11	21	38	53	99+
85+	2898	15.5	233	2	2	11	20	37	54	99+
GRAND TOTAL	17173	14.7	229	1	2	10	19	35	51	99+

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	173	12.1	107	1	1	9	17	26	30	53
70-74	149	14.8	140	2	2	12	20	33	38	52
75-79	132	15.1	166	1	2	13	22	31	36	67
80-84	99	16.2	154	2	3	14	23	32	40	63
85+	59	18.5	240	2	3	15	28	39	53	98
2. MULTIPLE DX										
65-69 YRS	525	21.2	260	3	4	18	30	44	57	99+
70-74	595	23.0	328	3	5	18	32	51	65	99+
75-79	537	24.5	267	4	7	22	34	48	59	99+
80-84	387	27.0	319	4	8	24	39	59	75	99+
85+	320	28.0	357	4	8	25	38	55	75	99+
TOT. SINGLE DX	612	14.7	151	1	2	12	21	31	38	62
" MULTIPLE DX	2364	24.3	307	3	6	21	34	51	65	99+
TOTAL 65-69 YRS	698	19.0	238	2	3	16	26	41	54	99+
70-74	744	21.3	302	2	4	17	30	48	63	99+
75-79	669	22.7	261	2	5	19	32	46	55	99+
80-84	486	24.8	305	3	5	22	35	54	71	99+
85+	379	26.5	351	4	6	23	37	53	72	99+
GRAND TOTAL	2976	22.3	290	2	4	19	31	47	62	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	9.2	163	<1	1	4	10	22	41	57
70-74	25	9.0	168	<1	1	3	10	24	44	52
75-79	24	8.8	86	<1	1	5	11	25	29	35
80-84	16	5.9	46	1	1	3	13	20	72	99+
85+	6	11.7	191	1	1	8	15	35	37	37
2. MULTIPLE DX										
65-69 YRS	93	17.0	311	1	2	10	24	41	62	94
70-74	84	18.4	323	1	2	13	31	50	64	99+
75-79	84	23.5	550	2	2	17	37	62	78	99+
80-84	43	20.8	532	2	2	14	35	74	94	99+
85+	50	30.4	563	2	6	24	54	79	98	99+
TOT. SINGLE DX	100	8.7	126	1	1	4	12	23	38	78
" MULTIPLE DX	354	21.2	448	1	2	15	34	58	82	99+
TOTAL 65-69 YRS	122	15.1	286	1	1	9	21	38	58	90
70-74	109	16.2	302	1	2	10	27	47	58	99+
75-79	108	20.3	484	1	2	15	27	57	72	99
80-84	59	16.8	443	1	2	11	29	59	95	99+
85+	56	28.4	554	2	3	20	50	75	94	99+
GRAND TOTAL	454	18.5	404	1	2	12	29	54	72	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	214	2.6	5	<1	1	2	3	5	7	13
70-74	125	3.4	11	<1	1	2	4	7	10	19
75-79	62	3.9	22	<1	1	3	4	7	10	28
80-84	36	3.4	4	1	1	2	5	6	8	11
85+	15	8.1	138	<1	1	2	7	27	37	40
2. MULTIPLE DX										
65-69 YRS	522	8.2	80	1	1	5	11	19	25	49
70-74	417	10.5	128	1	2	7	13	25	34	79
75-79	349	12.1	150	2	2	9	15	27	41	99+
80-84	273	14.3	197	2	4	10	17	35	52	99+
85+	252	16.6	238	3	4	12	20	36	49	99+
TOT. SINGLE DX	452	3.3	14	<1	1	2	4	6	9	21
" MULTIPLE DX	1813	11.6	153	1	2	8	15	26	38	99+
TOTAL 65-69 YRS	736	6.6	65	1	1	4	8	16	22	41
70-74	542	8.9	111	1	1	5	11	19	30	74
75-79	411	10.8	140	1	2	8	14	24	36	99+
80-84	309	13.0	188	2	2	9	15	34	46	99+
85+	267	16.1	236	2	3	12	20	36	46	99+
GRAND TOTAL	2265	9.9	136	1	1	6	13	23	35	91

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	10.7	437	1	1	3	10	24	63	95
70-74	22	5.4	24	1	2	4	6	12	18	22
75-79	9	6.2	33	2	2	4	6	16	20	20
80-84	6	8.7	17	1	2	9	11	13	13	13
85+	6	6.7	72	2	2	3	4	22	24	24
2. MULTIPLE DX										
65-69 YRS	172	11.1	85	2	3	8	14	21	31	46
70-74	188	10.7	65	3	3	8	15	21	26	55
75-79	196	12.3	99	3	4	10	15	23	32	54
80-84	111	14.8	202	4	4	12	16	27	48	94
85+	61	12.8	63	3	5	11	15	26	29	35
TOT. SINGLE DX	65	7.7	158	1	1	4	9	17	22	87
" MULTIPLE DX	728	12.0	101	3	4	9	15	23	30	62
TOTAL 65-69 YRS	194	11.1	123	1	2	8	14	21	31	48
70-74	210	10.1	64	3	3	7	14	21	25	49
75-79	205	12.0	98	3	4	9	15	22	31	52
80-84	117	14.5	194	3	4	11	16	27	46	94
85+	67	12.2	66	3	4	10	15	26	29	35
GRAND TOTAL	793	11.7	108	2	3	9	15	23	30	63

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1029	5.0	25	1	1	3	6	12	15	23
70-74	595	5.2	26	1	1	3	7	12	16	26
75-79	331	5.2	31	1	1	3	6	11	16	31
80-84	91	5.4	32	1	1	3	6	14	16	29
85+	33	6.0	34	1	1	4	8	16	18	22
2. MULTIPLE DX										
65-69 YRS	2437	9.4	98	1	2	6	12	20	28	51
70-74	1783	10.2	102	1	2	7	14	22	31	53
75-79	1106	11.2	113	1	2	8	15	24	32	55
80-84	405	12.9	127	2	2	10	20	28	34	71
85+	137	14.6	135	2	4	12	21	29	55	99+
TOT. SINGLE DX	2079	5.1	27	1	1	3	7	12	16	25
" MULTIPLE DX	5868	10.4	106	1	2	7	14	23	31	55
TOTAL 65-69 YRS	3466	8.1	81	1	1	5	11	18	25	47
70-74	2378	9.0	88	1	2	6	12	20	28	48
75-79	1437	9.8	101	1	2	7	13	22	29	48
80-84	496	11.6	118	1	2	8	16	26	32	57
85+	170	12.9	127	1	2	10	19	26	37	99+
GRAND TOTAL	7947	9.0	91	1	2	6	12	20	28	48

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	899	4.3	19	1	1	3	5	9	12	23
70-74	737	4.8	32	1	1	3	6	9	13	28
75-79	488	4.7	24	1	1	3	6	10	14	28
80-84	205	4.3	18	1	1	3	5	9	10	26
85+	70	4.9	34	1	1	3	5	10	15	35
2. MULTIPLE DX										
65-69 YRS	3846	7.8	60	2	2	6	10	16	22	39
70-74	3627	8.6	75	2	2	6	11	18	24	48
75-79	2736	8.8	73	2	2	7	11	18	24	48
80-84	1320	9.0	64	2	2	7	11	18	23	41
85+	480	9.3	68	2	3	7	12	19	24	45
TOT. SINGLE DX	2399	4.6	25	1	1	3	6	9	12	26
" MULTIPLE DX	12009	8.5	69	2	2	6	11	17	23	45
TOTAL 65-69 YRS	4745	7.2	55	1	2	5	9	15	21	37
70-74	4364	7.9	70	1	2	6	10	16	22	47
75-79	3224	8.2	69	2	2	6	10	17	23	44
80-84	1525	8.4	61	2	2	7	11	17	22	38
85+	550	8.8	66	2	2	6	11	18	23	43
GRAND TOTAL	14408	7.8	64	1	2	6	10	16	22	42

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	91	3.6	15	1	1	2	4	8	13	21
70-74	34	3.3	14	1	1	2	3	4	13	20
75-79	21	4.4	17	1	1	2	6	11	14	14
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	630	6.1	33	1	2	4	9	14	17	26
70-74	330	5.8	37	1	1	3	8	14	17	29
75-79	128	8.2	103	1	2	4	11	18	23	58
80-84	30	8.0	81	1	2	3	11	24	25	35
85+	6	11.8	226	2	2	3	24	36	37	37
TOT. SINGLE DX	148	3.7	15	1	1	2	4	9	14	20
" MULTIPLE DX	1124	6.3	46	1	2	4	9	14	18	31
TOTAL 65-69 YRS	721	5.8	32	1	2	3	8	13	16	26
70-74	364	5.6	36	1	1	3	7	14	17	27
75-79	149	7.6	93	1	2	4	10	17	22	53
80-84	31	7.9	80	1	2	3	11	24	25	35
85+	7	10.9	195	2	2	4	19	34	37	37
GRAND TOTAL	1272	6.0	43	1	2	3	8	14	18	28

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1310	4.9	23	1	1	3	7	11	14	22
70-74	1073	5.0	23	1	1	3	7	11	14	22
75-79	687	5.1	22	1	1	3	7	12	15	23
80-84	382	6.0	30	1	1	4	9	13	15	24
85+	154	6.5	25	1	2	5	9	15	16	22
2. MULTIPLE DX										
65-69 YRS	6529	8.3	58	1	2	6	11	17	22	38
70-74	5865	9.2	74	1	2	7	12	19	24	44
75-79	4435	9.8	81	2	2	8	13	20	26	49
80-84	2508	10.7	88	2	2	8	14	21	28	51
85+	1484	12.1	105	2	3	10	15	24	32	55
TOT. SINGLE DX	3606	5.2	24	1	1	3	7	12	15	23
" MULTIPLE DX	20821	9.4	76	2	2	7	13	19	25	45
TOTAL 65-69 YRS	7839	7.7	54	1	2	6	11	16	21	37
70-74	6938	8.6	69	1	2	7	12	18	23	40
75-79	5122	9.2	76	1	2	7	12	19	25	45
80-84	2890	10.0	83	2	2	8	13	20	26	46
85+	1638	11.6	101	2	3	9	15	23	30	54
GRAND TOTAL	24427	8.8	71	1	2	7	12	18	24	42

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9669	6.4	38	1	2	5	8	12	16	29
70-74	8132	6.9	42	1	2	5	8	13	18	33
75-79	6494	7.2	42	2	2	6	9	14	18	35
80-84	4570	7.8	51	2	2	6	10	15	20	38
85+	3719	7.8	48	2	2	6	10	15	20	34
2. MULTIPLE DX										
65-69 YRS	79272	9.0	58	2	3	7	11	17	23	41
70-74	85036	9.5	[illegible]	2	3	7	12	18	24	44
75-79	80474	10.0	71	2	3	8	12	19	25	46
80-84	62453	10.6	80	3	3	8	13	20	27	50
85+	54034	11.0	85	3	3	9	14	21	28	54
TOT. SINGLE DX	32584	7.0	44	1	2	5	9	14	18	33
" MULTIPLE DX	361269	9.9	72	2	3	8	12	19	25	46
TOTAL 65-69 YRS	88941	8.7	57	2	3	7	11	16	22	40
70-74	93168	9.3	65	2	3	7	11	18	24	43
75-79	86968	9.8	70	2	3	8	12	19	25	45
80-84	67023	10.4	79	2	3	8	13	20	27	49
85+	57753	10.8	84	2	3	8	13	21	28	53
GRAND TOTAL	393853	9.7	70	2	3	7	12	19	25	45

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2110	8.4	62	2	2	6	10	16	22	45
70-74	1833	8.5	59	2	2	7	11	16	22	41
75-79	1456	9.2	65	2	2	7	12	17	23	45
80-84	1043	9.2	68	2	2	7	11	18	23	40
85+	987	9.3	65	2	3	7	12	18	23	47
2. MULTIPLE DX										
65-69 YRS	14312	10.2	75	2	3	8	13	19	26	47
70-74	15387	10.8	81	2	3	8	13	20	27	51
75-79	14756	11.2	86	3	3	9	14	21	29	52
80-84	12012	11.6	85	3	4	9	14	22	29	49
85+	11675	12.1	97	3	4	10	15	23	30	57
TOT. SINGLE DX	7429	8.8	64	2	2	7	11	17	23	44
" MULTIPLE DX	68142	11.1	85	3	3	9	14	21	28	51
TOTAL 65-69 YRS	16422	10.0	75	2	3	8	12	19	26	47
70-74	17220	10.5	79	2	3	8	13	20	27	50
75-79	16212	11.0	85	3	3	9	14	21	28	51
80-84	13055	11.4	85	3	3	9	14	21	29	49
85+	12662	11.9	96	3	4	9	15	22	30	56
GRAND TOTAL	**75571**	**10.9**	**84**	**2**	**3**	**9**	**13**	**21**	**28**	**50**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3514	6.7	32	1	2	5	8	13	17	29
70-74	3226	7.1	41	1	2	5	9	14	18	32
75-79	2429	7.3	38	1	2	6	9	14	18	31
80-84	1717	7.5	42	1	2	6	10	14	18	35
85+	1471	7.8	55	2	2	6	10	15	19	47
2. MULTIPLE DX										
65-69 YRS	35017	8.7	56	2	3	7	11	17	22	40
70-74	37501	9.1	61	2	3	7	11	17	23	41
75-79	34439	9.5	66	2	3	7	12	18	24	44
80-84	26489	10.1	72	2	3	8	13	19	26	47
85+	24733	10.6	83	2	3	8	13	20	27	53
TOT. SINGLE DX	12357	7.1	41	1	2	5	9	14	18	33
" MULTIPLE DX	158179	9.5	67	2	3	7	12	18	24	44
TOTAL 65-69 YRS	38531	8.5	54	2	3	7	11	16	21	39
70-74	40727	9.0	60	2	3	7	11	17	23	41
75-79	36868	9.4	65	2	3	7	12	18	24	44
80-84	28206	9.9	71	2	3	8	12	19	25	47
85+	26204	10.5	83	2	3	8	13	20	27	53
GRAND TOTAL	**170536**	**9.3**	**66**	**2**	**3**	**7**	**12**	**18**	**24**	**44**

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number — Title

73 Diabetes mellitus, uncontrolled
72 Diabetic acidosis
73 Diabetic cataract
72 Diabetic coma
73 Diabetic gangrene
73 Diabetic nephropathy
73 Diabetic neuropathy
73 Diabetic retinopathy
73 Diabetic ulcer
397 Dialysis, peritoneal
397 Dialysis, renal
204 Diaphragmatic hernia
208 Diarrhea, except infectious and functional
211 Diarrhea, functional
1 Diarrhea, infectious
6 Diphtheria
Disease
- 199 Appendix, except acute appendicitis
- 151 Arteriosclerotic cardiovascular
- 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
- 13 Arthropod-borne
- 79 Autoimmune
- 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
- 218 Biliary ducts
- 234 Bladder, except calculus and cystitis
- 313 Bone, except osteomyelitis and osteoarthritis
- 242 Breast, except fibrocystic
- 241 Breast, fibrocystic
- 221 Celiac
- Central nervous system
  - 7 Enteroviral
  - 113 Inflammatory, except enteroviral
  - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
- Cerebrovascular – *see Cerebrovascular accident*
- 136 Chronic rheumatic heart
- 296 Connective tissue, diffuse
- 143 Coronary artery
- 211 Crohn's
- 75 Cushing's
- 187 Dental
- 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
396	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
216	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number Title

- 562 Laryngotomy, except permanent
  - 561 Permanent
- 706 Lengthening of bone
- 526 Lens extraction, except intracapsular
  - 525 Intracapsular
- Ligation
  - 665 Fallopian tubes (bilateral), except endoscopic approach
    - 664 Endoscopic approach
  - 612 Hemorrhoids
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except of hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin